

Cambridge University Press

978-0-521-88219-4 - The Mathematics of Logic: A Guide to Completeness Theorems
and their Applications

Richard Kaye

Index

[More information](#)

Index

- abelian group, **50**
- aleph, 166
- \aleph_0 , 166
- algorithm, 77, 96
- alphabet, **35**
- and (logical connective), ix, 55, 58
- ant, 3
- Appel and Haken, 8
- Archimedean Property, 185, 188
- arithmetic, models of, 197
- arity, **118**
- assumption, 67
- atom, **107**
- atomic formula, 78, **119**, 138
- Axiom of Choice, 16, **20**, 50, 110, 166
- axiom scheme, 139
- axiomatisable theories, 146

- back-and-forth, 174
- Baire's Theorem, 152, 155
- Barber Shop Paradox, 76
- basis, 19, 20
- bijection, 161, 165
- binary tree, **5**, 12
- BOOL, 113
- Boole, George, 61
- boolean algebra, **56**, 57, 100, 113
 - degenerate, 57
 - dual space of, 110, **111**
 - free, 105
 - improper, 57
 - proper, 103
 - quotient of, 103
 - representation theorem for, 110
- Boolean Prime Ideal Theorem, 107, 110, 111
- boolean ring, **62**, 102
- boolean term, **64**, 81, 90, 104
 - positive, **92**
- bottom (logical constant), 58

- Cantor, Georg, 14, 165, 166
- cardinal arithmetic, 167, 178
- cardinality, 161, 165, 166
- cardinality of
 - first-order language, 168
- Carroll, Lewis, 76
- categoricity, **171**, 174
- category theory, 114
- chain, **15**
- chain rule, 198
- change of variables, 131
- characteristic function, **62**
- choice function, 20
- clopen set, 112
- closed term, **118**, 164
- closure of a set, **108**
- co-meagre set, **155**
- co-nondeterministic computation, 99
- co-rare set, **154**
- compact space, 7, **108**, 150
- Compactness Theorem
 - first-order logic, 145, 150, 160
 - propositional logic, 89
- complementation, 57, 58, 60, 61
- complete theory, **153**, **170**
- completeness of a formal system, 43, 86
- completeness of the reals, 185
- Completeness Theorem, viii, 30, 43, 44, 48
 - arbitrary cardinalities, 169
 - countable version, 164
 - first-order logic, 142, 160, 163
 - propositional logic, 85, 86, 89, 106
 - uncountable version, 167
- complexity theory, 96
- comprehension, axiom scheme of, 139
- computability, 37, 96
- computation tree, 9
- concatenation, **4**
- conjunction, 91
- Conjunctive Normal Form (CNF), 92

- connected nodes, **5**
 connective, 143
 consistent set, **41**, 42, **65**, 86
 constant symbol, 117, 132
 continuity, 190
 contradiction, 39
 Contradiction Rule, 39, 65
 contrapositive, **59**
 Cook Wilson, John, 76
 countable set, **14**, 161, 162
 counter-example, 134
 cyclic group, 50, 147
- decidability, 37, 77
 Dedekind, Richard, 138
 Deduction Theorem, 77
 deductively closed, **152**
 definable, 160, 175, **176**, 187, **189**
 degenerate algebra, **57**
 degree, **6**
 Dense Linear Order (DLO), 173
 difference equation, 192
 differential equation, 192
 differentiation, 185, 191
 dimension, 20, 172
 discharged assumption, 67
 disjunction, 91
 Disjunctive Normal Form (DNF), 91
 distributive lattice, **56**
 Dodgson, Charles, 76
 domain, 116, 121, **132**, 164
 empty, 137
 dual of a propositional connective, 101
 dual of a quantifier, **136**
 dual of boolean algebra, B^{dual} , 110
 duality, 114
- elective element, **62**
 elimination of quantifiers, 175
 \wedge -Elimination, 65
 \vee -Elimination, 65
 \exists -Elimination, 122
 \forall -Elimination, 122
 \rightarrow -Elimination, 76, 124
 \neg -Elimination, 65
 empty function, 161, 166
 empty string, 24
 Equality Rules, 122
 equivalence relation, 49, 129, 162, 167, 178
 Erdős, Paul, 1
 Euler method, **192**
 excluded middle, 75
 extensionality, axiom of, 139
- false (logical constant), 58
 field, 20
 filter, **102**
 maximal, **106**
 finitely satisfiable, **158**
 first-order language, **117**, 119
 cardinality of, **168**
 countable, **163**
 first-order logic, 116, 133
 forest, 147
 formal proof, 25, 29, 39, **122**
 first-order logic, 122
 propositional logic, **65**
 formal system, 24
 complete, 43
 formally real field, **54**
 formula, **119**
 closed, **120**
 foundations of mathematics, 171
 free boolean algebra, **105**
 free(X), 105
 Friedman, Harvey, 10
 Fränkel, Abraham, 16
 full binary tree, **2**
 function symbol, 117, 133
 binary, **118**
 ternary, **118**
 unary, **118**
- Given Statements Rule, 39, 65, 122
 Given Strings Rule, 24
 graph, **1**, **8**, **135**, 147
 colouring, **8**
 connected, 147
 planar, **8**
 greatest lower bound, **55**
 $\bigwedge A$, 82
 group, 147
 simple, 137, 149
 torsion, 50, 149
 Gödel, Kurt, 171
- Hausdorff space, **110**, 153
 Henkin axiom, **141**
 Henkin property, **154**
 Henkin, Leon, 140
 Henkinisation, **140**, 156, 164, 167, 169
 Hilbert, David, 171
 homomorphism, **100**
 hyperreal number, 182
 finite, **186**
- ideal, 20, **101**
 idempotent element, **62**
 implication, 58, 59, 61, 76, 77, 124
 incompleteness of arithmetic, 138
 inconsistent set, **41**, **65**
 independence, 172
 infinite paths, 29
 infinitesimal, 182, 184, 187

Cambridge University Press

978-0-521-88219-4 - The Mathematics of Logic: A Guide to Completeness Theorems
and their Applications

Richard Kaye

Index

[More information](#)

202

informal mathematical proof, 70
 injection, 161, 165, 166, 177
 internal set or function, **189**
 \wedge -Introduction, 65
 \vee -Introduction, 65
 \exists -Introduction, 122
 \forall -Introduction, 122
 \rightarrow -Introduction, 76, 124
 Irreflexivity Rule, 39
 isolated, **158**
 isolated type, **157**
 isomorphism, 101, 171, 174

join (logical connective), 58
 joke (logical), 182

kernel, **101**
 König's Lemma, 3, 5, 7, 23

largeness, 102, 155
 lattice, **55**
 least upper bound, **55**, 186
 $\vee A$, 82
 length, **4**
 length of the input, 97
 Lengthening Rule, 24
 linear order, 11, **15**, 46, 49
 linearly independent, 19
 logical symbol, **117**
 logically equivalent, **91**

maximal element, 11, **13**
 maximal filter, **106**
 maximally consistent set, 142, 149
 meagre set, 155
 meet (logical connective), 58
 metamathematics, 29
 metaproof, 29
 metarule, 70, 75
 metatheorem, 29
 metric space, 7, 109
 MIU system, 34
 model
 countable, 164
 infinite, 169
 isomorphic, **171**
 model theory, 160, 170
 $M \models \sigma$, **133**
 module over a ring, 173
modus ponens, 76, 124
 Morley's Theorem, 172

natural language, 59, 76
 natural number, 4
 infinite, 188
 nonstandard, 188, 197
 negated atomic formula, 78

Index

negation, 39, 57
 node, 1
 non-deterministic computation, 9, 98
 non-distributive lattice, 56
 non-logical symbol, **117**
 non-strict partial order, **12**
 nonstandard analysis, ix, 182, 190
 not (logical connective), 55, 58
 nowhere-differentiable function, 194
 NP, 98
 NP-complete, **99**
 number theory, model of, 197
 numerical analysis, 183

omits p , **158**
 omitting a type, **156**
 Omitting Types Theorem, 152, 158
 B^{op} , 101
 open cover, **108**
 open set, 108, 150
 opposite, 101
 optimism, 104
 or (logical connective), ix, 55, 58
 order relation, 11
 ordered abelian group, **50**
 ordered field, **54**, 185
 overspill, 197
 overspill principle, 189

pairing function, 163
 parameter-definable, **189**
 partial order, **11**, 38
 linearised, 46
 non-strict, 12
 strict, 12
 partially ordered set, 11
 path, 3, **5**
 Peano Existence Theorem, 192
 Peano, Giuseppe, 138
 pedantic logician, 133
 pessimism, 104
 planar graph, **8**
 polynomial time, **97**
 Pope, 126
 poset, **12**, 38
 directed, **14**
 maximal element in, 13
 positive cone, **54**
 Post system, **35**
 power set, **11**
 predicate logic, 116
 prenex normal form, **137**
 preorder, **17**, 49
 pre-positive cone, **54**
 prime filter, **106**
 prime ideal, **106**
 Prime Ideal Theorem, 106

Cambridge University Press

978-0-521-88219-4 - The Mathematics of Logic: A Guide to Completeness Theorems and their Applications

Richard Kaye

Index

[More information](#)

Index

203

- problem, **96**
- product space, **109**
- projection function, **109**, 175
- proof strategy, 70, 77
- proof theory, 26
- propositional letters, **64**
- propositional logic
 - algorithm, 95
 - decidability, 77
- provability, **24**
- punctuation symbol, 117

- quantifier, 119, 133, 137
- quantifier elimination, 175
- quantifier free, **174**
- quotient, 101, 103

- rare set, 155
- rationals
 - as ordered set, 173
 - countability of the set of, 18, 163
- real number
 - standard, 186
- reals
 - completeness of, 185
 - countable model of the theory of, 165
 - structure for set of, 183, 188
 - theory of, 116
 - uncountability of set of, 18
- reciprocal, 183
- Reductio Ad Absurdum (RAA) Rule, 39
- Reductio Ad Absurdum Rule, 38, 39, 65
- Reflexivity, 122
- relation symbol, 117, 133
 - binary, **119**
 - ternary, **119**
 - unary, **119**
- representation theorem, 110
- restriction, 4
- reverse mathematics, 10
- right-ordered group, **53**
- ring, 20, 101
- ring theory, 100
- Robinson, Abraham, 182
- root, **1**

- SAT, **96**
- satisfiable, **82**, **96**
- Schröder–Bernstein Theorem, 166, 176
- scope of a quantifier, **119**
- Scott’s trick, 166
- second-order logic, 133, 138
- semantic deduction, 44
- semantics, 3, 29, 42, 80, 90, 160
- sentence, **120**, 133
- sequence, **4**
- k -sequences, **8**

- sequential compactness, **7**
- set theory, 139, 165, 176
 - countable model of, 165
- Shortening Rule, 24
- Simpson, Stephen, 10
- simultaneous substitution, 122
- Skolem’s paradox, 165
- smallness, 102, 155
- Soundness Theorem, viii, 4, 25, 30
 - first-order logic, 134
 - logic of posets, 42
 - propositional logic, 84, 105
- square-free sequence, **8**
- stable, 172
- standard part, **186**, 187
- statement
 - negative, **45**
 - positive, **45**, 47
- STONE, 113
- Stone Representation Theorem, 110
- Stone space, **113**
- strings, 24
- structure, viii, **132**
 - cardinality of, **169**
 - countable, **164**
- L -structure, **132**, 133
- subformula, **119**
- subgroup, 18
- subproof, 38, 40, 67
- subspace topology, **152**
- substitution, 121
 - valid, 123
- Substitution Rule, 122, 127
- subtraction, 183
- subtree, **5**, **6**
- support of a type, **157**, **158**
- supremum, 186
- surjection, 161, 166, 177
- Symmetry, 122

- tableau, 94
- Tarski’s Fixed Point Lemma, 177
- Tarski, Alfred, 171, 176
- TAUT, **96**
- tautology, **82**, **96**
- term, **118**, 122
- theory, 170
 - categorical, **171**
 - complete, **170**
- theory of M , **149**
- $\text{Th}(\mathbb{R})$, **183**
- tiling problem, 9
- top (logical constant), 58
- Top Rule, 65
- topological space, 108, 149
- torsion group, **50**, **149**
- torsion-free group, **50**, **149**

- total order, 11, **15**
- totally disconnected space, **111**, 150, 153
- transfer, 182
- Transitivity, 122
- transitivity, 38
- Transitivity Rule, 39
- transversal, **19**
- tree, **1**, **5**, 29
 - binary, **1**
 - describing computations, 9
 - infinite, **3**, **5**
 - walk, **3**
- Trichotomy Theorem, 166, 178
- true (logical constant), 58
- truth, **42**, **133**
 - in the reals, **183**
- truth table, 81, 83
- 2 (boolean algebra), 57
- Tychonov's Theorem, 108, 109
- type, 158
 - omitted, **158**
 - realised, **158**
- ultrafilter, **106**, 108, 110
- uncountable set, 165
- Unique Readability Theorem, 69
- upper bound, **15**
- vacuously, **42**
- valency, **6**
- valuation, **80**
- variable, **35**, 117, 119
 - bound, **120**
 - free, **120**
 - renaming, 137
 - substitution of, 122
- vector space, 19, 20, 171, 172
- well-ordered set, **21**, **54**
- Well-Ordering Principle, 22
- Zermelo, Ernst, 16
- Zermelo–Fränkel set theory, 139, 165
- zero, 4
- Zorn property, **15**
- Zorn's Lemma, 16, 18, 20, 50, 106, 110, 160, 168, 176
- Zorn, Max, 22