

## Index

- abdomen 103  
 abundance—distribution  
     relationship 295, 352,  
     354, 384  
 accidental host 116  
 acid phosphatase 175  
*Acomys* 438, 439  
     *cahirinus* 35, 47, 137, 138,  
     139, 164, 165, 166, 167,  
     168, 170, 174, 185, 198,  
     222, 246, 253, 259, 278,  
     307, 336, 338, 354, 438,  
     441  
     *russatus* 185, 343, 438  
 acquired resistance 198, 255,  
     258–61, 367  
 adenosine  
     triphosphatase 175  
 age-intensity pattern 346  
 age-prevalence pattern 346  
 aggregation 322, 328–35,  
     343, 345, 346, 347, 354,  
     365, 367, 380  
 aggregation model of  
     coexistence 396–401  
*Aix sponsa* 341  
*Akodon montensis* 452  
*Alectoris rufa* 386  
 alkaline phosphatase 175  
*Allactaga*  
     *bobrinskii* 38  
     *bullata* 38  
     *elater* 38, 168, 189,  
     383  
     *sibirica* 38, 417  
     *tetradactyla* 38  
     *vinogradovi* 38  
     *williamsi* 38  
*Amalaraeus*  
     *arvicolae* 452  
     *penicilliger* 69, 254, 255,  
     291, 362, 371, 372, 377,  
     402, 450  
*Amphalius*  
     *clarus* 358  
     *runatus* 149  
*Amphipsylla* 310  
     *anceps* 298  
     *asiatica* 27  
     *kuznetzovi* 27  
     *marikovskii* 27  
     *primaris* 27, 90, 149  
     *rossica* 65, 208, 298, 361,  
     450  
     *schelkovnikovi* 372  
     *sibirica* 27  
     *vinogradovi* 358  
*Amphipsyllini* 26  
*Ancistropsylla* 144  
 Ancistropsyllidae 22, 33  
*Anomiopsyllus* 245, 402  
     *amphibolus* 140  
     *falsicalifornicus* 144  
     *nudatus* 72  
 Anoplura 432  
 anti-nestedness 383, 384  
 aphagous larvae 50  
*Aphelocoma coerulescens* 225,  
     228  
 apocrine secretion 145  
*Apodemus* 347, 349, 350,  
     406  
     *agrarius* 70, 91, 147, 246,  
     329, 378, 379, 406, 408,  
     414, 447, 450  
     *flavicollis* 141, 378, 414,  
     450, 464  
     *mystacinus* 317  
     *speciosus* 451  
     *sylvaticus* 267, 371, 402,  
     415, 450, 451  
     *uralensis* 64, 297, 378, 381,  
     406, 414, 447, 450  
 apparent facilitation 395,  
     434  
*Archaeopsylla*  
     *erinacei* 65, 72, 145, 155,  
     194  
     *sinensis* 144  
*Arvicanthus niloticus* 361  
*Arvicola amphibius* 383, 406,  
     408  
 Arvicolinae 16, 26, 424

## 584 Index

- Ascaridia galli* 265  
 assembly rules 377  
 association by  
   colonization 121  
 association by descent 121  
 asymmetric  
   competition 391, 405  
*Atyphloceras*  
   *multidentatus* 328, 392  
 auxiliary host 117, 118, 119, 120  
 average daily metabolic rate (ADMR) 219, 412, 413  
*Aviostivalius klossi* 75
- Bandicota bengalensis* 189  
 bartonellosis 71–2, 73  
 basal metabolic rate (BMR) 339, 340, 399, 412, 413, 461  
 basiconic sensilla 104, 156  
 begging 231  
 biogeographical realm  
   Afrotropical 19, 32  
   Australian 19, 32  
   Holarctic 32, 430  
   Nearctic 19, 421, 422, 424, 430  
   Neotropic 19, 33  
   Oriental 19  
   Palaeartic 19, 421, 422, 424, 429, 430  
*Blarina brevicauda* 452  
 blood digestion, duration of 166–7  
 ‘body’ fleas 147, 148, 149, 151  
 body mass change 223, 226  
 Boreidae 31, 32, 108  
 bottom–up effect 421–2, 424  
 Brooks parsimony analysis 36, 38  
 brucellosis 71  
*Buteo galapagoensis* 195
- Caenopsylla laptevi ibera* 94  
*Callopsylla*  
   *caspia* 94  
   *dolabris* 358  
*Callosciurus erythraeus* 22  
 Calomyscinae 26  
 cannibalism 49, 183  
 carrier host 117  
 cat leukaemia 73  
*Catallagia charlottensis* 328, 392  
 cat-flea typhus 72  
*Cediopsylla simplex* 35, 47, 81, 156, 191, 193  
 cell-mediated immunity 258, 267, 272, 339, 434  
 Cenozoic 306  
 Ceratophyllidae 19, 22, 23, 33, 197, 307, 309, 310, 424  
 Ceratophylloidea 34  
 Ceratophylloidea 33  
*Ceratophyllus* 241  
   *avicitelli* 179  
   *celsus* 231  
   *ciliatus* 22, 121  
   *columbae* 75  
   *farreni* 91, 303, 368, 372  
   *fringillae* 75  
   *gallinae* 5, 45, 46, 70, 73, 74, 75, 113, 118, 130, 131, 197, 198, 202, 209, 224, 225, 229, 230, 231, 232, 235, 236, 240, 241, 243, 252, 265, 267, 268, 278, 280, 314, 328, 368, 372, 462  
   *garei* 70  
   *hirundinis* 45, 75, 91, 140, 303, 368, 372  
   *idius* 54, 58, 245  
   *lunatus* 10, 117  
   *petrochelidoni* 140
- rusticus* 75, 91, 368, 372  
*styx* 34, 105, 131, 140, 358  
*Cervus elaphus sibiricus* 144  
*Chaetopsylla homoea* 144  
 chaetotaxy, abnormalities of 213  
 Charadriiformes 16  
 chequerboard species pairs, numbers of 378, 379  
 Chimaeropsyllidae 5, 19, 22  
 Chiroptera 5, 16  
 chorion 47  
*Choristopsylla tristis* 113  
 Chriopteropsyllini 32  
 circadian rhythm 179, 215  
 circulating immune complexes 258, 267, 271  
*Citellophilus*  
   *martinoi* 452  
   *simplex* 434, 452  
   *tesquorum* 45, 46, 47, 64, 66, 83, 86, 90, 99, 113, 140, 144, 145, 148, 150, 174, 178, 179, 189, 197, 211, 255, 326, 328, 357, 358, 368, 369, 372  
   *trispinus* 71, 214, 346  
 climate, effect of 43  
 clutch size 47  
 coevolution 34, 36–8  
 colonization–extinction dynamics 384, 434  
 comb *see* ctenidia  
 comparative approach 462  
 competition 26, 176, 188, 189, 203–4, 205, 334, 367–8, 388, 391, 396, 402–5, 409, 424  
 component community 375  
 compound community 375  
 concealed antigens 465  
 cophylogeny 121

- Coptopsylla*  
*africana* 271, 438  
*bairamaliensis* 136  
*lamellifer* 83, 174, 211, 214, 358, 402  
*olgae* 136  
Coptopsyllidae 22, 23  
core populations 293  
core–satellite  
  organization 377  
*Corrodopsylla curvata* 35  
cospeciation 38, 40  
Craneopsyllidae 19  
Cricetinae 16, 26, 424  
*Cricetulus*  
  *barabensis* 358  
  *migratorius* 383, 406, 408, 428  
cross-resistance 261–2, 380, 395, 413  
‘crowns of thorns’ 255  
C-score 378, 379, 381  
ctenidia 30, 35, 81, 82, 129, 254  
Ctenocephalides  
  *canis* 21, 35, 71, 72, 73, 74, 84, 189, 456  
  *felis* 21, 46, 51, 72, 73, 74, 81, 100, 104, 113, 131, 141, 144, 145, 189, 191, 209, 210, 215, 244, 246, 247, 257, 258, 261, 372, 456, 462  
  *felis damarensis* 194  
*Ctenophthalmus* 156, 310, 405  
  *agyrtes* 64, 71, 75, 97, 247, 329, 450, 453  
  *andorrensis* 303  
  *assimilis* 70, 75, 254, 255, 361, 450, 453  
  *bisocodentatus* 147, 450, 452  
  *breviatus* 54, 317  
  *congeneroides* 58, 69, 91, 147, 149  
  *dolichus* 46, 52, 159, 179, 211, 402, 451  
  *golovi* 83, 174, 298  
  *machadoi* 76  
  *nobilis* 49, 371, 402  
  *orientalis* 70, 434  
  *pollex* 148  
  *pseudagyrtes* 140, 452  
  *secundus* 70  
  *shovi* 317  
  *solutus* 329, 447, 450, 453  
  *strigosus* 58  
  *teres* 207, 211  
  *uncinatus* 64, 246, 254, 298  
  *wagneri* 70, 147, 207  
  *wladimiri* 207, 211  
*Cyanistes caeruleus* 130, 202, 225, 228, 230, 231, 232, 241, 243, 252, 253  
*Cyanoliseus patagonus* 143  
*Cynomys ludovicianus* 223, 392, 464  
*Dasypsyllus gallinulae* 372  
Dasyuromorphia 16  
delayed hypersensitivity 257  
*Delichon ubica* 303, 368  
density compensation 388  
*Dermacentor variabilis* 259  
developmental rate 92, 100, 185, 209, 210, 211  
Didelphimorphia 16, 310  
diffuse competition 392  
digestible energy intake 219  
digestion stages 159  
*Dinopsyllus*  
  *apistus* 451  
  *ellobius* 303  
  *lypusus* 303  
  *smiti* 76  
Dipodidae 38  
  *Dipodillus dasyurus* 47, 55, 125, 126, 128, 129, 137, 138, 139, 164, 165, 166, 167, 168, 174, 176, 177, 178, 185, 187, 188, 189, 218, 220, 221, 259, 262, 267, 271, 272, 329, 336, 338, 343, 358, 360, 361, 368, 413, 428, 438, 439, 441  
  *Dipodomys*  
    *ingens* 121  
    *ordii* 98  
    *spectabilis* 98  
Diprotodontia 16  
Diptera 31  
*Dipus sagitta* 38, 40, 417  
*Dipylidium caninum* 74  
dispersal 140–1, 231, 364  
dispersal host 117  
disperser 337, 341, 350, 360, 361, 380  
distance decay of  
  similarity 406–8  
divorce rate 231  
*Doratopsylla*  
  *blarinae* 452  
  *dasyncnema* 64, 97, 116, 329, 356, 450  
*Dorcadia*  
  *dorcadia* 144, 174  
  *ioffi* 47, 53, 144, 156, 215  
*Dryomys nitedula* 383  
duplication 34, 36, 41  
*Echidnophaga* 405  
  *gallinacea* 45, 46, 72, 73, 74, 143, 155, 173, 174, 191, 209, 213, 215, 225, 228, 347  
  *iberica* 452  
  *myrmecobii* 104, 147, 194

## 586 Index

- Echidnophaga* (cont.)  
*oschanini* 144, 156, 174, 191, 215, 346  
*perilis* 147, 194  
 egg production 81, 194, 199, 200, 202, 203, 204, 206, 208, 211, 215, 275, 278  
 egg size 81, 199  
*Eliomys melanurus* 438, 439  
 energetic cost of  
   digestion 160, 165  
 environmental stimuli 131  
 Eocene 29, 32, 33, 41  
 epidemiological model 352, 354, 356, 362, 369, 460  
 epipharynx 155, 156  
*Eremodipus lichtensteini* 38  
 Erinaceomorpha 16  
 erysepeloid 71  
*Euchoplosyllus glacialis* 50  
 evolutionary rate 43  
 exceptional host 117  
 exposed antigens 465  
 extensor tibiae muscles 108
- facilitation 379, 391, 393, 395, 396, 397, 409  
 Fahrenheit's rule 314  
 Falconiformes 16  
*Falco tinnunculus* 341  
 fat body 184  
 favoured species  
   combinations 377  
 feeding frequency 84, 174  
*Ficedula*  
   *albicollis* 241  
   *hypoleuca* 225, 241  
 Fisher's theory of sex  
   allocation 100, 101  
 fitness 115, 117, 123, 124, 125, 128–9, 157, 160, 188, 201, 217, 235–7, 278, 341, 395
- fixed-equiprobable (FE)  
   algorithm 379  
 fixed-fixed (FF) algorithm 379  
 flea allergy dermatitis 69, 73  
 fledgling recruitment 235, 236  
 fluctuating asymmetry 229  
 food provisioning 230–1  
 fore coxae 104  
*Francisella tularensis* 70, 71  
 frontal tubercle 52  
*Frontopsylla*  
   *aspiniformis* 358  
   *elata* 69, 91, 94, 174, 207  
   *frontalis* 10, 179  
   *luculenta* 113, 147, 149, 255, 358, 361  
   *ornata* 298, 310  
   *semura* 174, 208, 209  
   *wagneri* 38, 418  
*Fulmarus glacialis* 50  
 functional niche 289  
 fundamental niche 115
- Gallus gallus* 265  
 generalized parsimony  
   method 36  
 Genetic Algorithm for  
   Rule-Set Production  
   (GARP) 465  
 geographical range  
   size 22–3, 27, 302, 303, 425  
 Geomyidae 16  
 geotaxis 49, 90, 131, 132  
 Gerbillinae 16, 424  
*Gerbillus*  
   *andersoni* 125, 126, 128, 129, 192, 221, 223, 226, 227, 232, 234, 236, 262, 267, 271, 272, 329, 343, 350, 462  
   *gerbillus* 438
- henleyi* 343, 438  
*nanus* 329, 343  
*pyramidum* 125, 126, 128, 343  
*Geusibia* 40, 309  
 'ghost of competition  
   past' 405  
 glaciation 306  
*Glaciopsyllus antarcticus* 18, 50  
*Glaucomys volans* 369  
*Glis glis* 347  
 glucose consumption  
   technique 262  
 Gondwanaland 33  
 grooming 81, 129, 144, 166, 245–55, 277, 291, 334, 339, 351, 367, 379  
*Gymnomeropsylla*  
   *margaretamydis* 317
- habitat selection, theory  
   of 124, 125  
 haematin 159  
 haematocrit 227, 278  
 haemorrhagic fever with  
   renal syndrome 70  
*Halobaena caerulea* 50  
*Hectopsylla*  
   *narium* 104, 143  
   *psittaci* 143  
*Heligmosomoides polygyrus* 464  
*Hepatozoon erhardovae* 74  
*Herpetosoma* 74  
 Heteromyidae 16, 422  
 hierarchical Bayesian  
   model 464  
*Hirundo rustica* 229  
*Hoplopsyllus anomalus* 121, 347, 374  
 host  
   body size 306, 339, 399, 411, 412, 413, 461  
   density 356–64, 381, 416

- food availability 194,  
     197–8  
 hormones 48, 173, 191,  
     193–4, 225  
 location 90, 130  
 mortality 217  
 odour 215  
 search 113, 137, 138  
 sexual size  
     dimorphism 342, 345,  
     415  
     social status 337  
     social structure 417  
     spectrum 115, 119, 295,  
     309, 314  
 host-compatibility filter 118,  
     120, 291  
 host-encounter filter 120  
 host-induced parasite  
     mortality 364, 367  
 host-opportunistic 116, 121,  
     168, 187, 283, 285, 291,  
     295, 296, 298, 300, 303,  
     304, 308, 309, 314, 332,  
     333, 362, 384  
 host-specific 116, 121,  
     122, 163, 168, 185, 283,  
     285, 291, 295, 297, 298,  
     300, 303, 304, 306, 308,  
     309, 314, 315, 332, 333,  
     384  
 host specificity, index of  
     283  
 host-switching 34, 36, 38, 41,  
     43, 44, 121, 309  
 host-to-host transfer 141, 285  
 humoral immunity 272, 339,  
     434  
*Hydrobates pelagicus* 225  
*Hydrochoerus hydrochaeris* 195  
*Hymenolepis diminuta* 74  
*Hystrichopsylla*  
     *dippipei* 22  
     *kris* 52  
     *orientalis* 75, 452  
     *talpae* 71, 371, 372, 450  
 Hystrichopsyllidae 5, 19, 22,  
     23, 33, 310  
 ideal free distribution  
     (IFD) 124, 130, 140, 141,  
     188, 201  
 immune ‘readiness’ 270, 273  
 immune defence 119, 169,  
     170, 171, 172–3, 177, 194,  
     204, 221, 225, 228, 230,  
     239, 255–78, 291, 334,  
     339, 346, 379, 413, 414,  
     432, 465  
 immunocompetence 170,  
     198, 263–6, 275, 278,  
     308, 341, 345, 379, 415,  
     422, 434  
 immunodepression 379, 380,  
     434  
 immunoglobulins 258, 268,  
     269, 271  
 ‘immunohandicap’  
     hypothesis 267  
 immunosenescence 346  
 immunosuppression 169,  
     276, 341, 395  
 inertia 34, 38  
 infracommunity 321, 375,  
     376, 382, 384, 387, 388,  
     390, 395, 414, 415, 418,  
     450  
 infrapopulation 321  
 insular fauna 22  
 interaction networks 294–5,  
     307, 461  
 interactive community 334,  
     375, 431  
 interspecific  
     aggregation 396, 397,  
     398, 399  
     intraspecific  
         aggregation 324, 329,  
         339, 396, 397, 398, 399  
     introduced host 371  
 Ischnopsyllidae 5, 19, 22, 52,  
     65, 105, 147  
 Ischnopsyllini 32  
*Ischnopsyllus* 156  
     *hexactenus* 82  
     *octactenus* 82  
     *petropolitanus* 82  
 island biogeography, theory  
     of 425  
 isodar approach 124–5, 126,  
     129, 187  
 isolationist community 375,  
     432  
*Ixodes ricinus* 267  
 Ixodidae 351, 432  
 Jaccard index of  
     similarity 406  
*Jaculus*  
     *blanfordi* 38  
     *jaculus* 38, 438  
     *orientalis* 38  
 ‘jack-of-all-trades’ 296, 298,  
     300  
*Jordanopsylla*  
     *allredi* 106  
     *becki* 8  
*Junco hyemalis* 267  
 labial palps 155  
 labrum 156  
 laciniae 155, 156  
 Lagomorpha 15, 16, 310, 420  
*Lagurus lagurus* 254  
 latency of feeding 166  
 latitudinal gradient 302, 430  
*Lemniscomys striatus* 452  
*Leptopsylla* 452  
     *algira* 303

## 588 Index

- Leptopsylla* (cont.)  
*segnis* 21, 45, 46, 47, 54, 70, 71, 72, 75, 83, 118, 146, 156, 157, 159, 174, 175, 179, 200, 202, 208, 211, 215, 254, 255, 347  
*sexdentata* 136  
*taschenbergi* 45, 46, 47, 157, 159, 174, 208, 303  
 Leptopsyllidae 19, 22, 33, 310  
 leptospirosis 71  
*Lepus*  
*arcticus* 50  
*capensis* 372  
*saxatilis* 347  
 leukocyte blast  
   transformation 258, 262, 269  
 lifespan 94, 411, 413  
 lifetime fecundity 47, 183  
 light regime 179  
 lineage sorting 34, 36, 38  
 lines of defence 239  
 listeriosis 70  
*Lophuromys* 452  
 Lycopsyllidae 19, 22, 23  
 Lyme disease 71  
 lymphocytic  
   *chiriomenengitis* 70  
 Macropsyllidae 19, 22  
 major histocompatibility complex 271  
 Malacopsyllidae 5, 19, 22, 53  
*Malaraeus telchinus* 98, 102, 141, 328  
*Margaretamys parvus* 318  
*Marmota*  
*baibacina* 99, 145, 347  
*bobac* 317  
*flaviventris* 226, 232  
*himalayana* 358  
*sibirica* 255  
*Mastomys* 191  
 mating 46  
 matrix 'temperature' 383  
 maxillary plates 104  
 mean crowding 324, 365  
 Mecoptera 31  
*Megabothris*  
*acerbus* 35, 81  
*advenarius* 364  
*asio* 364  
*calcarifer* 91, 149  
*quirini* 98  
*rectangulatus* 69, 377  
*turbidus* 64, 75, 298, 354, 372, 447, 450  
*walkeri* 71  
*Meles meles* 242, 244  
 melioidosis 71  
*Meringis nidi* 98  
 Meriones  
*crassus* 94, 125, 126, 128, 129, 168, 170, 172, 176, 177, 178, 185, 187, 188, 189, 194, 204, 227, 247, 251, 253, 258, 262, 265, 267, 269, 275, 276, 278, 293, 343, 402, 428, 438, 439, 441  
*meridianus* 141, 358, 383, 452  
*tamariscinus* 383, 452  
*unguiculatus* 151, 159, 169, 173, 358, 372  
*Mesopsylla*  
*eucta* 159  
*hebes* 418  
 Mesostigmata 432  
 mesothorax 103  
 metabolic rate 51, 54, 83, 85–7, 108, 109–11, 112, 161, 174, 175, 178, 218–22, 411  
 metabolizable energy intake 219  
 metapopulation 321, 322  
   dynamics 307  
   model 464  
   theory 360  
 metathorax 103  
*Microtus* 347, 350, 406  
*agrestis* 328, 377, 463  
*arvalis* 246, 254, 347, 349, 361, 378, 383, 406, 408, 414, 447, 450  
*brandti* 150  
*californicus* 99, 102, 151  
*canicaudus* 328, 392  
*gregalis* 27, 383, 406, 408  
*oeconomus* 328, 377, 406, 408  
*subterraneus* 362, 450, 452  
 'migration' 136  
 Milankovitch  
   oscillations 302  
 Miocene 29, 40  
*Mioctenopsylla traubi*  
*kurilensis* 309  
 Morisita–Horn index of similarity 406  
*Molossus molossus* 143  
 monophyly 29  
*Monopsyllus*  
*anisus* 22, 64, 70, 175, 208, 211, 372  
*indages* 140  
*sciurorum* 5, 49, 113, 176, 450  
 multiple matings 46  
 Muridae 36  
 Murinae 16, 424  
 murine typhus 72, 73  
*Mus musculus* 22, 75, 141, 254, 292, 383, 406, 408, 438  
*Mustela* 117  
*erminea* 118  
*eversmanni* 144

- Myodes* 406  
*glareolus* 70, 116, 141, 246, 254, 267, 328, 329, 342, 347, 349, 350, 356, 362, 371, 378, 381, 402, 406, 414, 450  
*rufocanus* 328, 383  
*rutilus* 328, 406, 408  
*Myodopsylla insignis* 342  
 Myospalacinae 26  
 Myotis  
*lucifugus* 341  
*myotis* 263, 342  
*mystacinus* 342  
*nattereri* 342  
*Myoxopsylla laverani* 438  
 myxoma 73  
 Nannochoristidae 31, 108  
*Nearctopsylla genalis* 452  
 negative binomial  
 distribution 323, 328, 329, 353, 357  
*Neomys fodiens* 356, 406  
*Neopsylla* 310  
*abagaitui* 113, 358  
*bidentatiformis* 54, 69, 91, 99, 113, 140, 144, 145, 150, 197, 211, 255, 328, 357, 358, 361  
*pleskei* 255, 298  
*setosa* 46, 47, 54, 64, 65, 71, 83, 86, 148, 159, 174, 178, 179, 211, 357, 434  
*teratura* 297  
 neosomy 50, 53, 69, 79, 113, 144  
 Neotoma  
*albigula* 98  
*fuscipes* 144, 244, 402  
*lepida* 140  
*mexicana* 122  
*micropus* 98  
*Neotunga euloidea* 143  
 nest aggregation 307  
 'nest' fleas 147, 148, 151  
 'nest fumigation'  
 hypothesis 245  
 nest sanitation 243–4  
 nestedness 377, 382–6  
 nest-site selection 242  
 niche  
 conservatism 312  
 filtering 396, 401  
 segregation 401  
*Niwratia elongata* 30  
 non-randomness 377, 378, 381, 383  
 normal host 117  
*Nosopsyllus* 405  
*barbarus* 303  
*consimilis* 21, 46, 47, 65, 70, 83, 159, 174, 201  
*fasciatus* 5, 21, 45, 46, 54, 64, 70, 71, 75, 86, 106, 118, 140, 146, 148, 165, 174, 179, 190, 211, 246, 254, 261, 372, 450  
*iranus* 47, 55, 66, 81, 97, 112, 125, 126, 129, 271, 360, 361, 438, 441  
*laeviceps* 47, 65, 83, 92, 141, 148, 159, 169, 173, 174, 179, 200, 206, 211, 326, 346, 358, 372, 402  
*mokrzecky* 45, 47, 141, 159  
*oranus* 303  
*pumilionis* 329, 333  
*tersus* 47, 136, 207, 402  
*turkmenicus* 136, 402  
*Notiopsylla kerguelensis* 18  
 null models 378–9  
 Nyctalus  
*leisleri* 341  
*noctula* 342  
 Nycteribiidae 103  
 Nycteridopsyllini 33  
*Ochotona*  
*daurica* 358, 361  
*pricei* 144  
 Ochotonidae 40  
*Ochotonobius hirticrus* 144, 149, 156, 358  
 Oligocene 32  
 Omsk haemorrhagic fever 70  
*Onychomys leucogaster* 122, 413  
*Ophthalmopsylla*  
*kiritschenkovi* 418  
*kukuschkini* 358  
*praefecta* 418  
*volgensis* 159  
*Opisodasys pseudarctomys* 113  
 optimal virulence  
 concept 333  
*Orchopeas* 245, 452  
*howardi* 35, 81, 85, 98, 116, 369, 452  
*leucopus* 35  
*sexdentatus* 98, 144  
 ordination space 438  
 origin of parasitism 32  
*Ornithonyssus bursa* 229  
*Oropsylla*  
*alaskensis* 49, 50, 64  
*arctomys* 35  
*bruneri* 35, 361  
*hirsuta* 223, 392  
*montana* 341, 347, 352, 374  
*rupestris* 361  
*silantiewi* 49, 50, 94, 99, 144, 145, 255, 326, 347, 358  
*tuberculata* 223, 392  
*Oryctolagus cuniculus* 47, 147, 193, 326, 358, 452  
*Pachyptila belcheri* 50  
*Palaeopsylla*  
*baltica* 29  
*dissimilis* 29  
*klesbiana* 29

## 590 Index

- Palaeopsylla* (cont.)  
*minor* 147  
*similis* 450, 452  
*soricis* 64, 97, 298, 361, 450
- panbiogeographical  
 analysis 35
- Paraceras melis* 112, 131, 137, 157, 242
- Paradipus ctenodactylus* 38
- Paradoxopsyllus* 310, 405  
*repandus* 47, 208  
*teretifrons* 174, 208
- Paramelemorphia 16
- Parapsyllus*  
*hardi* 18, 50  
*nestoris* 118
- Parapulex chephrenis* 35, 47, 81, 83, 85, 91, 131, 132, 137, 138, 164, 165, 167, 168, 170, 174, 185, 198, 222, 246, 253, 259, 262, 307, 354, 438, 441
- parasite-induced host  
 mortality 332, 333, 346, 354, 364, 365, 367
- parasite-load dependent  
 mortality 346
- parasitic larvae 50
- Paridae 314
- Parotomys brantsii* 242, 244
- Parus*  
*ater* 232  
*major* 197, 198, 224, 225, 226, 227, 229, 230, 231, 232, 235, 236, 240, 241, 242, 243, 265, 267, 268, 269, 278, 280, 328, 368
- Passeriformes 15, 16
- pasteurellosis 71
- Pectinotenus pavlovskii* 46
- peripheral populations 293
- peritrophic membrane 173, 258
- Peromyscopsylla*  
*bidentata* 75, 450  
*hesperomys* 122  
*silvatica* 372
- Peromyscus*  
*boyllii* 122  
*gossipinus* 22  
*leucopus* 122, 259  
*nasutus* 122  
*truei* 99, 122
- Petrochelidon pyrrhonota* 231
- phagocytic activity of  
 leukocytes 258, 276
- Phodopus sungorus* 247
- Pholidota 143
- photoperiod 215
- phototaxis 49, 90, 131, 132
- phytohaemagglutinin  
 (PHA) 198, 262, 264, 265, 267, 269, 272, 273, 277, 278, 308
- Piciformes 16
- Pipistrellus pipistrellus* 342
- placental–foetal  
 circulation 268
- plague 70, 73, 90, 318–20, 463, 464, 465  
 blockage 90, 318, 464  
 origin of 50
- pleural arch 105, 106
- pleural height 106, 108
- pleurosternum 104
- pneumococcosis 71
- Poecile palustris* 222, 225, 241
- Polygenis*  
*atopus* 415  
*bolhsi* 262  
*tripus* 91, 148, 452
- population size 150, 188
- Porriini 32
- post-invasive immune  
 response 273
- 'potpourri' hypothesis 244
- preferred host 117
- pre-invasive immune  
 response 273
- primary host 116
- Primates 15
- principal component  
 analysis 438
- principal host 117, 118, 119, 121, 122, 169
- proboscis 155
- Procellariiformes 16
- productivity 427–8
- programmed grooming 250, 251
- 'proportional sampling'  
 387
- Prosopetes cuniculi* 262
- prothorax 104
- Psammomys obesus* 438
- pseudotuberculosis 71
- pterothorax 103
- Pulex*  
*irritans* 5, 21, 54, 69, 72, 73, 74, 104, 105, 155, 157, 168, 174, 190, 257, 261, 372  
*larimerius* 29  
*simulans* 257, 261
- Pulicidae 19, 22, 25, 33, 38, 197, 310
- Pulicomorpha 33
- Pygeretmus*  
*platyurus* 38  
*pumilio* 38  
*zhitkovi* 38
- Pygiopsyllidae 19, 22, 23, 310
- Pygiopsyllomorpha 33
- Quarternary 306
- rabbit haemorrhagic  
 disease 73
- randomization test 291
- Rapport's rule 302

- Rattus*  
*exulans* 170  
*norvegicus* 64, 75, 137, 169, 328, 347, 358, 372  
*rattus* 22, 75, 137, 189, 191, 347  
rectal sac 51, 214  
reinfestation analysis 150  
*Reithrodontomys megalotis* 99  
Rensch's rule 79–80  
repeatability analysis 286, 326, 333, 338, 450  
reproductive diapause 58  
resident 337, 360, 361, 369, 380  
resilin 105, 108  
resource breadth  
  hypothesis 295, 296, 298, 301  
respiratory water loss 210  
*Rhadinopsylla* 405, 450  
  *cedestis* 174, 208  
  *dahurica* 358  
  *dives* 358, 372  
  *insolita* 91  
  *li* 326  
  *masculana* 271, 310, 438  
  *ucrainica* 326  
*Rhombomys opimus* 65, 122, 136, 139, 168, 189, 292, 307, 346, 358, 362, 372, 376, 383, 392, 405, 412, 451, 464  
Rhopalopsyllidae 19, 22, 25  
*Rhopalopsyllus lutzi* 76  
*Rhynchopsyllus pulex* 143  
*Rickettsia*  
  *felis* 47, 72  
  *prokazekii* 72  
  *typhi* 72  
*Riparia riparia* 34, 140, 357  
Rodentia 16, 310, 420  
*Rostropsylla daca* 136  
*Rousettus aegyptiacus* 168  
salmonellosis 71  
saturated community 388, 391  
*Saurophthiroides mongolicus* 30  
*Saurophthirus longipes* 30  
scan-grooming 251  
*Scapteromys aquaticus* 342, 415  
Sciuridae 16  
*Sciurus*  
  *carolinensis* 22, 452  
  *vulgaris* 113, 303  
scratch-grooming 251  
secondary host 117  
*Sekeetamys calurus* 164, 185, 438, 439  
sessile 53, 105, 142  
sex allocation 100, 101  
sexually oriented signals 228  
Sigmodontinae 16  
skin associated lymphoid tissues (SALT) 173  
*Sorex* 116, 406  
  *araneus* 298, 317, 328, 329, 383, 415, 447  
  *minutus* 415  
  *satunini* 317  
Soricidae 424  
Soricomorpha 16, 36, 310, 420  
specific dynamic effect (SDE) 160  
specific eradication threshold 361  
*Spermophilus*  
  *beecheyi* 150, 341, 347, 352, 374  
  *brunneus* 358  
  *citellus* 434, 452  
  *columbianus* 226, 236  
  *dauricus* 49, 99, 113, 150, 247, 358  
  *fulvus* 189  
  *musicus* 66  
  *pygmaeus* 64, 66, 178, 189, 357  
  *richardsoni* 361  
  *undulatus* 49, 369, 372  
*Sphinctopsylla ares* 47  
*Spilopsyllus cuniculi* 22, 46, 47, 73, 106, 131, 141, 146, 155, 159, 170, 191, 193, 199, 211, 212, 259, 303, 328, 452  
*Spinturnix myoti* 263  
spleen 264  
Staphanocircidae 22  
starvation, resistance to 92, 94, 162, 191, 194, 197  
*Stenoponia* 405  
  *americana* 66  
  *ponera* 66  
  *sidimi* 66  
  *tokudai* 451  
  *triptectinata* 66, 81, 86, 98, 106, 108, 111, 112, 118, 125, 126, 129, 271, 326, 438  
  *vasovi* 451  
Stephanocircidae 19, 23, 310  
*Sternopsylla* 113  
  *distincta* 342  
*Sternopsyllini* 32  
stick-tight fleas 73, 104, 140, 143  
stimulus-driven grooming 251  
Stivaliidae 22  
*Strashila incredibilis* 30  
Strigiformes 16  
*Sturnus vulgaris* 225, 244  
*Stylodipus*  
  *andrewsi* 417  
  *telum* 38  
'supergenome' 459  
'superorganism' 459  
suprapopulation 321  
sustaining host 117

## 592 Index

- Sylvilagus floridanus* 48, 193  
*Synopsyllus fonquerniei* 97  
*Synosternus*  
*cleopatrae* 81, 112, 125, 126, 128, 129, 192, 220, 223, 226, 227, 232, 234, 236, 262, 269, 271, 273, 329, 350, 462  
*longispinus* 136  
*pallidus* 155  
 Szidat's rule 36
- Tachycineta bicolor* 225, 231, 241, 245  
*Tadarida brasiliensis* 342  
*Talpa europaea* 147, 452  
*Tamias townsendii* 121  
*Tamiasciurus*  
*douglasii* 122  
*hudsonicus* 122, 303  
*Tarsopsylla*  
*octodicemdentata* 113, 303  
*Tarwinia australis* 30  
 'tasty chick' hypothesis 278  
 taxonomic distance 118  
 taxonomic distinctness 119, 284, 286, 310, 312, 393, 395, 401, 411, 417, 425  
 Taylor's power law 323–4, 329, 331, 332, 334, 343, 352, 354, 356, 365  
 T-cells 265, 266, 308  
 testicular plug 45  
 testosterone 267, 269  
 thermal coefficient 178  
 thorax 3, 29, 103  
*Thrassis*  
*bacchii* 85  
*stanfordi* 226  
 threshold of  
 establishment 369  
 tick-borne encephalitis 69  
*Toxoplasma gondii* 74  
 trade-off hypothesis 295, 296  
 tree reconciliation  
 analysis 36, 40  
*Trichodectes melis* 242  
 true host 116  
*Trypanosoma*  
*lewisi* 74  
*microti* 463  
 trypanosomosis 74  
 tularaemia 70, 73  
*Tunga*  
*caecata* 143  
*caecigena* 143  
*monositus* 46, 47, 50, 143, 258  
*penetrans* 5, 46, 47, 49, 53, 68, 73, 75, 142, 155, 328  
 tungiasis 68, 73  
 Tungidae 20, 22, 52, 53  
 underdispersion 314, 354  
 unfavoured species  
 combinations 377  
 unsaturated community 388  
*Uropsylla tasmanica* 49, 50  
 variance-to-mean ratio 323  
*Vermipsylla alakurt* 49, 73, 75, 144, 155, 156, 215  
 Vermipsyllidae 22, 52, 53  
 virulence 239, 333  
 V-ratio 378, 379, 381  
*Vulpex macrotis* 190  
 water content 83, 89  
 water vapour uptake 89  
 'winter  
 immunoenhancement'  
 hypothesis 276  
 xenocommunity 375, 376, 382, 384, 387, 388, 390, 395, 397, 399, 406, 418, 436, 450, 461  
 xenopopulation 322, 328, 334, 354, 368  
*Xenopsylla* 310, 405, 464  
*astia* 83, 146, 189, 194, 358  
*bantorum* 59, 65, 361  
*blanci* 303  
*brasiliensis* 89, 210, 301  
*cheopis* 21, 46, 47, 59, 64, 69, 71, 72, 75, 83, 85, 86, 89, 90, 91, 94, 105, 106, 111, 137, 140, 145, 146, 148, 155, 156, 159, 173, 174, 176, 179, 189, 191, 194, 207, 209, 210, 211, 258, 259, 261, 301, 328, 347, 368, 456, 462  
*conformis* 47, 51, 52, 54, 58, 81, 83, 91, 94, 111, 125, 126, 129, 131, 132, 136, 170, 174, 176, 177, 179, 187, 188, 189, 200, 204, 206, 213, 215, 247, 251, 253, 262, 269, 271, 276, 278, 326, 358, 372, 402, 403, 438, 441, 442, 443  
*cunicularis* 194, 199, 214, 326, 358  
*debilis* 59  
*difficilis* 59  
*dipodilli* 47, 55, 81, 91, 97, 137, 138, 185, 262, 271, 272, 273, 329, 358, 360, 361, 368, 438  
*eridos* 242  
*gerbilli* 47, 58, 65, 71, 92, 139, 140, 159, 179, 189, 200, 211, 358, 372, 392, 402, 451  
*gratiosa* 225  
*hirtipes* 47, 58, 65, 122, 136, 358, 372, 392, 402  
*nubica* 303

Cambridge University Press

978-0-521-88277-4 - Functional and Evolutionary Ecology of Fleas: A Model for Ecological Parasitology

Boris R. Krasnov

Index

[More information](#)

Index 593

- nutalli* 58, 86, 87, 179,  
189, 200, 207, 211, 212,  
372
- ramesis* 51, 52, 54, 81, 85,  
89, 91, 94, 97, 111, 113,  
125, 126, 128, 129, 131,  
132, 136, 168, 172, 176,  
177, 179, 187, 188, 189,  
194, 204, 206, 213, 215,  
218, 220, 222, 227, 262,  
265, 267, 269, 271, 273,  
275, 276, 293, 296, 402,  
403, 438, 441, 442,  
443
- skrjabini* 47, 58, 65, 86, 87,  
145, 159, 168, 174, 179,  
189, 200, 207, 208, 211,  
214, 292, 358, 362, 451
- vexabilis* 170, 341
- Xiphiopsyllidae 19, 22
- Yersinia pestis* 50, 90, 318
- yersiniosis 71
- yolk 268, 269