

Index

- $\wedge C$, 15
- $\{\{\{$, 34
- $\}\}\}$, 34
- \Leftrightarrow , 17
- \Rightarrow , 18

- abstract interpretation, 2
- active variables, 58
- antecedent, 173
- `atoi`, 6, 111
- automatic trace generation, 97

- basis clause, 186
- bound occurrence, 179

- C++, 5
- compact, 40
- concatenation, 49
- connectives, 170

- consequence, 173
- consistent, 174
- constraint, 15
 - propagation, 26
 - scope of, 24
 - tautological, 27
- constraint-based analysis, 2
- contingent, 172
- contradiction, 172
- contradictory, 172
- correctness proof, 20, 109, 150, 192

- data-flow analysis, 2
- decomposition (3rd), 4
- deterministic programs, 75
- Dijkstra, E., 16
- directed graph, 48
- disjunction, 49

Index

- E^{-1} , 56
- equivalent* relation, 17
- Example
 - A.1, 110
 - A.2, 119
 - A.3, 150
 - A.4, 160
- example applications, 109
- free occurrence, 179
- graphic representation, 48
- guarded commands, 36
- inductive clause, 186
- inductive definition, 186
- interpretation, 179
- intrinsic set, 58
- logical consequence, 173
- logical equivalence, 172
- loop invariants, 55, 62
- loop unrolling, 92
- looping, 49
- mathematical induction, 185
- matrix operations, 188
- matrix representation, 187
- modus ponens*, 173
- object-oriented programs, 11, 160
- p^* , 49
- path descriptions, 187
- pathwise decomposition, 33, 39
- p° , 50
- postcondition, 191
- postconstrain, 16
- precondition, 191
- preconstrain, 16
- predicate calculus, 177
- prenex normal form, 182
- program
 - graph, 48–50
 - instrumentation, 95
 - set, 10, 31
 - slicing, 4
 - state, 15
- proof of equivalence, 92
- proposition, 169
- Proposition Alpha, 171
- propositional calculus, 170
- recomposition, 69
- recomposition of
 - loop constructs, 73
 - loop-less programs, 69
- redundant statements, 29
- regular expression, 48
- replacement of loop body, 79
- rule of inference, 173
- satisfiable, 172, 179
- scope, 179
- semantic modifier, 16
- sentential forms, 177
- singular
 - execution paths, 91
 - subprograms, 91
- stack class, 160
- state constraint. *See* constraint
- subprogram* relation, 18
- subprogram simplification, 21
- symbolic
 - execution, 7, 29, 91
 - trace, 6, 81, 162
- symbolic trace, 41
- symbolic traces, 95
- tautological constraints, 55
- tautology, 172
- trace subprogram, 40

Index

- trace subprograms, 95
- triangle program, 43
- truth table, 171
- type and effect system, 2
- valid, 172, 179
- weakest precondition, 16
- weakest preconditions, 22
- well-formed formula, 170, 178
- wff. *See* well-formed formula
- $\text{wp}(S, R)$, 16
- $\text{wp}(S^{-1}, R)$, 25, 63