

# Index

- Abiotic conditions, 278
- Adaptation to ecological niches
  - Anolis* radiation on Caribbean islands driven by, 102, 103, 109
- Adaptive radiation, 102, 244
  - examples, 102
  - as extension of process of speciation, 102–103
  - individual-based model of, 103
- Adaptive radiation, classical, 46
- Adaptive radiation, dynamic patterns of
  - discussion, 120–121
  - diversification under random mating
    - area effect, 109
    - hybridization and neutral gene flow, 110
    - least action effect, 110
    - number of loci, effect of, 109
    - over-shooting effect, 110
    - timing of speciation, 109
  - mathematical model
    - habitat preference and dispersal, 106
    - individuals, 105
    - initial conditions, 108
    - introduction to, 102
    - life-cycle, 105
    - local extinction, 107
    - mating preference, 107
    - offspring production, 107
    - parameter values, 108
    - population genetic structure at
      - neutral loci, 108
    - reproductive isolation and species, 108
    - space and environment, 104
    - viability selection, 105
  - nonrandom mating evolution
    - divergence in mating characters, 114
    - diversification stages, 120
    - drift vs. selection (against hybridization), 112
    - hybridization, role of, 119
    - local adaptation and speciation, 120
    - reinforcement, role of, 118
    - species diversity promoting speciation, 117
    - strength of nonrandom mating, 112
- Adaptive radiation in bacteria, experimental, 46–47
  - culture of bacteria, laboratory studies of, 46
  - fitness rate, 46
  - in *Pseudomonas fluorescens*, 46
  - successive substitution of beneficial mutations, 46
- Adaptive speciation, 165
  - dietary, phenotypic and neutral genetic differentiation, 166
  - male colour phenotypes, variation in, 166
  - mating preferences by assortative mating, variation in, 165
- African cichlid fish radiations, 155
- Age-dependent probability, node as speciation event, 287
- Arbitrary identification of real species, 15
  - bias in reverse direction methods, 18–19
  - challenges of using hypothesis tests for species diagnosis, 17–18
  - considering model-based approaches, 22–23
  - estimator bias and consistency, 19–20
  - example using specific migration and splitting time cut-offs, 24–25
  - insufficiency of overall summaries of differentiation, 21–22
  - introduction to, 15–16
  - nature of natural populations, 16–17
  - overcoming sample size effects using cut-off criteria, 20–21
  - suggestions for criteria for species diagnosis, 23–24
- Bacterial adaptation to complex environments, 47
  - genetic variance of fitness, estimating, 47
  - imperfect generalists, 47
- Bacterial diversity in nature, 48–50
  - DNA of soil bacteria, 49
  - Dykhuizen's analysis, 50
  - mean abundance, 49
  - phenotypes, estimates of, 48
  - probability density distribution, 49
  - Sheldon size spectrum, analysis of, 49
  - soil bacteria, estimating, 50
  - species richness, differences in, 50
- Batesian mimicry, 178
- Bayesian and likelihood methods, 15
- Bdelloids, 32
  - benefits of sex, 32
  - range of species, 32
  - rare recombination, 32
  - reality of
    - testing morphological distinctiveness of, 33

- recognizability and structural analysis of, 32
  - reproducing via parthenogenetic eggs, 32
  - vs. monogonont rotifers, 32
  - Bias in reverse direction methods, 18–19
    - fixed difference between populations, 19
    - gene tree estimates approach, 19
    - sample size effect, 19
    - Population Aggregation Analysis (PAA) method, 19
  - Binomial general linear model (logistic regression), 284
  - Biodiversity and limits to adaptation in time and space, patterns of
    - finite ranges in, 77–78
      - distributional limits, 77
      - temporal or spatial persistence of species, factors limiting, 77
    - future prospects, 95
    - integrating, 85–87
      - population growth rate, calculating, 85
      - species adapting to environmental change, 86
    - limits to adaptation determines species' distributions, 92–94
      - habitat destruction and climate change, 93
      - invasive species, studies of, 94
      - range expansions of organisms, 92
    - limits to adaptation in space, 81–85
      - demographic and genetic stochasticity on adaptation, 84
      - gene flow, effects of, 81, 82
      - gene flow at range margins, 85
      - genetic variance, evolution of, 84
      - geographical patterns of adaptation in species range, 81
      - models of evolution at range margins, 82
    - limits to adaptation in time, 78–81
      - adaptation in response to environmental change, 81
      - adaptation rate, determining, 78–79
      - genetic and demographic stochasticity by random sampling, 80–81
      - genetic variation in adaptation, role of, 78–80
      - individual-based simulation models, 81
      - rate of environmental change in time and extinction, relationship between, 78–79
    - predicting maximum rates of adaptation in natural populations
      - condition-dependent sexual selection, 92
      - genetic variation in fitness, amount of, 89–92
      - phenotypic plasticity on rates of adaptation, effects of, 92
      - rate and magnitude of change in optimum in space and time, 88–89
      - strength of selection, 87–88
  - Biotic drift, 228
    - effects of, 228
  - Biotic interactions and speciation in tropics
    - biotic interactions facilitates speciation, 228–231
      - adaptive divergence of traits, 229
      - biotic factors to speciation in tropics, examples of, 231
    - reproductive isolation and geographic isolation, evolution of, 231
    - species interactions contributing to community diversity, 232
  - biotic interactions stronger in tropics, 224–226
    - latitudinal patterns in frequency of different, 224–225
    - latitudinal patterns in strength of, 225–226
    - latitudinal patterns in traits involved in, 225
  - climate, history and topography, 221–222
  - climatic factors associated with species richness and latitude, 221
    - history and topography associated with species richness, importance of, 221–222
  - evolution and latitudinal gradient, 222–224
    - biotic interactions hypothesis, 222–223
    - evolutionary speed hypothesis, 222
    - evolution of organisms, significant factors in, 223
  - evolutionary implications of strong biotic interactions, 226–228
    - abiotic and biotic interactions, importance of, 226
    - allocating resources for different adaptive challenges, 226
    - biotic drift, 228
    - coevolution, 227–228
  - speciation rates higher in tropics, 232–233
    - biotic interactions in maintenance of high tropical diversity, role of, 233
    - tropical diversification and speciation rates, estimating higher, 233
  - strong biotic interactions lead to greater species richness, 231–232
    - Janzen-Connell effect, 232
  - synopsis and future directions, 233–234
    - biotic interactions in tropical regions, importance of, 233
    - Red Queen hypothesis, 233
- Biotic interactions hypothesis, 222
- Catch-22, failure to recover correlations, 318
- Cenozoic
  - climate changes effects, 310
  - diversity, trend, 312
- Changing fitness landscapes, 140
- Clade age
  - analysis of, 249–249
- Clades, 41
- Cladogenesis, 282
  - effective rate, 282
- Climate changes, 317
- Coalescent model, 36
- Coevolution, 227–228
  - diversification of tropics, 227
  - tropical speciation, role in, 228
- Colour-based hybrid index, 157
- Complex temporal patterns, tests for, 288–292
  - clade's history, 279, 288
  - generalized additive models, 288
    - advantage, 289–290
    - fitted rates and confidence intervals plotted against time, 290
  - phylogeny underpinning, 290

- Complex temporal patterns, tests for (cont.)
  - restriction, 289
  - results, 290
  - limitations, 291–292
- Constant diversification model, 262
- Constant rate models, 251
- Continuous-time Markov model, 282
- “Coordinated stasis” hypothesis, 316
- Cretaceous-Tertiary boundary, 301
  - limit to diversity, 301
  - mass extinction, 318
- Cross-correlations
  - as effect of equilibrium, 318
  - between origination and extinction rates, 317
- Cut-off criteria, overcoming sample size effects
  - using, 20–21
  - cut-off values, 20
    - partly arbitrary, recommended, 21
    - general hypotheses, 20
- Cut-off values, 15, 20
- Demographic exchangeability, 39
- Density-dependence/diversity-dependence, 278
- Density-dependent diversification, 283
- Density dependent speciation, 252
- Diagnosis process, 15
- Dichotomous approach, 199
- Direct female mate choice
  - behavioural preferences for conspecific males, 160
  - divergent female mating preferences restrict gene flow, 161
  - unimodal in male phenotype frequency distribution, 161
- Distinct population segment (DPS), 15
- Divergence measures, 26
- Divergence population genetics of chimpanzees, 24
  - cut-off values, 15
  - Pan troglodytes troglodytes* versus *Pan t. verus*, 24
- Divergence process, 15, 21
- Divergences, 284
  - ‘sister’-species sequence, 284
  - zero sequence, assumption, 284
- Divergence score (DS), 159
- Divergent selection, 31, 40
- Diversification
  - in asexuals
    - absence of interbreeding, 31
    - geographic isolation and divergent selection causing, 31, 37
    - pattern of diversity in bdelloids, 33
    - pattern of morphological variation within clade of bdelloids, 33
    - recombination and clonal reproduction in bacteria, 31
    - sympatric speciation, 31
  - complex temporal pattern of – clade dynamics, 288
  - geological subepoch using survival analysis, estimation, 289
  - initial phase in *Dendroica*, 287
  - per-lineage net rate of, 290
- Diversification
  - in tropical regions
    - autocatalytic process, 219
- Diversification rates, 278
  - American bird genera, 283–decrease in, 283
  - temporal patterns in, 278–279
    - macroevolution, two approaches to, 279–282
    - model system approach for macroevolution, 292–296
    - phylogenetic approach, problems with, 292
    - tests for, 282–292,
- Diversification under random mating
  - area effect, 109
  - intensive diversification, larger areas for, 109
  - effect of number of loci, 109
  - hybridization and neutral gene flow, 110
    - blue butterfly species utilizing different hosts and diverged in morphology, 110
  - least action effect, 110
  - over-shooting effect, 110
  - timing of speciation, 109
- Diversity, 301
  - analysis, data, 309
    - geographic spread of sampling, 309
    - Oligocene exclusion, 310
    - sample species, 310
  - of bacteria, estimating, 46
  - Cenozoic, trend in, 312
  - community scale, 301
  - curves, 301
    - origination and extinction rates, relationship, 301
    - and rank-order correlation, 310
    - Sepkoski’s compendia, 306
  - equilibrium, 317–319
    - population-level mechanism, locate, 319
  - estimation, 305
    - SIB diversity, 307
    - specimens, counting, 306,
    - standing diversity, 308
  - of eukaryotic microbes, 46
    - estimating diversity of protists, 52
  - limits to, 319
  - patterns, 30
  - variability, 301
  - variance in, by saturation, 318
  - of vertebrates, 319
- Diversity curve simulation, 313
  - data curve dampening, 314
- Diversity dynamics theories and macroevolutionary theories, 316
- Dobzhansky-Muller incompatibility models, 143–144
  - divergence in few key genes affecting reproductive isolation, 145
  - evolution of genetic incompatibilities in hybrids, 144
- Ecological by-product speciation, 127
- Ecological divergence
  - imperfect reproductive isolation and weak genotypic clustering, results, 127

- Ecological influences on temporal pattern of speciation
    - clade age, 248–249
    - correlates with sympatry and other aspects of range size, 249–250
      - relationship between species mean range size and  $\gamma$ , 250
    - discussion, 252–253
    - molecular phylogenies, tests of slowdown in, 245–248
    - stages of speciation, 241–244
      - ecological and nonecological influences on, 241
      - geographically isolated populations, 241
      - geographically separated populations diverge, 241–243
        - species expand ranges enabling renewed rounds of geographical isolation, 243–244
    - strength of slowdowns, 251
    - temporal patterns of speciation, 244
  - Ecological model, 242
  - Ecological niche
    - ecological speciation, role in process of, 127
  - Ecological phylogenetics of bacteria, 52–53
    - application of, 53
    - comparative test of neutrality, 53
    - species richness, 53
  - Ecological speciation, 139
    - comparative approaches for study of, 199–202
      - dichotomous approach, 199
      - parallel speciation method, 201
    - critical caveats, 195–196
    - degree of progress towards, 128
    - ecological divergence promotes reproductive isolation and, 196
    - examples of, 195–196
    - future directions, 195
    - illustrating study of, 207
      - Neochlamisus bebbianae* leaf beetles, case study, 202
    - importance of, 214
    - process of
      - divergent selection between niches, 129, 146
    - sister-group comparisons approach, 202–211
    - study of, 197
      - biological traits, evaluating role of, 197
      - evolutionary generality, levels of, 198
      - taxonomic generality, phenomenon
        - expression, 199
      - traits, levels of, 197
    - vs nonecological model, 242–243
  - Ecological speciation hypothesis, 241
  - Endangered Species Act, 15
  - Entity, 30
  - Environmental shifts, 316
  - Estimator bias, 19
    - dependency of species diagnosis on sample size as, 19
  - Eukaryote life cycle, 50–51
    - diversification in asexual groups, 51
    - reproduction of haploid eukaryotic microbe, 50
    - species and gender, 50
  - Evolutionary dynamics, analyses of, 281
  - Evolutionary nature of diversification in sexuals and asexuals
    - bdelloid rotifers: ancient asexual scandal, 32
    - bdelloid species, reality of, 32
    - species by any other name, 37
    - testing evolutionary nature of diversity, 34
  - diversification in asexuals, 31
  - diversity in bdelloid rotifers, testing adaptation to different niches, 34
  - coalescent model, 36
  - geographical isolation, 34
  - maximum likelihood models, 37
  - population genetic theory, 35
  - introduction to, 29
  - reality of higher taxa existence, 41
  - sexual diversification: neutral *versus* non-neutral species
    - divergent selection, 40
    - independent limitation, 40
    - R.I., 38
- Evolutionary significant unit (ESU), 23
- Evolutionary speed hypothesis, 222
- Evolution as master variable
  - in microbial community, 59, 67,
- Evolution of nonrandom mating
  - divergence in mating characters, 114
    - average diversity in male mating character, 117
    - average number of mating morphs per filled ecological niche, 116
  - distributions of mating characters in simulations, 114
  - female mating preference traits, variation in, 117
- drift vs. selection (against hybridization), 112
  - average time to evolution of nonrandom mating over runs with single/multiple filled niches, 113
- hybridization, role of, 112
- local adaptation and speciation, 119–120
- reinforcement, role of, 120
  - within-niche divergence in mating characters, 119
- species diversity promoting speciation, 118–119
  - correlations of measures of sexual diversification with number of filled niches, 119
- stages of diversification, 117–118
- strength of nonrandom mating, 120
  - average time to evolution of nonrandom mating over runs with single/multiple filled niches, 113
- Evolution of nonrandom mating
  - divergence in mating characters
    - average diversity in male mating character, 116
    - average number of mating morphs per filled ecological niche, 116
  - drift vs. selection (against hybridization), 112
    - average time to evolution of nonrandom mating over runs with single/multiple filled niches, 113
  - species diversity promoting speciation, 118–119

- Evolution of nonrandom mating (cont.)
  - correlations of measures of sexual diversification with number of filled niches, 118
  - strength of nonrandom mating, 120
    - average time to evolution of nonrandom mating over runs with single/multiple filled niches, 113,
- Evolution studies, laboratory experimental, 132–135
  - direct selection results in premating isolation, 132–135
  - evolution of reproductive isolation, studies on, 132
  - indirect selection results in partial premating isolation, 132
  - selection on more traits promote speciation, 132, 134
  - in speciation, 132
- Extinction, 92
- Extinction
  - density dependence of, 313
  - followed by massive radiation, 301
  - rates of, 301
- Extinction rate, 259
- Female hybrid sterility, 180
- Flat diversity trajectory, dynamic mechanisms, 317–319
- Fossil record
  - age estimates, 291
- Gap analysis, variant, 309
- Generalized additive models (GAM), 288
  - advantage – flexibility in modeling, 291
- Genetic and morphological data, analyses of
  - adaptive divergence between bdelloid lineages, 32
  - existence of distinct entities, predicting, 29, 31, 34
- Genetic dimensions and ecologically-dependent
  - hybrid fitness, increased, 139
  - divergence in greater number of genes equally affecting reproductive isolation, 144
- Genetic variation in fitness
  - evolutionary rates, estimating, 89
  - genetic correlations between traits, 89–87
  - rates of adaptation, factor affecting, 89
- Geographical barrier, 241
- Geographical isolation, 34, 38
- Geographically separated populations diverge, 241–243
  - dispersal and restriction of gene flow, 244
  - diverge in various traits generate reproductive isolation, 241
  - ecological speciation compared with nonecological factors, 242–243
- global warming
  - Oligocene, missing data and difficult analysis, 311
  - Paleocene-Eocene boundary, 310
- Good theory, characteristics of evaluating, 59
- Haldane’s Rule, 180, 185
- Heliconius*, 177
  - colour-pattern mimicry as means of local protection, 178
  - Heliconius cydno cordula*, 185,
  - Heliconius cydno* and *Heliconius melpomene*, 179
    - colour pattern divergence leading to evolutionary consequences, 180
    - diverged as result of shift in mimicry ring, 188
    - melpomene* mimics postman-patterned and dennis-ray *erato*, 179
    - mimicry in, 179
    - polymorphisms in, 179
  - Heliconius demeter*, 182
  - Heliconius heurippa* and *Heliconius pacheus*, 185–187
    - assortative mating, 185
    - hybrid colour pattern causing reproductive isolation, 187
    - hybrid speciation, evolved by, 185
  - Heliconius himera* vs. *Heliconius erato*, 178–179
    - diverged in colour pattern and mate choice, 178
  - Heliconius melpomene malleti*, 189
  - Heliconius melpomene melpomene*, 185
  - Heliconius melpomene plesseni*, 187
  - Heliconius telesiphe*, 188
  - Heliconius timareta*, 187
  - Heliconius timareta timoratus*, 187
  - Heliconius tristero*, 182, 188
  - Hybrid fitness, 139
- Independent evolution, 29, 34, 38
- Independent limitation, 41
- Indicators of divergence, 25
- Individual regression-based analyses of strength of association, 212–211
- Information processing hypothesis, 203
- Instantaneous extinction rate, 308
- Insufficiency of overall summaries of differentiation, 21–22
  - Fst estimating population migration rate, time of splitting and gene flow level, 21, 22
- Internode interval, 260
- Ithomia*, 182
- Janzen-Connell effect, 232
- Lag load/evolutionary load, 78
- Latitudinal biodiversity gradient, cause of, 219
  - ecological hypotheses, 219
  - evolutionary hypotheses, 219
  - historical hypotheses, 219
- Latitudinal patterns in biotic interactions, 224–226
  - frequency of different biotic interactions, 224–225
  - inferences, 226
  - strength of biotic interactions, 225–226
  - traits involved in biotic interactions, 225
- Least action effect, 110
- Lineage-through-time (or LTT), 260
- Linkage disequilibrium, models invoking magic traits or, 144
- LTT see lineage-through-time (or LTT)
- Macroevolution, approaches to, 279–282
  - speciation events and extinction events, inferring, 279

- Macroevolution, model system approach for, 292
  - planktonic foraminifera (best species-level fossil record), 292
  - evolutionary research, used in, 294
  - fossil record, 293–294
  - lineage phylogeny for, 294
  - morphologies specific to biological species, 292
  - speciation and extinction, 294
  - taxonomy, 293
- species level categories, 293
- Macroevolutionary research, 279
  - data set, 279
  - developed as model systems for, 292
  - extinctions, 282
- Macroevolutionary theories, 316–317
  - and diversity dynamics theories, 316
  - extinction and origination rates for marine animal families, 316
- Mark-recapture estimation, 305
- Mathematical model
  - habitat preference and dispersal, 106–107
    - maggot flies *Rhagoletis*, reduced response of hybrids to parental host-fruit odors, 107
    - preference component, 106
  - habitat selection, 104
  - individuals, 105
    - genetic divergence within and between species, evaluating levels of, 105
    - mutation rates of, 105
  - initial conditions, 108
  - introduction to, 102–104
  - invasion by species, process of, 104
  - life-cycle, 105
    - stages, 105
  - local extinction, 107–108
  - mating preference, 107
    - mating between female and male with traits, probability of, 107
  - offspring production, 107
  - parameter values, 108
  - population genetic structure at neutral loci, 108
  - reproductive isolation and species, 108
  - space and environment, 104
  - viability selection, 105–106
    - Beverton-Holt model, 106
    - fitness of specialist/generalist, 106,
- Mating preferences
  - evolution of, 102, 104
- Maximum likelihood method, 37, 259
- Metabolic model, 319
- Microbial biogeography, 53–55
  - geographical structure of species, 54
  - global diversity of species, 53
- Microbial diversity, 60
- Microbial ecology, 59, 60
- Microbial world
  - applying neutral community models in, 62
    - biology in parameters, 65
    - caveats and ambitions, 73
    - evolution as master variable, 66
    - free energy and rate of evolution, 69
    - non-paradox of nitrifiers, 68
  - theory in, 59
    - back to basics, 61
    - characteristics of good theory, 61,
    - criticism of application of, 60
    - model parameter, 59
    - perilous patterns, 60
    - stochastic models, 61
- Mimicry, 180
  - pleiotropic effects on reproductive isolation, 180
- Model-based approaches, considering , 22–23
  - isolation with migration model, 22
- Model system approach, 295–296
- Molecular analysis, origination rate, 315,
- Molecular phylogenies
  - $\gamma$  test in, 288
  - tests of slowdown in, 245–248
    - analysis of molecular phylogenies of birds, 245
  - assessing patterns of species diversification through time, 245
  - null model of constant probability, 245
  - regression effect, 247
  - slowdown in speciation rate, 245
  - uniform probability model, 247–248
- timescales derived from, 291
  - vs. fossil record estimates, 291
- Monte Carlo simulations, 284
- Moran process, 265
- Morphospecies, 294
- Müllerian mimicry, 178
- Nailhead rays or postman pattern, 183
- Nature of natural populations, 16
  - con-specific populations, 16
- NCM *see* neutral community models (NCM), 315,
- Neochlamisus bebbianae* leaf beetles
  - host plants as different host forms, associated with, 202
- information processing hypothesis, 203
- results, 211
- Neontological macroevolution, 294
- Nested Clade Analysis (NCA) method, 18
- Neutral coalescent theory, 33, 40
- Neutral community models (NCM), 35, 41
- New species, 18
  - diagnosis of, 15
  - finding of, 17, 20
  - identification of, 15
- Niche dimensionality and ecological speciation
  - alternative mechanisms generating association
    - changing fitness landscapes, 140
  - divergence in greater number of genes and key genes, 144
  - Dobzhansky-Muller incompatibility models, 143–144
  - increased genetic dimensions and ecologically-dependent hybrid fitness, 139
  - models invoking magic traits or linkage disequilibrium, 144
  - pleiotropy, 140–143
  - causality and role of time since divergence, 145–146
  - degree of progress towards speciation, 146

- Niche dimensionality and ecological speciation (cont.)
  - empirical evidence dimensionality in niche divergence affects speciation
  - evolution studies, laboratory experimental, 132–135
  - other empirical tests, 138–139
  - Timema walking-stick insects, data from natural populations of, 135–138
  - niche divergence and speciation, 128–131
  - and peak shifts during speciation, 145
  - total selection strength, increased, 131–132
- Niche dimensionality hypothesis, 128
- Niche dimensionality *versus* process of speciation, 129
- Niche divergence and speciation, dimensionality in, 128–131
  - assessing, 129
  - empirical tests for association between
    - phylogenetic test, 138–139
    - population genetic test, 139
  - increased, 127, 131
    - genetic divergence promoting speciation, results in greater, 127, 139
  - niche difference promoting phenotypic divergence, 129
  - progress towards speciation, related to measures of, 131
    - examples of measures, 131
  - quantifying, 129
- Nonallopatric speciation model
  - in apple maggot fly *Rhagoletis pomonella*, 103
- Nonparametric bootstrap simulation, 305
- Nonparametric hypothesis tests, 312
- Non-random mating, 166
  - influence on dynamics of reproductive isolation and diversification, 102, 110–112
- Null model, 245, 312
- Origination rate, 301
  - density dependence of, 313
- Over-shooting effect, 103
  - species of spiny-legged *Tetragnatha* spiders on younger Hawaii islands, example, 103
- Paleobiology database, 302
- Paleontology, preserve of, 278
- Pan troglodytes troglodytes* *versus* *P. t. verus*, 24–25
  - effective sizes, 24
  - gene flow, 24–25
  - probability density for  $\tau$  and  $N_m$ , 24
  - splitting time, 24
- Parallel speciation method, 201
- Parametric bootstrap, 301
- Parasite-mediated divergent sexual selection, 168
  - good genes models of sexual selection, 168
  - male nuptial coloration and parasite load, relationship between, 168,
  - reproductive isolation between *P. pundamilia* and *P. nyererei*, strengthens, 168
- Perilous patterns, 60
- PET *see* Potential Evapotranspiration (PET)
- Phanerozoic marine invertebrate data, tractability
  - vs.* Sepkoski's genus-level data, 302
- Phylogenetic approach, 281–282,
  - problems with, 292
- Phylogenetic reconstructions, 260
- Phylogenetic test, 138
  - dimensionality of differences and differential diversification rate, quantifying, 138
- Phylogenies
  - of extant species, 279
  - speciation and extinction, rates of, 287
  - showing  $\gamma$  and  $p$ , with number of species ( $n$ ), 287
- Planktonic foraminifera (best species-level fossil record), 292
  - evolutionary research, used in, 294
  - fossil record, 293–294
  - lineage phylogeny for, 294
  - morphologies specific to biological species, 292–293
  - speciation and extinction, 294
  - taxonomy, 293
- Pleiotropy
  - hybrid fitness without changing fitness landscape, reductions in, 140–143
- Plio-Pleistocene bivalve, 302
- Population aggregation analysis, 18, 19
- Population differentiation, 16, 20, 21
- Population genetic test, 139
  - ecological divergence and neutral genetic differentiation, analyzing relationship between, 139
- Population genetic theory, 41
- Population structure, 16
- Potential Evapotranspiration (PET), 221
- Premating isolation between *N. bebbianae* host forms, 205
- Product-moment correlation coefficients, 267–268
- Protists, poverty of
  - adaptive radiation in bacteria, experimental, 46–47
  - bacterial adaptation to complex environments, 47
  - bacterial diversity in nature, 48–50
  - diversity of eukaryotic microbes, 51–52
  - ecological phylogenetics of bacteria, 52–53
  - eukaryote life cycle, 50–51
  - microbial biogeography, 53–55
  - sex and diversification, 55–56
  - themes and variations, 47–48
- Pseudoextinction
  - and pseudospeciation, 315
  - rates, 315
  - turnover, cause of, 315
- Pundamilia pundamilia* and *P. nyererei*
  - geographical range of, 156
  - phenotypic characterization of, 156–157
- Pure birth or birth-death models, 282
- Quantitative biochronological method, 303
- Random-walk speciation, 266
- Range expansions, 243



- ecological conditions drive evolution
  - of dispersal, 244
- ecological factors limiting expansion of species, 243
- Rapid speciation, hybridization and adaptive radiation in *Heliconius melpomene*, 177, 190
- adaptive introgression, generality of, 177
  - beak shape in Darwin's finches, characteristics of, 190
  - species-specific niche-adaptations in *Eueides* and *Heliconius*, 190
- Heliconius cydno* and relatives further south, 187–189
  - H. melpomene amaryllis*, 188
  - H. melpomene malleti*, 189
  - H. melpomene plesseni*, 187
  - H. telesiphe*, 188
  - H. timareta timoratus*, 187
  - H. timareta*, 187
  - H. tristero*, 188
- Heliconius heurippa* and *Heliconius pachinus*, 185–187
- hybridization, mimicry, and speciation, 183–185
  - hybridization between species of *Heliconius*, 184–185
  - nailhead rays or postman pattern, 183
  - rapid adaptation, source of variation for, 184
- introduction, 177–178
- introgression and hybridization as source of mimetic adaptations, 189–190
  - melpomene, source of mimicry adaptation, 189
  - timareta*-like and *cydno*-like Andeans of hybrid origins *melpomene*, 190
- speciation driven by mimicry, 178–180
  - Heliconius cydno weymerei* mimics *Heliconius erato chesteronii*, 179
  - Heliconius cydno* and *Heliconius melpomene*, 179
  - Heliconius himera* vs. *Heliconius erato*, 178–179
  - mate choice and microhabitat use, effects on, 180
  - mimicry in *Heliconius* species, 178–180
  - natural selection as source of microevolution, 178
  - post-mating isolation, 180
- speciation not driven by mimicry, 182–183
  - hybridization in evolution of mimetic and non-mimetic colour patterns, role of, 183
  - Müllerian co-mimics, 182
- Real higher taxa, existence of, 30
- Red Queen hypothesis, 233, 317
- Regression effect, 247
- Reinforcement, classical
  - reduced intrinsic fitness, 165
- Relaxed clock approach, 245
  - development of, 281
- Reproductive isolation
  - divergence in more genes/key genes causing divergent selection or genetically-correlated affecting, 127
  - ecologically divergent pairs of populations exhibiting greater levels of, 127
- Reproductive isolation (R.I.), 38
  - divergence between species in sexuals, causing, 31
  - independent evolution in sexual clades, as requirement for, 37
  - in sexual clade, 38
- R.I. *see* reproductive isolation (R.I.)
- Sampled in bin (SIB) diversity, 307
  - standing diversity estimates and turnover rates, 312
- Sampling standardized diversity curve, 310
- Selection in natural populations, strength of estimating, 87
  - trait mean/variance estimates, standardising by, 87
  - width of the selective function, 87
- Sensory drive speciation, 166–168
  - differentiation microdistribution, 167
  - optomotor response paradigm, comparing sensitivity by, 167
  - wavelength of maximum absorbance, determining, 167
- Sepkoski's genus-level data, 302
  - vs. Phanerozoic marine invertebrate data, tractability, 302
- Sex and diversification, 55–56,
  - objections to, 56
  - sexual isolation prerequisite for speciation in eukaryotes, 56
- Sexual diversification: neutral *versus* non-neutral species, 30
  - degree of independent evolution in, factors determining
    - divergent selection, 40
    - independent limitation, 38
    - reproductive isolation, 38
  - R.I. causes divergence between species, 31, 37
- Simple natural selection, 316
- Simpson index of habitat diversity, 269
- Simulation analysis, 307
- "Sister-group comparisons" approach, 196
- Sister species, 182
- Sister-species sequence divergence, 284
- Slowdown, diversification, 284
  - and age-dependent incompleteness, 287–288
  - species-level phylogenies, 287
- Slowdown, diversification
  - evidence *see* *Dendroica*
- Speciation, 30, 50, 284
- Speciation
  - dimensionality of niche divergence, facilitates increased, 128
- Speciation, 177
  - assortative mating, evolution of, 178
  - ecological divergence, associated with, 177
  - ecology-driven, 177
  - in *Heliconius* butterflies, 177–178
- Speciation, extinction, and diversity, 257
  - balanced diversification, 264–271
    - clade size, determining, 266, 268
    - constancy of species, 264
    - diversity-dependent speciation and/or extinction, 266
  - Moran process, 265
  - random-walk speciation-extinction process, 265
  - region area on diversity, influence of, 271
  - Simpson index of habitat diversity, 269
  - turnover time in steady-state clade, estimating, 265



- Speciation, extinction, and diversity (cont.)
  - diversification bias, 261–264
    - absence of size – age relationship, 262
    - clade size and age, unrelated, 261
    - constant diversification model, 262
  - diversification rate, 261
  - phylogenetic analysis of clades, 262
  - speciation-extinction model, 262
  - species richness in clades, constant, 263
  - time-homogeneous speciation and extinction rates, estimating, 263
- rates of speciation and extinction in diversifying clades, 258–259
  - clade age, determining, 258
  - net diversification rate, estimating, 258–259
- reconstructed phylogenies and lineage-through-time plots, 260–261
  - diversification rate of Australian agamid lizards, slowing in, 261
  - implications of phylogenies, 261
  - internode intervals, distribution of, 260
  - lineage-through-time (or LTT), 260
  - number of lineages in clade, 260
  - patterns of diversification, analyzing, 260
- Speciation, factors for variability in progress towards, 128
- Speciation and extinction, rates of
  - phylogenies of extant species, 278
- Speciation and extinction in fossil record, 301
  - cross-correlations of rates, 317
  - data, 309
  - decline/increase, 317
  - density dependence of, 318
  - discussion
    - diversity equilibrium, 317
    - macroevolutionary theories, 316
    - turnover rates, 314
  - diversity curve simulation, 313–314
  - diversity estimation, 305
  - general patterns, 310–312
  - hypothesis tests, 312–313
  - population-level processes, based on, 319
  - time scale analysis, 303
  - turnover rates, 308
- Speciation-extinction model, 262
- Speciation models, analysis of
  - diversification events, 110
- Speciation rate, 258, 259
  - ecological and nonecological factors limiting, 240
  - factors affecting, 252
- Speciation rates prediction theory, 319
- Speciation slowdown, cause of, 249
- Speciation through time, patterns of
  - molecular phylogenies of birds, analysis of, 245
- “Speciation transect,” 155
- Species, 29, 30, 42
  - delimitation, 30
  - evolution of, 30
- Species designation model, 284
  - age-biased sampling, to simulate effect of, 287
- Species designation – node age, dependance, 284
- Species diagnosis
  - challenges of using hypothesis tests for alternative hypothesis, 17
  - conventional hypotheses, considering, 17
  - Nested Clade analysis (NCA), 18
  - population aggregation analysis, 18
- species diagnostic protocol
  - cut-off criteria, 24
  - Pan troglodytes troglodytes* versus *P. t. verus*, 24–25
- suggestions for criteria, 24
  - choice of cut-off value, 23
  - divergence time, 23
  - gene flow, estimating, 23
  - population splitting, estimating, 23
- Species-level phylogenies, pattern for studies, 285
- Species richness, 219
  - latitudinal gradient in, 219
  - Potential Evapotranspiration (PET), predicting, 221
  - between temperate and tropical communities, 219
- Species richness, latitudinal gradient in, 219
- Standing diversity, 308
  - estimating, 309
  - extinction and origination rate, 308
  - bias in, 308
- Standing load, 78
- Statistical independence of dimensions, 130
- Stochastic process, 282
- Subsampling, steps, 306
- Substitution load, 78
- Sympatric speciation, 30
- Taxonomic status
  - of populations of species, 15–16, 17, 20
- Temporal patterns
  - similarity in, for robust phylogenies, 291
  - tests for, 291
- Temporal patterns in diversification rates, 278–296
  - macroevolution, two approaches to, 279–282
  - model system approach for macroevolution, 292–296
  - phylogenetic approach, problems with, 292
  - tests for complex, 288–292
  - tests for simple changes in net rate of diversification, 282–288
- Themes and variations, 47–48
  - experimental adaptive radiation, divergent, 48
- Time-homogeneous speciation and extinction rates, 263
- Timema walking-stick insects, data from natural populations of, 135–138
  - dimensionality in divergence in morphology and physiology, 136–138
  - divergence in host-plant use, 137
  - divergent host-adaptation driven evolution of reproductive isolation, 136
  - divergent selection of species, 137
  - ecotypes of *Timema podura* versus *T. cristinae*, 136–138
  - dimensionality in divergence of cryptic colour patterns, 135–136
  - measuring phenotypic dimensionality, 135

- Time scale analysis
  - data collection, 303
  - error figure, 305
  - terrestrial tetrapods, 304
- Total selection strength, increased
  - degree of divergence, limitations on, 131
  - divergence in multidimensional niche for promoting effective speciation, 132
  - divergent selection on more dimensions, importance of, 131
- Trait divergence along speciation transect, progressive levels of
  - colour-based aggression biases in males, 169
  - male aggression biases, 169
  - discussion and perspectives, 169–172
  - gene flow restriction between incipient species, causes of
    - direct female mate choice, 160–161
    - postzygotic isolation, absence of intrinsic, 160
    - spawning habitat choice, 160
  - geographical variation in degree of genetic and phenotypic differentiation, 157–
    - gene flow, assessing, 158
    - generating F2 hybrids between *P. nyererei* and *P. pundamilia*, 158–159
- introduction and outline, 155–156
- male nuptial coloration, form of selection on, 163
  - divergent or disruptive selection on male nuptial coloration, 163
  - laboratory experiments and field-based quantification of female mating references, 164
  - negative frequency dependent selection on male colour, 163
- mate choice traits and inheritance, 161–163
  - colour polymorphism in *Neochromis omnicaeruleus*, 163
  - divergent male nuptial coloration on female mate choice, effect of, 162
  - inheritance of female mating preference, 162
  - reversing preference in *P. nyererei* for conspecific males into heterospecific males, 162
- Pundamilia pundamilia* and *P. nyererei*, distribution and phenotypic characterization of, 156–157
- sources of selection on female mating preferences, testing predictions of speciation models
  - adaptive speciation, 165
  - classical reinforcement, 165
  - parasite-mediated divergent sexual selection, 168
  - sensory drive speciation, 166–168
- Trait divergence along speciation transect, progressive levels of
  - geographical variation in degree of genetic and phenotypic differentiation, 303
  - variation in male colour phenotypes *see* colour-based hybrid index
- Tropical environments
  - biotic interactions, importance of, 219,
  - biotic interactions promoting coevolution, strong, 219
- “Turnover pulse” hypothesis, 316
- Turnover rates, 308
  - cross-correlation based on African Plio-Pleistocene mammals and eastern North American early Paleozoic invertebrates, 316
  - evolutionary shifts and, 316
  - Miocene, changes, 311
  - molecular analysis and current analysis, bias in, 315
  - Paleocene and, 312
  - pseudoextinction at Puercan – Torrejonian boundary, cause of apparent, 315
  - speciation and extinction, discussion, 314–316
  - extinction rate, 314
  - origination and speciation rate, 315
  - “turnover pulse” and “coordinated stasis” hypothesis, 316
- Uniform probability model, 247–248
- Van Valen’s theory *see* Red Queen hypothesis
- Yule process, 282, 285
  - extinction, 283
  - initial phase of diversification, 287
  - results, 283
- Zink and Slowinski’s test statistic
  - error correction ( $\gamma$ ), 283