

## Index

- A4 singularity, 145  
 absence of structural arrest, 281  
 activated hopping processes, 137  
 Adam–Gibbs theory, 276  
 adhesive hard-sphere potential, 77  
 adiabatic approximation, 310  
 aggregation based on diffusion, 89  
 aggregation-fragmentation, 96  
 AHSP, *see* adhesive hard-sphere potential  
 alpha-decay regime, 135  
 analytical structure factor  $S(Q)$  for a narrow square-well potential, 78  
 Arrhenius, 183, 199, 203  
 Arrhenius law, 213  
 associated liquids, 184  
 attractive sticky spots, 184  
 average over spin and isotopic states, 30
- backscattering geometry, 316  
 Baxter method for the adhesive hard-sphere system, 72  
 Baxter method for the hard-sphere system, 72  
 Baxter's adhesive hard-sphere model, 141  
 BEN, *see* OH bending mode  
 BEN band, 289  
 beta-relaxation region, 134  
 binary HS systems, 140  
 bio-macromolecular assemblies – collective modes, 336  
 BKS silica model, 199  
 bond probability, 191  
 boson peak, 301  
 bound electrons, 14  
 bound scattering length, 28  
 bulk water, 253  
 bulk water – computer simulations, 277
- calorimetric glass transition temperature,  $T_g$ , 281  
 canonical ensemble, 49
- Carnahan–Stirling equation of state, 62, 70  
 chemical potential, 52  
 Cluster phases in equilibrium, 152  
 Coagulation kinetics, 89  
 Coherence, 10  
 collective vibrational motions in proteins, 350  
 colloidal hard-sphere model systems, 158  
 complex viscosity, 169  
 compressed hydrogen, 24  
 compressibility theorem, 53  
 Compton scattering, 14  
 confined water, 211  
 confined water – density measurement in MCM-41S, 258  
 Coniglio and Klein independent clusters, 117  
 contrast variation method, 12  
 critical phenomena in supramolecular systems, 114  
 crossover phenomenon in hydration water of DNA and RNA, 236
- deeply-cooled, 213  
 density auto-correlation function, 31  
 density of state measurements of water, 293  
 diffusion limited cluster aggregation (DLCA), 101  
 DLCA, *see* diffusion limited cluster aggregation  
 double-differential scattering cross-section, 310  
 dynamic crossover in confined water and its relation to the second critical point of water, 252  
 dynamic crossover in hydration water of biomaterials, 228  
 dynamic crossover in hydration water of cement pastes, 249  
 dynamic crossover phenomena in other glass-forming liquids, 274  
 dynamical structure factors – physical interpretation, 21
- E. Coli* bacteria in a quasi-elastic light scattering, 25  
 elastic shear modulus  $G'$ , 150

- electrical conductivity in the Baxter adhesive spheres model, 112
- electronic Raman scattering, 14
- ellipsoid, 41
- eMCT, *see* extended mode-coupling theory
- empirical PMMA phase diagram, 129
- energy equation of states, 57
- ergodicity-restoring activated hopping process, 224
- event-driven molecular dynamics simulations, 182
- exponent parameter, 165
- extended mode-coupling theory (eMCT), 280
- extended version of MCT, 137
- FB, *see* floating bond model
- Fermi approximation, 8–12
- floating bond model (FB), 199
- fluctuation theorem, 56
- four-armed DNA dendrimers model, 201
- fractal model, 40
- fragile, 213
- fragile glass-formers, 206
- fragile-to-strong crossover (FSC), 213
- free water, 214
- fractional Stokes–Einstein relation, 283
- FSC, *see* fragile-to-strong crossover
- Gaussian random variable, 158
- gel phase, 180
- gelation, 94
- generalised one-component macroion theory (GOCM), 83
- generalised three effective eigenmode (GTEE) theory, 335, 336
- glass-to-glass transition, 167
- glass transition, 127
- globular protein lysozyme, 180
- GOCM, *see* generalised one-component macroion theory
- grand canonical ensemble, 52
- GTEE theory, *see* generalised three effective eigenmode (GTEE) theory
- hard-sphere (HS) system, 139
- hard spheres with attraction, 140
- HDA, *see* high-density amorphous
- HDL, *see* high-density liquid
- Helmholtz free energy, 49
- high-density amorphous (HDA), 253
- high-density liquid (HDL), 253
- higher-order singularities, 144, 161
- histogram reweighing, 186
- HNC approximation for coulomb liquids, 71
- HNCA (hypernetted-chain approximation), 67
- HS, *see* hard-sphere
- hyperscaling relation, 120
- hydration water in cement, 249
- hydration water in proteins, 229
- incoherence, 10
- incoherence – two sources, 10
- incoherent inelastic neutron scattering, 294
- incoherence neutron quasi-elastic scattering, 24
- inelastic X-ray scattering (IXS), 337
- inelastic X-ray scattering spectroscopy, 309
- INS, *see* inelastic neutron scattering
- inter-atomic structure factor, 30
- inter-molecular bands of water, 288
- inter-molecular librational bands, 297
- inter-molecular translational bands, 297
- interactive square-well (SW) potential, 142
- intra-molecular O-H stretch vibrational bands, 297
- intra-molecular vibrations in water, 288
- intrinsic energy resolution of a perfect crystal monochromator, 315
- intrinsic absolute energy resolution of Si perfect crystal, 316
- irreversible aggregation of colloidal particles, 101
- iso-diffusivity lines, 179
- IXS, *see* inelastic X-ray scattering
- Kawasaki mode-coupling theories of transport coefficients, 115
- LDA, *see* low-density amorphous
- LDL, *see* low-density liquid
- Lennard-Jones system, 280
- light scattering, 16–21
- limited valence, 195
- limited valence models, 182
- liquid–gas phase separation, 193
- liquid–liquid critical point (LLCP), 252
- liquid–liquid phase transition, 262
- liquid–liquid phase transition in low-temperature water, 293
- LLCP, *see* liquid–liquid critical point
- logarithmic decay of density fluctuations, 143
- low-density amorphous (LDA), 253
- low-density liquid (LDL), 253
- mapping of a square-well potential (SWP) fluid to the adhesive hard-sphere potential (AHSP), 77
- maximum of the specific heat, 194
- MCM-41, 213
- MCM-48, 215
- MCT, *see* mode-coupling theory
- MCT density correlators, 134
- mean spherical approximation (MSA), 81
- mean square displacement (MSD), 230
- mechanical properties of glasses, 148
- microphase separation, 151
- microscopic stress tensor, 149
- mode-coupling theory (MCT) of supercooled liquids, 131
- molecular dynamics simulations of hydrated protein powder, 237
- mono-disperse spherical particle system, 34
- MSA, *see* mean spherical approximation

- MSA closure, 71  
 MSD, *see* mean square displacement
- necklace model, 40, 41  
 necklace model – pictorial representation, 46  
 necklace model of the protein/detergent complexes, 42  
 non-ergodicity factors, 133  
 non-ergodic samples, 158  
 non-ionic triblock copolymer L64, 161, 167  
 non-spherical particles, 35  
 normalised cluster size distribution, 119  
 normalised particle structure factor, 35
- OH bending mode (BEN), 288  
 OH stretch vibration, 288  
 one-component fluid near its liquid–gas critical point, 26  
 one-component macroion theory, 80  
 one-Yukawa MSA, 80  
 Ornstein–Zernike equation, 66, 81  
 Oxtoby and Gelbart model, 116
- pair correlation function, 31  
 pair correlations in liquids, 49  
 particle structure factor, 34  
 particles on non-spherical shape, 36  
 particles with a size distribution, 36  
 partition function of an ideal gas, 50  
 partition function of the system of interacting particles, 51
- patchy colloidal gels, 195  
 patchy colloids, 184  
 patchy particles, 97, 100  
 percolation, 91, 193  
 percolation line, 195  
 percolation line in microemulsions, 111  
 Perl and Ferrel mode-decoupling, 122  
 phase diagram of the AOT/H<sub>2</sub>O/decane system, 110  
 phonon energy softening, 356  
 phonon population enhancement, 356  
 phonons propagating along the axial direction of liquid crystalline DNA, 343  
 phonons propagating in the plane of lipid bilayers, 338  
 pluronic, 161  
 PMMA, *see* polymethylmethacrylate  
 PMS, *see* primitive model for silica  
 PMW, *see* primitive model for water  
 potential of mean force, 65  
 polymethylmethacrylate (PMMA), 128  
 pressure dependence of the MSD for protein and its hydration water, 230  
 primitive model for silica (PMS), 198  
 primitive model for water (PMW), 196  
 protein/SDS complexes, 47  
 pseudo-potential, 8  
 PY solution of a hard-sphere system, 68  
 PYA (Percus–Yevick approximation), 67
- Q-dependent density of states, 286
- radial distribution function, 31  
 random speckle pattern, 159  
 random walk model, 22  
 Rayleigh cross-section, 18  
 Rayleigh scattering, 14, 17, 310  
 reaction controlled reversible aggregation, 96  
 reaction limited cluster aggregation (RLCA), 101  
 relaxing cage model, 224–228  
 reversible work theorem, 65  
 RLCA, *see* reaction limited cluster aggregation
- SANS, *see* small angle neutron scattering  
 SANS cross-section, 40  
 SANS data correction and normalisation, 37  
 SANS measurements, 170  
 scaling properties of percolation, 92  
 scattering cross-section, 17  
 scattering intensity function, 33  
 scattering length density, 34  
 SDS, *see* surfactant sodium dodecylsulfate  
 self-intermediate scattering function (SISF), 214  
 SER, *see* Stokes–Einstein relationship  
 shear moduli, 169  
 single-particle dynamics of water confined in (hydrophobic) carbon nanotubes, 221  
 SISF, *see* self-intermediate scattering function  
 small angle neutron scattering, 28  
 small angle scattering from large particles in solution, 33
- Smoluchowski approach, 89  
 SPC/E model, 204  
 spherical protein, 34  
 square-well potential (SWP) fluid to the adhesive hard-sphere potential (AHSP) - Mapping, 77  
 ST2 model, 205  
 static pair correlation function – statistical thermodynamic definition, 54  
 static structure factor, 32  
 Stockmayer–Flory model, 93  
 Stokes–Einstein relationship (SER), 221  
 Stokes–Einstein relationship (SER) – violation, 221  
 STR band, 289  
 stretched exponential, 121  
 strong confinement, 213  
 strong glass former, 213  
 structure factors in liquids, 49  
 structure of protein–detergent complexes, 39  
 super-Arrhenius, 207  
 super-Arrhenius structural relaxation time, 213  
 supercooled heavy water, 262  
 surface water, 214  
 surfactant sodium bis(2-ethylhexyl) sulfosuccinate (AOT), 110  
 surfactant sodium dodecylsulfate (SDS), 39  
 SWP, *see* square-well potential  
 synchronisation of temperature dependence of MSD of hydrogen atoms in protein and its hydration water, 230

382

TEE theory, 320  
TEE theory – dynamic structure factor, 324  
TEE theory – extension to polyatomic molecular simple atomic fluids, 335  
ternary microemulsions, 109  
Thomson cross-section, 13  
Thomson interaction Hamiltonian, 310  
three effective eigenmode (TEE) theory, *see* TEE theory  
two-component fluid near its demixing critical point, 26  
two-Yukawa model, 82  
typical shape of the density correlators in a supercooled liquid, 135  
UHRIX, 313

*Index*

VFT law, *see* Vogel–Fulcher–Tammann law  
virial equation of states, 58  
virial expansion, 60  
viscosity measurements, 168  
Vogel–Fulcher–Tammann (VFT) law, 216  
Von Schweidler law, 165  
Wertheim thermodynamic perturbation theory (WTPT), 185  
widom line, 254  
Wigner crystal, 156  
WTPT, *see* Wertheim thermodynamic perturbation theory  
Young–Laplace effect, 307