

Index

- (petroleum) migration, 1
- adjustment of hydraulic head (pore pressure)
 actual, relative, total, 75
- anisotropy, effects on flow patterns, 69
- anomaly (potentiometric, due to rock lens)
 absolute, limit, relative, 60, 62
- aquifer hydraulics, 83
- Aristotle, 245
- artesian
 basins, 231
 well(s), 130, 151, 231
- atmospheric, 184
- Atomic Energy of Canada, Ltd. (AECL), 190
- base exchange, 99
- base flow, 90, 121, 182
- basin hydraulics, 83, 84
- bog, 91
- brine discharge, 205
- cable-tool (percussion) drilling method, 148
- Cassini, Giovanni Domenico, 246
- characteristic time (of water-table/flow-system
 stabilization), 41, 46
- Chebotarev (chemical) sequence, 138
- chemical composition (abrupt changes in), 206, 210
- chemical precipitation, 98
- chemistry and mineralogy (groundwater
 manifestations), 107
- chronological evolution (of theories), 244
- coefficient of diffusivity (see diffusion coefficient),
 72, 75
- compensation areas, 182
- composite basins, 4, 247
 boundary conditions, 34
 effect of basin depth, 37
 effect of local relief, 37
 effect of regional land-form types, 47
 effect of regional slope, 37
 effect of water table configuration, 33
- concentration (of dissolved solids), 99
- confined aquifer conditions, 177
- contaminants (in recharge areas), 154
- continental salt deposits, 91, 103
- cordillera-cum-foreland basins, 49
- Coulomb failure potential, 168
- cross-formational hydraulic communication (flow),
 84, 151
- Darcy velocity, 8, 9
- Darcy's Law, 8
- Descartes, René, 245
- deviations from theoretical patterns, 206
- diagenesis, 91, 103
- diffusion coefficient (see also hydraulic diffusivity),
 72
- diffusion equation, 7, 25, 72
- dimension, 9, 17
- discharge area, region (hydraulic regime),
 2, 4, 28, 143
- disequilibrium, 72, 94, 97
- dissolution, 97
- dolomitization, 91
- drawdown
 available, 147
- eco-hydrology, 180
 methodology (in), 182
- ecological conditions, 186
- ecosystem(s), 139, 154
- effective stress(es), 100, 113, 168
- effectively impermeable base (of a basin, or
 'penetration depth' of a flow system),
 26, 43
- effects of recharge–discharge area characteristics, 143
 municipal groundwater supply, 144
- elastic rebound (of the rock framework), 216
- electric analogue models, 213
- elevation head, 13
- engineering science branch (of hydrogeology), 246
- environmental effects, 94, 95
- environmental management, 142
- epilimnion, 160
- eutrophication, 124, 157
- exploration (for petroleum and metallic minerals), 225

- failure potential (field of), 168
 - heterogeneous slopes, 171
 - susceptibility (for), 168
- fen, 88, 106
- flow
 - length, 9
 - line, 4, 139
 - pattern, basic, in the Unit Basin, 26
 - patterns in composite and heterogeneous basins, 33
 - regime, 28
- flow field
 - heterochronous, monochronous, 78
- flow pattern(s), 3, 129, 132
- flow system, 35, 88, 129
- flow system(s)
 - characteristics, characterization, 183
 - contemporaneous, modern, paleo, relict, 77
 - conveyor belt(s), 89
 - depth of penetration, 33
 - hierarchically nested, 4, 35
 - intermediate, local, regional, 35, 205
- flow-path volume, 198
- flowing (conditions, wells), 49
- fluid potential, 3
 - anomalies, 206
- fluid-dynamic parameters, 7, 10
- flux, 9
- frost heaving, frost mound, frost blister, 117

- geochemical chimney, 124, 231
- geochemical prospecting, 231
- geochemical signatures, 235
- geomorphology (groundwater manifestations), 114
- geothermal anomalies, 91, 120
- geyser(s), 91, 115
- ghanat, 246
- groundwater
 - basin management, 143
 - conditions, 182
 - discharge, 4, 35, 161, 167, 231, 240
 - divide, 132, 151
 - flow model, 182, 196, 205
 - flow system, 1, 35
 - flow pattern, 3, 4, 132
 - geologic agency of, 87
 - recharge, 35, 58
 - regime, 102
- groundwater flow
 - characterization, evaluation, study, 7, 163
 - conveyor belt, 89, 94
 - geologic agent, 91, 247
 - gravity driven, 1, 168, 180, 236
 - manifestations, 88, 161
- groundwater flow system(s), 1, 129
 - characterization of, 188
 - local, 2, 151, 160
 - modelling, 186
 - paleo, 243
 - regional, 154, 194
 - transport mechanism, 88
- groundwater flow- and pressure pattern, Alps, Switzerland, 224

- Halley, Edmund, 246
- halophytes, 109
- head
 - elevation, 13
 - hydraulic, 7, 9, 13
 - piezometric, 13
 - pressure, 13
- head-ward erosion (creek valley), 115
- heat flow (geothermal), 128
 - anomaly, 163
 - density, 163
- heat transport (by groundwater), 101
 - model, 165
- heterogeneity, effects on flow patterns of
 - faults, barrier, 66
 - faults, conduit, 68
 - lens geometry, 61
 - lens orientation, 63
 - lenses, basin-scale, 58
 - lenses, lens-scale, 58
 - multiple lenses, 65
 - permeability contrast, 61
 - sloping beds (outcropping), 57
 - stratification, 51
 - three-layer cases, 53
 - two-layer cases, 51
- hierarchically nested (groundwater) flow systems, 4, 143, 191
- Homer, 245
- hydration, 97
- hydraulic
 - barriers, 208
 - conductivity, K , 7, 72
 - continuity, 81, 220, 247
 - diffusivity, 82
 - discontinuity, 87
 - entrapment, 2, 124
 - gradient, 9, 163
 - head (static; dynamic), 19
 - interdependence, 88
 - section, 203
 - theory of oil and gas (petroleum) migration, 1, 124, 227
 - traps, 228
- hydrocarbon accumulations, 91
- hydrodynamic traps, trapping, 228, 229
- hydrogeologic conditions (regional), 129
- hydrogeologic environment, 102
- hydrogeological maps, 129
- hydrogeology, 7
 - defined, 244
 - modern, 247
- hydrological system, 139
- hydrology and hydraulics (groundwater manifestations), 104
- hydrolysis, 97
- hydrostratigraphic units, 132, 153, 203, 217

296

ice
 field, 91
 mound, 88
 phenomena, 117
In-situ interaction (between groundwater and its environment; effects of), 93
 interface (between fresh and saline water groundwater), 155
 intermontane broad valleys, 48
 interval permeability, 207
 intracratonic broad upland basins, 48
 inverse modelling, 207
 isochrone (of travel time), 194

Kepler, Johann, 245

La Métherie, Jean-Claude, 246
 lag time (also: time lag), 41
 land slide(s), 174
 land subsidence, 148
 land use, 182
 Laplace equation, 7, 22
 leakage (factor), 83, 85
 leaky aquifers, 247
 lens(es), 58
 lens(es) orientation, 63
 liquefaction, 90, 103, 163
 local groundwater flow-system, 2
 lubrication, 100

management (of groundwater basins), 139, 143
 manifestations (of groundwater flow), 8, 102
 Marcus Vitruvius Pollo, 245
 Mariotté, Edmond, 246
 mathematical models, 7
 mechanical energy, 11
 mesophytes, 109
 midline area (hydraulic regime), 37
 Mississippi Valley-type ore deposits (groundwater manifestations), 123
 models of
 contaminants, the Netherlands, 154
 geothermal heat flow, 163
 groundwater flow effect on Coulomb failure potential in slopes, 169
 groundwater flow effect on ecosystems, Belgium, 180
 groundwater flow in nuclear-waste study, Texas, USA, 205
 groundwater flow in nuclear-waste transport, return-flow times, 3-D, Sweden, USGS, 196
 groundwater flow in tabular uranium deposits, Four Corners, USA, 238
 groundwater flow, past and present, the Netherlands, 139
 groundwater flow-pattern (3-D); regional, local; in nuclear-waste study, Switzerland, 201
 heat transport, Rocky Mountains, Colorado, USA, 121
 Mississippi Valley-type ore deposits, 238
 path-lines of radioactive contaminants, 196

Index

phosphorous transport into lake, Alberta, Canada, 160
 rock dilation, effect on, 221
 Modern Hydrogeology, 247
 mud flow, 117
 mud volcano, 114
 multi- (multiple) aquifer systems, 83, 247

Nationale Genossenschaft für die Lagerung Radioaktiver Abfälle (Nagra), Switzerland, 201
 natural processes
 flow-generated, flow sensitive, 77
 natural sciences branch (of hydrogeology), 245
 nuclear-fuel waste, or radioactive waste, 188

optimization areas, 182
 ore deposits (paleohydrogeology of), 242
 oxidation–reduction, 98

paleohydrologic analysis (of gravity-driven groundwater flow systems), 238
 Palissy, Bernard, 246
 parameter
 dynamic, 14
 fluid-dynamic, 7, 10
 path length, 198
 penetration depth, 44
 penetration depthdepth (of flow system, or ‘effectively impermeable base’), 35
 permafrost, 91
 Perrault, Pierre, 246
 petroleum (oil, gas)
 accumulations (groundwater manifestations), 124
 reservoirs, 207
 phosphorous (transport by groundwater), 157
 phreatic belt, 104, 161
 phreatophyte(s), 109
 species, 183
 piezometric head, 13
 Plato, 245
 potentiometric
 anomaly, 66, 207
 depression, 210
 elevation, 13
 minima, 228, 231
 step, 209
 potentiometric surface (maps), 203
 pressure
 abnormal, 72, 228
 absolute, 15
 atmospheric, 12
 dynamic, 19
 formation, formation fluid, 14
 gauge, 15
 modification, 100
 nominal hydrostatic, 21
 pattern in the unit basin, 29
 profile, 30
 subhydrostatic, subnormal, 32
 superhydrostatic, 48
 transient, 71
 pressure head, 13

- pressure increment
 dynamic, 14, 32
 pressure gradient, 14, 180
 dynamic, 18
 hydrostatic, 14
 lithostatic, 17
 pattern in the unit basin, 31
 subhydrostatic, subnormal, 48, 57
 superhydrostatic, supernormal, 48, 57
 vertical, 14
 pressure gradient vertical, 30
 pressure increment
 dynamic, 18
- quasi-stagnant (flow conditions), 28, 44
 quick sand, 88, 114
- radioactive waste, or nuclear-fuel waste, 188
 recharge area concept (the), 190, 196
 recharge area, region (hydraulic regime), 28
 reference patterns of flow and dynamic parameters,
 51, 217
 return-flow time, 198
 rock pod (high permeability), 206, 210
- saline soil(s), 161, 231
 salt dissolution, 203
 salt-water upconing (in discharge areas), 154
 scales of flow systems (spatial and temporal), 42
 sedimentary basin (large), 87
 seep(s), 88
 seepage force(s), (field of), 168
 sensitivity (to groundwater conditions), 182
 sewage lagoon (failure), 151
 simultaneity, 96
 singular point (of flow pattern), 44
 sink(s), 4, 72, 182
 site condition(s), 180
 slope stability, 171
 soap hole(s), 114, 160
 soil and rock mechanics (groundwater
 manifestations), 113
 soil creep, 88
 source(s), 72, 182
 specific storage, S_0 , 7, 72
 specific volume discharge, 9
 specific weight, 15
 springs, 88
 stagnant (flow conditions), 28
 standard states (of energy), 11
 storativity, 151
 strata-bound ore deposits, 238
 stress
 neutral, 14
 study, 7
 subhydrostatic (hydraulic gradient, pressure), 216
 subnormal (hydraulic head, pressure), 224
 subsidence (of land), 148
 sulfate reduction, 126
 sulfide ore deposits, 91
 superhydrostatic (hydraulic gradient, pressure), 57,
 217
 Swedish Nuclear Fuel Supply Co/Division
 Kärn-Bränsle-Säkerhet (SKBF/KBS), 195
- talik, 91
 tensiometric effect, 206
 Thales, 245
 thalweg, 3
 thermal effects (of groundwater flow), 165
 thermal spring(s), 165
 time (temporal) scales, 41, 72, 73
 time lag (also: lag time), 72, 73, 84
 transient pore-pressures, 71
 transmissivity, 81
 transport and accumulation (groundwater
 manifestations), 118
 transport processes (subsurface), 100
 travel time (map), 139
 travel time (section), 184, 194, 198
 trophic (level, status), 258
- ubiquity, 96
 ultrafiltration (by shale membranes), 99
 unconfined
 aquifer, water body, 15
 underpressuring, 205, 216
 unit basin (the)
 boundary conditions, 26, 34
 unsaturated zone, 15
 uranium deposits, exploration for, 237
 utilitarian problems (examples, related to groundwater
 flow), 128
- V-notch canyon basins, 48
 vadose zone, 15
 Vallisnieri, Antonio, 246
 vegetation ((groundwater manifestations), 109
 vertical migration (of petroleum), 235
 volume discharge, 9
- water divide, 2
 water table, 1, 15, 26
 effect of configuration, 33
 watershed, 132
 wetland ecosystems, 188
 wetlands, 91
 work, 11
- xerophytes, 109, 161
 zone of aeration, 15