

# Index

Note: Page numbers in *italic* indicate Glossary entries

- abdominal aortic aneurysm, low back pain 202, 204
- abdominal reflexes 51
- absorbable spinal implants 251
- achondroplasia 23
- activity, post-operative 263
- acute disseminated encephalomyelitis (ADEM) 17–18
- acute transverse myelitis 17
- Adamkiewicz, great radicular artery of 13–14, 273
- adjacent segment degeneration 241, 243, 273
- adrenomyeloneuropathy 19
- Adson test 38–39, 169
- AIDS 17
- airway problems following cervical spine surgery 152–153
- allodynia 31, 273
- allograft 147–150, 273
- American Society of Anesthesiologists (ASA) classification of physical status 257, 258
- American Spinal Injury Association (ASIA) impairment scale 15
- amyotrophic lateral sclerosis (ALS), distinction from cervical spondylotic myelopathy 145
- analgesia, post-operative 262–263
- anatomy *see* spinal anatomy
- angiography of the spine, MRI technique 94
- ankylosing spondylitis 22, 51, 63, 76, 223–224
- annular repair 273  
new technology 250
- anterior cervical decompression and fusion (ACDF) 243
- anterior cervical osteophytes 167
- anterior longitudinal ligament 5–7
- anterolisthesis 214
- Aquarelle Hydrogel Nucleus 247
- arachnoid cysts 25, 56
- arachnoid mater 8–9, 10
- Arnold Chiari malformation  
*see* Chiari malformation
- arteriovenous fistula (thoracic), distinction from lumbar spinal stenosis 178
- arteriovenous malformation 190–191, 192
- artificial disks 176, 274  
artificial cervical disk surgery 42  
complications following surgery 125  
surgery 86–87  
*see also* disk arthroplasty
- astrocytoma 162–163
- atherosclerosis, spinal cord infarction 19
- atlas (first cervical vertebra)  
anatomy 7, 8  
pathophysiology 22
- autograft 147–150, 273
- autoimmune diseases 18
- Axia-LIF 246
- axis (second cervical vertebra)  
anatomy 7, 8  
pathophysiology 22
- Baastrop disease 23, 273
- Babinski sign 36, 37, 42, 66
- bacterial infections of the spine 15–16
- bacterial vertebral osteomyelitis 15–16
- Bevor sign 51
- Behçet disease 18
- bent spine syndrome (camptocormia) 64, 273
- Bertolotti syndrome 24, 273
- beta-blockers 258–259
- BioDisc 247
- biological vertebral augmentation 251–252
- biopsy of the spinal cord and/or nerve root 106
- biopsy of the spine 106, 198–199
- bleeding  
at the surgical site 261–262  
into and around the spinal cord 19
- blindness, post-operative complication 207, 262
- block vertebra 24–25
- blood tests 105
- blood typing and crossmatching (pre-operative) 260
- bone densitometry 105
- bone density measurement, surgical diagnosis and planning 142
- bone grafting  
cervical spine surgery 147–151  
donor-site pain and morbidity 150, 275  
donor site reconstruction 175–176  
metallic bone graft substitutes 250–251  
pseudarthrosis risk factors 150, 176  
synthetic interbody devices 150–151
- bone growth stimulators 224–225, 273
- bone morphogenetic proteins (BMP) 148, 150–151, 225–227, 273
- bone pathophysiology 9, 22–23
- bony spurring 9, 22
- bowstring sign 68

## Index

- brachial plexus lesion, distinction from cervical radiculopathy 41, 145–146
- brain stem auditory evoked potentials (BAEPs) 101–102
- Brown–Séquard syndrome 172, 273
- cage 273
- caisson disease 19
- camptocormia (bent spine syndrome) 64, 273
- cancers, paraneoplastic myelopathy 18
- carpal tunnel syndrome 37, 41, 144–145
- cauda equina 4–5, 6, 9, 273
  - vascular supply 13–14
- cauda equina syndrome 55, 63, 75–76, 273–274
  - differential diagnosis 75, 76
  - indications for surgery 109, 111
  - presentation 75
  - signs and symptoms 75
  - treatment 75–76
- cavernous malformations 191–192
- Cell Saver system 260
- central cord syndrome 15, 172, 274
- central nucleotomy procedures 230–231
- central pain 31
- cerebrospinal fluid (CSF)
  - examination 105–106
  - leak (spine surgery complication) 152, 180, 205, 207
- cervical artificial disks 176, 243–246
- cervical collars 174
- cervical disk herniation with radiculopathy and/or myelopathy 154–157
- cervical level examination
  - clinical assessment 144, 145
  - compression tests 38
  - dermatomes of the upper body 35, 37
  - diagnostic pitfalls 144–147
  - effects of neck traction 37–38
  - epidemiology of neck pain 3
  - fractures in the elderly 146–147
  - general examination 36
  - localization of pain 34, 35
  - neck pain 3, 45–48
  - neurologic examination 35, 36–37, 144, 145
  - odontoid fractures in the elderly 146–147
  - patient history 33–34, 35
  - range of motion 37
  - special examinations and maneuvers 37–39
  - surgical evaluation 144, 145
- cervical myelopathy 42–45
  - cord lesion level not corresponding to sensory level 146
  - diagnosis 146
  - differential diagnosis 43–44
  - false localizing level 146
  - indications for surgery 109, 110
  - investigation 44–45
  - presentation 36, 42–43
  - signs and symptoms 36, 42–43
  - spondylotic myelopathy 36, 42–43
  - treatment 43, 45
- cervical orthoses 173–174
  - cervical collars 174
  - cervicothoracic orthosis (CTO) 174
  - compliance issues 174
  - driving restrictions 174
  - Halo vest 173–174
  - Minerva vest 174
  - sterno-occipital mandibular immobilizer (SOMI) 174
  - trends in the use of cervical orthoses 174
- cervical radiculopathy 39–42
  - artificial cervical disk surgery 42
  - causes 39
  - cervical spondylosis 35, 39–40
  - compression mechanism 39
  - definition of radiculopathy 39
  - diagnostic pitfalls 145–146
  - differential diagnosis 40, 41
  - indications for surgery 109, 110
  - investigation 40, 41
  - natural history 39
  - presentation 39
  - red flag warning signs 40, 42
  - signs and symptoms 35, 39–40
  - treatment 40
- cervical spine clinical issues
  - artificial disks (disk arthroplasty systems) 176, 243–246
  - cervical orthoses 173–174
  - clearing the cervical spine 170–171, 274
  - donor site reconstruction (bone graft) 175–176
  - fixed vs. dynamic cervical plates 176
  - new surgical procedures 176
  - new technology 176
  - pain management in SCI 172–173
  - prophylactic surgery 174–175
  - pseudarthrosis risk factors 150, 176
  - spinal cord injury (SCI) 171–173
  - stability/instability of the cervical spine 161–162, 163, 169–170
  - tandem cervical and lumbar stenosis 175, 278
- cervical spine disorders
  - cervical myelopathy 42–45
  - cervical radiculopathy 39–42
  - dropped head syndrome 33, 36
  - fractures in the elderly 146–147
  - localization of pain 34, 35
  - neck pain 3, 45–48
  - odontoid fractures in the elderly 146–147
- cervical spine surgery
  - approaches 147, 148, 149
  - bone graft considerations 147–151
  - indications 147
  - prophylactic surgery 174–175
- cervical spine surgical complications 151–154
  - airway complications 152–153
  - complications related to positioning 153
  - CSF leak 152
  - delayed complications 154
  - dysphagia 152–153
  - esophageal injury 153
  - hoarseness 152–153
  - infection 153–154
  - neurologic deterioration 151
  - post-operative kyphosis (swan neck deformity) 154
  - swallowing complications 152–153
  - vascular injury 151–152
  - wrong level surgery 153
- cervical spine surgical disorders
  - anterior cervical osteophytes 167
  - C1–C2 facet arthropathy 167, 168
  - C1 (atlas) fracture (Jefferson fracture) 161
  - C2 (axis) fractures 161
  - cervical disk herniation with radiculopathy and/or myelopathy 154–157
  - cervical epidural hematoma 167, 168
  - cervical spine trauma/fractures 160–162, 163
  - cervical spondylotic myelopathy 157–159
  - cervical stenosis with deformity 159–160

## Index

- cervical spine surgical disorders (cont.)  
 dysphagia secondary to anterior cervical osteophytes 167  
 Hangman's fracture (traumatic spondylolisthesis of the axis) 161  
 hydromyelia 165, 166  
 intradural tumor 162–163, 164  
 occipitocervical injury 161  
 odontoid fractures 161  
 ossification of the posterior longitudinal ligament (OPLL) 160  
 rheumatoid disease of the cervical spine 166  
 spinal metastatic disease 165  
 subaxial (C3–C7) injuries 161–162, 163  
 syringomyelia 165–166  
 thoracic outlet syndrome 167–169
- cervical spondylotic myelopathy 42–44, 157–159  
 approaches to treatment 157–159  
 diagnostic pitfalls 144–145  
 natural history 157–159  
 rating scales 157, 158
- cervical stenosis with deformity 159–160
- cervical vertebrae  
 anatomy 7, 8, 9  
 joint inflammation (skull–C1 and C1–C2) 22
- cervicothoracic orthosis (CTO) 174
- Chaddock sign 36, 37, 42
- Charcot joints 29
- Charité disk 86, 125, 241–242
- chemonucleolysis 230–231, 274
- chemotherapy, myelopathy caused by 19
- Chiari malformation 24, 29–30, 165, 166, 274
- circumferential fusion 274
- claudication  
 distinction between neurogenic and vascular 62, 202–203, 211  
 neurogenic 62–63, 211  
 vascular 61–62
- clearing the cervical spine 170–171, 274
- Coflex device 239
- Cognitive-behavioral therapy 85
- compensation and disability issues related to low back pain 227
- complex regional pain syndrome (CRPS) 41, 274
- congenital abnormalities of the spine 23–25, 25–30
- conus medullaris 9, 274  
 tumors 221
- conus medullaris syndrome 55
- copper deficiency 18
- corpectomy 274
- CSF *see* cerebrospinal fluid
- CT, plain CT of the spine 95–96
- CT myelography 94–95  
 complementary use with MRI 139, 140  
 contrast materials 94, 95  
 helpful aspects 94  
 less helpful aspects 94  
 main uses 94  
 procedure 94  
 risks 95  
 surgical diagnosis and planning 138–139
- curves in the vertebral column 3
- cysticercosis 17
- cytomegalovirus infection 16, 17
- decompression sickness 19
- decompressive laminectomy 212–214
- deep venous thrombosis (DVT) 259–260
- degenerative joint disease of the hip 202
- degenerative spondylolisthesis 215
- dens (odontoid process) 7, 8
- dermatomal distribution of pain 31
- dermatomes 274  
 lumbosacral 64, 65  
 thoracic level 49, 50, 51  
 upper body (cervical) 35, 37
- Devic disease (neuromyelitis optica) 17, 18
- diabetic radiculopathy (radiculoplexus neuropathy) 51, 54
- diagnosis of spine-related problems 1  
 potential mistakes 269–271
- diagnostic testing  
 appropriate use of tests 89  
 potential mistakes 268–269  
 risk of providing misleading information 89, 90  
 utility of different types of test 89, 90
- diagnostic tests  
 ability to detect abnormalities 89, 90  
 biopsy of the spinal cord and/or nerve root 106  
 biopsy of the spine 106  
 blood tests 105  
 bone densitometry 105  
 brain stem auditory evoked potentials (BAEPs) 101–102  
 cerebrospinal fluid (CSF) examination 105–106  
 CT myelography 94–95  
 discography 102–103  
 electromyography (EMG) 97–101  
 facet joint interventions 104–105 *see also* diagnostic/therapeutic injections  
 helpful injections 103–105  
 imaging studies 89–97  
 magnetic resonance imaging (MRI) 89–94  
 motor evoked potentials (MEPs) 101  
 myelography 94–95  
 nerve conduction studies 97, 99–101  
 nerve root biopsy 106  
 neurophysiologic testing 97–101  
 noninvasive lower limb arterial testing 105  
 physiologic testing 97–102  
 plain CT of the spine 95–96  
 plain X-rays 96  
 provocative and beneficial testing 102–105  
 radionuclide imaging 96–97  
 somatosensory evoked potentials (SSEPs) 101  
 spinal angiography 97  
 spinal cord biopsy 106  
 spine biopsy 106  
 thermography 102  
 urine and urologic tests 106  
 visual evoked potentials (VEPs) 101–102
- diagnostic/therapeutic injections 103–105
- DIAM (device for intervertebral assisted motion) 239
- discectomy 274  
 endoscopic 231  
*see also* microdiscectomy
- discogenic back pain 217–218
- discography 83, 102–103  
 helpful aspects 102–103

## Index

- procedure 102, 103  
 risks 103  
 surgical diagnosis and planning 140–142, 143  
 disk anatomy 5, 7  
 disk arthroplasty (artificial spinal disk) 241–246, 274  
   cervical artificial disk 176, 243–246  
   lumbar artificial disk 241–243  
   *see also* artificial disks  
 disk extrusion 21–22, 274  
 disk herniation 21–22  
   intravertebral 21–22  
   lumbar radiculopathy 65, 70–71  
 disk migration 26, 274  
 disk nucleus replacement 246–247, 277  
 disk pathophysiology 20–22  
 disk protrusion 21–22, 274  
 disk sequestration 26, 275  
 disk space infection 15–16  
 disk transplantation 248  
 donor-site pain (bone graft) 125, 150, 275  
 donor site reconstruction (bone graft) 175–176  
 double crush syndrome 275  
 dropped head syndrome 33, 36, 275  
 dual-energy X-ray absorptiometry (DXA) 105, 142  
 dura mater 8–9, 10  
 dural arteriovenous fistula (DAVF) 56–57, 192  
 DVT (deep venous thrombosis) 259–260  
 Dynamic Soft Stabilization System 250  
 dynamic stabilization surgery 249–250, 275  
 Dynesys 249–250  
 dysphagia  
   following cervical spine surgery 152–153  
   secondary to anterior cervical osteophytes 167  
 dysplastic spondylolisthesis 215  
 dysraphism, spinal 204  
 echinococcosis 17  
 electromyography (EMG) 97–101  
   characteristic changes of denervation 99  
   helpful aspects 100  
   how it works 97–99  
   less helpful aspects 100–101  
   nerve conduction studies 97, 99–101  
   procedure 100  
   risks 101  
 embolism, spinal cord infarction 19  
 endoscopic discectomy 231  
 enterovirus infections 16–17  
 ependymoma 162–163, 164, 220–221  
 epidemiology of spine pain 2–3  
   cervical level (neck pain) 3  
   lumbar level (low back pain) 3  
   thoracic level 3  
 epidural hematoma, cervical spine 167, 168  
 epidural space 8–9  
 esophageal injury, cervical spine surgery complication 153  
 examination of the patient, potential mistakes 266–267 *see also* cervical level examination; lumbar level examination; thoracic level examination  
 exercise therapy 85  
 extramedullary hematopoiesis 57  
 extreme lateral interbody fusion (X-LIF) 246  
 extrusion of intervertebral disks 21–22, 274  
 FABER test 68–69  
 facet arthropathy, C1–C2 167, 168  
 facet bone dowel 247–248, 275  
 facet joint (zygapophyseal joint) 279  
   anatomy 5, 7  
   pathophysiology 22  
 facet joint interventions 104–105  
   helpful aspects 105  
   procedure 104–105  
   risks 105  
   *see also* diagnostic/therapeutic injections  
 facet replacement 250  
 failed back surgery syndrome 224, 233–234, 275  
 fibromyalgia 30  
 fibrositis 30  
 finger flexor reflex 37  
 FLEXUS Interspinous Spacer 239  
 folic acid deficiency 18  
 Food and Drug Administration (FDA), approval of new medical devices 255–256  
 foraminotomy 275  
 fractures  
   cervical spine 146–147, 160–162, 163  
   lumbar spine 211, 218  
   thoracic spine 179, 192–193  
 fungal myelopathies 17  
 fusion 86, 275  
   bone growth stimulators 224–225  
   minimally invasive procedures 232–233  
 fusion disease (adjacent segment degeneration) 241, 243, 273  
 gadolinium contrast agent for MRI 90–91, 92, 136  
   complications 136–137  
 gene therapy for disk disorders 248–249  
 gibbus 16  
 Graf ligament 250  
 great vessel injury, during lumbar spine surgery 205  
 gunshot wounds 193–195  
 hair patches (hypertrichosis) 202, 204  
 Halo vest 173–174  
 Hangman's fracture (traumatic spondylolisthesis of the axis) 161  
 hematomyelia 19  
 hemostasis during surgery 261–262  
 hereditary myelopathies 19  
 hereditary spastic paraparesis 19  
 herniation of intervertebral disks 21–22  
 heroin use, and acute myelitis 19  
 herpes simplex virus infections 16, 17  
 herpes zoster (shingles) 16, 17  
   viral radiculopathy 203  
 hip joint disease, distinction from lumbar spine stenosis 202

## Index

- HIV infection 17
- hoarseness following cervical spine surgery 152–153
- Hoffmann sign 36, 37, 42–43
- homograft *see* allograft
- human T-lymphocyte virus (HTLV-I and II) infections 17
- hybrid construct 275
- hybrid techniques of spinal stabilization 251
- hydrocephalus 29–30
- hydromyelia 29–30, 165, 166
- hypertrichosis 202, 204
- iatrogenic spondylolisthesis 215
- ICLOSE Surgical Mesh System 250
- image guidance 252–254, 275
- imaging studies 89–97 *see also* surgical diagnosis and planning
- indeterminate bony lesions (thoracic spine) 199–200
- infection  
   lumbar spinal infections 222–223  
   spine surgery complication 153–154, 180, 205
- inflammatory bowel disease 22
- informed consent 260–261
- injections, diagnostic/therapeutic uses 103–105
- instability of the spine *see* stability/instability of the spine
- instrumentation 275
- interbody fusion, lumbar 130, 275
- interdisciplinary pain rehabilitation programs 85, 87, 131–132
- internal disk disruption 130, 275
- interspinous implant devices 237–239
- intervertebral disk  
   *see* pathophysiology of the spine; intervertebral disk
- intervertebral (neural) foramen 5, 7, 275
- intra-arterial embolization, lumbar spine surgery complication 205–207
- intracranial hypotension, causes 197–198
- intradiscal electrothermal therapy (IDET) 86, 236–237, 275
- intradural pathology, distinction from lumbar radiculopathy 203, 205
- intradural tumor  
   cervical spine 162–163, 164  
   lumbar spine 220–221  
   thoracic spine 189
- intramedullary tumor, differential diagnosis 178–179
- intra-operative management of the patient 261–262
- intra-operative MRI 138
- intraspinous lipoma 24
- intrathecal drug delivery systems (pain pumps) 87, 132, 234–236, 275
- intravertebral disk herniations 21–22
- ischemic leg pain following lumbar spine surgery 205–207
- IsoBar 250
- isthmic spondylolisthesis 215
- Japanese Orthopedic Association (mJOA) functional score 157, 158
- Jefferson fracture (C1 (atlas) fracture) 161
- Jehovah's Witnesses, informed consent process 260–261
- joint pathophysiology 9, 22–23
- joints of Luschka 7, 9
- Kernig sign 67, 68
- Klippel–Feil syndrome 24–25, 275
- konzo 18–19
- kyphoplasty 86, 182–183, 184, 185, 186–187, 187–188, 189, 276
- kyphosis 27, 28, 195, 196–197, 276
- kyphosis (swan neck deformity) following cervical spine surgery 154
- lag screw effect 151, 276
- laminectomy 276  
   cervical 158, 159
- laminoplasty 276  
   cervical 158–159
- Lasègue sign 67, 68
- lateral listhesis 214
- lateral mass fixation 276
- lathyrism 18–19
- leg pain following lumbar spine surgery 205–207
- leukodystrophies (hereditary) 19
- Lhermitte sign 33, 36, 38, 43, 144, 276
- ligamenta flava 5–7
- ligaments of the spine  
   anatomy 5–7  
   pathophysiology 22, 30
- ligamentum nuchae 5–7
- liver cirrhosis, and myelopathy 19
- longitudinally extensive transverse myelitis (LETM) 17
- low back pain (acute and chronic) 81–87  
   abdominal aortic aneurysm 202, 204  
   compensation and disability issues 227  
   costs of 1  
   differential diagnosis 82  
   epidemiology 3  
   indications for surgery 109, 112  
   investigation 70, 82–83  
   prevalence 1  
   red flag warning signs 70, 82–83  
   treatment 83–87  
   *see also* lumbar level problems
- lower extremity circulation, noninvasive testing 105
- lumbar and lumbosacral orthoses 224
- lumbar artificial disk 241–243
- lumbar discectomy  
   *see* microdiscectomy
- lumbar disk herniation 208–210  
   microdiscectomy 208, 210, 211  
   recurrent disk herniation 207–208  
   SPORT study (Part I) 208–209
- lumbar disk herniation (minimally invasive procedures) 230–232  
   central nucleotomy procedures 230–231  
   chemonucleolysis 230–231  
   current status of procedures 232  
   endoscopic discectomy 231  
   microdiscectomy using a tubular retractor 232  
   thermal disk decompression 231–232



## Index

- lumbar fusion 86
  - new techniques 246
- lumbar level examination
  - bowstring sign 68
  - clinical assessment 202, 203, 204
  - diagnostic pitfalls 202–204
  - differential diagnosis 202, 203, 204
  - FABER test 68–69
  - general examination 63–64
  - hair patches (hypertrichosis) 202, 204
  - lumbosacral dermatomes 64, 65
  - neurologic examination 64–66, 202, 203, 204
  - nonorganic pain syndromes 69–70, 204
  - Patrick test 68–69
  - psychological diagnosis 69–70, 204
  - reverse straight leg raising (SLR) tests 68, 69
  - sequestered disk herniation 21, 203–204, 206
  - special examinations 66–70
  - spinal dysraphism 204
  - spinal examination 66–67
  - straight leg raising (SLR) tests 67–68
  - surgical indications 204
  - testing reflexes 66
  - Waddell signs for nonorganic pathology 69–70, 204
- lumbar level problems
  - ankylosing spondylitis 63
  - camptocormia (bent spine syndrome) 64
  - cauda equina syndrome 63, 75–76
  - lumbar radiculopathy 69–75
  - lumbar spinal stenosis 76–81, 210–214
  - meralgia paresthetica 63, 73
  - osteoporosis 63
  - patient history 61–63
  - pseudoclaudication 61–62
  - psychologic factors 63
  - regional variations in diagnostic testing 61
  - regional variations in treatment 61
  - sciatica 63
  - socioeconomic factors 63
  - vascular claudication 61–62
  - see also* low back pain
- lumbar radiculopathy 69–75
  - differential diagnosis 71, 72, 73
  - disk herniation 65, 70–71
  - distinction from intradural pathology 203, 205
  - effects of herpes zoster (shingles) 203
  - indications for surgery 109, 111
  - investigation 71–73, 74
  - red flag warning signs 70
  - treatment 73–75
- lumbar spinal stenosis 76–81, 210–214
  - decompressive laminectomy 212–214
  - differential diagnosis 62, 78, 79, 178
  - distinction from hip joint disease 202
  - distinction from thoracic cord lesion 203, 205
  - indications for surgery 109, 111
  - investigation 78–79, 80
  - neurogenic claudication 62, 211
  - role of fusion 212–214
  - surgical evaluation 211–212
  - treatment 79–81
- lumbar spine clinical issues
  - bone growth stimulators for spinal fusion 224–225
  - bone morphogenetic proteins (BMP) 225–227
  - compensation and disability issues related to low back pain 227
  - emerging technology 227
  - lumbar and lumbosacral orthoses 224
  - new surgical techniques 227
- lumbar spine surgery
  - approaches 204–205
  - evaluation 202, 203
  - indications 204
- lumbar spine surgical complications 205–208
  - blindness 207
  - complications related to positioning 207
  - CSF leak 205, 207
  - great vessel injury 205
  - infection 205
  - intra-arterial embolization 205–207
  - late, or delayed, complications 207–208
  - leg pain caused by ischemia 205–207
  - neurologic injury 205
  - peripheral nerve injuries 207
  - recurrent disk herniation 207–208
  - risk factors 208
  - sexual dysfunction 207
  - vascular complications 205–207
- lumbar spine surgical disorders
  - ankylosing spondylitis 223–224
  - discogenic back pain 217–218
  - evaluation of fracture stability 218, 219
  - failed back syndrome 224
  - fractures 218
  - intradural tumor 220–221
  - lumbar disk herniation 208–210
  - lumbar synovial cyst 214
  - metastatic disease 220
  - osteoporotic vertebral compression fracture 219
  - sacral insufficiency fracture 219–220
  - spinal infection 222–223
  - spondylolisthesis 214–217
  - tethered cord syndrome 222
  - trauma 218, 219
  - see also* lumbar spinal stenosis
- lumbar synovial cyst 214
- lumbarization of the first sacral vertebra 24
- Lyme disease 16
- magnetic resonance imaging (MRI) 89–94
  - 3-T (Tesla) MRI 137
  - complementary use with CT 139, 140
  - complications of gadolinium contrast agents 92–93, 136–137
  - gadolinium contrast agents 90–91, 92, 136–137
  - helpful aspects 91, 92
  - how it works 89–90
  - interpretation of MRI 138
  - intra-operative MRI 138
  - less helpful aspects 91–92
  - MR angiography of the spine 94
  - MR myelography 94
  - MR neurography 94
  - new developments for spinal disorders 137–138
  - paramagnetic contrast agents 90–91, 92, 136–137
  - procedure 90–91
  - pulse sequences for spinal disorders 136
  - risks 92–93
  - safety issues and contraindications 134–136, 136–137
  - surgical diagnosis and planning 134–138
  - T<sub>1</sub> and T<sub>2</sub>-weighting 90
  - upright MRI 92, 137–138
- medial branch 12, 276

## Index

- medical devices
  - assessment of new devices and procedures 254–255
  - FDA approval 255–256
  - see also* new technology
- medical management of the patient
  - intra-operative management 261–262
  - post-operative management 262–263
  - pre-operative medical evaluation 257–261
- membranes (meninges) of the spinal cord and nerves 8–9, 10
- meningeal diverticulum with CSF leak (thoracic spine) 197–198
- meningioma 162–163, 220–221
- meralgia paresthetica 63, 73, 276
- metallic bone graft substitutes 250–251
- metastatic disease of the spine 165, 188–189, 220
- microdiscectomy 208, 210, 211, 276
  - amount of tissue to be removed 209–210
  - complications 208
  - long-term spine health 210
  - SPORT study (Part I) 208–209
  - surgical approach 208
  - surgical results 208
  - technique 210, 211
  - using a tubular retractor 232
- migration of disk extrusions 21–22
- Minerva vest orthosis 174
- minimally invasive procedures
  - for lumbar disk herniation 230–232
  - interspinous implant devices 237–239
  - intradiscal electrothermal therapy (IDET) 236–237
  - intrathecal drug delivery systems 234–236
  - spinal cord stimulation 233–234
  - spinal fusion techniques 232–233
  - thoracoscopic sympathectomy 237
  - vertebral augmentation procedures 233
  - X-Stop interspinous decompression 237–239
- minimally invasive spinal surgery 276
  - cost 230
  - evaluation criteria 229–230
  - patient criteria 229
  - philosophy 229–230
  - terminology 229
- mistakes made in patient care 266
  - diagnosis and treatment 269–271
  - diagnostic testing 268–269
  - examination of the patient 265
  - influence of patient and provider biases 267–268
  - interactions with the patient and family 271–272
  - patient–doctor interactions 271–272
  - taking a patient history 265
- mixed connective tissue disease 18
- Modic changes on MRI 22, 276
- motor evoked potentials (MEPs) 101
  - helpful aspects 101
  - procedure 101
  - risks 101
- movement, range of the vertebral column 7–8
- MRI *see* magnetic resonance imaging
- multiple sclerosis (MS) 17, 18
- muscles which affect the spine 13
  - pathophysiology 30
- mycobacterial (TB) osteomyelitis 16
- myelography 94–95
  - contrast materials 94, 95
  - helpful aspects 94
  - less helpful aspects 94
  - main uses of CT myelography 94
  - MRI technique 94
  - procedure 94
  - risks 95
- myelopathy 276 *see also* cervical myelopathy; pathophysiology of the spine; thoracic myelopathy
- myofascial pain 30, 31
- myotomal distribution of pain 31
- myotome 276
- Naffziger test 38
- neck (cervical level) pain 45–48
  - differential diagnosis 46
  - indications for surgery 109, 110
  - investigation 46–47
  - prevalence 45–46
  - red flag warning signs 46
  - treatment 47–48
  - see also* cervical level examination
- nephrogenic fibrosing dermatopathy (NFD) 92–93, 136–137, 276
- nephrogenic systemic fibrosis (NSF) 92–93, 136–137, 276
- nerve conduction studies 97, 99–101
- nerve root 277–278
- nerve root biopsy 106
- nerve root sleeve diverticula 25
- neural (intervertebral) foramen 5, 7, 275
- neurogenic claudication 211
  - distinction from vascular claudication 62, 202–203, 211
- neurography, MRI technique 94
- neurologic deterioration following cervical spine surgery 151
- neurologic examination
  - cervical level 35, 36–37
  - lumbar level 64–66, 202, 203, 204
  - thoracic level 50–51
- neurologic injury, lumbar spine surgery complication 205
- neuromyelitis optica (NMO) 17, 18
- neuropathic pain 31–32, 276
- neurophysiologic testing 97–101
- new procedures
  - assessment of new devices and procedures 254–255
  - disk transplantation 248
  - dynamic stabilization 249–250
  - hybrid techniques of spinal stabilization 251
  - lumbar fusion techniques 246
- new technology
  - absorbable spinal implants 251
  - annular repair technology 250
  - assessment of new devices and procedures 254–255
  - biological vertebral augmentation 251–252
  - disk arthroplasty (artificial spinal disk) 241–246
  - dynamic stabilization devices 249–250
  - facet bone dowels 247–248
  - facet replacement 250
  - FDA approval of new devices 255–256
  - gene therapy for disk disorders 248–249
  - government regulation of new devices 255–256
  - image guidance 252–254

## Index

- metallic bone graft substitutes 250–251
- nucleus replacement 246–247
- spinal stereotactic surgery 252–254
- Newcleus device 247
- nociceptive pain 31–32, 276
- noninstrumented fusion 276
- nonorganic pain syndromes 69–70, 204
- Norian SRS 252
- notalgia paresthetica 53, 276–277
- nucleus replacement 246–247, 277
- Nurick disability scale 157
- odontoid fractures 161
  - in the elderly 146–147
- odontoid process (dens) 7, 8
- OptiMesh System 252
- orthoses 277
  - cervical 173–174
  - lumbar and lumbosacral 224
- ossification of the posterior longitudinal ligament (OPLL) 160
- osteogenesis imperfecta 23
- osteopenia 23
  - bone density measurement 142
- osteophytes 277
  - anterior cervical 167
- osteoporosis 23, 63, 181
  - bone density measurement 105, 142
  - primary 181
  - sacral insufficiency fracture 219–220
  - secondary 181
  - see also* vertebral compression fracture
- Paget disease 23
- pain
  - central pain 31
  - cervical (neck) pain 3, 45–48
  - diagnosis 12, 30–32
  - epidemiology of spine pain 2–3
  - myofascial pain 31
  - nonorganic pain syndromes 63, 69–70, 204
  - psychogenic pain 31
  - psychological factors in back pain 63, 69–70, 204
  - thoracic spine pain 57–60
  - transmission by spinal nerves 12, 30–32
  - see also* low back pain
- pain diagram 34
- pain localization, cervical level 34, 35
- pain management
  - in SCI 172–173
  - interdisciplinary pain rehabilitation programs 85, 87, 131–132
- pain-sensitive tissues within the spine 30
- paraneoplastic myelopathy 18
- parasitic infections of the spinal cord 17
- pathologic spondylolisthesis 215
- pathophysiology of the spine
  - acquired abnormalities of the spine 25–30
  - ASIA impairment scale 15
  - bacterial infections 15–16
  - bleeding into and around the spinal cord 19
  - bones and joints 9, 22–23
  - central cord syndrome 15
  - congenital abnormalities of the spine 23–25, 25–30
  - extrinsic and secondary conditions 14–19
  - fungal myelopathies 17
  - hereditary myelopathies 19
  - inflammatory demyelinating myelopathies 17–18
  - intervertebral disks 20–22
  - intrinsic, primary conditions of the spine 19–30
  - ligaments 22
  - metabolic myelopathies 18
  - noninfectious inflammatory myelopathies 17–18
  - nutritional deficiency myelopathies 18
  - pain diagnosis 12, 30–32
  - parasitic infections of the spinal cord 17
  - spinal cord infarction 19
  - spinal shock 15
  - spondylosis 20
  - toxic myelopathies 18–19
  - traumatic spinal injuries 14–15
  - tumors (primary and metastatic) 19, 20
  - vascular disorders 19
  - viral infections 16–17
- patient and provider biases, influence on patient care 267–268
- patient care mistakes 266
  - diagnosis and treatment 269–271
- diagnostic testing 268–269
- examination of the patient 265
- influence of patient and provider biases 267–268
- interactions with patient and family 271–272
- patient–doctor interactions 271–272
- taking a patient history 265
- patient–doctor interactions, potential problems 271–272
- patient examination *see* cervical level examination; lumbar level examination; thoracic level examination
- patient history
  - cervical level complaints 33–34, 35
  - potential mistakes 265
  - thoracic level problems 49–50
- patient medical management (intra-operative) 261–262
  - hemostasis 261–262
  - surgical site bleeding 261–262
  - threshold for transfusion 262
  - transfusion 262
- patient medical management (post-operative) 262–263
  - activity 263
  - post-operative analgesia 262–263
  - rehabilitation 263
  - return to work after surgery 263
- patient medical management (pre-operative evaluation) 257–261
  - beta-blocker therapy 258–259
  - blood products and intra-operative transfusion 260
  - blood typing and crossmatching 260
  - DVT/pulmonary embolism prophylaxis 259
  - DVT/pulmonary embolism treatment 259–260
  - informed consent 260–261
  - management of anti-coagulant and anti-platelet medications 257–258
  - physical status classification 257, 258
  - prophylactic antibiotics 259
- Patrick test 68–69
- PDN-SOLO device 247
- pedicle screw 277



## Index

- pelvic/abdominal pathology,  
 distinction from lumbar spine  
 disorders 202, 204
- penetrating injuries, thoracic spine  
 193–195
- PercuDyn system 239
- perineural (Tarlov) cysts 25, 277
- peripheral nerve injury, lumbar spine  
 surgery complication 207
- pernicious anemia 18
- PET (positron emission  
 tomography) 96
- Phalen sign 37
- pia mater 8–9, 10
- piriformis syndrome 71, 73, 277
- plain CT of the spine 95–96  
 comparison with MRI 95  
 helpful aspects 95–96  
 procedure 95  
 risks 96
- plain film radiography, surgical  
 diagnosis and planning  
 140, 141
- plain X-rays 96  
 helpful aspects 96  
 procedure 96  
 risks 96
- plates  
 anterior 277  
 fixed versus dynamic 176  
 posterior 277
- PMMA (polymethylmethacrylate)  
 deposition 182–183, 184  
*see also* vertebral augmentation  
 techniques
- poliovirus infection 16–17
- positioning during cervical spine  
 surgery 153
- post-operative kyphosis (swan neck  
 deformity) 154
- post-operative management of the  
 patient 262–263
- posterior longitudinal ligament 5–7
- pre-operative medical evaluation  
 257–261
- Prestige ST Cervical Disc System  
 243–244, 245
- primary spinal subarachnoid  
 hemorrhage 19
- ProDisc-L 242–243
- prophylactic surgery, cervical spine  
 174–175
- prosthetic disk nucleus (PDN) 247
- Prosthetic Intervertebral Nucleus 247
- protrusion of intervertebral  
 disks 21–22
- provocative and beneficial  
 testing 102–105
- provocative discography  
*see* discography
- pseudarthrosis 277  
 risk factors 150, 176
- pseudoclaudication 61–62
- pseudomeningocele 277
- psoriasis 22
- psychogenic pain 31
- psychological factors in back pain  
 63, 69–70, 204
- psychosocial risk factors for poor  
 surgical outcome 119, 120,  
 121–122
- pulmonary embolism (PE) 259–260
- quantitative computed tomography  
 (QCT) 105
- radiation therapy, myelopathy caused  
 by 19
- radicular arteries 13–14
- radiculopathy 277 *see also* cervical  
 radiculopathy; lumbar  
 radiculopathy; thoracic  
 radiculopathy
- radionuclide bone scanning, surgical  
 diagnosis and planning 139–140
- radionuclide imaging 96–97  
 helpful aspects 97, 99  
 how it works 96  
 less helpful aspects 97  
 PET 96  
 procedure 96  
 radioisotopes 96  
 SPECT 96
- recurrent meningeal (sinuvertebral)  
 nerves 12–13, 277  
 transmission of pain 12, 30
- referral for spine surgery *see* spine  
 surgery referral
- referred pain 31, 277
- reflexes, lumbar level examination 66
- rehabilitation, post-operative 263
- Reiter syndrome 22
- retrolisthesis 214
- reverse straight leg raising (SLR)  
 tests 68, 69
- rheumatoid arthritis 22
- rheumatoid disease of the cervical  
 spine 166
- rib articulations 4, 5
- rod 277
- sacralization of the fifth lumbar  
 vertebra 24
- sacroiliac joints, pathophysiology 22
- sarcoidosis 18
- Scheuermann disease (vertebral  
 osteochondritis) 23, 49, 58,  
 196–197
- schistosomiasis 17
- Schmorl nodes 21–22, 58
- schwannoma 162–163, 220–221
- sciatica 63, 277  
 epidemiology 3  
*see also* lumbar radiculopathy
- sclerotomal distribution of pain 31
- sclerotome 277
- scoliosis 27, 28, 195–196, 277
- Secure-P Disc *see* Triumph  
 Lumbar Disc
- selective nerve root block, surgical  
 diagnosis and planning  
 142–143
- sequestered disk herniation 21–22,  
 203–204, 206
- sexual dysfunction, lumbar spine  
 surgery complication 207
- sham trials 255, 277
- shingles (herpes zoster) 16, 17, 51
- shoulder disorder, distinction from  
 cervical radiculopathy 41, 145
- sinuvertebral (recurrent meningeal)  
 nerves 12–13, 277  
 transmission of pain 12, 30
- Sjögren syndrome 18
- smokers, bone grafting issues 150
- socioeconomic factors in lower  
 back pain 63

## Index

- somatosensory evoked potentials (SSEPs) 101
- helpful aspects 101
- procedure 101
- risks 101
- SPECT (single photon emission computed tomography) 96
- spina bifida occulta 24
- spinal anatomy 3–14
  - articulation of the ribs 4, 5
  - atlas (first cervical vertebra) 7, 8
  - axis (second cervical vertebra) 7, 8
  - cauda equina 4–5, 6, 9
  - cervical vertebrae 7, 8, 9
  - curves in the vertebral column 3
  - dens (odontoid process) 7, 8
  - disks 5, 7
  - facet joints (zygapophyseal joints) 5, 7
  - intervertebral disks 5, 7
  - intervertebral foramina (neural foramina) 5, 7
  - ligaments 5–7
  - location of the spinal cord 4–5, 6
  - membranes (meninges) of the spinal cord and nerves 8–9, 10
  - muscles which influence the spine 13
  - numbers and types of vertebrae 3, 4
  - odontoid process (dens) 7, 8
  - range of movement of the vertebral column 7–8
  - spinal cord anatomy 8–11
  - spinal nerves 11–13
  - spinous processes (on vertebrae) 5, 7
  - transverse processes (on vertebrae) 5
  - vascular supply of the spinal cord and cauda equina 13–14
  - vertebral anatomy 4–5, 6, 7
  - vertebral column 3–9
  - vertebral (spinal) canal 4–5, 6
  - vertebral (spinal) foramen 4–5, 6
- spinal angiography (transfemoral selective angiography) 97
- MRI technique 94
- spinal arteries 13–14
- spinal biopsy 106, 199–200
- spinal cord
  - areas of enlargement 9
  - biopsy 106, 178–179, 198–199
  - bleeding into and around 19
  - cervical enlargement 9
  - conus medullaris (termination) 9
  - detailed anatomy 9–11
  - location of 4–5, 6
  - lumbar enlargement 9
  - membranes (meninges) 8–9, 10
  - vascular supply 13–14
- spinal cord infarction 13–14, 19, 56–57
- spinal cord injury (SCI) 171–173
  - thoracic spine surgery complication 180
- spinal cord injury without radiographic abnormality (SCIWORA) 172
- spinal cord stimulation 87, 132, 233–234, 277
- spinal deformity 195–197
- spinal epidural abscess 16
- spinal foramen and canal 4–5, 6, 278–279
- spinal implants, absorbable types 251
- spinal manipulation 85
- spinal nerves and nerve roots 11–13, 277–278
  - transmission of pain 12, 30–32
- spinal shock 15
- spinal stenosis 25–26, 278
  - cervical stenosis with deformity 159–160
  - tandem cervical and lumbar stenosis 175
  - see also* lumbar spinal stenosis
- spinal stereotactic surgery 252–254
- spine-related problems
  - costs of 1
  - difficulty of diagnosis 1
  - prevalence 1
  - range of providers of treatment 1–2
  - range of treatment options 1–2
  - scope of the problems 1–2
- spine surgery failure investigation
  - approach to the patient with persistent or new symptoms 130–131
  - diagnostic imaging studies 126–128, 129
  - hints on diagnosing the cause 130
  - laboratory studies 126–128
  - patient history 126
  - physical examination 126
  - treatment of the patient with persistent or new symptoms 131–132
- usual causes of failed low back surgery 130
- spine surgery failures
  - complications directly related to surgery 122–123
  - complications indirectly related to surgery 122
  - complications related to artificial disk placement 125
  - failure rate for spine surgery 118
  - incomplete surgery 121–122
  - intra-operative errors 121–122
  - new disease 124
  - persistent symptoms
    - post-operatively 118–122
  - pre-operative errors 118–121
  - psychosocial risk factors for poor outcome 119, 120, 121–122
  - range of possible causes 118, 119
  - unrealistic expectations of the patient 121
  - worsening after encroachment surgery (decompression) 124
  - worsening of original disease 123–124
  - worsening after spinal fusion 124–125
  - worsening after surgery 122–126
  - wrong diagnosis 119–120, 121–122
  - wrong level selected for surgery 121
  - wrong operation 120
  - wrong operation performed at surgery 121
  - wrong patient for surgery 118–119, 120
  - wrong time to perform the operation 120
- spine surgery patient
  - intra-operative management 261–262
  - post-operative management 262–263
  - pre-operative medical evaluation 257–261
- spine surgery referral
  - cauda equina syndrome 109, 111
  - cervical myelopathy 109, 110
  - cervical radiculopathy 109, 110
  - list of questions for you and the surgeon 116–117
  - low back pain alone 109, 112
  - lumbar radiculopathy 109, 111
  - lumbar spinal stenosis 109, 111
  - neck pain alone 109, 110
  - nonspondylotic conditions at any spinal level 109

## Index

- spine surgery referral (cont.)  
 second opinions 117  
 specific indications 109, 110, 111, 112  
 surgeon selection 109–117  
 thoracic myelopathy 109, 110  
 thoracic radiculopathy 109, 110  
 thoracic spine pain 109, 111  
 to whom to refer your patients 109–117  
 when to refer your patients 108–109
- spinocerebellar ataxias (inherited) 19
- spinous processes on vertebrae 5, 7  
 Bastrup disease 23, 273
- spondyloarthropathy 22, 278
- spondylolisthesis 26–27, 214–217, 278  
 categories 215  
 causes 214  
 clinical findings 215–216  
 definition 214  
 degenerative spondylolisthesis 215  
 dysplastic spondylolisthesis 215  
 grading 215  
 iatrogenic spondylolisthesis 215  
 imaging 216  
 isthmic spondylolisthesis 215  
 pathologic spondylolisthesis 215  
 SPORT study (Part II) 216–217  
 traumatic spondylolisthesis 215  
 treatment 216
- spondylolysis 26–27, 278
- spondylosis 20, 278  
 cervical 35, 36, 39–40, 42–43  
 epidemiology of spine pain 2–3  
 thoracic 55
- spondylotic thoracic radiculopathy 51
- SPORT study  
 Part I (lumbar disk herniation) 208–209  
 Part II (degenerative spondylolisthesis) 216–217
- Spurling sign 38, 144
- Stabilimax NZ 250
- stability/instability of the spine 278  
 cervical spine 161–162, 163, 169–170  
 “hybrid” techniques of spinal stabilization 251  
 lumbar spine fractures 218, 219
- standing full torso radiographs 140, 141
- stereotactic spinal surgery 278
- sterno-occipital mandibular immobilizer (SOMI) 174
- straight leg raising (SLR) tests 67–68
- superficial siderosis of the CNS 19
- surgeon selection (spine surgery referral) 109–117  
 criteria for selecting a spine surgeon 112–113  
 employer input 115  
 information about the surgeon 112–114  
 kind of surgeon to choose 112  
 list of questions for you and the surgeon 116–117  
 patient/family input 115  
 personality issues 114–115  
 practice setting evaluation 115–116  
 second opinions 117  
 surgeon’s outcomes 114  
 surgeon’s practice setting 115  
 third party payer input 115  
 your experience with a surgeon 114
- surgical diagnosis and planning  
 bone density measurement 142  
 complementary roles of MRI and CT 139, 140  
 CT myelography 138–139, 140  
 discography 140–142, 143  
 magnetic resonance imaging (MRI) 134–138, 139, 140  
 plain film radiography 140, 141  
 radionuclide bone scanning 139–140  
 selective nerve root block 142–143  
 standing full torso radiographs 140, 141
- swallowing problems following cervical spine surgery 152–153
- swan neck deformity 278  
 post-operative kyphosis 154
- synthetic interbody devices 150–151
- syphilis 16
- syringobulbia 165
- syringomyelia 29–30, 278  
 cervical spine 165–166
- syringosubarachnoid shunt 278
- syrinx *see* syringomyelia
- systemic autoimmune diseases 18
- systemic lupus erythematosus 18
- tandem (cervical and lumbar) stenosis 175, 278
- Tarlov cysts 25, 277
- tethered cord syndrome 24, 222, 278
- thermal disk decompression 231–232
- thermography 102
- thoracic cord lesion  
 distinction from intramedullary tumor 178–179  
 distinction from lumbar spinal stenosis 178, 203, 205
- thoracic disk herniation 189–190, 191
- thoracic intradural tumor, distinction from lumbar spinal stenosis 178
- thoracic level examination  
 clinical assessment 178, 179  
 dermatomes 49, 50, 51  
 diagnostic pitfalls 178–179  
 differential diagnosis 178, 179  
 general examination 50  
 neurologic examination 50–51  
 patient history 49–50  
 red flag warning signs 49  
 special examinations 51  
 spinal cord biopsy 178–179  
 surgical evaluation 178, 179  
 upper thoracic fracture diagnosis 179
- thoracic myelopathy 55–57  
 arachnoid cysts 56  
 conus medullaris versus cauda equina syndrome 55  
 differential diagnosis 55–57  
 dural arteriovenous fistulas (DAVF) 56–57  
 extramedullary hematopoiesis 57  
 indications for surgery 109, 110  
 investigation 56, 57  
 spinal cord infarction 56–57  
 thoracic spondylosis 55  
 treatment 57
- thoracic outlet syndrome 41, 167–169
- thoracic radiculopathy 51–55  
 differential diagnosis 52–53  
 indications for surgery 109, 110  
 investigation 52–54  
 spondylotic radiculopathy 51  
 treatment 54–55
- thoracic spine clinical issues  
 indeterminate bony lesions 199–200  
 spinal cord biopsy 198–199  
 vertebral bone biopsy 199–200
- thoracic spine pain 57–60  
 differential diagnosis 52–53, 58  
 epidemiology 3

## Index

- indications for surgery 109, 111
- investigation 58–59
- red flag warning signs 58–59
- treatment 59–60
- thoracic spine surgery complications
  - CSF leak 180
  - infection 180
  - spinal cord injury 180
  - wrong level surgery 181
- thoracic spine surgery, indications and approaches 179–180
- thoracic spine surgical disorders
  - acute fracture 192–193
  - arteriovenous malformation 190–191, 192
  - causes of intracranial hypotension 197–198
  - cavernous malformations 191–192
  - dural arteriovenous fistula 192
  - intradural tumor 189
  - kyphosis 195, 196–197
  - meningeal diverticulum with CSF leak 197–198
  - penetrating injuries 193–195
  - Scheuermann kyphosis 196–197
  - scoliosis 195–196
  - spinal deformity 195–197
  - spinal metastatic disease 188–189
  - spinal trauma 192–195
  - thoracic disk herniation 189–190, 191
  - vascular lesions of the spinal cord 190–192
  - vertebral compression fracture 181–188
- thoracic spine trauma 192–195
  - acute fracture 192–193
  - gunshot wounds 193–195
  - penetrating injuries 193–195
- thoracoscopic sympathectomy 237
- three-column model of the spine 218, 219
- Tinel sign 37, 67
- total disk replacement
  - see* disk arthroplasty
- toxoplasmosis 17
- transfusion during surgery 262
- transverse myelitis 17
- transverse processes (on vertebrae) 5
- traumatic spinal injuries 14–15
  - lumbar spine disorders 218, 219
  - thoracic spine 192–195
- traumatic spondylolisthesis 215
- treatment decisions, potential mistakes 269–271
- treatment options for spine-related problems 1–2
- Trendelenburg sign 66
- Triumph Lumbar Disc 243
- Trömner sign 37, 42–43
- tropical spastic paraparesis 17
- tuberculous vertebral osteomyelitis 16
- tubular retractor systems for spinal procedures 232
- tumors (primary and metastatic) 19, 20
- Uhthoff phenomenon 33–34, 49–50, 278
- ultrasound, bone density measurement 105
- uncinate process (uncovertebral joint) 7, 9, 278
- upright MRI 92, 137–138
- urine and urologic tests 106
- vaccination, post-vaccinal myelitis 17
- varicella-zoster virus (VZV) infection 16, 17
- vascular claudication 61–62
  - distinction from neurogenic claudication 202–203, 211
- vascular complications of lumbar spine surgery 205–207
- vascular disorders 19
- vascular injury, cervical spine surgery complication 151–152
- vascular lesions of the spinal cord (thoracic spine) 190–192
- vascular supply of the spinal cord and cauda equina 13–14
- vertebrae
  - congenital fusion of two or more 24–25
  - lumbarization of the first sacral vertebra 24
  - numbers and types of 3, 4
  - sacralization of the fifth lumbar vertebra 24
  - spinous processes 5, 7
  - transverse processes 5
- variation in number of 24
- vertebral anatomy 4–5, 6, 7
- vertebral augmentation
  - techniques 182–183, 184, 185, 186–188, 189
  - minimally invasive procedures 233
  - spinal metastatic disease management 189
  - use of biological substances 251–252
- vertebral bone biopsy 199–200
- vertebral column, anatomy 3–9
- vertebral compression fracture 181–188
  - acute traumatic fractures 187
  - conventional treatment 182
  - future directions in vertebral augmentation 187–188
  - high thoracic region 186–187
  - incidence 181
  - kyphoplasty 182–183, 184, 185, 186–188, 189
  - new fracture development 185–186, 187
  - osteolytic tumor risk factor 182
  - osteoporosis risk factor 181
  - osteoporotic compression fractures 219
  - patient evaluation 181–182
  - percutaneous vertebral augmentation techniques 182–183, 184, 185, 186–188, 189
  - risk factors 181, 182
  - spinal metastatic disease 189
  - treatment complications 185
  - treatment outcomes 185
- vertebral augmentation techniques 182–183, 184, 185, 186–188, 189, 233, 251–252
- vertebroplasty 182–183, 185, 186–188, 189
- young patients 187
- vertebral hemangioma 27–29, 58
- vertebral osteomyelitis
  - bacterial 15–16
  - tuberculous (mycobacterial) 16
- vertebral (spinal) foramen and canal 4–5, 6, 278–279
- vertebrectomy 274
- vertebroplasty 86, 182–183, 185, 186–188, 189, 279
- viral infections of the spine 16–17

Index

viral radiculopathy (herpes zoster, shingles) 203	Wallis device 239	XCLOSE Tissue Repair System 250
visual evoked potentials (VEPs) 101–102	warfarin (Coumadin) 257–258	X-LIF (extreme lateral interbody fusion) 246
vitamin B <sub>12</sub> (cobalamin) deficiency 18	West Nile virus infection 17	X-rays <i>see</i> plain X-rays
vitamin E deficiency 18	work, recovery time after surgery 263	X-Stop interspinous decompression 237–239, 279
Waddell signs for nonorganic pathology 69–70, 204	wrong level surgery cervical spine 153 thoracic spine 181	zygapophyseal joint 279; <i>see also</i> facet joint