

Index

Note: page numbers in *italics* refer to figures, those in **bold** refer to tables and boxes

- A fibers 132, 133
 dorsal horn 136
- abnormal spindlelike microcephaly
 associated gene 7
- acetylcholine 13, *101*, 104–5, **119**
 consciousness 380, 388
 wakefulness 388
- acetylcholine receptors
 genes 11–12
 nicotinic 388
- acetylcholinesterase 104
- acoustic reactions, neonatal 177
- acoustic reflex startle reactions 177
- adenosine 110
 birth 111–12
 fetal actions 111
- adenosine receptors 110
- adenosine triphosphate (ATP) 109–10
- adenosine triphosphate (ATP)
 receptors 110
- adolescence, preterm birth impact 311
- adrenocorticotrophic hormone (ACTH)
 362–3, 365
 maternal care effects 372
 synthetic glucocorticoid effects 369–70
- afferent fibers, primary 133
- afferent innervation, synaptic connection
 rearrangement 141–2
- age, conceptional for EEG 212–13
- alcohol abuse, GABA_A receptors 108
- allopurinol
 hypoxic–ischemic encephalopathy
 treatment 291
 preterm infants 317
- Alzheimer disease 249
- amacrine cells
 retinal activity waves 152–3
 synaptic circuit 152–3
- American Academy of Pediatrics Joint
 Committee on Infant Hearing
 (AAP JCIH) 178–9
- amino acid(s)
 transmission 121–3
see also excitatory amino acids (EAA)
- amino acid transmitter(s) 105–6
 fetal actions 111
- amino acid transmitter receptors 105
- amino acid release 121–2
- γ-aminobutyric acid (GABA) 57, 60,
 106–8
- astrocyte metabolism 123
- birth-related switch 111
- chloride ion channels 107
- deficiency 107
- dorsal horn neuron depolarization
 136–7
- fetal actions 111
- immature neurons 107
- inhibitory function 124
- movement development 348
- signaling modes 230
- transporters 124–5
see also GABA_A receptors; GABA_B
 receptors
- amniotic fluid odor 384–5
- AMPA receptors 156
 hypoxic–ischemic encephalopathy
 263, 264
- amplitude integrated
 electroencephalography
 (aEEG) 214
 medication effects 220–1
 perinatal asphyxia outcome 221–2
 preterm infant 215
 sedative effects 220–1
 seizures 216, 219–218
- amygdala, emotions 380
- amyotrophic lateral sclerosis 249
- Angelman syndrome 30
- animal models
 hypothermia therapy for hypoxic–
 ischemic encephalopathy 292
 kitten model of visual system
 149–50, **161**
 neurogenesis 164–5
 three-eyed frog model of visual
 system 150–1
- anterolateral system *see* spinothalamic
 system
- anticonvulsant therapy 296
- antiepileptic treatment 216–18, 296
 EEG effects 220
 sleep–wake cycle effects 220
- antinociceptive system 139–40
- antioxidant deficiency in preterm
 infants 317–18
- anxiety disorders
 5-HT receptors 104
 maternal 362
- ApoE receptor 2 (Apoer2) 57
- apoptosis 10–11
 caspase-dependent 265–7
 fetal alcohol syndrome 106
 hypoxic–ischemic encephalopathy
 263, 265–7
 infection mediated 248
 neurons 131–2
see also programmed neuronal cell
 death
- apoptosis-inducing factor (AIF) 265–7
- apparent diffusion coefficient (ADC)
 205–6
- apraxia, childhood of speech 7
- arachidonic acid 317
- ARFGEF2 gene 57
 mutations 26
- arginine vasopressin (AVP) 362–3, 362
 synthetic glucocorticoid effects
 366–7
- arterial spin labeling 207
- artificial surfactants, preterm infant 301
- ARX gene mutations 61, 63
- aspartate 106
 hypoxic–ischemic encephalopathy
 263–4, 290
 release from damaged cells 248
- asphyxia
 cerebral palsy 249, 252
 EEG
 acute stage abnormalities 216
 outcome prediction 221–2
 perinatal 221–2
 periventricular leukomalacia 252
 secondary energy failure 262–3
see also hypoxia
- ASPM gene
 microcephaly vera 42–3
 mutation 26
- astrocytes 122
 cytokine stimulation 271
 enzymes 123

Index

- astrocytes (cont.)
 GABA
 metabolism 123
 transport 124–5
 glutamate metabolism 123
 radial glial cells 25
 attachment 189–90
 neurohormone 381
 attention
 selective 185–6, 377
 shared 13–14
 attention deficit hyperactivity disorder (ADHD)
 dopamine system disturbance 102
 synthetic glucocorticoid antenatal effects 368
 prenatal stress 112
 auditory brainstem evoked response (ABR) 176, 176, 178
 auditory cortex 163
 auditory experience/learning 178
 auditory fibers, afferent 167–9
 auditory information
 processing 187
 auditory input, regularities 194
 auditory learning 194
 auditory nerve
 afferent neuronal endings 166–7
 efferent neuronal endings 166–7
 auditory neurons, ascending 175
 auditory ossicles 166, 172
 malformations 172–3
 auditory signals, orientation 385–6
 auditory system 163–79
 anatomy 164
 auditory function 176–8
 congenital defects 173
 development 166
 disruption 165–6
 developmental timetable 165–6, 165, 167
 gene expression 173–5
 genetic defects 175
 MRI 177, 178
 neurotrophic factors 173–5
 protection for imaging 199–200
 synaptogenesis 169
 see also eighth cranial nerve; hearing
 auricle
 development 170, 170
 malformation 171–2
 autism
 activity-dependent disorder 148
 BDNF activity 92
 fetal serotonin 103
 genes 8
 5-HT receptors 104
 serotonin 104
 valproic acid association 30–1
 automated brainstem response (AABR) 178
 automatic segmentation techniques 207
 awakening, first 387, 388
 axons
 growth 132
 from thalamus 138
 guidance 90, 132
 genes 7–8
 pruning 10
 serotonergic 103
 see also thalamocortical axons
 baby kicks 231
 barbiturates 288–9, 289
 Barth syndrome 64
 basic-helix-loop-helix (bHLH) family 30
 Bax gene, hypoxic–ischemic encephalopathy 266–7
 Bayley Scale scores 104, 306, 311
 Bcl-2 family proteins, hypoxic–ischemic encephalopathy 266–7
 behavior
 antenatal glucocorticoid effects 361–2, 367–9, 368
 see also motor behavior
 behavior of neonates 185–95
 electrophysiological responses 187–9
 face recognition 190–1
 habituation 186–7
 instrumental conditioning 187
 language discovery 193–5
 matching 388
 meeting mother 189–90
 orienting 185–6
 phase contrast 191
 prefeeding 189
 social interaction 190–1
 speech recognition 193–5
 vision 190–1
 visual preferences 191–2
 behavioral learning techniques 187
 behavioral tests, consciousness study 383
 betaine transporter (BGT-1) 125
 betamethasone 364
 bilingual individuals, language recognition 14
 bilirubin, high levels 225
 birth
 activity 111–12
 delivery stress 387–8
 first awakening 387, 388
 first breaths 388
 neuromodulator/neurotransmitter transition 111–12
 norepinephrine surge 99
 trauma 224
 wakefulness 387
 blood oxygen dependent signals (BOLD) 336, 337
 consciousness study 382
 phonological processing 337, 338
 body plan development 4–6
 body segmentation 4
 bonding 189–90
 bone morphogenetic protein 4 (BMP4) 29
 bone morphogenetic protein(s) (BMPs) 28
 brain
 complexity 1–3
 development 379–81
 evolution/evolutionary anatomy 2–3
 function 1
 genetic affinity 8–9
 genetic events 7
 glucose consumption 121
 individual variability 8–12
 milestones of development 379
 modeling 1
 neuronal architecture 6–7
 ontogenetic development 6
 origins 1–16
 phylogenetic ancestors 6–7
 prenatal cellular organization 6–7
 spontaneous activity 230
 structure effects of antenatal synthetic glucocorticoids 370–1
 subplate 232, 237–8
 hypoxic–ischemic injury sensitivity 238
 volume in preterm infant 334–5
 see also imaging, neonatal brain
 brain activity
 early development 234
 evoked 231
 role in development 229
 spontaneous 231
 brain cells
 genes 229
 number 3
 brain-derived neurotrophic factor (BDNF) 11, 57, 60, 85
 brain imaging *see* imaging, neonatal brain; *named modalities*
 brain injury 245
 burst suppression 221
 congenital infections 245–7
 developing brain 329
 functional recovery 351–2
 hypoxia–ischemia 261
 mechanisms 248–9

- motor development 346
 motor strategy
 repertoire reduction 346
 selection 346
 perinatal EEG 214–20
 preterm infant 301–20
 early intervention 337–8
 evidence **331**
 gender 338–9
 genetics 339
 maternal education 338
 outcome influences 337
 recovery 333, **334**
 secondary energy failure with
 asphyxia 262–3
 sensory information processing
 deficit 346
 training in recovery 352
 brain mapping 212
 adult life 91–2
 autism 92
 axonal connection refinement 157
 ear nerve fiber development 176–4
 expression 87
 mental illness 91–2
 neurite outgrowth 90
 neurons 131–2
 activity effects 91–2
 migration regulation 90
 proliferation 89
 regulation 89
 schizophrenia 92
 spontaneous brain activity 230
 survival factor role 88
 synaptic plasticity effects 91
 brainstem
 auditory neuronal development 175–6
 cochlear sensory information
 transfer 175
 descending projections 139
 signals controlling states of
 consciousness 377–8
 branchial arch
 first/second 172
 see also first branchial arch syndrome
 breast milk, docosahexanoic acid 317
 breast odor 189
 breathing movements 347
 breaths, first 388
Brn4 gene 173
 otic capsule development 174
 Broca's area 6
 bundle of His 132
 burst suppression 221
 C fibers 132, 133
 caffeine 110
 Cajal-Retzius cells 90, 101
 calcitonin gene-related peptide (CGRP)
 cutaneous receptor development
 133–4
 immunoreactivity 134
 calcium
 hypoxic–ischemic encephalopathy
 homeostasis 264
 intracellular regulation 263, 264
 neuronal activity 153
 calcium channel blockers, hypoxic–
 ischemic encephalopathy 289–90
 calcium ions
 flux 156
 hypoxic–ischemic encephalopathy
 264
 NMDA receptors 155–6, 264
 calpains, hypoxic–ischemic
 encephalopathy 267–8
 cardiovascular disease, infection
 association 253
 caspase-3 10, 265–6
 calpain association 267–8
 hypoxia–ischemia 266
 caspase-9 10, 265–6
 cataract
 axonal connection stability 151
 congenital **161**
 catechol-*O*-methyltransferase (*COMT*)
 gene 102
 catecholamines 100
 cathepsin B 271
 CDK5RAP2 gene mutation 26
 cell cycle
 architecture 46
 inhibitors 47
 neurogenesis 44
 cell death
 infection-mediated 248
 mixed necrotic/apoptotic 266
 cell division, symmetric/asymmetric
 24–5
CENPJ gene mutation 26
 central nervous system (CNS)
 development 23–31, 24
 chromatin modifications 30–1
 early 37–8
 proliferative process 37
 recapitulation in stem cells 31
 dorsoventral axis 28–9
 malformations 37
 morphology of developing 23–6
 multilayered structure formation 25
 neurite growth regulation 90–1
 neurotrophins
 neurite growth regulation 90–1
 role 88–9
 patterning 26–9, 26
 progenitor cells 24–5
 proliferation 25–6
 rostrocaudal axis 26–8, 26
 stem cells 24–5
 differentiation control 29–30
 proliferation 25–6
 centrosome, movement in
 nucleokinesis 58–9
 cerebellum
 evolution 5–6
 hemorrhage 338
 volume 207
 cerebral artery infarction 205
 cerebral circulation
 anatomy 302–4
 autoregulation 304
 physiology 304
 cerebral cortex *see* cortex
 cerebral Doppler, hypoxic–ischemic
 encephalopathy 286
 cerebral energy metabolism abnormalities
 in hypoxic–ischemic
 encephalopathy 261–2, 262
 duration 263
 cerebral infarction, focal 261
 cerebral palsy 245
 asphyxia 249, 252
 brain lesion 346
 chorioamnionitis 308
 hypoxia–ischemia 253
 infectious etiology 245, 248–9, 251–3
 motility impairment 352
 motor behavior 346
 motor dysfunction **354**
 motor problems 353–5
 periventricular leukomalacia
 association 307–8
 preterm infant 309
 preterm infant 310–11, 312
 early interventions 315
 neurodevelopmental therapy 315
 periventricular leukomalacia 309
 white matter injury association
 307–8
 cerebrum
 penetrating arteries 303
 tissue volumes in preterm infant **310**
 vasculature 306
 chemokines, hypoxic–ischemic
 encephalopathy 270–2
 children, motor development 350–1
 chimpanzee brain 6–7
Chlamydia pneumoniae 253
 chloral hydrate 199
 chloride ion channels 107
 cholesterol, holoprosencephaly 29

Index

- choline acetyl transferase (ChAT) 104
 cholinergic neurons 104
 cholinergic receptors 104
 chorioamnionitis
 cerebral palsy 308
 periventricular leukomalacia
 association 308
 preterm delivery 308
 chromatin
 modifications in CNS development
 30–1
 remodeling 11–12
 chromosomes, structural block
 variations 8
 circuit formation, visual system 147–8
 C-Jun N-terminal kinase-3 (JNK3) 267
 Clarke's column, cortical projections 139
 coagulation, gene polymorphisms 339
 co-amoxiclav 252
 cocaine, gestational exposure 66
 cochlea 163, 167–9
 anatomy 168
 development 166–7, 169, 170
 embryogenesis 169
 hair cells 167–9
 sensory information transfer 175
 cochlear duct 170
 cochlear nerve neurons 175
 neurotrophins in development 176–4
 cochlear nucleus 163, 175
 cognitive ability/function
 development 6
 evolution of higher 6
 preterm infant 313–14, 333
 interventions 312–15
 cognitive games 13–14
 cognitive impairment
 periventricular leukomalacia
 308–9, 332
 preterm infant 310
 cognitive tests, consciousness study 383
 Cohen, Stanley 96–7
 coincidence detector 150, 155–6
Col4A1 gene 339
 complement cascade 157
 computed tomography (CT), hypoxic–
 ischemic encephalopathy 286
COMT gene 102
 conditioning, instrumental 187
 congenital adrenal hyperplasia,
 glucocorticoid therapy 362
 “conlerns” 13
 connexin 26 gene 175
 connexons 110
 consciousness 12–15, 377–89
 basic 378–9
 components 377
 content 378
 criteria 384–7
 crying role 388
 definitions 377–9
 elements 379
 face recognition 385
 first breaths 388
 hearing 385–6
 imaging criteria 381–3, 382, 383
 imitation 385
 language 386–7
 levels 378–9
 memory 386
 minimal 378–9
 neural basis 14–15
 neural circuits 380
 neuronal correlates 378
 neurotransmitters 380–1
 pain perception 384
 processing 378
 self-awareness 388
 sensory information 384
 smell sense 384–5
 somatosensory stimuli 384
 states 377–8
 study methods 381–3
 taste sense 384–5
 vision 385
 “conspics” 13
 corpus callosum
 agenesis 63, 64, 65
 hypoplasia 64
 perinatal damage 337
 cortex
 activation 383
 activity patterns 153
 auditory 163
 connectivity 380
 deactivation 383
 descending control development 139
 developmental milestones 233
 evolution 5–6
 eye-specific shifts 154
 folding 26
 gray matter volume 318
 gyral pattern 303
 layer IV 138–9
 layered organization 25–6
 ontogeny structural milestones 231–4
 organization in late pregnancy 239–40
 projections 139
 somatosensory projections 138
 subcortical interactions 238–9
 volume 207
 see also visual cortex
 cortical areas, synaptogenesis phase 3 73
 cortical circuits, synapses 10
 cortical curvature 207
 cortical evoked responses 237–8
 somatosensory stimulation 139
 cortical maps, sensory surface
 topography 140–1
 cortical plate 25–6, 39
 cortical pyramidal neurons 380
 cortico-cortical connections
 231–2, 233
 corticogenesis 72
 corticosteroids see glucocorticoid(s);
 glucocorticoid(s), synthetic
 corticosterone 361, 363
 corticothalamic neurons, states of
 consciousness control
 377–8
 corticotropin-releasing hormone
 (CRH) 362–3, 362, 366
 synthetic glucocorticoid effects
 366–7, 369–70
 maternal care effects 372
 cortisol 361, 363
 craniosynostosis disorders 23–4
 crying 388
 empathy 389
 culture origins 12
 cutaneous receptors 131–7
 development
 functional 134–7
 neurochemical 133–4
 structural 131–2
 responses 135
 cyclins 46, 48
 cyclooxygenase-2 inhibitors 268
 cyclophilin A 266
 cytidine-guanosine (CpG)
 nucleotides 371
 cytochrome C 265–6
 cytokines
 gene polymorphisms 339
 hypoxic–ischemic encephalopathy
 270–2
 inflammatory 248, 249–51
 microglial production 270
 proinflammatory 249–51
 cytomegalovirus (CMV) 246–7, 253
 auditory system development
 disruption 165–6
 periventricular white matter
 infection 248
 cytoskeleton
 neuronal migration 58–9, 58
 nucleokinesis 58–9
 Dandy–Walker malformation,
 cobblestone lissencephaly 64
DBH gene 101–2

- DCX* gene 59
 mutations 63
 lissencephaly with cerebellar hypoplasia 63–4
 deformation-based morphometry 207
 delivery
 stress 387–8
see also birth
 delta brushes 381
 dendritic spines/shafts, synaptic contacts 74–5
 desferrioxamine 268
 developmental coordination disorder 346
 motor problems 355
 developmental delay, preterm infant 310
 dexamethasone 364
 hypoxic–ischemic encephalopathy treatment 288
 maternal antenatal for preterm infants 316
 dextrglycan 64–5
DG1 gene mutations 64–5
 diffuse excessive high-signal intensity (DEHSI), preterm infant 330–2
 diffusion tensor imaging (DTI) 200, 204–6
 brain injury in preterm infant 333
 diffusion tractography 206
 diffusion-weighted imaging (DWI) 200, 201, 205–6
 hypoxic–ischemic encephalopathy 286
 DiGeorge syndrome 172
 disability
 motor 308–9
 preterm infant 310
 Disabled-1 (*Dab1*) 57, 59–60
 diving reflex 304
 DNA 3
 methylation 30, 31
Dnmt1 31
 docosahexanoic acid
 breast milk content 317
 preterm infants 317–18
 dopamine 13, 102
 hypoxic–ischemic encephalopathy treatment 295
 dopamine β -hydroxylase (DBH) 101–2
 dopamine receptors 102
 dopamine system, disturbances 102
 dopaminergic neurons 102
 dorsal column medial lemniscal system 130
 dorsal column nuclei, cortical projections 139
 dorsal horn
 A fibers 136
 action potentials 136
 afferents 138
 cortical projections 139
 GABA depolarization of neurons 136–7
 dorsal horn cells, low threshold cutaneous stimuli 134–6
 dorsal root afferent fibers 132
 dorsal root ganglion 131
 cutaneous afferents 136
 low threshold cutaneous stimuli 134–6
 nociceptive neurons 131–2
 dorsoventral axis patterning 28–9
 doublecortin gene 57
 mutations 26, 63
 drug addiction, 5-HT receptors 104
 Du Bois-Reymond, Emil 119
 dyslexia, genes 8
 dyspraxia, verbal 7
 ear
 anatomy 164
 congenital defects 173
 development 163–6
 embryogenesis 163
 external 170
 outer 169–72
see also auditory system
 Eccles, John 119
 ectoderm 23
 eighth cranial nerve 163
 afferent fibers 167–9
 development 175–6
 efferent fibers 167–9
 spiral ganglion 175
 electroencephalography (EEG) 211–25
 acute stage abnormalities 216
 amplitude integrated EEG 214
 medication effects 220–1
 perinatal asphyxia outcome 221–2
 preterm infant 215
 seizures 216, 219–218
 antiepileptic treatment effects 220
 asphyxia
 acute stage abnormalities 216
 outcome prediction 221
 background patterns 212–13
 burst suppression 221, 225
 conceptual age 212–13, 234
 consciousness study 381
 delta brushes 381
 discontinuous 235
 electrodes 211
 seizures 218–20
 evoked events 237–8
 spontaneous event interactions 238–9
 frequency bands 211, 234–5
 functional milestones in ontogeny 234–9
 germinal matrix hemorrhage 224–5
 graphoelements 235
 hemorrhagic lesions 218, 224–5
 hypoglycemia 225
 hypoxic–ischemic encephalopathy 285
 outcome prediction 222–3
 prognosis 283–5
 information content 230
 interburst intervals 213, 221
 intraparenchymal hemorrhage 218
 intraventricular hemorrhage 224–5
 medication effects 220–1
 metabolic diseases 225
 model development 235–7
 multiple frequencies 235
 neuronal activity 230
 neuronal network mechanisms 230
 normal maturation 212–14
 oscillatory activity 237
 outcome prediction 221–3
 patterns 213
 perinatal brain injury 214–20
 perinatal stroke outcome 222
 periventricular leukomalacia 223
 positive rolandic sharp waves 216, 223
 periventricular leukomalacia 223
 power spectral analysis 212, 213
 preterm infant 213, 217, 234–7
 germinal matrix hemorrhage 224
 outcome prediction 221, 223, 224
 spontaneous activity transients 211
 sedative effects 220–1
 seizures 216–20
 asphyxiated infants 222
 intraparenchymal hemorrhage 218
 monitoring 218–20
 outcome prediction 221
 meningitis 219
 sensory evoked slow events 238–9
 sensory-triggered events 237–8
 sleep–wake states 213–14

Index

- electroencephalography (EEG) (cont.)
 spectral edge frequency 212, 213
 spontaneous activity 230
 spontaneous activity transients 211, 235–7, 238–9
 consciousness study 381
 global neuronal workspace 387
 spontaneous event interactions with evoked event 238–9
 terminology 238
 topographic organization 213
 vascular anomalies 224
 video EEG monitoring 218
 waveforms, seizures 216
 white matter damage 223
- electrophysiological responses 187–9
 Elliott, Thomas 119
- embryo
 cartesian coordinates 4
 motor movements 231
 rostrocaudal axis 26
 symmetry 4
- embryogenesis 3
- embryonic development 4
 body plan 4–6
- embryonic stem cells, differentiation 31
- emotions
 amygdala 380
 neonates 388
- empathy 389
- Emx* genes 27–8
- En-2 transcription factor 27
- Enchara–Razavi–Larroche lissencephaly 65
- endolymphatic duct 166–7
 development 169, 173–4
- endolymphatic sac 166–7
 genes in development 173–4
- endorphin-containing neurons 108
- endothelium 270
- endotoxins 250
- enkephalin-containing cells 139
- epigenesis
 activity-dependent 8–12
 evolution 78
 synapses 11–12
 culture origins 12
 postnatal alteration 12
 synaptic 8–10
- epigenetic regulation 3
Hox genes 27
- epilepsy, preterm infant 312
- epinephrine 102
- epithelial-to-mesenchymal transitions 23
- erythromycin 252
- ethamsylate, preterm infant 315–16
- eustachian tube 172
- event-related potentials (ERPs) 186, 187
- excitatory amino acids (EAA) 106
 cutaneous receptor development 133
 hypoxic–ischemic encephalopathy 263–4, 267, 290
 receptors 263
 release from damaged cells 248
- extension posture, preterm infant 347
- external auditory canal (meatus) 163
 atresia 171–2
 development 166, 170–1
- extracorporeal membrane oxygenation (ECMO), EEG prediction of outcome 223
- extremely low gestational age neonates (ELGAN) 301–2
 characteristics 301–2
- face, morphology 6–7
- face recognition 190–1, 191
 consciousness 385
 fusiform area 380
 subcortical route 192
 visual preferences 191–2, 192
- factor VIII, gene polymorphisms 339
- FCMD* gene mutations 64–5
- fetal alcohol syndrome
 apoptosis 106
 GABA_A receptors 108
 neuronal migration 66
- fetal hemoglobin (HbF) 304
- fetal morphogenesis, maternal serotonin 103
- fetal programming 112
- fetus
 activity suppression 111
 consciousness study methods 381–3
 hearing 176–7, 239
 human behavior 141
 movements 239, 347
 early presence 347
 MRI 202–3, 203
 oxygen dissociation curve 304
 pain perception 142
 sleep 383–4
 sound reactions 239
 wakefulness 383–4
- fibroblast growth factor (FGF)
 distribution 28
 expression 29
 otic placode induction 173–4
- fibroblast growth factor 8 (FGF8) 27
 expression 29
- filamin A 26, 57, 58, 65–6
- first branchial arch syndrome 171–2
- FKRP* gene mutations 64–5
- FLAIR imaging 201, 202
- flexor reflex response 142
- FLNA* gene mutations 65–6
- fluid restriction, hypoxic–ischemic encephalopathy 296
- fluoxetine, fetal brain 104
- focal-adhesion kinase 57
- folic acid, spina bifida prevention 23–4
- forebrain 39
 regionalization 29
 temporal limb of interface between diencephalic/telencephalic junction 39
- Fourier transformation (FFT) 212
- FOXP2* gene 7
- fractional anisotropy 205–6, 333
 preterm infant 338
- free radical inhibitors 268
- Freud, Sigmund 377
- frontal lobe
 expansion 6
 preterm infant 333–4
- frontotemporal region, preterm infant 333
- fukutin 57, 60, 64–5
- Fukuyama congenital muscular dystrophy 60, 61, 65
- fusiform area, face recognition 380
- GABA *see* γ -aminobutyric acid (GABA)
- GABA_A receptors 107
 alcohol interaction 108
 pregnane derivative actions 140
- GABA_B receptors 107
- GABAergic neurons 106, 122
- galanin 109
- gap junctions 153
- gastrulation 5
- GAT1 125
- GAT2 125
- Gata3 transcription factor 175
- general movement activity 348–9
- general movements 346–7
 abnormal motor development 352–3, 354
 fidgety 348, 353
 abnormal development 352
 normal 354
 postnatal 348
 transition 348
 writhing 348

- genes
 autism 8
 axon guidance 7–8
 brain cells 229
 developmental 4–5
 dyslexia 8
 genetically old 7–8
 human lineage 7
 newborn brain 3–4
 number 3–4
- genome 3
 positive selection 7
- German measles 246
- germinal matrix
 blood vessels 303–4
 subependymal 303
 volume
- germinal matrix hemorrhage 302, 303, 304–5, 305
 EEG 224–5
see also periventricular hemorrhage
- gestation, earliest survival 302
- glial cells 121–5
 developmental aspects 123–5
 enzymes 123
 formation 24–5
 neuronal interactions 121–3
 processes 303
 radial 25, 55–7, 56
 fascicles 56
 grouping 56
 hypothyroxinemia effects 60
 phenotype 57
- glial-derived neurotrophic factor (GDNF) 11, 85
- gliogenesis 303
- global neuronal workspace 14, 378, 384
 consciousness processing 378
 integrative ability 387
 model 14–15
 spontaneous activity transients 387
- glucocorticoid receptor 362–3, 362, 364
 expression 364
 5-HT effects 365
 synthetic glucocorticoid effects 364–5
- glucocorticoid(s), brain development 362–3
- glucocorticoid(s), synthetic 361–2
 ACTH release stimulation 369–70
 antenatal exposure 309
 brain structure effects 370–1
 childhood behavior effects 361–2, 367–9
 congenital adrenal hyperplasia 362
 CRH release stimulation 369–70
- epigenetic programming 371–2
- glucocorticoid receptor effects 364–5
- hippocampus
 damage mechanisms 370–1
 structure effects 370–1
- HPA development effects 363–5
 after birth 366–7
- hypoxic–ischemic encephalopathy
 treatment 288
- limbic system effects 370
- long-term follow-up 361–2
- maternal antenatal for preterm infants 301, 315, 316, 318, 361–2, 365
- maternal anxiety 362
- mineralocorticoid receptor
 effects 364–5
- neonates 112
- neurotransmitter system effects 369–70
- pituitary regulation 367
- reproductive cycle effects 366
- transgenerational effects 371
- transplacental transfer 363
- glucose
 blood levels in hypoxic–ischemic encephalopathy 295
 brain consumption 121
- glucose 1-phosphate 121
- glutamate 57, 60, 106
 amino acid release 121–2
 cutaneous receptor development 133
 hypoxic–ischemic encephalopathy 263–4, 290
 metabolism by astrocytes 123
 movement development 348
 postnatal brain development 124
 release from damaged cells 248
 transport 123–4
 uptake failure 124
 white matter injury 308
- glutamate dehydrogenase 123
- glutamate receptors 156
see also NMDA receptors
- glutamate transporters 123–4
- glutamatergic neurons 122
- glutamine 122–3
- glutamine synthetase 123
- glutathione 268
- glycine 108
- glycogen 121
- glycogen shunt 121
- glycolysis 121
- glycosylation, neuronal migration 60
- glycosylation modulation molecules 57
- Golgi, Camillo 53–4
- Golgi tendon organs 130–131
 activation 142
- GR promoter 371–2
- grip, precision in cerebral palsy 354–5
- growth cone 53–54
 repulsion/collapse with viral infections 248
- habituation 186–7
- hair follicle innervation 132
- hair follicle receptors 134
- Hamburger, Viktor 96–97
- hands, manipulation 348–9
- hearing
 consciousness 385–6
 fetus 239
 neonatal 177–8
 assessment 178–9
 prenatal 176–7, 189–90, 193
 screening methods 178–9
- hearing impairment/loss
 autosomal dominant 163–4
 autosomal recessive 163–4
 congenital 163–4
 detection 178–9
 sensorineural 165–6
- hebbian synapses 149, 153, 154, 155, 239
- Helicobacter pylori* 253
- hemispheres
 human embryo 41
 specialization 6
- herpes simplex 247
 meningitis 247
- herpes zoster 247
- hippocampus 362, 364
 functional consequences of
 changes 370
 synthetic glucocorticoids
 damage mechanisms 370–1
 effects 368
 structure effects of antenatal 370–1
 HPA axis in damage mechanisms 371
 NMDA receptor 368–9
 norepinephrine 369
 serotonergic innervation 369–70
 stress effects on volume 370
- histone
 acetylation 30
 methylation 31
 modifications 30
- histone acetyl transferases (HATs) 30–1
- histone deacetylase (HDAC) 30–1
- histone demethylase 31
- histone hyperacetylation/
 hyperphosphorylation 11–12
- histone methyl transferases (HMTs) 31
- histone tails 30
- HIV infection 247

Index

- holoprosencephaly 29, 37, 38–41
 alobar 38–9
 anatomy 40
 brain volume reduction 40
 cell cycle
 architecture 46
 premature exit 46–7
 chromosomal anomalies 42
 classification 38–9
 control mechanisms 48–9
 gray matter 40
 lobar 38–9
 malformations 38–9
 midsagittal fissure 39–40
 molecular genetic/morphological
 analysis 42
 morphogens 39
 proliferative epithelium 43–6
 proliferative mechanism
 disruption 43
PTCH gene 42
 radial mechanism failure 48
 rostromedial continuity 39–40
 semilobar 38–9, 40–1
 septal structure absence 39–40
SHH gene mutations 42
 specification 48
 tangential mechanism failure 48
 telencephalic form 39–40
- homeotic genes 4
Hox code hypothesis 27
Hox genes 26–7
 ear development 173
 epigenetic regulators 27
 expression 27
 conserved pattern 27
 outer ear development 172
 retinoic acid teratogenic effects 27
- Hubel, David 161
 human lineages, evolution 7
 hydrocephalus
 posthemorrhagic 305, 306, 330
 preterm infant 312, 330
 hydrocortisone 316
 hydrogen peroxide 268
 hydrostatic pressure matching 163
 11 β -hydroxysteroid dehydrogenase
 (11 β -HSD) 363, 364, 367
 5-hydroxytryptamine (5-HT) *see*
 serotonin
 5-hydroxytryptamine (5-HT)
 neurons 103
 5-hydroxytryptamine (5-HT)
 receptors 103
 psychiatric disorders 104
 5-hydroxytryptamine (5-HT)
 transporter 369–70
- hyperactivity, synthetic glucocorticoid
 antenatal effects 368
 hypertonia, physiological 348
 hypoglycemia 225
 hypothalamo–pituitary–adrenal (HPA)
 axis 362–3, 362
 synthetic glucocorticoid effects
 364–5, 368
 after birth 366–7
 epigenetic programming 371–2
 hippocampal deficit 371
 maturation 363
 preterm infant 318
 hypothalamo–pituitary–thyroid (HPT)
 axis, preterm infants 318–19
 hypothermia, hypoxic–ischemic
 encephalopathy treatment
 291–5, 293, 294, 295–6
 animal models 292
 clinical trials 292, 293–5
 hypothyroidism, preterm infant 318–19
 hypothyroxinemia 60
 of prematurity 319
 hypoxanthine 317
 hypoxia
 cerebral circulation resistance 304
 prenatal 112
 hypoxia-inducible factor-1 (HIF-1) 268
 hypoxia–ischemia
 brain injury 261
 caspase-3 266
 cerebral palsy 253
 delayed injury 261–3
 inflammatory cascades 261
 initial injury 261–3
 lipopolysaccharide exposure 250, 251
 magnetic resonance spectroscopy
 261, 262
 maternal pyrexia during labor 249
 pathophysiology 261–3
 periventricular leukomalacia 253
 stillbirth 261
 subplate sensitivity 238
 susceptibility of brain regions 263
 systemic extraneural infection
 synergy 249
 hypoxic–ischemic encephalopathy
 261–72
 allopurinol therapy 291
 apoptosis 263, 265–7
 barbiturate therapy 288–9, 289
Bax gene 266–7
 Bcl-2 family proteins 266–7
 biochemical markers 285
 calcium channel blocker therapy
 289–90
 calcium homeostasis 264
- calcium intracellular regulation
 263, 264
 calpains 267–8
 cellular mechanisms 263
 cerebral Doppler 286
 cerebral energy metabolism
 abnormalities 261–2, 262
 duration 263
 cerebral perfusion maintenance 295
 chemokines 270–2
 clinical assessment 281–6
 clinical features 281–2
 clinical management
 recommendations 295–6
 CT 286
 cytokines 270–2
 definition 281
 diagnostic criteria 281
 dopamine therapy 295
 duration 282–3
 EEG 221, 285
 outcome prediction 222–3
 prognosis 283–5
 excitatory amino acids 263–4, 267,
 290
 fluid restriction 296
 glucocorticosteroid therapy 288
 glucose blood levels 295
 grading 282, 284
 hyperviscosity avoidance 296
 hypothermia therapy 291–5, 293,
 294, 295–6
 animal models 292
 clinical trials 292, 293–5
 inflammatory mechanisms 270
 interventions 286–95
 JNK3 267
 life support withdrawal criteria
 296–7
 magnesium sulfate treatment 290–1
 metabolic acidosis 281, 285
 microglia 270
 mitochondrial impairment 263, 263,
 264–5
 molecular mechanisms 263
 mortality 282–3
 MRI 203–4, 204, 286, 287
 diffusion tensor imaging 205
 diffusion-weighted imaging 286
 neck extensor hypertonia 282, 282, 283
 nitric oxide 269–70
 nitric oxide synthase 269
 NMDA receptors 290
 oxygen therapy 295
 pathology 267
 polycythemia 296
 postmortem brain 288

- prognosis
 cerebral Doppler 286
 CT 286
 EEG 283–5
 MRI 286
 ultrasound 285–6
 with grade 282–3
 raised intracranial pressure 287–8
 reactive oxygen species 268–9
 seizures 283, 288
 control 296
 ultrasound 285–6, 286
 ventilation maintenance 295
- ICF (immunodeficiency, centromere instability and facial anomaly) syndrome 31
- imaging, neonatal brain 199
 advanced techniques 205–8
 consciousness 381–3
 hardware adaptations 200–1
 immobilization of infant 199–200
 parasagittal infarction 202
 postmortem 207–8
 practical issues 199–201
 safety 199–200
 sedation of infant 199
 sequence parameters 200
 sleep 383
 software adaptations 200–1
 surrogate marker for outcome 208
 volumetric analysis 206–7
 wakefulness 383
see also named modalities
- imitation, consciousness 385
- immediate early genes 111
- immune system molecules 157
- incus 172
- indometacin, preterm infant 315, 316–17
- infants
 consciousness study methods 381–3
 motor development 348–50, 349
 motor skills emergence 349
 postural control 349–50
 reaching 350
- infection-mediated cell death 248
- infections/infectious diseases
 cardiovascular disease 253
 cerebral palsy 245, 248–9, 251–3
 congenital 245–7
 EEG 219, 225
 hypoxic–ischemic events 249
 maternal pyrexia during labor 249
 periodontal 253
 periventricular leukomalacia 251–3
 preconditioning protective effects 251–3
- primary exposure 251–3
 stroke 253
 systemic extraneural synergy with hypoxia–ischemia 249
 viral and growth cone repulsion/collapse 248
- inferior colliculus 163
- inferior parietal lobe, enlargement 6
- inflammatory cascades, hypoxia–ischemia 261
- inflammatory preconditioning 251
- inflammatory response
 microglia 270
 periventricular leukomalacia 308
- initiation controlling molecules 57
- inner ear 166–9
 defects 163–4
 embryogenesis 169
Otx genes in development 174
Pax2 genes in development 174
see also cochlea
- inositol 1,4,5-triphosphate 153
- instrumental conditioning 187
- insulin resistance 361–2
- intercellular adhesion molecule 1 (ICAM-1) 253
- interferon γ (IFN γ) 250
 white matter injury 308
- interkinetic nuclear migration 44
- interleukin 1 (IL1) 250, 251
- interleukin 6 (IL6) 250, 251, 252
 hypoxic–ischemic encephalopathy 270–1, 272
 periventricular leukomalacia 308
- interleukin 8 (IL8) 308
- interleukin 10 (IL10) 250–1, 252
 hypoxic–ischemic encephalopathy 270–1, 272
- interneuronal connections 9
- intracellular transport, schizophrenia 12
- intracranial pressure, raised 287–8
- intraparenchymal hemorrhage *see* periventricular hemorrhage
- intraventricular hemorrhage 303, 305
 EEG 224–5
 gender 338
 grading 329–30
 neurodevelopmental outcome 330
 pathogenesis 329
 posthemorrhagic hydrocephalus complication 330
 preterm infants 329–30
 EEG 224
 thrombophilic mutations 339
see also periventricular hemorrhage
- ionotropic receptors 100
 glutamate 106
- IQ
 correlation with fractional anisotropy 338
 preterm infant 302, 337, 338
- James, William 377
- JNK3 267
- kernicterus 225
 kicking rate 187
- labyrinth, development 169, 173
- lactate 121
 hypoxic–ischemic encephalopathy 281
- language
 consciousness 386–7
 discovery 193–5
 discrimination 193, 386–7
 evolution of spoken 6
 foreign 193
 knowledge requirement 194
 perception 386–7
 phonetic contrasts 193
 phonetic perception 193
 preterm infant 335
 processing 6, 336–7
 recognition 14
 second 14
 sound distribution 193–4
 specialization 193–4
 understanding 12
see also speech
- lateral geniculate nucleus (LGN) 148
 axonal connection development 149–50
 developing synapses 155
 eye-specific axon segregation 153
 immune system molecule role 157
 retinal ganglion cell spontaneous activity 151–2
 visual pathway specificity 149
- learning
 auditory 194
 behavioral techniques 187
 during sleep 187–9, 194
 shared 14
- Levi, Guiseppi 96–97
- Levi-Montalcini, Rita 96–97
- Lhx2 transcription factor 43–6
- lidoflazine 290
- life support withdrawal criteria 296–7
- limb movements, *in utero* 140
- limbic system, synthetic glucocorticoid effects 368, 370
- linoleic acid 317

Index

- lipopolysaccharide 249–50
 hypoxia–ischemia 250, 251
 periventricular white matter injury 252
 white matter changes 252
- LIS1* gene 57, 59
 mutations 26, 61, 62–3, 62, 63
 lissencephaly with cerebellar hypoplasia 63–4
- lissencephaly
 with cerebellar hypoplasia 62, 63–4
 gene mutation 63–4
 classical 61–4, 62
 classification 61–6, **61**
 cobblestone 61, 64–5
 corpus callosum agenesis 65
 gene mutations 26
 isolated 62–3
 syndromic 64
 type I 59, 61–4
 type II 64–5
 type III 65
 variants 61–2
 X-linked 26, 61–2
- Listeria monocytogenes* (listeriosis) 245
 meningitis 247
- liver function, hypoxic–ischemic encephalopathy 281
- liver-derived factors 60–1
- Loewi, Otto **119**
- long-term depression 155
 coincidence detector 155–6
 lateral geniculate nucleus developing synapses 155
- long-term potentiation 155
 coincidence detector 155–6
 lateral geniculate nucleus developing synapses 155
 NMDA receptors 369
- lysine 30
- macrophages, skin innervation role 132
- macrotia 171–2
- magnesium sulfate 290–1
- magnetic resonance angiography (MRA) 201, 207, 207
 preterm infant 207
- magnetic resonance imaging (MRI) 199
 adaptations for infants 200–1
 arterial spin labeling 207
 auditory system 178
 developing 177
 cerebral artery infarction 205
 contrast enhancement 207
 conventional sequences 203
 diffusion tensor imaging 200, 204–6
 brain injury in preterm infant 333
- diffusion-weighted imaging 200, 201, 205–6
 hypoxic–ischemic encephalopathy 286
- fetal 202–3, 203
 FLAIR imaging 202
- hypoxic–ischemic encephalopathy 203–4, 204, 286, 287
 diffusion tensor imaging 205
 normally developing brain 201–2
 perfusion-weighted imaging 207
 postmortem 207–8
 preterm infant 204–5, 205
 brain injury 332–3
 outcome prediction 208
 sequence parameters **200**
 surrogate marker for outcome 208
 T1-weighted images 202
 T2-weighted images 202, 203
 term-born infant 203–4
- magnetic resonance imaging, functional (fMRI)
 consciousness study 381–2, 382
 preterm infant 335–6, 336, 381
see also blood oxygen dependent signals (BOLD)
- magnetic resonance spectroscopy (MRS), hypoxia–ischemia 261, 262
- magnetic resonance venography 201
- magnetoencephalography (MEG) 212
 consciousness study 381
- major histocompatibility complex (MHC) class I 157
- malleus 172
- Mangold, Hilde 35–6
- mannitol, hypoxic–ischemic encephalopathy treatment 286–8
- MAP kinase 11–12
- MAP1B, phosphorylation induction 59
- MAP-2 266
- mastoid cells 172
- matching behavior 388
- maternal care 372
- MCPH1–6, microcephaly vera 42–3
- meaning, commonality 13
- mechanoelectrical transduction 163
- mechanoreceptors
 fetal activity 140
 in utero stimulation 142
- medial geniculate nucleus 163
- medial temporal gyrus, language processing 337
- meeting mother 189–90
- Meissner's receptors 129–30
- memory
 consciousness 386
 dopaminergic system disturbance 102
 preterm infant 333, 335
 sensory stimuli integration 387
 working 386
- meningeal system, topography 6
- meningitis 247
- mental content 377
- mental illness
 BDNF 91–2
see also named conditions
- Merkel's receptors 129–30
- mesoderm 23
 prechordal 26–7
- metabolic acidosis 281, 285
- metabolic diseases, EEG 225
- metabotropic receptors 100
 glutamate 106
- methyl mercury 102
- methyl prednisolone, maternal antenatal 316
- N*-methyl-D-aspartate receptor; *see* NMDA receptors
- microcephalin gene 7
 microcephaly vera 42–3
 mutation 26
- microcephaly vera 26, 37, 41
 cell cycle
 architecture 46
 premature exit 46–7
 control mechanisms 48–9
 genetic analysis 42–3
 laminar patterns 42
 proliferative epithelium 43–6
 proliferative mechanism disruption 43
 proliferative model 45
 radial mechanism failure 48
 specification 48
- microglia 270
 cytokine stimulation 271
 hypoxic–ischemic encephalopathy 270
- microglial phagocytes 248
- microlissencephaly 64
- microtia 171–2
- microtubules, Dcx function 59
- midbrain, patterning 27
- middle cerebral artery, blood flow studies 286
- middle ear 163
 development 171, 172–3
 developmental abnormalities 172–3
 muscles 172
- Miller–Dieker syndrome 62–3
- mineralocorticoid receptor 362–3, 362, 364

- expression 364
 synthetic glucocorticoid effects 364–5
- Mismatch Negativity (MMN) 187
- mitochondria, function 265
- mitochondrial impairment
 hypoxic–ischemic encephalopathy 263, 263, 264–5
 morphology 264–5
- mitochondrial outer membrane permeabilization (MOMP) 265–7
- mitosis, cleavage plane orientation 24–5
- monkey brain 6–7
- monoamines 101
 cutaneous receptor development 133
- monocytes 270
- Moro reaction 347
 disappearance 349
- morphogenesis 4–5
 maternal serotonin 103
- morphogens 4
 holoprosencephaly 39
 inductive gradients 45
- mothers
 education in brain injury in preterm infant 338
 infectious diseases 245–7
 maternal care 372
 meeting 189–90
 odor 384–5
 pyrexia during labor 249
 voice recognition 189–90, 385–6
see also bonding
- motor behavior
 goal directed 348–51
 nongoal directed 346–8
 postnatal 347–8
 prenatal 346–7
 transitions in infants 349
 voluntary 348
- motor development
 abnormal 352–5
 cerebral palsy 353–5, 354
 developmental coordination disorder 355
 early phases 352–3
 afferent information 345–6
 childhood 350–1
 co-occurrence of phases 349
 independent walking 350
 infants 348–50, 349
 inter-/intra-individual variation 349
 neuronal group selection theory 345–6
 brain injury 346
 postural control 349–50
- reaching 350
 typical 346–51
 variability 345, 346
 infants 349
 lack in cerebral palsy 353
- motor disability, periventricular leukomalacia 308–9
- motor function development 345–55
- motor neurons 130–1, 138
 axonal projections 154–5
 death 10
 synaptic connections 153
- movements, fetal 239, 347
 early presence 347
- muscarinic receptors 104
- muscle afferents
 annulospiral winding 137
 development 137–9
 functional 137–8
 structural 137
 evoked activity 137–8
 fusimotor innervation 138
 spontaneous activity 137–8
- muscle fibers, extrajunctional nuclei 11
- muscle spindles 130–1
 development 137
 in utero activation 142
 neural pathways 138
- muscle-eye-brain (MEB) syndrome 61, 65
- muscular dystrophy
POMT1 gene mutations 65
see also Fukuyama congenital muscular dystrophy
- myelinated nerve fibers 131
- myelination, schizophrenia 12
- myoclonic twitches 231
- myosin VIIA gene 175
- near-infrared spectroscopy 382–3, 385
- neck extensor hypertonia 282
 hypoxic–ischemic encephalopathy 282, 283
- neocortex
 cell cycle 38
 development 38
 formation 56
 microcephaly vera 41
 proliferative output of epithelium 44
 radial migration 38
 synaptogenesis 71–81
 phase 3 duration 78
 phase 3 evolution 78–9
- neocortical projection disorders 37
- neonatal intensive care unit (NICU), developmental environment 239–40
- neonatal programming 112
- neonates
 corticosteroid effects 112
 crying 388, 389
 emotions 388
 hearing 177–8
 assessment 178–9
 responsiveness 185–6
 sleep 383
 stepping movements 350
 wakefulness 383
see also behavior of neonates; preterm infant
- neoteny 6–7
- nerve growth factor (NGF) 11, 85, 131–2
 discovery 96–97
 ear nerve fiber development 176–4
 neuron proliferation 89
 survival factor role 88
- nerve growth factor A, inducible (NGFI-A) 365, 372
- nervous system
 cellular organization 6
 ventral–dorsal transition 5
- netrins 7–8
- Neu-Laxova syndrome 65
- neural activity
 abnormalities 153
 visual system development 147–8
- neural connections, elaboration/remodeling/retraction 148
- neural crest cells 23, 131
- neural development, noxious stimuli 142
- neural folds 23, 24
- neural groove 23, 24
- neural induction 23, 164
- neural maps 6
- neural plate 4–5, 23, 24
 infolding 5
- neural progenitor cells 7
- neural tube 23, 24
 closure 23–4
 defects 23–4
 morphology 25
 proliferative cells 24
- neurites, growth regulation in CNS by neurotrophins 90–1
- NeuroD transcription factor 175
- neuroectoderm 23
- neuroelectric signals 163
- neuroendocrine system
 development 362–3
 synthetic glucocorticoid effects 368
- neurogenesis 303
 animal models 164–5

Index

- neurogenin(s) 30
 neurogenin 2 60
 neuroligin 3 (NLG3) 8
 neuroligin 4 (NLG4) 8
 neurologic diseases, activity-dependent/-independent 148
 neuromodulators 99
 fetal effects 111
 markers in CNS development 99–100
 pre-/perinatal programming 112
 role 99
 transition at birth 111–12
 neuromuscular junctions 10, 153
 synaptic changes 154–5
 neuron(s)
 activity
 at birth 111
 EEG 230
 apoptosis 10–11, 131–2
 arborization 379
 basal forebrain 380–1
 brain development 379
 cholinergic 104
 cochlear nerve 175, 176–4
 connectivity 14
 cortex formation 25–6
 cortical pyramidal 380
 corticothalamic 377–8
 differentiation 89
 dopaminergic 102
 endorphin-containing 108
 formation 24–5
 GABAergic 106, 122
 generation 379
 glutamatergic 122
 5-HT 103
 immature 379
 maturation and opioids 108–9
 myelinated 131
 long-range 382
 neocortical 37
 norepinephrinergic 111
 precursors 303
 proliferation 53–54, 89, 303
 radial glial cells 25
 representations 13
 sensory 131
 subtype identity 28–9
 survival promotion by
 neurotrophins 87–8
 synaptogenesis constraints 71
 vestibular 176–4
 see also global neuronal workspace
 neuron doctrine 53–54
 neuronal correlates of consciousness 378
 neuronal group selection theory 345–6
 neuronal migration 38, 39, 55, 379
 BDNF 60
 cytoskeleton role 58–9, 58
 environmental factor effects 66
 glia-guided 8
 glycosylation 60
 glycosylation modulation
 molecules 57
 initiation 58
 initiation-controlling molecules 57
 lamination 57
 layers 55
 liver-derived factors 60–1
 molecular control 57–8
 molecular modulators 58
 neocortical 56
 neurogenin 2 60
 neurotrophin regulation 89–90
 nucleokinesis 58–9
 pathways 55–7
 peroxisomes 60–1
 progression controlling molecules 57
 Reelin pathway 58, 59–60
 schizophrenia 12
 signaling molecules 57, 59–61
 stop signals 60
 tangential 55–6
 thyroid hormones 60
 timing 55
 trajectories 55
 neuronal networks
 activity-dependent epigenesis 8–12
 mechanisms 230
 neuronal organizer 35–36
 neuronal–glial interactions 121–3
 amino acid transmission 121–3
 nutrition 121
 neuronal–glial unit, ontogenic 57
 neuropediatric disorders 7–8
 neuropeptide(s) 108–9
 cutaneous receptor development 133
 fetal activity suppression 111
 neuropeptide Y 109, 111
 neurotransmission 119
 neurotransmitter(s) 99–112
 catecholamines 100
 consciousness 380–1
 fetal effects 111
 synthetic glucocorticoid effects 369–70
 markers in CNS development 99–100
 neuronal migration 57
 norepinephrine 100–2
 ontogeny 100
 pre-/perinatal programming 112
 role 99
 synaptogenesis 99
 transition at birth 111–12
 see also named transmitters
 neurotransmitter receptors 13
 sites 155
 neurotrophic factors 85
 auditory system development 173–5
 neurotrophin(s) 11, 85–92
 axon guidance 90
 axonal connection refinement 156–7
 cell migration 89–90
 cochlear neuron development 176–4
 expression 86–7
 heterodimers 85–6
 neurite growth in CNS 90–1
 neuron subpopulation survival
 131–2
 neuronal differentiation/
 proliferation 89
 neuronal survival promotion 87–8
 signaling 86
 pathways 87
 structure 85–6
 survival factors in CNS 88–9
 synaptic plasticity 91
 thalamocortical connections 90–1
 vestibular neuron development 176–4
 neurotrophin receptors 86, 87
 expression 86–7
 neurotrophin-3 (NT-3) 85, 131–2
 ear nerve fiber development 176–4
 expression 87
 neurite outgrowth 90
 neurons
 proliferation 89
 survival 87–8
 survival factor role 88
 thalamocortical connections 91
 Trk binding 86
 neurotrophin-4 (NT-4) 60, 85
 axonal connection refinement 157
 ear nerve fiber development 176–4
 neuronal migration regulation 90
 Trk binding 86
 neurotrophin-5 (NT-5) 176–4
 neurulation 4–5, 164
 telencephalic hemisphere
 evagination 40–1
 neutrophils 269, 270
 nicardipine 290
 nicotine exposure, fetal 104–5
 nicotinic acetylcholine receptors
 104–5, 388
 nicotinic receptors 104
 nimodipine 290
 nitric oxide, hypoxic–ischemic
 encephalopathy 263, 264,
 269–70
 nitric oxide synthase 269
 hypoxic–ischemic encephalopathy 269

- NMDA receptors 58, 60–1, 105, 155–6
 activation 156
 calcium ions 155–6, 264
 coincidence detection 150
 fetal actions 111
 synthetic glucocorticoid antenatal effects 368–9
 glutamate 106
 glycine 108
 hypoxic–ischemic encephalopathy 263, 264, 290
 long-term potentiation 369
 nociceptors 131
 information transmission inhibition 139
 in utero activity 142
see also pain perception
 noise, broadband 186, 186
 norepinephrine neurons 111
 norepinephrine 100–2
 birth 111
 consciousness 380
 synthetic glucocorticoid effects 369
 mother–infant bonding 189
 surge at birth 99
 Norman–Roberts syndrome 64
 notch
 p27^{kip1} regulatory interaction 47, 48
 signaling 29
 notch 1 47
 notch intracellular domain (NICD) 47
 notochord 23, 24, 26–7
 noxious stimuli, neural development 142
 NT4 11
 nucleokinesis
 cytoskeleton role 58–9
 Lis1 role 59
 neuronal migration 58–9
 nursing care, preterm infant 313
 nutrition
 neuronal–glial interactions 121
 preterm infant 317–18
 ocular dominance columns (ODCs) 148
 axonal connection development 149–50
 eye-specific axon segregation 153–4
 formation 153–4
 maintenance 154
 plasticity 154
 retinal activity 140–1
 TrkB receptor role 157
 visual pathway specificity 149
 olfactory cues 384–5
 oligodendrocyte progenitor cells 110
 olivocochlear bundle 167–9
 omega-3 fatty acids 317
 omega-6 fatty acids 317
 opiate receptors 139–40
 opioids 108–9
 endogenous 139–40
 fetal activity suppression 111
 fetal exposure 108–9
 neuronal maturation 108–9
 nociceptive function modulation 140
 organ of Corti 166–7
 development 169
 organizational levels 2
 orienting 185–6
 orienting reflex 185
 habituation 186
 otic capsule
 Brn4 gene in development 174
 development 169
 otic pit 166, 169
 otic placode 166–7, 166, 169
 development 173
 induction 173–4
 otic vesicle 169
 genes in development 173–4
 otitis media 172–3
 otoacoustic emissions 178
 otocyst 169
 eighth cranial nerve spiral ganglion 175
 otosclerosis 172–3
 Otx genes 27–8
 inner ear development 174
 outcome, MRI as surrogate marker 208
 outer ear development 169–72
 oxygen dissociation curve, fetal 304
 oxygen free radicals *see* reactive oxygen species (ROS)
 oxygen therapy, hypoxic–ischemic encephalopathy 295
 oxytocin 381
 maternal 111
 p glycoprotein (P-gp), multidrug resistant 363
 p27^{kip1} 47
 notch regulatory interaction 47, 48
 p75 neurotrophin receptor 86, 87
 expression 86
 thalamocortical connections 90–1
 Pacinian receptors 129–30
 pain perception 380
 consciousness 384
 fetal 142
see also nociceptors
 paraventricular nucleus 362–3, 362
 parents, crying of newborns 389
 Parkinson disease 249
 Partington syndrome 63
 patched (*PTCH*) gene,
 holoprosencephaly 42
 Pax2 gene 174
 inner ear development 174
 Pax3 gene
 ear development 175
 expression 29
 mutations 23–4
 Pax6 gene 57
 Pax7 gene 29
 perception
 broadly tuned 185–6
see also pain perception
 perfusion-weighted imaging 207
 perinatal programming 112
 periodontal infections 253
 periventricular germinative zone 56
 periventricular hemorrhage 302
 clinical features 305
 complications 305–6
 diagnosis 305
 maternal antenatal steroids 316
 parenchymal 305
 prematurity association 305
 preterm infant 304–6
 periventricular hemorrhagic infarction 306
 periventricular heterotopia 26
 X-linked 65–6
 periventricular leukomalacia 202, 306–9
 asphyxia 252
 cerebral palsy risk 307–8
 chorioamnionitis association 308
 clinical features 307
 cognitive impairment 308–9, 332
 cystic 251–3, 330, 332
 diffuse injury 332
 EEG 223
 hypoxia–ischemia 253
 IL6 308
 IL8 308
 incidence 330
 infection association 251–3
 inflammatory response 308
 lesions 309
 motor disability 308–9
 pathogenesis 307–8, 332
 preterm infant 205, 223, 306–9
 cerebral palsy association 309
 cognitive impairment 332
 prevalence 306–7
 periventricular white matter
 infections 248
 injury with lipopolysaccharide 252
 preterm infant 303
see also white matter injury

Index

- peroxisome(s), neuronal migration 60–1
 peroxisome proliferator-activated receptor γ (PPAR γ) 371–2
 petraxins 157
 phagocytes 248
 microglial 248
 pharyngeal pouch, first 172
 phase contrast 191
 phenylethanolamine-*N*-methyltransferase (PNMT) 102
 phenylketonuria, dopaminergic system disturbance 102
 phonemes, discrimination 194–5
 phonetic perception 193
 phosphocreatine (PCr) 261–2
 phosphoenolpyruvate carboxykinase 371
 phosphorus, inorganic (Pi) 261–2
 physiological hypertonia 348
 pictures, semantic network 14
 pituitary
 synthetic glucocorticoid effects 367
 see also hypothalamo–pituitary–adrenal (HPA) axis
 platelets 270
 plexins 7–8
 poliomyelitis 247
 poly(ADP-ribose) polymerase (PARP) 266
 Polycomb gene 27
 polycythemia 296
POMGnT1 gene 57
 mutations 65
POMT gene mutations 64–5
POMT1 gene 57
 porencephaly, familial 339
 positive rolandic sharp waves (PRSW) 216
 periventricular leukomalacia 223
 posterior limb of the internal capsule (PLIC) 200
 MRI 201, 203–4, 208
 postmortem imaging 207–8
 postnatal development 3
 postsynaptic domain 11
 postural control
 infants 349–50
 lack in cerebral palsy 354
 posture, preterm infants 347
 potassium chloride cotransporter (KCC) 105, 107
 power spectral analysis 212, 213
 Prader–Willi syndrome 30
 prednisolone, maternal antenatal 316
 prefeeding behavior 189
 prefrontal cortex 6
 delayed response tasks 14
 dopaminergic innervation 380–1
 pregnane derivatives 140
 prenatal programming 112
 preplate 25–6
 pre-protachykinin A 109
 pre-representations 13
 preterm infant
 academic achievement 312
 academic success 333
 adolescence 311
 allopurinol 317
 amplitude integrated electroencephalography 215
 antioxidant deficiency 317–18
 artificial surfactants 301
 Bayley Scale scores 306, 311
 brain injury 301–20
 early intervention 337–8
 evidence 331
 gender 338–9
 genetics 339
 maternal education 338
 MRI 332–3
 outcome influences 337
 predictors 310
 recovery 333, 334
 brain volume 334–5
 cerebral palsy 310–11, 312
 early interventions 315
 neurodevelopmental therapy 315
 cerebral tissue volumes 310
 childhood outcomes 310–11
 chorioamnionitis 308
 cognitive ability 333
 cognitive abnormalities 310
 cognitive function 313–14
 interventions 312–15
 cortical gray matter volume 318
 cortical somatosensory response 238
 developing brain plasticity 333–5
 developmental delay 310
 diffuse excessive high-signal intensity 330–2
 disability 310
 diving reflex 304
 doubly vulnerable 313
 earliest survival 302
 educational intervention 314
 EEG 213, 217, 234–7
 germinal matrix hemorrhage 224
 intraventricular hemorrhage 224
 neurodevelopmental outcome prediction 221
 outcome prediction 223, 224
 positive rolandic sharp waves 216, 223
 spontaneous activity transients 211
 white matter damage 223
 endocrine milieu 318–19
 epilepsy 312
 ethamsylate 315–16
 executive function of adults 312
 extension posture 347
 extremely low gestational age neonates 301–2
 fMRI 335–6, 336, 381
 fractional anisotropy 338
 frontal lobe 333–4
 germinal matrix hemorrhage 224
 glucocorticoids in prevention 301, 315, 316, 318, 361–2, 365
 hydrocephalus 312
 posthemorrhagic 330
 hypothalamo–pituitary–adrenal axis 318
 hypothalamo–pituitary–thyroid axis 318–19
 hypothyroidism 318–19
 immature
 indometacin 315, 316–17
 insult to developing brain 329
 intelligence scores 333
 interventions 312–19
 programs 313–14
 intraventricular hemorrhage 329–30
 EEG 224
 IQ 302, 337, 338
 language scores 335
 magnetic resonance angiography 207
 maternal antenatal steroids 301, 315, 316
 memory 333, 335
 motor activity 231
 MRI 204–5, 205
 functional 335–6, 336
 outcome prediction 208
 neurodevelopmental outcome 301, 310–12
 nursing care 313
 nutritional interventions 317–18
 periventricular hemorrhage 304–6
 periventricular leukomalacia 205, 223, 306–9
 cerebral palsy association 309
 cognitive impairment 332
 periventricular white matter 303
 pharmacological interventions 315–17
 physical environment 312–13
 posture 347
 risk behaviors 312
 sleep–wake cycling 224
 stress 313
 structured developmental program 315
 survival 301, 310

- thyroid hormones 318–19
 supplementation 319
 thyroxine 319, **319**
 verbal intelligence 335
 vision 311, 312
 vitamin E 315–16
 wakefulness 386
 white matter
 abnormalities
 injury 306–9, 330, 332
 young adults 311–12
 processing network 14
 progesterone, placental 140
 programmed neuronal cell death
 10–11, **96–97**, 131–2
 infection mediated 248
see also apoptosis
 progression controlling molecules 57
 proliferative epithelium 39
 holoprosencephaly 43–6
 lineages 44–5
 microcephaly vera 43–6
 Notch 1 signal transduction 47
 proliferation parameters 45
 transverse neurogenetic gradient 45
 proliferative process of CNS
 development 37
 prostaglandins 250
 pseudostratified ventricular epithelium
 38, 43–4
 neurogenesis 44
 nuclei 38
 psychiatric disorders, 5-HT receptors 104
 puberty, synapse loss 75–6, 81
 purines 109
 pyrexia, maternal during labor 249
- Ramon y Cajal, Santiago 53–54
 rapid eye movement (REM) sleep 213–14
 rationality, development 14
 Rb 105 transcriptional repressor 46
 reaching, infants 350
 reactive oxygen species (ROS)
 free radical scavenging 268
 hypoxic–ischemic encephalopathy
 263, 264, 268–9
 release from damaged cells 248
 receptor tyrosine kinases 86
 Reelin 57
 expression 90
 pathway 58, 59–60
 regulatory circuits, global 14
 representations 12–15
 shared between social partners
 13–14
 responsiveness, neonates 185–6
 reticulogeniculate synapse 156
- retina
 activity 230
 activity waves 152
 correlated 153
 spontaneous activity 152–3
 synaptic transmission 152–3
 retinal ganglion cells (RGCs) 148
 axonal connection development
 149–50
 retinal activity waves 152–3
 spontaneous activity 151–2
 patterns 152–3
 synaptic circuit 152–3
 visual pathway specificity 149
- retinoic acid
 distribution 28
 teratogenic effects 27
- Rett syndrome 30, 31
 substance P 109
- reward 12–15
 reward signals, synaptic connectivity 11
 reward substance release 13
- rhombencephalon 166
- rhombomeres 173
- ROBO1 gene 8
- rooting 189
- rostral ventrolateral oblongata
 (RVLM) 388
- rostrocaudal axis patterning 26–8, 26
- rubella 246
 auditory system development
 disruption 165–6
 periventricular white matter
 infection 248
- Rubinstein–Taybi syndrome 30–1
- Ruffini’s receptors 129–30
- sacculae 166–7
 development 169
- Saethre–Chotzen syndrome 23–4
- schizophrenia
 activity-dependent disorder 148
 BDNF activity 92
 intracellular transport 12
 mechanism 12
 myelination 12
 neuronal migration 12
 prenatal stress 112
 rubella association 246
- Searle, John 1
- sedation for imaging 199
- sedatives
 EEG effects 220–1
 sleep–wake cycle effects 220
- seizures
 amplitude-integrated EEG
 monitoring 218–20
- antiepileptic treatment 216–18
 asphyxiated infants 222
 duration 216
 EEG 216–20
 asphyxiated infants 222
 intraparenchymal hemorrhage 218
 monitoring 218–20
 outcome prediction 221
 streptococcal meningitis 219
 hypoxic–ischemic encephalopathy
 283, 288
 control 296
 kernicterus 225
 subclinical 216–18
 uncoupling 216–18
- selectins 253
- selective attention 185–6, 377
- self-awareness 386, 388
- self-consciousness 377, 378–9
 development 14
 evolution 6
- semantic ability, development 6
- semantic knowledge 14
- semantic network 14
- semantic neural device 6
- semantic representation 14
- semaphorins 7–8
- semicircular canals 166–7
 development 169, 170
- sensory evoked slow events 238–9
- sensory information
 consciousness 384
 processing deficit in brain
 injury 346
- sensory neurons, development 131
- sensory organs, central connection
 development 231–2
- sensory stimuli
 evoked responses 238
 integration with memory 387
 slow responses 238
- serotonin 13, 103–4, 365
 autism 104
 maternal 103
 synaptogenesis 104
see also 5-hydroxytryptamine (5-HT)
 entries
- serotonin transporter (SERT) 103
- serotonergic cells 103
- SHANK3 8
- shared attention 13–14
- shared learning 14
- Sherrington, Charles 119
- signaling molecules 57
 neuronal migration 59–61
- signifié* 13–14
- skull morphology 6–7

Index

- sleep 383–4
 active 213–14
 fetus 383–4
 imaging criteria 383
 learning during 187–9, 194
 neonates 383
 quiet 213–14
 transitional (indeterminate) 213–14
- sleep states, synaptic plasticity 384
- sleep–wake cycles
 antiepileptic treatment effects 220
 EEG 213–14
 perinatal asphyxia 222
 perinatal brain injury 216
 preterm infants 224
 sedative effects 220
- Smad transcription factor 29–30
- smell sense 384–5
- social interaction 190–1, 388
 crying 388
 subcortical brain areas 380
- somatosensory cortex 131
 activation 142
 evoked responses 139
- somatosensory imprinting 142
- somatosensory pathways 130
- somatosensory receptors 129–31, 142
- somatosensory stimuli, consciousness 384
- somatosensory system 231–2
 function 129
 maturation 239
 pathways 129–31
- somatosensory system development
 129–43
 ascending pathway from spinal cord
 to brain 138–9
 cutaneous receptors 131–7
 descending control systems 139–40
 functional systems in utero 140–3
 muscle afferents 137–9
- somatostatin 111
- Sonic hedgehog (Shh) 28–9
 concentration gradient 29
 holoprosencephaly 29, 42
- sound
 broadband 186, 186
 fetal reactions 239
 infant preferences 154
 localization 177–8
- sound stream segregation 188–189, 195
- Sox signaling 29
- specification 48
 gradient models 45–6
- spectral edge frequency 212, 213
- speech
 childhood apraxia 7
 discrimination 178, 185, 385–6
- knowledge requirement 194
 recognition 193–5
 sine-wave analogs 193
 source analysis 195
 spoken language evolution 6
see also language
- Spemann, Hans 35–36
- spina bifida 23–4
- spinal cord
 cutaneous receptor input 136
 primary afferent innervation
 development 141–2
 serotonergic fibers 139–40
 synaptic connections 153
- spinothalamic system 130, 131
- spinothalamic tract 131
- spoken language evolution 6
- spontaneous activity transients (SATs)
 211, 235–7, 238–9
 consciousness study 381
 global neuronal workspace 387
- stapes 172
 footplate fixation 172–3
- STAT transcription factor 29–30
- status epilepticus 216, 222
- stepping movements, neonatal 350
- stereocilia 167–9
- stillbirth, hypoxia–ischemia 261
- stop signals, neuronal migration 60
- streptococcus Group B, meningitis 247
- stress
 delivery 387–8
 hippocampal volume 370
 perinatal 112
 prenatal 112
 preterm infant 313
- stroke
 arterial ischemic 253
 infection association 253
 perinatal 222
- structure–function links 2
- subcortical mechanisms
 cortex interactions 238–9
 signals controlling states of
 consciousness 377–8
 vigilance states 380
- subependymal hemorrhage *see*
 periventricular hemorrhage
- subplate 232, 237–8
 hypoxic–ischemic injury sensitivity 238
- substance P 109
 cutaneous receptor development 133
- subventricular zone 25–6, 38
 cell proliferation 38
- sucking 189
 high amplitude 186
 instrumental conditioning 187
- sudden infant death syndrome (SIDS)
 serotonin disturbance 103
 substance P 109
- superoxide dismutase 268
- superoxide radical 268
- symmetry breakings 4
- synapse(s) 9, 53–54, 119
 coincidence detection 150, 155–6
 connectivity 11
 cortical circuits 10
 epigenesis 11–12
 culture origins 12
 postnatal alteration 12
- fetal activity 140
 formation 10–11
 genetic envelope function 10–11
 long-term depression 155
 long-term potentiation 155
 loss at puberty 75–6, 81
 mean density in cortical neuropil 71–2
 modification with activity patterns 150
 molecular mechanisms of
 refinement 155–6
- neurotrophin impact on plasticity 91
- physiological changes 154–5
- pruning 9–11
 disruption 12
- reticulogeniculate 156
- silent 156
- structural changes 154–5
- thalamocortical 156
- visual system
 critical periods 151
 development 149
 patterns 149–51
 plasticity 151
see also hebbian synapses
- synapse selection model 12–13
- synaptic contacts
 dendritic spines/shafts 74, 75
 formation 71–8
- synaptic epigenesis 8–10
- synaptic phenotype 9
- synaptic plasticity
 neurotrophin effects 91
 sleep states 384
- synaptogenesis 9, 379
- auditory system 169
- connectivity maturation 74–81
- cortical functions 73
 onset 73
- early events 73
- early perturbations 76
- environmental effects 76–7
- evolution
 experience-dependent mechanisms
 73–4, 76, 77

- experience-expectant mechanisms 73–4, 76
 genetics 76–7
 kinetics 72–6
 multiple waves 74–5
 neocortex 71–81
 neurotransmitters 99
 phase(s) 73–6
 plateau 74, 76
 phase 3
 duration in neocortex 78
 evolution in neocortex 78–9
 modifiability 76
 rapid 73–4
 phase 4 74, 76
 phase 5 77
 serotonin 104
 waves 74–5
 syphilis 245–6
- tachykinins 109
 tactile receptors 131
 taste sense 384–5
 temporal lobe, gyrification indices 333
 thalamic cells 131
 thalamocortical axons 138, 233, 380
 conceptual age
 early 237
 later 237–8
 somatosensory 138
 thalamocortical connections 156, 231–2
in utero 141
 thalamus
 axon growth 138
 cortical input 139
 somatosensory projections 138
 states of consciousness control 377–8
 volume 207
 theophylline 110
 thermoreceptors 131
 development 137
 thrombophilic mutations 339
 thyroid hormones 60
 preterm infant 318–19
 supplementation 319
 thyroxine (T_4), preterm infants 319, 319
 tirilazad mesylate 268
 toll-like receptor(s) (TLRs) 271
 toll-like receptor-4 (TLR-4) 250, 271
Toxoplasma gondii (toxoplasmosis) 245
 periventricular white matter
 infection 248
 tract-based spatial statistics (TBSS)
 206, 206
 transcription factors 4
 epithelium-intrinsic 45–6
 switches 5
- transforming growth factor β (TGF β)
 250–1
 7-transmembrane receptors
 (7-TMRs) 100
 transverse neurogenetic gradient
 (TNG) 45
 Treacher–Collins syndrome 171–2
 tricarboxylic acid (TCA) cycle 122–3
 trigeminal ganglion 131
 trigeminal system 131
 afferents 138
 trigeminothalamic tract 131
 trithorax gene 27
 Trk receptors 86, 87, 131–2
 axonal connection refinement 157
 ear nerve fiber development 176–4
 expression 86–7
 neuron proliferation 89
 survival factor role 88–9
 truncated forms 86
 trophic factors, synaptic epigenesis 11–12
 TRP superfamily 131, 137
Tuba1 gene mutations 63
TUBA3 gene mutations 63
 tumor necrosis factor α (TNF α) 250
 hypoxic–ischemic encephalopathy
 270–2
TWIST gene mutations 23–4
 tympanic cavity 172
 tympanic membrane 163
 development 170–1
 malformations 172–3
 tympanum 172
- ultrasonography 199
 hypoxic–ischemic encephalopathy
 285–6, 286
 Usher syndrome 175
 utricle 166–7
 development 169
- vaginal delivery, mother–infant
 bonding 189
 valproic acid 30–1
 varicella zoster 247
 arterial ischemic stroke 253
 vascular anomalies, EEG 224
 vascular cell adhesion molecule 1
 (VCAM-1) 253
 ventilation, hypoxic–ischemic
 encephalopathy 295
 ventricular zone 25–6
 neuron production 38
 nuclei 38, 39
 verbal dyspraxia 7
 verbal intelligence, preterm infant 335
 vestibular neurons 176–4
- vestibular organs 166–7
 vibro-mechanical conduction 163
 vigilance 377
 states 377–8
 subcortical areas 380
 viral infections, growth cone repulsion/
 collapse 248
 viral nucleic acids 248
 vision 190–1
 consciousness 385
 preterm infant 311, 312
 visual areas
 visual cortex
 circuit development 380
 development 73
 primary 148
 ocular dominance column 148
 sensitivity critical period
 synaptogenesis
 visual evoked potentials 380
 visual fields
 nasal 192
 temporal 192
 visual ocular dominance columns 91
 visual pathway, model system 148
 visual preferences 191–2
 visual stimuli processing 386–5
 visual system 147–58
 activity
 patterns 150
 sensory-driven 154
 spontaneous 151–4
 activity-dependent competition 150,
 154–5
 activity-dependent development
 149–51
 activity-dependent remodeling
 147–8
 activity-independent remodeling 147
 anatomy 148
 axonal connections
 critical periods 151
 patterns 149–51
 cell type determination 147
 circuit formation 147–8
 competitive processes 149–51
 critical periods for development
 151, 161
 face recognition 190
 kitten model 149–50, 161
 maturation 239
 neuronal activity 151–4
 spontaneously generated 151–4
 pathway formation 147
 retinal activity 230
 retrograde signals 150, 156–7
 sensory-driven activity 154

Index

- visual system (cont.)
 specificity 149
 spontaneous activity 151–2, 154
 patterns 152–3
 role of patterned 153–4
 spatiotemporal correlation 152
 synapses
 development 149
 modification 150
 physiological/structural changes 154–5
 refinement molecular mechanisms 155–6
 three-eyed frog model 150–1
 vitamin E, preterm infant 315–16
 voice recognition
 mother 189–90, 385–6
 prenatal learning 176–7, 189–90, 193
 volumetric analysis 206–7
 Vygotsky, Lev 377
- Waardenburg syndrome 23–4
 genetic defect 175
- wakefulness 383–4
 ACh release 388
 at birth 387
 first awakening 387, 388
 preterm infant 386
- Walker–Warburg syndrome 60, 61, 65
- walking, independent 350
 deficits in cerebral palsy 354
- Wallerian degeneration 10
- Wernicke area 6
- West Nile virus 247
- West syndrome, X-linked 63
- white matter
 abnormalities in preterm infants
 lipopolysaccharide-induced changes 252
- white matter injury 223, 306–9
 cerebral palsy risk 307–8
 gender 338
 glutamate 308
 IFN γ 308
 pathogenesis 307–8, 332
 preterm infant 330, 332
- white matter tracts
 anisotropy 205
 organization 380
- Wiesel, Torsten **161**
- Wittgenstein, Ludwig 12
- Wnt1 signaling 27, 28
- Wnt3a signaling 28, 29
- wool/hair follicle receptors 134
- words, semantic network 14
- xanthine oxidase 291, 317
- XLAG syndrome 63
- X-linked inhibitor of apoptosis 266
- X-linked lissencephaly 26, 61–2
- X-linked periventricular heterotopia 65–6
- XLIS* gene *see DCX* gene
- young adults, preterm birth impact 311–12
- Zellweger syndrome 60–1, 66