

## Index

- acousticolateralis system, in teleosts, 63–64  
schooling functions of, 63–64
- AD. *See* Alzheimer's disease
- adaptationism, 173, 174
- adenosine triphosphate (ATP)  
in biochemical regulation of sleep, 95–96  
in organization of sleep, 99
- aggressiveness, insomnia and, 115–116
- aging, sleep and  
in *Drosophila melanogaster*, 46–47  
in honeybees, 40–41  
insomnia, 110  
in zebrafish, 256–259
- albacores. *See* scombrids
- Alzheimer's disease (AD), 231
- amphibians  
evolution of, 201–202  
REM sleep in, 201–202
- amylase, 51
- Angelman syndrome (AS), 228
- animal models, of sleep, 145.  
*See also* mouse models, for sleep  
in *Drosophila melanogaster*, 145
- mice as, 219–232  
circadian mechanisms and, 226–228  
electrophysiology protocols in, 221  
genetics and, 219–232  
genomic imprinting in, 228–230  
high-throughput technology protocols in, 221–222  
NREM in, 228–232  
REM during, 223, 230–232  
in sleep-wake studies, 224–225  
wakefulness and, 224–226, 230–232
- animals in the wild  
future sleep research on, 9–10  
REM and, captive animals v., 210–211  
sleep times for, captive animals v., 14–15
- ANS. *See* automatic nervous system
- anxiety, insomnia and, 114
- Apis mellifera*. *See* honeybees, sleep in
- AS. *See* Angelman syndrome
- Aserinsky, Eugene, 197
- ATP. *See* adenosine triphosphate
- automatic nervous system (ANS), 3
- avian sleep. *See* birds, sleep in
- baboons. *See* nonhuman primates, sleep in
- bears, hibernation and, 8
- bees. *See* honeybees, sleep in
- behavioral measures, of sleep, 2–3, 35  
circadian influences on, 35  
homeostatic factors in, 35  
in insects, 37  
in honeybees, variations among species, 40  
NREM, 2–3  
HVSW in, 3  
REM, 2
- bihemispheric sleep, 7
- birds, sleep in, 145–164  
brain size and, 157  
homeostasis for, 152–155  
sleep deprivation and, 152–153  
SWA and, 153

## 268 Index

- birds, sleep in (*cont.*)
- REM during, 145, 150–152, 204–205
  - duration of, 151–152
  - evolution of, 155, 161
  - Flanigan–Tobler criteria for, 205
  - mammalian sleep v., 151–152, 153–155, 205–210
  - study history of, 204–205
  - thermoregulatory responses during, 150–151
  - sleep duration, 146–147
  - SWS in, 145, 146–150
    - drowsiness v., 146
    - energy conservation hypothesis for, 156–157
    - evolution of, 155
    - thermoregulatory responses during, 146
    - unihemispheric, 148–150
    - USWS, 148–149
  - blindness
    - schooling of teleosts and, 67–68
    - sleep and, for mammals, 60
  - body mass, sleep and, 1
    - in mammals, 25
  - bonitos. *See* scombrids
  - brain development
    - in birds, sleep and, 157
    - of forebrain, 2
    - in mammals, sleep and, 157
    - sleep as localized in, 97–98
    - SWA and, evolution of, 157–160
  - cAMP pathway. *See* cycle AMP pathway
  - CAMP response element
    - binding (CREB) proteins, 47
  - cephalopods, 200
  - cerebrospinal fluids,
    - sleep-promoting substances in, 92
    - TNF in, 94
  - cetaceans, 7
    - REM sleep in, 208–209
    - unihemispheric sleep in, 208–209
  - chimpanzees. *See* nonhuman primates, sleep in
  - circadian rhythms
    - in mouse models, for sleep, 226–228
    - sleep behaviors and, 35
    - in zebrafish, 247–248
  - collothalamic system, 178–179
  - compensatory sleep, 246
  - conflict theory, 228
  - CONLEARN process, 188
  - CONSPEC process, 188
  - continuous swimming, of scombrids, 73–74
  - coral reefs
    - hypoxia in, 67
    - piscivores v. herbivores in, 66
    - teleosts in, sleep v. restful waking for, 65–67
    - in nocturnal species, 66
  - Cousteau, Philippe, 77
  - CREB proteins. *See* cAMP response element binding proteins
  - cycle AMP (cAMP) pathway, 47
  - cytokines, 92. *See also* tumor necrosis factor
  - DAMS. *See* *Drosophila* Activity Monitoring System
  - Dennett, D. C., 173
  - depression, dyssomnias and, 108
  - deprivation of sleep. *See* sleep deprivation
  - detailed focal vision, sleep and, 59–61
    - blind mammals and, 60
  - Diptera punctata*, sleep deprivation for, 38–39
  - diurnal activity
    - in fish, 239–241
    - in zebrafish, 242
    - in nonhuman primates as biological characteristic, 131–133
    - evolution of, 131–133, 134, 135–136
  - dopamines, 47–48
  - Drosophila* Activity Monitoring System (DAMS), 49
  - Drosophila melanogaster*, sleep in, 42–51
    - aging and, 46–47
    - as animal model, 145
    - electrophysiology of, 44–45
      - LFPs in, 44–45
    - as evaluation model, for humans, 42–43
    - genetics and, 45–46
      - short-sleeping strains and, 46
    - methodological considerations, in studies of, 48–49
    - with DAMS, 49
    - neurotransmitters in, 47–48
    - signaling pathways in, 47
    - sleep deprivation for, 43
  - drowsiness, SWS v., in birds, 146
  - duck-billed platypus, REM sleep in, 206–207

- dyssomnias, 108–109  
   depression and, 108  
   health risks as result of, 108  
   hypersomnolence, 108  
   idiopathic hypersomnia, 117–118  
   infections and, 118–119  
   insomnia, 50–51, 108, 110–116  
     aggressiveness and, 115–116  
     aging and, 110  
     anxiety and, 114  
     chronicity of, 110  
     definition of, 110  
     economic impact of, 110–111  
     evolutionary medicine and, 112–113, 114  
     features of, 111  
     homeostatic regulation and, as resistance to, 112, 113  
     idiopathic, 111  
     pain thresholds and, 111  
     psychiatric disorders and, as risk factor for, 111  
     REM sleep and, 115  
     short sleepers and, 112  
     sleep deprivation v., 111–112  
     stress and, 113–114  
 KLS, 118  
 narcolepsy, 116–117  
   age profiles for, 116–117  
   genetic factors for, 116  
   infection and, 119  
   REM and, 116–117  
 polysomnographic sleep  
   findings for,  
   SWS and, 118  
  
 EEG. *See*  
   electroencephalography  
 EGFR. *See* epidermal growth factor receptor  
 electroencephalography (EEG)  
   for mammalian sleep architecture, 13–15  
   for nonhuman primates, 125  
   in mouse models, for sleep, 221  
   for nonhuman primates sleep quotas, 125  
   during REM sleep, 197  
   for frogs, 202  
   for wakefulness in mammals, 181–182  
   reptiles v., 185–186  
   for wakefulness in reptiles, 182–183  
   mammals v., 182–183  
 energy conservation hypothesis, 156–157  
 epidermal growth factor receptor (EGFR), 47  
 Epworth Sleepiness Scale, 112  
 ERPs. *See* evoked response potentials  
 evoked response potentials (ERPs), 98–99  
 evolution  
   of amphibians, 201–202  
   of diurnal activity, in nonhuman primates, 131–133  
   for developmental sleep patterns, 135–136  
   for sleep duration, 134  
   of mammals, 205  
   of monotremes, 206  
   of reptiles, 202  
   of sleep in birds, 155, 161  
   humoral signaling in, 88  
   in insects, 35  
   in mammals, 155, 161  
   memory processing as, 58  
   for monophasic sleep cycles, in nonhuman primates, 133–134  
   in nonhuman primates, 127–130, 135  
   studies for, 172–173  
   in teleosts, 61  
   of wakefulness, in mammals, 187  
 evolutionary medicine  
   definition of, 107  
   new infectious disorders and, 119  
   of sleep disorders, 107–120  
   for insomnia, 112–113, 114  
  
 fishes, sleep in, 238–261. *See also* scombrids; teleosts, sleep in; zebrafish, sleep in  
   behavioral features of, 238  
   diurnal activity and, 239–241  
   light illumination and, 260–261  
   REM during, 201  
 Flanigan–Tobler criteria, for sleep, 201  
   in birds, 205  
   in reptiles, 202–203  
 forebrain development, sleep and, 2  
 frogs, REM sleep in, 202  
   EEG activity in, 202  
 fruit flies. *See Drosophila melanogaster*, sleep in  
 full polygraphic sleep, 4

## 270 Index

- GABA. *See* gamma-aminobutyric acid receptor agonists
- gamma-aminobutyric acid (GABA) receptor agonists, 48
- in zebrafish, 248–251
- genetics
- DNA structure discovery, role in, 218
  - Drosophila melanogaster* and, short-sleeping strains of, 46
  - Drosophila melanogaster* and, sleep in, 45–46
  - mouse model for, 219–232
    - expression profiling in, 224–226
    - variations' influence on, 222–224
  - narcolepsy and, 116
  - sleep and, 218–232
    - phenotypes for, 218–219
    - variations, 222–224
  - genomic imprinting, 228–230, 232
  - conflict theory and, 228
- hibernation, 8
- bears and, 8
  - through SWS, 8
- high-voltage slow waves (HVSWS), 3
- histamine receptor agonists, 252
- homeostatic regulation, for sleep, 2, 35
- in birds, 152–155
  - sleep deprivation and, 152–153
  - SWA and, 153
- insomnia and, as resistance to, 112, 113
- for intensity, 109–110
  - SWA in, 109
  - two-process model of, 109–110
  - in zebrafish, 245–247
- honeybees, sleep in, 39–42
- age as factor for, 40–41
  - antenna mobility and, 39–40
  - colony tasks as factor in, 41
  - sleep behaviors in, variations among species, 40
  - sleep derivation for, 40
- HVSWS. *See* high-voltage slow waves
- hypersomnolence, 108. *See also* narcolepsy
- hypocretins, 252–253, 261
- hypoxia, in coral reefs, 67
- sleep-swimming and, 67
- idiopathic hypersomnia, 117–118
- idiopathic insomnia, 111
- immunocompetence, duration of sleep and, 1
- infections, mammalian sleep influenced by, 28
- dyssomnias and, narcolepsy, 119
  - evolutionary medicine and, 119
- inner ear, in teleosts, 64
- insects, sleep in, 34–51. *See also* *Drosophila melanogaster*, sleep in
- in *Drosophila melanogaster*, 42–51
    - aging and, 46–47
    - electrophysiology of, 44–45
    - as evaluation model, for humans, 42–43
    - genetics and, 45–46
    - methodological considerations, in studies of, 48–49
    - neurotransmitters in, 47–48
    - short-sleeping strains of, 45–46
    - signaling pathways in, 47
    - sleep deprivation for, 43
  - early observational studies of, 37
    - behavioral factors in, 37
  - from evolutionary standpoint, 35
  - in honeybees, 39–42
    - age as factor for, 40–41
    - antenna mobility and, 39–40
    - colony tasks as factor in, 41
    - sleep behaviors in, variations among species, 40
    - sleep derivation for, 40
  - REM during, 200
  - systematic studies of, 37–39
    - mosquitos in, 38
    - moths in, 38
    - scorpions in, 38
    - of sleep deprivation, 38–39
- insomnia, 50–51, 108, 110–116
- aggressiveness and, 115–116
  - aging and, 110
  - anxiety and, 114
  - chronicity of, 110
  - definition of, 110
  - economic impact of, 110–111

- evolutionary medicine and, 112–113, 114
- features of, 111
- homeostatic regulation  
and as resistance to, 112, 113
- idiopathic, 111
- pain thresholds and, 111
- psychiatric disorders and,  
as risk factor for, 111
- REM sleep and, 115
- short sleepers and, 112
- sleep deprivation v., 111–112
- stress and, 113–114
- intensity. *See* sleep intensity
- International Classification of Sleep Disorders*, 111
- invertebrates, REM sleep in, 200
- cephalopods, 200
- Kleine–Levin syndrome (KLS), 118
- KLS. *See* Kleine–Levin syndrome
- laboratory conditions,  
mammalian sleep  
architecture under, 13–15
- data collection and, 14
- with EEG, 13–15
- genetic variations  
influence on, 222–224
- for nonhuman primates, 125
- predation in, 25
- REM and, wild animals v., 210–211
- sleep times, wild animals v., 14–15
- of teleosts, 65
- lemnthalamic system, 4, 178–179
- lemurs. *See* nonhuman primates, sleep in
- LFPs. *See* local field potentials
- local field potentials (LFPs), 44–45
- mackerels. *See* scombrids
- mammals, sleep in. *See also* marine mammals, sleep in; nonhuman primates, sleep in  
architecture of, 15–18  
duration of sleep in, 17  
infections as influence on, 28  
under laboratory conditions, 13–15  
monophasic cycles in, 18  
plasticity of, 25–28  
polyphasic cycles in, 18  
predation and, 20–23  
for primates, 125–131  
social sleeping and, 21–22  
tropic niche and, 23–24  
for blind mammals, 60  
brain size and, 157  
classification of, 205  
deprivation of, 12  
ecological constraints on, 12–29  
body mass as, 25  
direct costs of, 12  
energy requirements as, 24–25  
under laboratory conditions, 13–15  
opportunity costs of, 12  
tropic niche as, 23–24  
evolution of, 205  
full polygraphic sleep in, 4  
hibernation for, 8
- monotremes, 206–207
- negative consequences of, 174–175
- NREM in, 4, 15–18  
predation and, 22–23  
REM v., 17–18
- placental, 207–208
- primitive marsupials, 207–208
- quiescent states v., 50
- REM in, 4, 15–18, 205–210  
avian sleep v., 151–152, 153–155, 205–210  
evolution of, 155, 161  
in monotremes, 206–207  
NREM v., 17–18  
in placental mammals, 207–208  
plasticity of, 25–28  
predation and, 22–23  
in primitive marsupials, 207–208  
rest v., 173–174  
sleep rebound in, 12, 175  
SWS in, evolution of, 155
- mammals, wakefulness in, 172–190
- embryological studies of, 188–189
- evolution of, 187
- neurological signs of, 181–185  
EEG arousal patterns and, 181–182  
reptiles v., 185–186  
sleep spindles and, 184–185  
rest v. sleep in, 173–174  
sensory processing for, 177  
visual system structure in, 177–179  
collothalamic system in, 178–179

## 272 Index

- mammals, wakefulness (*cont.*)  
 lemnthalamic system  
 in, 4, 178–179  
 Sprague effect in, 181  
 telencephalic processing  
 in, 180–181
- marine mammals, sleep in,  
 2, 7  
 for cetaceans,  
 REM sleep in, 208–209  
 ecological constraints for,  
 13  
 for pinnipeds, 7  
 bihemispheric, 7  
 REM during, 209  
 unihemispheric, 7  
 REM in, 208–210  
 in cetaceans, 208–209  
 melatonin, 253, 255, 261  
 memory processing, during  
 sleep, 58  
 as evolutionary process, 58  
 for teleosts, 74–75  
 microsleeps, 112  
 models. *See* animal models, of  
 sleep  
 monkeys. *See* nonhuman  
 primates, sleep in  
 monophasic sleep cycles, 18  
 in nonhuman primates,  
 evolution of, 133–134  
 monotremes  
 evolution of, 206  
 sleep in, 206–207  
 in duck-billed platypus,  
 206–207  
 mosquitos, sleep in, 38  
 moths, sleeping postures in,  
 38  
 mouse models, for sleep,  
 221–230  
 circadian mechanisms and,  
 226–228  
 electrophysiology protocols  
 in, 221  
 genetics and, 219–232  
 expression profiling in,  
 224–226  
 variations' influence on,  
 222–224  
 genomic imprinting in,  
 228–230, 232  
 conflict theory and, 228  
 NREM and, 228–230  
 REM and, 228–230  
 high-throughput  
 technology protocols  
 in, 221–222  
 NREM in, 228–232  
 REM during, 223, 230–232  
 genomic imprinting and,  
 228–230  
 in sleep-wake studies,  
 224–225  
 wakefulness and, 224–226,  
 230–232  
 Multiple Sleep Latency Test,  
 112  
 narcolepsy, 116–117  
 age profiles for, 116–117  
 genetic factors for, 116  
 infection and, 119  
 REM and, 116–117  
 PFC development and,  
 117  
*Nature*, 218  
 neonates, REM sleep in, 199  
 neurotransmitters, for sleep,  
 47–48  
 dopamines, 47–48  
 GABA receptor agonists, 48  
 during REM, 198–199  
 serotonin, 47  
 nonhuman primates, sleep  
 in, 123–140. *See also*  
 diurnal activity, in  
 nonhuman primates  
 biological characteristics  
 and, 131–138  
 developmental pattern  
 alteration as, 135–136  
 monophasic sleep as,  
 evolution of, 133–134  
 nocturnal to diurnal  
 activity transition as,  
 131–133  
 sleep duration as,  
 evolution of, 134  
 sleep intensity as,  
 evolution of, 135  
 classification of, 123  
 clinical study history for,  
 123–124  
 future research  
 recommendations for,  
 138–140  
 sleep quotas in, 125–126,  
 131  
 with EEG, 125  
 empirical data for,  
 126–131  
 evolutionary patterns  
 for, 127–130  
 under laboratory  
 conditions, 125–126  
 NREM and, 131, 135  
 phylogenetic signals in,  
 129–130  
 REM and, 131, 135–136  
 social sleeping in,  
 136–138  
 functions of, 136–137  
 non-rapid eye movement  
 (NREM), during sleep,  
 2–3  
 HVSW in, 3  
 in mammals, 4, 15–18  
 nonhuman primates,  
 131, 135  
 predation and, 22–23  
 REM v., 17–18  
 in mouse models, 230–232  
 genomic imprinting and,  
 228–230

- as physiologic indicator of sleep, 35–36
- TNF role in, 86, 92–94
- NREM. *See* non-rapid eye movement, during sleep
- octopi. *See* cephalopods
- opportunity costs, of sleep, in mammals, 12
- Pacific beetle cockroach. *See* *Diploptera punctata*, sleep deprivation for
- paradoxical sleep, in reptiles, 203–204
- parasomnias, 108
- partial warm-bloodedness (PWB), 74
- PFC. *See* prefrontal cortex, development of
- phylogenetic signals. *See also* genetics
  - in nonhuman primates, 129–130
  - in REM sleep, 198, 199
- physiologic indices, of sleep, 3, 35–36
  - ANS and, 3
  - NREM as, 35–36
  - REM as, 36
- pinnipeds, sleep in, 7
  - bihemispheric, 7
  - REM, 209
  - unihemispheric, 7
- placental mammals, REM sleep in, 207–208
- polyphasic sleep cycles, 18
- Prader–Willi syndrome (PWS), 228
- predation, sleep architecture and, 20–23
  - by generalist predators, 23
  - under laboratory conditions, 25
- REM–NREM sleep cycles and, 22–23, 115
- risk of, as factor in sleep time, 20–21
- schooling in teleosts and, 62, 68, 69
- social sleeping and, 21–22
- by specialist predators, 23
- unihemispheric sleep in birds and, 149–150
- prefrontal cortex (PFC), development of, 117
- primates. *See* nonhuman primates, sleep in
- primitive marsupials, REM sleep in, 207–208
- psychiatric disorders, insomnia as risk factor for, 111
- PWB. *See* partial warm-bloodedness
- PWS. *See* Prader–Willi syndrome
- quiescent states, in mammals, 50. *See also* mammals, sleep in
- rapid eye movements (REM), during sleep, 2
  - in amphibians, 201–202
  - in frogs, 202
  - during avian sleep, 145, 150–152, 204–205
  - duration of, 151–152
  - evolution of, 155, 161
  - Flanigan–Tobler criteria for, 205
  - mammalian sleep v., 151–152
  - study history for, 204–205
  - thermoregulatory responses during, 150–151
- in cetaceans, 208–209
- EEG activity during, 197
- evolution of, 197–211
- in insects, 200
- insomnia and, 115
- in invertebrates, 200
  - cephalopods, 200
- in laboratory conditions v. wild animals, 210–211
- in mammals, 4, 15–18, 205–210
  - evolution of, 155, 161
  - marine, 208–210
  - in monotremes, 206–207
  - neuronal systems responsible for, 198–199
  - nonhuman primates, 131, 135–136
  - NREM v., 17–18
  - placental, 207–208
  - plasticity of, 25–28
  - predation and, 22–23, 115
  - in primitive marsupials, 207–208
- in mouse models, 223, 230–232
  - genomic imprinting and, 228–230
- narcolepsy and, 116–117
- in neonates, 199
- phylogenetic studies of, 198–199
  - limitations of, 198
  - as physiologic indicator of sleep, 36
- in pinnipeds, 209
- in reptiles, 202–204
- sleep rebound and, 199
- SOREM, 116
- in vertebrates, 200–206
- rebound effect, 3
  - in mammals, 12

## 274 Index

- Rechtschaffen, A., 174
- REM. *See* rapid eye movements, during sleep
- reptiles, sleep in
- NREM, 202–203
  - paradoxical, 203–204
  - REM, 202–204
    - evolution in, 202
    - Flanigan–Tobler criteria, 202–203
- reptiles, wakefulness in, 172–190
- neurological signs of, 181–185
- EEG arousal patterns and, 182–183
  - mammals *v.*, 185–186
- sensory processing for, 177
- visual system structure in, 177–179
- collothalamic system in, 178–179
  - lemnthalamic system in, 4, 178–179
  - Sprague effect in, 181
  - telencephalic processing in, 180–181
- rest
- in fish, 260
  - sleep *v.*, in mammals, 173–174
- restful waking, in teleosts, sleep *v.*, 64–67
- in captive fishes, 65
  - in coral reefs, 65–67
  - in free-living fishes, 64–65
- retinal structure, in teleosts, 63
- schooling, in teleosts, 67–70, 77–79
- acousticolateralis system and, 63–64
  - for blind species, 67–68
  - feeding patterns and, 70
  - formation factors for, 68
  - predators and, effectiveness against, 62, 68, 69
  - in scombrids, 73
  - vision and, 62, 67
- Science*, 218
- scombrids, 70–74
- continuous swimming of, 73–74
  - geographic distribution of, 71–72
  - migration patterns of, 72–73
  - physical characteristics of, 70–71
    - oxygen consumption and, 71
  - PWB and, 74
  - schooling in, 73
- scorpions, states of vigilance for, 38
- serotonin, 47
- short sleepers, insomnia and, 112
- signaling pathways, for sleep
- cAMP, 47
  - CREB proteins in, 47
  - in *Drosophila melanogaster*, 47
  - EFGR in, 47
- skipjacks. *See* scombrids
- sleep. *See also* aging, sleep and; insects, sleep in; mammals, sleep in; mouse models, for sleep; nonhuman primates, sleep in; non-rapid eye movement, during sleep; rapid eye movements, during sleep; sleep deprivation; sleep disorders; sleep intensity; sleep studies; teleosts, sleep in
- AD and, 231
  - animal models of, 145
    - mice as, 219–232
  - behavioral measures of, 2–3, 35
  - circadian influences on, 35
  - NREM, 2–3
  - REM, 2
  - biochemical regulation of, 91–97
    - ATP in, 95–96
    - through cerebrospinal fluids, 92
  - insomnia as resistance to, 112, 113
  - SWA in, 109
  - TNF in, 91–97
  - two-process model of, 109–110
- body mass and, 1
- comparative approach to, 1
- definition of, 2–3
- criteria for, 3, 35–36
- duration of, 107–108
- immunocompetence and, 1
- evolution of, 87–91
- humoral signaling in, 88
  - studies for, 172–173
- Flanigan–Tobler criteria for, 201
- in reptiles, 202–203
- forebrain development and, 2
- function of, 9, 57–61, 99–100, 189–190
- brain operational efficiency as, 60



- SRS role in, 100  
theories of, 100  
future research on, 8–10  
sleep expression, 9  
sleep function, 9, 57–61  
in wild animals, 9–10  
genetic studies for, 218–232  
genomic imprinting for, 228–230, 232  
hibernation and, 8  
bears and, 8  
through SWS, 8  
homeostatic regulation and, 2, 35  
in birds, 152–155  
insomnia and, as resistance to, 112, 113  
for sleep intensity, 109–110  
SWA in, 109  
two-process model of, 109–110  
intensity of, 97, 109–110  
for marine mammals, 2, 7  
for cetaceans, 7  
for pinnipeds, 7  
memory processing during, 58  
microbial influence on, 91  
monophasic cycles of, 18  
as network-emergent property, 86–100  
of whole-organism, 87  
at neuronal level, 89–91  
organization of, 97–99  
ATP role in, 99  
cortical columns' role in, 98–99  
ERPs in, 98–99  
as localized event in brain, 97–98  
origin of, 57–61  
detailed focal vision and, 59–61  
memory processing and, 58  
physiologic indices of, 3, 35–36  
ANS and, 3  
polyphasic cycles of, 18  
rebound effect with, 3  
in mammals, 12  
restful waking v., in teleosts, 64–67  
in captive fishes, 65  
in coral reefs, 65–67  
in free-living fishes, 64–65  
studies for, 172–173  
TNF and, 86–87  
in biochemical regulation of, 91–97  
NREM and, 86, 92–94  
unihemispheric, 7  
in birds, 148–150  
in cetaceans, 208–209  
sleep deprivation and, 8  
sleep deprivation  
in birds, 152–153  
REM states after, mammals v., 153–155  
in insects, 38–39  
in *Diptera punctata*, 38–39  
in *Drosophila melanogaster*, 43  
in honeybees, 40  
insomnia v., 111–112  
in mammals, 12  
microsleeps and, 112  
sleep intensity and, 109  
sleep rebound effect after, 175  
unihemispheric sleep and, 8  
sleep disorders. *See also*  
dyssomnias  
classification of, 108–109  
dyssomnias, 108–109  
depression and, 108  
health risks as result of, 108  
hypersomnolence, 108  
idiopathic hypersomnia, 117–118  
infections and, 118–119  
insomnia, 50–51, 108, 110–116  
KLS, 118  
narcolepsy, 116–117  
polysomnographic sleep findings for, SWS and, 118  
evolutionary medicine of, 107–113, 114, 120  
parasomnias, 108  
sleep duration, 107–108  
in birds, 146–147  
immunocompetence and, 1  
in nonhuman primates, evolution of, 134  
sleep expression, 9  
sleep intensity, 9, 97, 109–110  
homeostatic regulation of, 109–110  
SWA in, 109  
two-process model of, 109–110  
in nonhuman primates, evolution of, 135  
NREM and, 135  
sleep deprivation and, 109  
SWA and, 9  
sleep onset rapid eye movements (SOREM), 116

## 276 Index

- sleep quotas  
 in nonhuman primates, 125–126, 131  
 with EEG, 125  
 empirical data for, 126–131  
 evolutionary patterns  
 for, 127–130  
 under laboratory  
 conditions, 125–126  
 NREM and, 131  
 phylogenetic signals in, 129–130  
 REM and, 131  
 social sleeping as influence  
 on, 137–138
- sleep rebound  
 in mammals, 12  
 after sleep deprivation, 175  
 REM sleep and, 199
- sleep spindles, wakefulness  
 and, 184–185
- sleep studies  
 of *Drosophila melanogaster*,  
 methodological  
 considerations in, 48–49  
 with DAMS, 49  
 evolution of sleep in,  
 172–173  
 of insects, 37  
 behavioral factors in,  
 37  
 systematic, 37–39  
 of nonhuman primates,  
 123–124  
 paradigm shifts in,  
 172–173, 176
- sleepiness  
 Epworth Sleepiness Scale,  
 112  
 Multiple Sleep Latency Test  
 for, 112
- sleep-swimming, hypoxia  
 and, 67
- sleep-wake studies, in mouse  
 models, 224–225
- slow-wave activity (SWA), 9  
 during avian sleep,  
 146–150  
 brain development and,  
 157–160  
 in homeostatic regulation  
 of sleep, 109  
 in birds, 153  
 synaptic homeostasis  
 hypothesis and,  
 160–161
- slow-wave sleep (SWS), 8  
 in birds, 145, 146–150  
 drowsiness v., 146  
 energy conservation  
 hypothesis for,  
 156–157  
 evolution of, 155  
 thermoregulatory  
 responses during, 146  
 unihemispheric,  
 148–150  
 USWS, 148–149
- dyssomnias and, 118  
 in mammals, evolution of,  
 155  
 synaptic homeostasis  
 hypothesis for, 161
- social sleeping, 21–22  
 in nonhuman primates,  
 136–138  
 functions of, 136–137  
 sleep quotas influenced by,  
 137–138
- Sprague effect, 181
- squids. *See* cephalopods
- SRS, role in function of sleep,  
 100
- stress, insomnia and, 113–114
- SWA. *See* slow-wave activity
- SWS. *See* slow-wave sleep
- synaptic homeostasis  
 hypothesis  
 for SWA, 160–161  
 for SWS, 161
- telencephalic processing,  
 functional properties  
 of, 180–181  
 Sprague effect and, 181
- teleosts, sleep in, 61–80  
 acousticolateralis system  
 in, 63–64  
 activity phasing flexibility  
 for, 79  
 brain complexity among,  
 77  
 daily routine as factor in,  
 75–77  
 predation in, 76  
 defining features of, 61–62  
 evolutionary development  
 of, 61  
 eye structure in, 62–63  
 inner ear in, 64  
 memory processing for,  
 74–75  
 nocturnal species of, 66  
 origin of, 61  
 retinal structure in, 63  
 role of senses for, 62–64  
 vision, 62
- schooling for, 67–70, 77–79  
 acousticolateralis system  
 and, 63–64  
 for blind species, 67–68  
 feeding patterns and, 70  
 formation factors for, 68  
 predators and,  
 effectiveness against,  
 62, 68, 69  
 in scombrids, 73  
 vision and, 62, 67  
 scombrids, 70–74

- continuous swimming  
of, 73–74
- geographic distribution  
of, 71–72
- migration patterns of,  
72–73
- physical characteristics  
of, 70–71
- PWB and, 74
- schooling in, 73
- sleep v. restful waking in,  
64–67
- in captive fishes, 65
- in coral reefs, 65–67
- in free-living fishes,  
64–65
- sleep-swimming in, 67
- torpor. *See* hibernation
- tropic niche, sleep  
constraints as result  
of, 23–24
- tumor necrosis factor (TNF)  
in cerebrospinal fluids, 94
- sleep and, 86–87
- biochemical regulation  
of, 91–97
- NREM in, 86, 92–94
- tunas. *See* scombrids
- unihemispheric sleep, 7
- in birds, 148–150
- predation and, 149–150
- USWS in, 148–149
- in cetaceans, 208–209
- sleep deprivation and, 8
- unihemispheric slow-wave  
sleep (USWS), in birds,  
148–149
- predation and, 149–150
- prolonged flights and, 150
- USWS. *See* unihemispheric  
slow-wave sleep, in  
birds
- vertebrates, REM sleep in,  
200–206. *See also* birds,  
sleep in; fishes, sleep  
in; mammals, sleep  
in; reptiles, sleep in;  
reptiles, wakefulness  
in
- classification of, 200–201
- vision, in teleosts, 62
- for schooling, 62, 67
- wakefulness. *See also*  
mammals,  
wakefulness in;  
reptiles, wakefulness  
in
- as adaptive response, 173,  
174
- analogous traits for, across  
species, 176–177
- homologous traits for,  
across species, 176–177
- between mammals and  
reptiles, 186–187
- in mammals, 172–190
- embryological studies of,  
188–189
- in mouse models,  
224–226, 230–232
- neurological signs of,  
181–185
- rest v. sleep in, 173–174
- sensory processing in,  
177
- visual system structure  
and, 177–179
- in reptiles, 172–190
- neurological signs of,  
181–185
- sensory processing in,  
177
- visual system structure  
and, 177–179
- Williams, G. C., 189
- zebrafish, sleep in, 242–259
- aging and, 256–259
- behaviors during, 242–245
- circadian regulation in,  
247–248
- compensatory sleep and,  
246
- development cycle of,  
242
- diurnal activity of, 242
- homeostatic regulation  
during, 245–247
- light sensitivity of,  
246–247
- neurochemical  
mechanisms of,  
248–253
- histamine receptor  
agonists and, 252
- hypocretins and,  
252–253, 261
- melatonin and, 253, 255,  
261
- neuronal structures in,  
253–256