

Index

- accretion 74
 - non-equilibrium 88
- activation energy *see* chemical reaction, energy, viscosity
- activity 253
 - and chemical reaction rates 595
 - in dilute solutions 524
 - of electrolytes 546, 546–548
 - ideal 258, 259
 - relationship to configurational entropy 259, 267, 268, 273
 - and Gibbs free energy of mixing 265
 - non-ideal 277
 - relationship to composition 258
 - relationship to fugacity 423
 - as a relative quantity 254
- activity coefficient 277
 - in dilute solutions 526
 - of electrolytes 546, 562
 - Debye–Hückel theory 563–571
 - extensions to less dilute solutions 572–574
 - Maple* code 568
 - and *pH* 549
 - and solubility product 552
 - relationship to osmotic coefficient 532
 - and Henry's law constant 278, 527
 - and reaction rate constants 595
 - relationship to excess chemical potential 277
 - and trace element geochemistry 529
 - adiabat 145–148, 167, 413
 - isentropic 225
 - non-isentropic 510–512
 - potential temperature 495
 - advection *see* heat transfer
 - affinity 596, 613
 - and reaction progress 596, 614
 - albedo 71
 - and greenhouse warming 640
 - analytical concentration 527
 - of CO₂ in seawater 528
 - of Fe³⁺ in seawater 556, 557 (*figure*)
 - Anderson–Grüneisen parameter 392
 - temperature dependence 394
 - Antoine equation 329
 - asteroid
 - ohmic heating 113, 115
 - thermal gradient (across asteroid belt) 115
 - Arrhenius law 159, 609–610
 - atmosphere
 - chemical evolution 645
 - carbonate sequestration (Urey reaction) 654
 - and liquid water 648
 - effect of gravitational acceleration 652
 - oxidation state 649, 652, 654, 655
 - carbon species 654
 - difference with planet's interior 659, 664
 - effect of methane 654
 - effect of water vapor 654
 - and liquid water 649
 - sulfur species 653
 - speciation 649 (*figure*), 650 (*figure*), 651 (*figure*), 653 (*figure*), 655 (*figure*), *see also* gas effect on atmospheric pressure 649
 - collapsed 619
 - gravitational binding 616, 653, 616 (*figure*)
 - greenhouse gases 620, 631
 - mass 618
 - hydrogen loss 617, 653
 - desiccation 649, 654
 - oxidation 619, 651
 - scale height 622
 - of specific planetary bodies 623
 - steam 654
 - stratification 624
 - thermal escape 616, 618
 - Beer–Lambert law 611, 635
 - Biot–Savart law 32, 33
 - black body 71, 626, *see also* heat transfer, thermal radiation
 - radiant energy balance of 629
 - boiling curve 535
 - Boltzmann's postulate 202
 - and ideal activity 259
 - boundary layer
 - rheological 160, 158 (*figure*), 169, 171
 - thermal 135
 - in convection 157, 158 (*figure*)
 - and cooling history of the Earth 137–141
 - in magma chambers (Soret diffusion in) 591
 - Brayton cycle 192 (*figure*)

- brines
 - Martian 538
 - phase relations 313, 317, 535
- brown dwarf 65
- bulk modulus *see* modulus
- calcite saturation 553, 568
 - in the Archaean oceans 561, 562 (*figure*)
 - Maple* code 551, 568
 - in soda lakes 569
- Callisto
 - internal structure 518
- carbonate speciation
 - Maple* code 550, 568
 - in rain water 549, 551 (*figure*)
 - in seawater 553
 - in soda lakes 569, 570 (*figure*), 572 (*figure*)
- Carnot's theorem 191
- catastrophic impacts
 - thermal effect 87
- center of mass 104
- chain rule 20
- chemical diffusivity *see* diffusion
- chemical potential *see* equilibrium, Gibbs free energy, potential
- chemical potential diagrams 318
 - slopes of phase boundaries 318–319
- chemical reaction
 - activation energy 234
 - composite 600
 - parallel 601
 - branching ratio 603
 - rate laws 600
 - sequential 600, 602 (*figure*)
 - steady-state approximation 601
 - elementary 592
 - and chemical equilibrium 49
 - collision partner 593, 604, 606
 - first-order 598
 - half life 598
 - reaction time scale 598
 - molecularity 592, 594
 - Lindemann mechanism 593
 - order 593
 - pseudo-first-order 600
 - rate constant 594, 595
 - and equilibrium constant 596
 - in photochemical reactions 610, 611
 - in thermally activated reactions 609
 - rate law 594, 595
 - and equilibrium constant 596
 - first-order 598
 - second-order 599
 - entropy production by 184, 207, 221, 578, 594–597, 668, 669
 - Gibbs free energy of 230, 231, 240, 318
 - kinetics and thermodynamics 595–597
 - net rate 595
 - and approach to equilibrium 597
 - in heterogenous systems 612
 - reaction interface 612
 - reaction volume 612, 613
 - progress variable 595, 614
 - rate 50, 577, 592–611
 - chemographic diagram 302, 302 (*figure*), 304 (*figure*), 309 (*figure*)
 - and compositional degeneracy 311
 - chondrite
 - fluid composition 467
 - radioactive heating 119
 - Clapeyron equation 238
 - in open systems 319
 - Clapeyron slope 238, 243
 - of ice melting reactions 520, 538
 - of mantle melting reaction 495, 504
 - and decompression melting 499
 - in Mars 507
 - of mantle phase transitions 405
 - coconuts 501
 - C–O–H fluid speciation 460
 - during core formation in planetesimals 467, 471 (*figure*), 472 (*figure*)
 - Maple* code 469
 - during serpentinization 461, 464 (*figure*)
 - Maple* code 462
 - collapsed atmosphere 346
 - collision 21
 - elastic 11, 57
 - inelastic , 76, 86, 88 (*figure*), molecular 592–594, 609
 - components *see* phase component, system component
 - compositional degeneracy 311
 - compressibility 41
 - adiabatic 225
 - at a critical point 432, 438
 - factor (of gases) 429
 - critical 440, 445
 - isothermal 224, 310
 - of fluids 310
 - of gases 237 (*figure*), 238
 - of minerals 395–398
 - at a phase transition 237
 - critical 371
 - consolute point *see* *critical mixing point*
 - constitutive relation 583, 126, *see also* heat transfer
 - constraints (thermodynamic) 210
 - contraction 74
 - equilibrium 94
 - of gas giants 474
 - convection 33, 123, *see also* Earth, heat transfer, ice, Mars, Venus
 - atmospheric 195, 196 (*figure*), 633
 - as a heat engine 141–145,
 - as a heat transfer mechanism 150, 153–157

- convection (*cont.*)
 - in icy satellites 519
 - in Jabba the Hutt 666
 - in Mars 178
 - moving plate 158 (*figure*), 160, 161, 165–169, 171
 - parametrization of 153, 165–178
 - stagnant lid 158 (*figure*), 160, 169–173
 - thermodynamic efficiency of 189
 - in planetary interiors 193, 194 (*figure*)
 - in the terrestrial mantle 138
 - Archaean 166
 - heat transfer efficiency of 161
 - in Venus 175
 - convex function 220
 - coordinate change 219
 - core formation 96
 - corresponding states 440
 - critical mixing point 352, 350 (*figure*), 353 (*figure*),
 - see also* solvus, temperature
 - analogy with critical point of a fluid 435
 - behavior 352
 - calculation 355, 357 (*figure*)
 - and dilute aqueous solutions 522
 - metastable 357
 - cryoscopic constant 533
 - crystallographic sites
 - multiplicity 260
 - ordering 268, 362, 363, 368 (*figure*)
 - Debye–Hückel theory 563, *see also* activity
 - coefficient, dielectric constant, electrolyte, permittivity
 - a posteriori* justification 564
 - distance of maximum approach 565
 - full equation 565
 - limiting law (at very low concentrations) 564
 - degrees of freedom 57, 59, 61
 - in gases 62
 - in melts 478
 - in the phase rule 289, 290, 295, 296, 334, 483
 - at a critical point 353
 - under externally controlled intensive variables 315
 - in multicomponent fluids 467
 - in solids 209, 408
 - in systems of equations 256, 288
 - density 64
 - atmospheric 618, 645
 - critical 440 (*table*)
 - Earth's mantle 401, 410
 - energy (solar power) 629
 - giant planet interiors 473
 - icy satellite interiors 518, 520
 - in magma segregation processes 511
 - number (Beer–Lambert law) 611, 636
 - particle 65
 - in terrestrial atmosphere 605
 - in phase equilibrium 238
 - Pitzer–Stern EOS 446
 - in planetary assembly processes 74, 76
 - in planetary contraction 89, 93
 - in planetary convection 143, 154
 - in planetary differentiation 96
 - of subcritical fluids 431, 438
 - of supercritical fluids 428, 438, 448, 450 (*figure*)
 - description
 - macroscopic 55, 26, 125, 196, 202, 275, 349, 373, 387, 388–401, 407, 543, 593, 610, 625, 634–635, 668
 - microscopic 55, 26, 127, 196–205, 265, 275, 362, 373, 387, 477, 482, 540, 563, 594, 636, 669
 - diapir 509
 - heat transfer efficiency of 510
 - dielectric constant 541
 - in Debye–Hückel theory 564, 565
 - effect on ionic dissociation 544, 545
 - at molecular lengthscales 544
 - variation with temperature 542
 - of water 542
 - dielectric strength 29, 541
 - difference operator 239
 - differential equation 129–133
 - Maple* solver 600
 - differentiation (planetary) 74
 - of planetesimals (fluid distribution) 471
 - in Saturn 102
 - thermal effect of core formation 99
 - diffusion
 - chemical 581–588, *see also* Arrhenius law, Soret diffusion
 - binary *see* interdiffusion
 - diffusion coefficient 583
 - diffusivity *see* coefficient
 - eddy diffusivity 586
 - Fick's first law 583
 - Fick's second law 584
 - in heterogeneous systems 612, 614
 - interdiffusion 586
 - coefficient 588
 - and tracer diffusion 587, 588
 - and metamorphic recrystallization 586
 - phenomenological relationship 582, 587, 588
 - tracer 581
 - and entropy generation 210, 226, 578, 580
 - equation 129
 - of heat *see* heat transfer
 - of momentum 125, *see also* Arrhenius law
 - thermal 590
 - and chemical diffusion 591
 - diffusion–advection equation 148
 - dimension 6
 - dimensional analysis 6
 - disproportionation reaction 428
 - dissipation factor 106

- Dufour effect 579, 590, 592
- Dulong and Petit's law 63, 390
- Earth
 - accretionary heating 82, 88
 - age estimate by Kelvin 138
 - significance for mantle convection 141, 150, 161
- Archaean
 - atmosphere 323, 556, 649
 - and origin of life 661, 663
 - magmas 504
 - molecular oxygen 661
 - seawater 560
 - asthenosphere 135, 159
 - fluid densities in 450
 - banded iron formations 323, 554–561, 661, *see also* iron solubility
 - bulk composition 118
 - continental crust 308
 - melting 494
 - subduction 398
 - volatile densities in 448, 450 (*figure*)
 - convergent plate margins
 - melting at 516
 - core–mantle boundary 142
 - thermal pressure 413
 - zero-temperature pressure 412
 - density of fluids
 - along continental geotherm 449
 - in the upper mantle 449
 - differentiation 99
 - glacial periods (late Proterozoic) 641
 - global warming 528
 - Hadean
 - atmosphere 663
 - thermal conditions of Earth–Moon system 111
 - heat flow 78
 - ice-free (Mesozoic) 640
 - komatiites 167, 507
 - mantle
 - lower 401
 - transition zone 401
 - fluids 449
 - upper 401
 - fluids 442, 450 (*figure*)
 - melting 499, 504, 511, 516
 - thermal pressure in 413
 - mantle convection
 - adiabatic gradient 147
 - during the Archaean 167
 - Nusselt number 161
 - Péclet number 150
 - Rayleigh number 157
 - mantle phase transitions
 - plagioclase–spinel 241
 - ringwoodite–perovskite 401, 415, 403 (*figure*), 417 (*figure*)
- binary P – X_{Mg} loop 418 (*figure*)
- Maple* code 403, 416
- spinel–garnet 241, 256, 268, 283, 291, 396
 - Maple* code 242, 270, 284
- mantle plumes 138, 174
 - melting at 507
 - mantle upwelling 506
- mid-ocean ridge basalt (MORB) 504
- mid-ocean ridges 142, 243, 271, *see also* melting
 - Iherzolite melting 243, 271, 484, 496
 - mantle upwelling 496
- oceanic island basalt (OIB) 504
- oceanic lithosphere 135, 145, 153 (*figure*)
 - evolution after the end of plate tectonics 171
 - as thermal boundary layer 157
 - thermal erosion of 496
- ozone 603
 - Chapman cycle 603, 633
 - destruction by catalytic cycles 606, 607, 608 (*figure*)
 - partial pressure 605
- radioactive heating 118
- seawater
 - concentration of dissolved gases 528
 - secular cooling 118, 139, 171
 - subduction zones 142, 160, 171
 - limestones 313
 - melting at 494
 - tidal heating 111
 - tropical atmospheric circulation 195
- ebullioscopic constant 533
- electric current density 114
- electromagnetic radiation *see* thermal radiation
- electrolyte 522, *see also* activity, activity coefficient, entropy, field, heat capacity, hydrogen ion, potential, standard state
- Debye–Hückel theory 563, *see also* activity coefficient
 - validity of 566, 566 (*figure*)
- dissociation 540, 543
 - Born's equation 544
- electrical neutrality 545
- Guggenheim model 573
- Helgeson model 574
- ion activity product 571
- ionic strength 564
- mean ionic activity coefficient 546
- mean ionic molality 546
- and neutral species (different behavior) 562, 563 (*figure*)
- Pitzer model 573
- principle of specific ion interactions 573
- solubility product 552
- strong 544
 - bulk aqueous electrolyte 547
 - activity 548

- electrolyte (*cont.*)
 - weak 544
 - activity 547
 - dissociation constant 547
 - electron degeneracy 66, 473
 - emissivity 71, 626, 632, *see also* heat transfer, radiation
 - Enceladus
 - internal structure 519, 519
 - tidal heating 111
 - energy 4
 - activation 159, 167, 234, 609
 - balance in atmosphere 637 (*figure*)
 - binding
 - gravitational 75–78, 79, 89, 93, 473
 - per unit mass 77, 77 (*figure*), 87
 - nuclear 70
 - dissipation of 116–120
 - conservation 4
 - in a convecting fluid 162
 - conversion 123, 141, 193
 - dissipation 13, 47
 - in an adiabatic system 509
 - and entropy generation 186–189, 510
 - by inelastic deformation 510
 - by melt separation 511
 - elastic 106, 25, 107, 399
 - electrical
 - dissipation of 112–116
 - electromagnetic 71, 625
 - electronic 55, 632
 - electrostatic 30, 55
 - equipartition of 57, 60
 - Fermi 66
 - flux 71, 625
 - Gibbs 223, *see also* Gibbs free energy
 - Helmholtz 223, *see also* Helmholtz free energy
 - gravitational 7, 76, 122
 - dissipation of 73
 - by accretion 74, 78–88
 - Maple* code 80
 - by contraction 74, 89–96
 - by differentiation 74, 96–103
 - in fluid planets 102
 - by tides 74, 103–112, 110 (*figure*)
 - of gas molecules 616
 - internal 23, 36, 55, 56, 57, 79, 89, 94, 182, 625
 - at constant entropy 213
 - and entropy 184, 213
 - in fluid planet interiors 473
 - ideal gas
 - monatomic 59
 - polyatomic 60
 - in a thermodynamic cycle 144
 - as a thermodynamic potential 216–217, 218, 219
 - ionization 64
 - kinetic 10, 85
 - in First Law of Thermodynamics 86
 - lattice 30, 31, 75, 405
 - minimum
 - principle 213–215
 - nuclear 55
 - mechanical 6
 - in metabolic processes 657–660, 662
 - for extraterrestrial life 665
 - of photons 632
 - of position 405
 - quantum 66
 - radiant 625, 627–632
 - rotational 55, 60, 632
 - strain 473
 - thermal 35, 64, 66, 79, 540
 - thermalized 71, 639
 - translational 45, 55, 56, 608, 616
 - vibrational 55, 61, 63, 202, 205, 209, 405, 632
 - and melting 478
 - and thermal pressure 407, 413
 - zero temperature 473
 - enthalpy 40
 - in adiabatic path 146
 - change by heat advection 149
 - change by heat diffusion 128
 - of crystallization 46
 - of dissolution 527, 534
 - excess 276
 - and First Law of Thermodynamics 186
 - of formation 50
 - standard state 51
 - reference state 208, 231
 - of fusion *see enthalpy of melting*
 - in Landau theory 379
 - in mantle convection cycle 193
 - of melting 336 (*figure*), 480
 - effect on magma eruption temperature 495 (*figure*), 497
 - in fluid-fluxed melting 512 (*figure*), 514
 - effect on melting point depression 340, 341 (*figure*)
 - and entropy of melting 185
 - of rocky materials 99
 - of solvent 532
 - of mixing 258
 - of ordering 363–365
 - in origin of life 669
 - partial molar 252
 - in Onsager reciprocal terms 589
 - of phase transitions 208, 237, 326, 327, 335, 349, 354, 362, 434
 - of reaction 43, 45
 - as thermodynamic potential 222
 - of vaporization 42
 - of solvent 533
 - of volatile species 422
 - entropy 24, 184

- absolute scale for 207
 - at absolute zero 206–207
 - of aqueous electrolyte 547
 - and Boltzmann's postulate 202
 - change between equilibrium states 186
 - configurational 202, 203, 258, 363
 - and ideal activity 259–261, 266–273
 - in non-ideal solutions 275
 - and disorder 205
 - and energy minimum principle 213, 215–215
 - and enthalpy
 - excess 276
 - external 578
 - of formation 240
 - generation
 - in adiabatic expansion 146
 - in Carnot cycle 194
 - in chemical diffusion 581
 - by chemical reactions 597
 - and energy dissipation 186
 - in free expansion of a gas 188
 - and heat transfer 188, 580
 - internal and external components 577
 - in mantle upwelling 509–512
 - during mixing of gases 200
 - and thermodynamic efficiency 190
 - and Gibbs free energy (Legendre transform of) 223
 - and Gibbs free energy surface 226
 - and Helmholtz free energy (Legendre transform of) 223
 - and information content 205
 - internal 578
 - and Landau parameters 379
 - and life 668–669
 - of lattice disorder 479
 - mathematical properties 184
 - maximum principle 209
 - and Maxwell demons 202
 - microscopic interpretation 197–203
 - of melting 185, 238, 479, 500
 - and melting point depression 482
 - microscopic view 478, 479, 480 (*figure*)
 - of mixing 200, 202, 258
 - and configurational entropy of end members 273
 - of ideal solution 259
 - as natural variable of enthalpy 222
 - as natural variable of internal energy 219
 - of ordering 375, 376 (*figure*)
 - partial molar 252
 - in Soret diffusion 589
 - of phase transitions 208, 238, 243, 326, 354, 367
 - in planetary adiabats 225
 - postulate 184
 - production rate 578
 - minimum principle 580
 - per unit volume 578, 580
 - reference state 231
- Third Law 231
 - of the universe 184
 - vibrational 205
 - of volatile species 422
 - environment (in the thermodynamic sense) 2, 164, 188, 315–318, 318, 474, 510, 578, 612, 629, 645, 657, 669
 - equation of state 20, 55, 64, 94, 147, 232, 386
 - Brodholt–Wood 447
 - Maple* code 452
 - calculation of fugacities in mixed fluids 454
 - Redlich–Kwong 455, 465, 470
 - Maple* code 457
 - mixing rules 456
 - calculation of standard state fugacity 422, 451
 - Maple* code 451
 - cubic 442
 - fluid planet interiors 473
 - ideal gas 21, 58, 148, 200
 - atmospheric density 622
 - in calculation of Gibbs free energy 233
 - isothermal 387
 - from interatomic potentials 406
 - Murnaghan 388, 389
 - Holland and Powell parameters 396
 - Maple* code 395, 404
 - Birch–Murnaghan
 - Maple* code 410, 404
 - second-order 401
 - third-order 400
 - mantle transition zone conditions 404
 - Born–Mie 407
 - Maple* code 410, 404
 - terrestrial mantle pressure 410
 - Mie 406
 - Kerrick–Jacobs 446
 - Maple* code 451
 - Pitzer–Sterner 446
 - Maple* code 451
 - pressure explicit 387
 - for real gases 429
 - comparative behavior 444 (*figure*), 448 (*figure*)
 - Redlich–Kwong 444
 - Maple* code 451
 - possible validity range in planetary interiors 448
 - for solids 386
 - universal 440
 - van der Waals 428, 443
 - dimensionless form 432, 437
 - Maple* code 451
 - virial 443
 - volume-explicit 387
 - water–ammonia mixtures 520
 - equilibrium 2, 181, 184
 - atmospheric composition 427, 603, 646, 652
 - Maple* code 647

equilibrium (*cont.*)
 oxygen concentration 656
 chemical 209, 229
 heterogeneous 235, 239
 calculation of 239–241
Maple code 242, 404
 uncertainties in 243
 identity of chemical potentials 247
 homogeneous 288, *see also* Gibbs–Duhem
 equation
 metastable 298, 298 (*figure*)
 in compositionally degenerate systems 311
 in a multicomponent gas phase 261, 459–471
Maple code 265, 462, 469
 in open systems 315–325
 in phases of variable composition 247
 stable 298, 298 (*figure*)
 constant 255–257
 for ionic dissociation 547
 of water 549
 at constant entropy 213
 at constant pressure and temperature 234
 at discontinuous phase transitions 326–347
 displacement towards 578, 592, 597
 fugacity 454
 hydrostatic 89, 93, 95, 147, 409, 473, 511, 622
 in isolated system 210, 184, 213
 interatomic distance 405, 477, 609
 internal 578
 isotopic 116
 linear approach to 579
 liquid–vapor 428–440
 local 578
 macrostate 198, 201
 phase *see* phase equilibrium
 and Second Law of Thermodynamics 212
 temperature
 of planetary surface 71, 629, 638
 thermal 182, 187, 212, 214
 thermalized energy flux 72
 thermodynamic 214
 at constant pressure and entropy 222
 at constant pressure and temperature 223, 226
 at constant temperature and volume 435
 in fluid planet interiors 474
 in a gravitational field 620–624
 and life 645, 659, 668
 minimization of thermodynamic potential 216,
 220
 and order parameter 369
 volume 406, 436, 437
 equipotential surface 9, 216
 error function 133
 eruption 46, 586, 640
 cryolavas 344
 pyroclastic 46

temperature 494, 495 (*figure*), 497, 505 (*figure*),
 507
 ultramafic lavas 167
 escape velocity 86
 and atmospheric loss 617
 Europa
 internal structure 518, 519
 life 668
 tidal heating 111
 volatile retention 619
 evaporites 305, 425
 analogy with igneous phase relations 309
 and atmospheric humidity 317, 426 (*figure*)
 evolution (biological) 205, 668
 excess thermodynamic functions 275, *see also* activity
 coefficient, enthalpy, entropy, Gibbs free energy,
 potential, solution, volume
 as relative quantities 282
 pitfalls 283, 283 (*figure*)
 Margules parameters 279
 polynomial expansion 279–281
 exsolution *see* solvus
 fault 47, 152, 160
 heating at 49
 feldspars
 exsolution 358 (*figure*)
 order-disorder 203, 271
 field 5
 gravitational 7
 chemical equilibrium in 581, 620–624
 and magmatic ascent 123
 and planetary differentiation 96
 electric 28
 in electrolyte dissociation 541, 543
 magnetic 32
 interplanetary 112
 planetary 33, 194
 and planetary heating 112–116
 temperature
 and heat diffusion 129
 fluid
 condensed 64, 428
 equations of state 442–450
 in giant planets 473
 momentum transfer in 125
 non-condensed 64, 66, 428
 planetary mantles as 141, 154–157, 166, 171
 in rock melting 512–517, 512 (*figure*)
Maple code 515
 supercritical 64, 353, 428, 430–440, 436 (*figure*),
 440 (*table*)
 in thermodynamic cycles 192
 van der Waals 430
 volatile 420
 force 5
 buoyancy 143, 154

- electrostatic 27, 541, 565
- frictional 47, 105
- gravitational 7, 75, 103, 620
 - inside a body 98
- interatomic 405, 540, 543
- intermolecular 428, 445
- Lorentz 32, 113
- magnetic 32
- thermodynamic 578, 580
- in thermodynamic potential 672
- tidal 104–110
- viscous 126, 155, 164
- Fourier's law 124
- freezing curve 535
- freezing point depression equation 327, 533, *see also* melting point depression equation
- fugacity 265, 421
 - of CO₂
 - effect on composition of soda lakes 568, 572 (*figure*)
 - Maple* code 568
 - effect on iron solubility in seawater 560
 - effect on pH surface waters 551
 - in the Archaean atmosphere 560
 - in a gravitational field 623
 - and Henry's law constant for gas solubility 526
 - ideal gas limit 421, 451
 - in mixed fluids 454
 - calculation 455, 458 (*figure*)
 - Maple* code 457
 - as a representation of chemical potential 422
 - standard state 421
 - calculation 422, 450–454, 453 (*figure*)
 - Maple* code 451
- of oxygen 426
 - buffered by atmospheric methane 654
 - buffered by graphite 471 (*figure*)
 - buffered by iron oxidation reactions 426, 427 (*figure*)
 - effect of pressure 428, 427 (*figure*)
 - in planetary atmospheres 655
 - effect on iron solubility in seawater 555–561, 649, 557 (*figure*), 559 (*figure*)
 - and carbonate precipitation 560
- effect on serpentinization reactions 463, 464 (*figure*)
 - methane production 464
- of graphite-saturated fluids 470, 471 (*figure*)
- in the Hadean atmosphere 648–656, 649 (*figure*), 650 (*figure*)
- in the Martian atmosphere 656
- in the terrestrial atmosphere (present day) 427, 554, 656
- of H₂O
 - at dehydration reactions 423, 424 (*figure*)
 - in evaporite formation 425, 426 (*figure*)
 - during serpentinization reactions 423, 464 (*figure*)
 - and hydration of peridotites 423, 424 (*figure*)
- fugacity coefficient 421
 - in mixed fluids 457, 454, 462
 - Maple* code 463
 - standard state 421, 453
- Ganymede
 - cryomagmas 345, 520
 - internal structure 518, 519
 - tidal heating 111
- gas
 - aqueous solution 526
 - atmospheric speciation 645
 - Maple* code 647
 - equilibrium with condensed phases 328–330, 342, 346
 - gravitational stratification 624
 - gravitationally bound to planets 617
 - ideal 25, 40, 47, 55, 65
 - activity–composition relationship 261
 - expansion 188
 - Gibbs free energy 233, 235, 238, 420
 - Maple* code 234
 - gravitational self-compression 94
 - microstate 197
 - mixing 199
 - Maxwell's demons 202
 - monatomic 55
 - planetary atmospheres 148
 - pressure 57
 - speciation 257, 264
 - Maple* code 265
 - interaction with electromagnetic energy 632–633
 - real, 62, 66
 - chemical potential 421–422
 - equations of state 428–430, 440–450
 - Maple* code 451
 - speciation 459–471
 - Maple* code 462, 469
 - simple 440
 - and Redlich–Kwong equation of state 445
 - gas giants
 - convection 194
 - heat sources 96, 78
 - geobarometry 256
 - geothermometry 256
 - geoid 9, 123
 - Gibbs–Duhem equation 288, 295
 - in dilute solutions 530
 - equivalent systems of equations 291
 - in a gravitational field 621
 - homogeneous system of equations 292
 - and phase rule 289
 - and phenomenological coefficients 587

- Gibbs free energy 223, *see also* chemical reaction, energy, entropy, heat capacity, pressure, temperature, thermal expansion, thermodynamic potential
 calculation 230, 395
Maple code 234, 395
 of charging 543
 of dissolution 534, 526
 in equations of state for solids 389
 of formation 231, 240
 in a gravitational field 620
 of ionic dissociation 544, 547
 of melting 254
 minimization (in calculation of fluid speciation)
 465–470, 646
Maple code 469, 647
 of mixing 265
 derivatives of 352
 excess 275, 280
 and critical phase transitions 349, 350 (*figure*), 355, 356, 357 (*figure*)
 in dilute solutions 525
 and osmotic coefficient 531
 ideal 266 (*figure*), 266, 275
 and exsolution 349
 of ordering 363, 367, 368 (*figure*), 376 (*figure*)
 as Landau potential 373, 373, 376, 373
 Maple code 383
 partial molar 252
 of reaction 240, 241, 230
 calculation 241, 231
 and equilibrium constant 255
Maple code 242, 383, 395, 404
 and phase boundaries 236
 surface 226 (*figure*), 235–238, 244, 270 (*figure*)
 Gibbs' phase rule *see* phase rule
 graphite saturation boundary 469, 471 (*figure*)
Maple code 469
 gravitational acceleration 7, 8
 and atmospheric escape 618, 623
 and atmospheric speciation 651
 and atmospheric stratification 624
 inside a body 92
 and thermal pressure 415
 and thermodynamic efficiency of planetary convection 193
 and tidal forces 104, 107
 gravitational binding energy *see* energy
 gravitational constant 7
 gravitational heating 75
 gravitational potential *see* potential
 greenhouse warming 637, 640 (*figure*), 641 (*figure*),
 see also albedo, atmosphere, equilibrium temperature, heat transfer, thermalized sunlight, toy model
 Grüneisen parameter *see* Grüneisen ratio
 Grüneisen ratio 225, 407, 408, 473
- harmonic oscillator 62
 heat 35
 engines 141, 145
 Carnot's cycle 192, 192 (*figure*)
 thermodynamic efficiency of 190
 in planetary convection 194 (*figure*)
 generation by gravitational dissipation 73–103
 generation by ohmic heating 112–115
 generation by radioactive decay 116–120, 118
 figure, 119 (*figure*), 117 (*table*)
 and diffusive cooling of the Earth 140
 generation by tidal dissipation 105–112,
 figure
Maple code 80
 latent 40, 42, 349
 at critical phase transitions 355
 at discontinuous phase transitions 362
 sensible 39
 of transport 589
 heat advection *see* heat transfer
 heat capacity 35, 41
 at constant pressure 38, 40
 and derivatives of Gibbs free energy 224
 ideal gas 62
 at constant volume 36
 and derivatives of Helmholtz free energy 225
 ideal gas
 diatomic 60
 monatomic 59
 polyatomic 60
 and Debye temperature 390, 64, 390 (*figure*)
 of electrolytes 525, 547, 550
 function 43
 in calculation of Gibbs free energy 232
Maple code 234
 in calculation of fluid equilibria 422
Maple code 463, 469
 in calculation of Gibbs free energy of reaction 240, 242
Maple code 242, 395
 for high-pressure phases 402
Maple code 403
 Shomate 43
 low-temperature behavior 207
 molar 53
 of ordering 375
 at phase transitions 208, 237, 374 (*figure*), 376
 figure
 critical 371, 375, 432
 lambda 377, 379
 of solids 63
 specific 38
 of silicate minerals 87
 and Third Law of Thermodynamics 206, 209
 figure
 heat conduction *see* heat diffusion

- heat conductivity 579, *see also* thermal conductivity
- heat diffusion *see* heat transfer
- heat diffusivity 129
 - dimension of 133
 - of rocks 135
- heat flow 35
 - at constant energy vs. constant entropy 215
 - and entropy generation 181–183, 200, 203, 578, 580–580
 - rate 50
 - planetary 71–73, 73 (*table*), 73 (*figure*), 77 (*figure*), 138
 - reduced 589
 - as a thermodynamic flow 578, 579
- heat flux 71, *see also* heat flow
- heat transfer
 - advection 127, 141, 148–153
 - advection–diffusion equation 149
 - and metamorphic field gradients 151
 - velocity scale for *see* Péclet number
 - convection 142, 153–178
 - criterion for *see* Rayleigh number
 - dimensionless heat flux *see* Nusselt number
 - driving force for 160
 - efficiency *see* Nusselt number
 - of Earth’s mantle 161
 - Mars 177 (*figure*), 178
 - with moving plates 160, 165–166, 168 (*figure*)
 - with a stagnant lid 160, 169–171, 170 (*figure*), 172 (*figure*)
 - superadiabatic thermal gradient in 155
 - terrestrial atmosphere 196
 - thermal boundary layer 157, 158 (*figure*)
 - thermodynamic efficiency 193
 - Venus 175, 176 (*figure*)
- diffusion 125, 126–141
 - boundary layer 135, 140
 - constitutive relation 125
 - cooling of planetary bodies by 137–141
 - diffusion equation 129, 584
 - Fourier’s law 124, 583
 - length 135
 - reciprocal relationship with chemical diffusion 589–592
 - time 135
- in the kinetics of heterogeneous equilibrium 612, 613, 614
- radiation 127, 625–632
 - and greenhouse warming 637–643
- Helmholtz free energy 223, *see also* energy, entropy, heat capacity, temperature, *thermodynamic potential*
- in Birch–Murnaghan equation of state 399
- in calculation of standard state fugacity 452
- and critical point of a fluid 432
- as elastic free energy 399
- in equation of state for fluids 442
- Pitzer–Sterner equation 446
- and liquid–vapor equilibrium 435
- non-dimensional 435
- residual (in a real gas) 442
 - in Pitzer–Sterner EOS 446
 - in virial EOS 442
- Henry’s law 278
 - constant 278, *see also* activity coefficient, fugacity for gases 526
 - and volatility 527
 - relationship to Margules parameters 280
 - and trace element geochemistry 484
 - and chemical diffusivity 583
- hydrogen
 - in the early terrestrial atmosphere 649
 - escape from planetary atmospheres 58, 617, 619, 624, 651, 653, 654, 656
 - in graphite-saturated fluids 467
- ion
 - chemical potential of 322
 - reference state for electrolytes 548
 - concentration (*pH*) 549
- oxidation as a metabolic process 662–668
- pressure ionization 101, 355, 387
- ice
 - carbon monoxide
 - phenocrysts in cryolavas 344, 345 (*figure*)
 - Triton surface 346, 346 (*figure*)
 - giant planets 66
 - on Mars 313
 - at equilibrium with perchlorate brines 539 (*figure*), 538
 - methane
 - phenocrysts in cryolavas 344, 345 (*figure*)
 - nitrogen
 - Triton surface 346, 346 (*figure*)
- planetary bodies 52
 - accretion of 87, 88 (*figure*)
 - convection in 519
 - cryomagmatism 520
 - internal structure of 519
 - tidal heating of 111, 110 (*figure*)
- on Titan 336
- water
 - effect on atmospheric oxidation state and metabolic pathways 664
 - effect on atmospheric hydrogen loss 619, 654
- effect on planetary albedo 640
 - at equilibrium with brines 535–540, 536 (*figure*)
- phase diagram 518, 518 (*figure*)
- polymorphs 518
- igneous petrology 477, 482
- inner product 5, 578
- Io
 - heat flow 72, 78
 - mantle pressure 415

- Io (*cont.*)
 - tidal heating 106, 110
 - ionic atmosphere 563, 565
 - ionization
 - pressure 66
 - of hydrogen 101
 - thermal 65
 - ionization product (of water) 549
 - iron solubility (in seawater) 554, 557 (*figure*), 559 (*figure*), 562 (*figure*)
 - in the Archaean 560, *see also* Earth, banded iron formations
 - controlled by hematite 556
 - controlled by magnetite 558
 - controlled by siderite 560
 - constraints on Archaean atmospheric composition 561, 562 (*figure*)
 - effect of *pH* 560
 - and oxidation conditions 560
 - speciation of ferric species 555
 - speciation of ferrous species 556
 - irradiance 625, 71
 - isentrope 146, 187 *see also* adiabat
 - isotopic decay (heat generated by) 13
 - Jupiter
 - heat flow 78
 - Kelvin–Helmholtz cooling 95
 - kinetic theory of gases 55
 - Lagrange multipliers 466
 - Landau theory 372, *see also* enthalpy, entropy, Gibbs free energy, order parameter, phase transition, potential, pressure, temperature, volume.
 - lapse rate 147
 - lattice
 - disorder 479, 500
 - points 477, 480
 - Legendre transform 219, 219 (*figure*)
 - life *see also* Earth, entropy, Europa, Mars, metabolism, methanogenesis
 - carbon-fixing reactions 657, 661, 662, 663
 - carbon oxidations state in organic matter 657, 658
 - Gibbs free energy change of 657
 - not based on carbon (unlikelihood of) 665
 - not based on chemical potential gradients (unlikelihood of) 666
 - and entropy production 669
 - in icy satellites 668
 - on Mars 667
 - multiple biogenesis 660, 668
 - origin 660, 663
 - CO_2 as the oxidizer 661
 - extraterrestrial supply of reduced carbon 665
 - reduced atmosphere 664, 668
- thermodynamic arguments 664, 669
- properties 645
- respiration reactions 659, 657, 658
 - activation energy 658
 - ferric iron (on Mars) 667
 - hydrogen 662
 - methanogenesis 662, 663
 - primordial 661
 - in a reduced atmosphere 667
 - silicate weathering 659
 - under strongly reducing conditions 668
- limestone *see* calcite saturation
- liquidus 334
 - and eruption temperatures 494
 - undercooling and crystallization 614
- macroscopic aggregate 265, 275
- macrostate 197
 - equilibrium 201, 202
- Madelung constant 31
- magma 477
 - chemical diffusion 584, 585 (*figure*)
 - and crystal size 615
 - differentiation 484
 - eruption temperature 497, 506, 509
 - generation 481, 484
 - by decompression melting 496
 - effect of trace volatiles 491
 - as a localized thermal event 494
 - by fluid influx 512, 516
 - icy 518, 520, 574
 - Soret diffusion 591
- magma ascent 123, 123 (*figure*), 345
- magma superheat 494
- Mahler, Gustav 620
- Maple 42
 - array 45
 - command 44
 - export data 44
 - package 43
 - procedure 42
 - spreadsheet 44
 - table 44, 45
 - worksheet 44
- see also entries under specific applications
- Mars
 - atmospheric evolution 654
 - photodissociation of H_2O 620
 - atmospheric methane 461
 - and serpentinization of mafic rocks 465
 - atmospheric oxidation conditions 656
 - atmospheric scale height 623
 - atmospheric stability 618, 652
 - bogus microbes 461, 667
 - core–mantle boundary 417
 - thermal pressure 415
 - zero-temperature pressure 415

- differentiation of 99, 101
- hematite 325
- hot spots 509
- internal heat source 78
- life 667
- lithosphere 178, 507
 - thermal erosion of 509
- magma provinces 509
- volcano-tectonic bulges 510
- magnetic field 33
- mantle convection 160, 174, 177 (*figure*)
 - thermodynamic efficiency of 194
- mantle heat flux 139
- mantle melting 507, 508 (*figure*)
- mantle phase transitions 401, 418, 417 (*figure*)
- mantle plumes 510
 - melting at 508 (*figure*)
- mantle pressures 415
- perchlorate solutions 538
- surface conditions 314, 325, 465, 538
 - stability of aqueous solutions 540
- material property 17, 38, 41, 672
 - in Arrhenius law 159
 - in constitutive relations for diffusion 124
 - as second derivatives of thermodynamic potentials 224
 - macroscopic 26, 36
 - molar 38
 - specific 38
 - at zero pressure 411
- Maxwell demons 202
- Maxwell's principle of equipartition of energy *see also* energy
- Maxwell relations 225, 479, 672, 673
- Maxwell–Boltzmann distribution 17 (*figure*), 56, 58
- mean field theory 373
- melt
 - chemical diffusivity 584
 - and crystal growth 614
 - definition 64, 420, 477
 - effect on tidal heating 111
 - Soret diffusion 591
 - trace element contents 484–486, *see also* Nernst's distribution law
- melting
 - of alkali halides 480
 - binary loop 336 (*figure*)
 - Fe–Ni alloys 335
 - olivine 335
 - effect of trace water concentrations 490, 491
 - carbonatites 312
 - congruent 310
 - cotectic 483
 - definition 477–481
 - as loss of long-range order 478, 480 (*figure*)
 - Lennard–Jones and Devonshire theory 478
 - effect of trace components 484–492, 488 (*figure*), 489 (*figure*)
 - partition coefficient 485
 - effect of volatiles 489–492, 492, 492 (*figure*), 492 (*figure*), *see also* melting by volatile influx in multicomponent systems 492
 - nature of sub-solidus host 490
 - solubility in silicate melts and melting relations 490
 - eutectic 339, 341 (*figure*)
 - in aqueous solutions 536
 - effect of enthalpy of melting 342
 - ice assemblages 344, 345 (*figure*)
 - Maple* code 339
 - Martian brines 538, 539 (*figure*)
 - in multicomponent systems 483
 - significance in planetary magmatism 482
 - heat sources 494
 - hydrates 308–310, 309 (*figure*)
 - dehydration-melting 310, 491 (*figure*)
 - vapor-saturated 310
 - in icy satellites 517, 520
 - incongruent 310, 484
 - of metals 479
 - peritectic 484
 - of planetary bodies
 - by decay of short-lived isotopes 120, 119 (*figure*)
 - during core formation 99
 - during large impacts 87, 88 (*figure*)
 - by ohmic heating 112
 - during accretion 85
 - of quartz 481
 - of rocks
 - by adiabatic decompression 494–512
 - batch process 123
 - contributing factors 499
 - effect of gravitational dissipation 511
 - effect of melting temperature 500
 - effect of viscous dissipation 511
 - fractional process 500
 - in Earth's upper mantle 504, 505 (*figure*), 506 (*figure*)
 - during the Archaean 507
 - at mid-ocean ridges 496, 507
 - at oceanic islands 507
 - relation of solidus to adiabat 495
 - in icy satellites 518 (*figure*), 518–521
 - in the Martian mantle 507, 508 (*figure*)
 - eruptive temperature 497
 - minimum size of melting region 510
 - in multicomponent systems 502, 502 (*figure*)
 - Maple* code 504
 - melt production equation under batch melting 503
 - melt production equation under fractional melting 504
 - non-isentropic 509

- or rocks (*cont.*)
 in one component systems 497, 497 (*figure*), 502 (*figure*)
 under batch melting conditions 497
 melt production equation 499, 500
 under fractional melting conditions 500
 melt production equation 501
- of silicates 481
- trace element partitioning 484
 batch melting equation 486, 486 (*figure*)
 compatible trace element 486
 complications with modeling 529
 effect of crystalline structure 485
 effect on melting point depression 488
 controlling parameters 489
 effect of melting points of trace and major component 485
 effect on melting relations 492
 effect of solvent composition 529
 effect of temperature 529
 incompatible trace element 486
 thermodynamic underpinnings 529
 under mid-ocean ridges 269 (*figure*), 495, 495 (*figure*)
 by volatile influx 512–516, 512 (*figure*), 517 (*figure*)
 limited by fluid solubility 513, 516
 thermodynamic relations 512–514
 numerical solution 515–516
 Maple code 515
 melting point depression equation 482, 532
 and trace components 487
- Mercury
 core formation 100
 tidal heating 112
- metabolism 645, 657, *see also* life
 based on chemical potential gradient at planet's surface 659
 redox reactions 660, 661, 667
 and entropy generation 668
 primordial 660, 662, 664, 663
- metamorphic field gradient 152
- metamorphic reactions
 diffusion 584, 585 (*figure*)
 retrograde 423
 ultra-high pressure 398, 397 (*figure*)
- methane
 ammonia atmosphere 649–651
 carbon monoxide eutectic (model for Tritonian magmas) 344, 345 (*figure*)
 ethane fractionation in Titan's surface systems 336, 337 (*figure*)
 metabolic product 662–664
 production by serpentinization of mafic rocks 461, 464 (*figure*)
 Maple code 462
- methanogenesis 662, *see also* life, metabolism,
 methane
 ammonia oxidation 663
 hydrogen oxidation 662
 and origin of life 664
 sulfur oxidation 663
- microstate 197
 and entropy of mixing 258, 200
 equivalent 198
 fluctuations 201
 and ideal activity 259, 271
 in Landau theory 373
 in order-disorder phase transitions 364
 number of (calculation) 197, 204
 postulates 198, 201, 202
- microwave background radiation 631, 626 (*figure*)
- modulus
 bulk 17, 41
 adiabatic 24, 674
 isothermal 18, 389
 at a critical point 432, 434
 in Mie equation of state 406
 pressure dependence 389, 394–394
 temperature dependence 390–394, 390 (*figure*)
 elastic 24
 shear 25
 Young's 25
- molality 523
- momentum 11
 angular (in tidal coupling) 105
 diffusivity 129
 kinematic viscosity 129
 flux 126
 and dynamic viscosity 126
 Arrhenius law behavior 609, 159
- of photons 629
 transfer 124, 125 (*figure*)
 and entropy production 578
- Moon
 anorthositic crust 520, 174
 heat flow 78, 139
 tidal heating 111
- Mount St. Helen's 47
- Nernst's distribution coefficient *see* Nernst's distribution law
- Nernst's distribution law 529, 485
- nuclear weapons 47
- Nusselt number 161 *see also* Earth mantle
 in icy satellites 519
 in stagnant lid convection 170
- ohmic heating 33
 in planetary energy budgets 112
- one-form 5

- Onsager's reciprocal relation 579, 590, *see also* chemical potential, enthalpy, phenomenological coefficient
- optical thickness 611, 635
- and mean free path 636
- order parameter 363, 370 (*figure*)
- and atomic ordering 367, 368 (*figure*)
- in fluids 371, 432, 437
- and crystal symmetry 371
- in Landau theory 373, 374 (*figure*), 380 (*figure*)
- and melting 480
- minimization of Gibbs free energy 364
- and origin of life 669
- in a solvus 369
- osmotic coefficient 530
- calculation 531
- of electrolytes 566
- relationship to activity coefficients 532
- osmotic swimmers 666
- partial derivative 18
- Laplacian operator 128
- partial molar properties 248, 250, 251 (*figure*), *see also* Gibbs free energy, chemical potential and configurational entropy 259
- in dilute solutions 525
- in Gibbs–Duhem equation 288
- and ideal activity 266
- and interdiffusion coefficients 587
- and non-ideal activity 277
- in ideal gases 262
- in real gases 454
- partial pressure *see* pressure
- partition function 57, 59
- Péclet number 150 *see also* Earth mantle
- of mantle diapirs 510
- and metamorphic field gradients 151
- and sea-floor spreading 153
- perfect crystal 207
- permittivity 28
- of free space 28
- in Debye–Hückel theory 564
- of polar solvents 543
- perpetual motion machine 34, 191
- pH 549
- effect on iron solubility 322, 325 (*figure*), 560, 562 (*figure*)
- in imaginary Martian microbes 667
- of rain water 549, 551 (*figure*)
- Maple code 551
- of seawater 553
- of soda lakes 567–571, 570 (*figure*), 572 (*figure*)
- Maple code 568
- phase 2, 229
- condensed 64, 66
- at a critical point 352
- non-condensed 64
- supercritical 352
- subcritical 352
- phase boundary 235, 236, 236–238
- calculation 241, 256, 268, 395
- Maple* code 242, 270, 284, 395
- uncertainties in 243, 244 (*figure*)
- at very high pressure (mantle transition zone) 401–405, 403 (*figure*), 415–419
- Maple* code 403, 416
- in the Martian mantle 417 (*figure*)
- and phase transition 238
- phase component 245, 288
- in the phase rule 290
- phase diagram 235 (*figure*), 236, 287
- phase equilibrium 236, 287–289
- analysis 295–325, *see also* Schreinemakers' rule
- divariant 296
- in a gravitational field 620–622
- invariant 296
- pseudo-divariant 315
- pseudo-invariant 315
- pseudo-univariant 315
- in open systems 315–319
- among phases of variable composition 325–347
- univariant 296
- phase rule 289, 290, 295
- at a critical point 353–355
- conditions of criticality 354
- at the liquid–vapor loop 434
- phase transition 14, 41, 236–238, *see also* phase boundary
- continuous *see* critical phase transition
- critical 326, 349, 364, 480, *see also* solvus
- algebraic analysis 355–359, 357 (*figure*), 358 (*figure*)
- Landau theory 372–375
- compared to polymorphic transformations 362
- in fluids 428–440, 436 (*figure*)
- phase rule analysis 355
- solid–melt 480
- discontinuous 14, 42, 209, 237, 326, 478
- as compositional degeneracies 311
- among condensed phases 326
- involving gases at low pressure 328
- Landau theory analysis 377–379
- metastable critical point 378
- liquid–gas 428, 434
- among phases of variable composition 330–344, 418 (*figure*), 418
- thermal effect on mantle adiabat 498
- first-order *see* discontinuous phase transition
- lambda 367, 371, 372 (*figure*)
- Landau theory analysis 375–377
- Maple* code 383
- effect on mineral equilibria 381
- Landau theory 372–381
- order–disorder 361–367

- phase transition (*cont.*)
 - origin of life 669
 - and phase boundary 239
 - second-order *see* critical phase transition
 - tricritical 377, 380 (*figure*), 377, *see also* lambda phase transition
 - phenomenological coefficient 579
 - chemical diffusivity 587
 - cross-flow components 579, 588
 - thermal conductivity 580
 - thermal diffusion (Onsager reciprocal terms) 589
 - phenomenological description 26, 55
 - philosophers 202
 - photochemical reaction 594, 610
 - carbon fixing 657
 - ozone depletion 608
 - ozone production 604
 - photodissociation 593, 633
 - of halomethanes 605
 - of methane 461, 619
 - and hydrogen loss 624, 653, 654
 - and origin of life 660
 - of oxygen 603, 608
 - of water 619
 - in icy satellites 668
 - photon
 - absorption cross section 636, 604, 610, 611
 - and mean free path 636
 - energy 608, 632
 - and interactions with matter 632, 593, 594, 610, 633, 635
 - flux 610
 - solar 638
 - variation with elevation 611
 - mean free path 636
 - momentum 608, 629
 - photosphere 626 (*figure*)
 - photosynthesis 620, 657, 658
 - and origin of life 660
 - planetesimal 78
 - extreme heating of 119
 - ohmic heating 116
 - plate tectonics 161, 171, *see also* Earth
 - Archaean 167
 - thermodynamic efficiency 194
 - Pluto
 - atmosphere 346, 616
 - polar molecules 541, 542 (*figure*)
 - polar solvent 544
 - post-modernist writers 202
 - potential
 - chemical 217, 224
 - buffering 294
 - as coordinates in phase equilibrium analysis 315–325
 - as criterion for chemical equilibrium 247
 - in dilute solutions 524
 - as driving force for mass transfer 248, 581
 - in Soret diffusion (Onsager reciprocal terms) 589
 - in a gravitational field 621
 - in electrolyte solutions 545, 547, 552
 - as partial molar property 252
 - excess 277, 278 (*figure*)
 - in dilute solutions 525
 - in electrolyte solutions 565
 - of non-stoichiometric components 293
 - relationship to activity 254, 266 (*figure*)
 - relationship to fugacity 421–422
 - standard state 252
 - electrostatic (in ionic solutions) 543
 - gravitational 8, 70, 98, *see also* energy, gravitational and atmospheric scale height 622
 - and atmospheric stability 616, 620
 - as biological nutrient 666
 - of solid sphere 89
 - and tidal dissipation 107, 110
 - interatomic 66, 66, 387
 - in Born–Mie equation of state 405–407
 - intermolecular 64
 - in van der Waals equation of state 429
 - Landau 373
 - in minerals 382 (*figure*)
 - Maple* code 383
 - thermodynamic 216, 222–223
 - behavior under the Legendre transform 222
 - fundamental equation 217
 - grand 223
 - in electrolyte solutions 547
 - internal energy 216
 - and Maxwell's relations 225
 - minimization (calculation of equilibrium) 465
 - natural variables 217
 - potential gradient (thermodynamic force) 578, 580, 597
 - in biological processes 659
 - extraterrestrial 666
 - potential temperature (of mantle adiabat) 495, *see also* temperature, adiabat
 - icy satellites 519
 - Earth 504
 - Mars 507
 - PREM (preliminary reference Earth model) 412, 416, 411 (*figure*), 412 (*figure*)
 - pressure
 - atmospheric 618, 646
 - variation with elevation 622, 624 (*figure*)
 - critical 432, 438 (*figure*), 439 (*figure*), 438 (*figure*), 440 (*table*)
 - elastic 387, *see also* zero temperature pressure
 - electronic 387
 - effect on solvus 353
 - ionization 66, 65 (*figure*), 101
 - and the kinetic theory of gases 58

- in Landau potential 381
 isothermal 399, 405
 natural variable of enthalpy 222
 natural variable of Gibbs free energy 223
 partial 262
 and fugacity 421
 and photon mean free path 636
 at vaporization phase transitions 340
 in planetary interiors 89, 93, 147, 217
 radiation *see* momentum, photons
 reference 50
 for high-pressure equations of state 386
 thermal 387, 394, 405, 407–409, 413
 calculation 409
 in gas giants 473
 in Io 415, 414 (*figure*)
 in the Earth's mantle 413, 411 (*figure*)
 in the Martian mantle 415, 414 (*figure*)
 and thermal expansion 413
 thermodynamic definition 186
 units 6
 vapor 329
 zero temperature 413
 in the Earth's mantle 411, 411 (*figure*)
 in icy satellites 518
 in Mars 414 (*figure*)
 Maple code 410
 proper mass 38
 proto-star 95
 pseudo-scientists 183
- quantum mechanics 55, 63, 626
 selection rules for absorption of electromagnetic energy 633
 quasi-crystalline model of melts 480
- radiation *see* heat transfer, thermal radiation
 inverse square law 628
 radiation pressure 629, *see also* momentum of photons
 radioactive heating
 early Solar System 119, 119 (*figure*)
 Earth, present day 118
 and Kelvin's estimate of the age of the Earth 141
 radioactive isotopes 117
 short lived 117
 upwards concentration (incompatible behavior) 141
 Raoult's law 278
 Rayleigh number 156 *see also* Earth mantle
 in icy satellites 519
 in parametrization of mantle convection 166
 in stagnant lid convection 169
 reduced variables 432
 respiration reactions
 rate 658
 RMS molecular speed 58
- Saturn
 heat flow 78
 contribution of helium unmixing 102
 scalar 9, 124
 scalar field 5
 scaling 135
 of convection 160–162
 of sea-floor spreading 153
 Schreinemakers' rule 302, 298 (*figure*), 301, 305
 and compositional degeneracy 311
 and melting relations 484
 in open systems 315
 self-compression 413
 self-gravitating 75
 shear zone 47
 heating at 49, 511
 singular curve 354, 353 (*figure*)
 singular point 354, 438, 438 (*figure*)
 soda lakes 568
 and alkaline volcanoes 569
 response to alkali-earth cation starvation 568, 571
 response to carbon dioxide fugacity 571
 solar constant 629
 solar nebula 51
 condensation 344
 and planetary accretion 79, 619
 solar wind 112
 T-Tauri phase 115
 solid solutions
 clinopyroxene 358 (*figure*)
 garnet 267, 358 (*figure*)
 olivine 260, 266, 335, 358 (*figure*)
 orthopyroxene 268, 270, 281, 358 (*figure*)
 plagioclase 271, 274 (*figure*)
 solubility 329, 534
 solubility curve 536
 solubility product *see* electrolyte
 solidus 334
 of binary solid solutions 335, 336 (*figure*)
 overstepping of 614
 of peridotite 495 (*figure*), 496
 in systems that undergo eutectic melting 342, 341
 (*figure*)
 effect of trace components 489, 489 (*figure*)
 volatiles 491
 of water ice 518 (*figure*)
 solution 245, 265, *see also* activity, activity coefficient
 ideal 258
 and Boltzmann's postulate 275
 non-ideal 277, 279, 278 (*figure*), 276 (*figure*)
 asymmetric 280
 contributions to 275
 in critical phase transitions 279, 350, 350
 (*figure*), 436 (*figure*)
 in dilute systems 531
 regular 280
 simple mixture 280

- solution (*cont.*)
 - subregular 280
 - symmetric 280
 - critical mixing temperature 357
 - solvation sphere 544
 - solvus 351, 350 (*figure*)
 - analogy with subcritical fluid unmixing 369
 - non-dimensional 360, 361 (*figure*)
 - calculation of 359–360,
 - Maple* code 360
 - as a first-order phase transition 353
 - in hydrogen–helium mixtures 102
 - order parameter in 369
 - and the phase rule 353
 - Soret coefficient 590
 - Soret diffusion 579, 590
 - in igneous differentiation 590
 - magnitude of 591
 - speciation
 - in a gas phase 257, *see also* *gas*
 - Maple* code 263
 - in electrolyte solutions 554, *see also* carbonate, iron solubility
 - Maple* code 550, 568
 - and analytical concentration 556
 - spontaneous process 181, 184, 201, 202
 - at constant temperature and pressure 230, 248
 - ordering 375
 - respiration 659
 - stable state 234, *see also* *equilibrium*
 - standard state 239, 247, 254, 292
 - in calculation of first-order phase transition 326
 - including non-condensed phases 328
 - in chemical diffusion 582
 - in crystalline solids 256, 259, 261, 272, 552
 - in dilute solutions 524–525
 - dilute gases 526, 550
 - infinite dilution limit 524, 562
 - ionic species 545
 - reference 548
 - strong electrolytes 548
 - weak electrolytes 547
 - one molal 525
 - for the solvent 524
 - in gases 257, 262, 420, 421, 422, 557
 - state function 23, 36, *see also* *state variable*
 - and thermodynamic identities 672
 - and thermodynamic notation 37
 - state variable 36, 37, 50, 52, 56, 57 *see also* *state function*
 - and Gibbs–Duhem equation 287
 - statistical mechanics 27, 55, 197
 - Stefan–Boltzmann law 71, 627
 - Stirling’s approximation 198
 - strain 24
 - Eulerian 399
 - in derivation of Birch–Munaghan equation of state 399
 - tidal 107, 110
 - stress 24
 - shear 48
 - in an ascending diapir 510
 - in derivation of Rayleigh number 155
 - as momentum flux 126, 162
 - tidal 110
 - supercritical fluid *see* *fluid*
 - supercritical solution 357, *see also* *phase*
 - rock-forming minerals as 359
 - system 2
 - adiabatic 23, 47
 - closed 2
 - heterogeneous 2, 229
 - homogeneous 3, 229
 - open 2
 - state of 3
 - system component 229, 245, 288
 - and dimension of composition space 289
 - as a minimal spanning set 288
 - in the phase rule 289, 290
 - tabbies 669
 - temperature 3
 - absolute *see* *Thermodynamics, Third Law*
 - along an adiabat 146, 413
 - in icy satellites 344
 - in the Archaean mantle 166
 - black body emission 71
 - boiling 329
 - and configurational entropy 202
 - critical 64
 - of fluids 371, 428, 430 (*figure*), 431, 433 (*figure*)
 - and Helmholtz free energy 435, 436 (*figure*), 438 (*figure*), 439 (*figure*), 438 (*figure*)
 - values for planetary volatiles 440 (*table*)
 - in Landau theory 373, 374 (*figure*)
 - of a solution (critical mixing temperature) 326, 352, 350 (*figure*)
 - and derivatives of the Gibbs free energy 355
 - of mineral solid solutions 358 (*figure*)
 - non-dimensional 356, 357 (*figure*)
 - and the phase rule 354
 - Debye 7, 390, 394, 408
 - dimensionless 131, 134 (*figure*)
 - of a discontinuous phase transition (in Landau theory) 378
 - effect on chemical reaction rates 609
 - effect on viscosity 159
 - and electromagnetic radiation spectrum 626, 626 (*figure*)
 - eutectic 339
 - Maple* code 339
 - of Tritonian cryolavas 344, 345 (*figure*)
 - gradient across the asteroid belt 115

- gradient across convective thermal boundary layer 155, 157, 158 (*figure*)
- in stagnant lid convection 169, 170 (*figure*)
- gradient as driving force for mass transfer (Soret effect) 590
- gradient as driving force for transfer of internal energy 124, 149
- at equilibrium 212, 215
- in non-equilibrium thermodynamics 579
- and Second Law of Thermodynamics 182
- gradient as a metabolic nutrient 665
- gradient as a potential for doing work 186
- ideal gas 58
- ionization 64
- increase caused by core formation 99
- increase caused by large impacts 87, 88 (*figure*)
- lambda 362, 367 (*figure*)
 - in Landau theory 375, 374 (*figure*)
 - of minerals 381
 - Maple* code 383
 - relationship to critical mixing temperature 366
- in the Martian mantle 178
- natural variable for Helmholtz free energy 223
- natural variable for Gibbs free energy 223
- perturbation 135
- of a planetary surface
 - during accretion 80
 - effective 71
 - equilibrium 71, 629
 - and atmosphere retention 616
 - and greenhouse warming 640 (*figure*), 641 (*figure*)
- potential
 - in the atmosphere 46
 - for mantle convection 495, 495 (*figure*)
 - and melt productivity 500
- profile of the Earth during accretion 80, 83 (*figure*), 85 (*figure*)
 - Maple* code 80
- reduced 440
- reference 50
 - in equations of state for solids 387
- of solar nebula 79
- status as an intensive variable 334
- thermodynamic definition 186
- units 4
 - in the Venusian mantle 175
- thermal agitation
 - effect on dielectric constant 542, 565
 - in gases 429, 443
- thermal boundary layer *see* boundary layer
- thermal conductivity 124
- thermal convection *see* convection
- thermal diffusion *see* Soret effect
- thermal diffusivity *see* heat diffusivity
- thermal entropy 205, *see also* entropy, absolute scale for, entropy, at absolute zero, entropy, Third Law, entropy, vibrational
- thermal escape of atmospheric gases 618, 653
- thermal equilibrium *see* equilibrium
- thermal expansion 41, 390, 390 (*figure*), 396
 - analogy with heat capacity 390
 - and atomic vibration modes 390
 - anisotropic (in lambda phase transitions) 369
 - coefficient as polynomial function 390, 396
 - Maple* code 383, 395, 404
 - at a critical phase transition 371
 - and derivatives of Gibbs free energy 224
 - effect on thermal pressure 413
- thermal gradient 35
- thermal inertia 133
- thermal pressure *see* pressure
- thermal radiation 625–636, 626
 - black body 626
 - Kirchoff's law 595
 - mass absorption coefficient 634
 - Planck's law 626
 - spectrum 626, 626 (*figure*)
 - visible range 626
 - Wien's law 626
- thermal swimmers 666
- thermalized sunlight 630, 632
 - and greenhouse warming 633, 638
- thermally activated process *see* Arrhenius law
- thermodynamic components *see* system component, phase component
- thermodynamic effective pressure *see* fugacity, standard state
- thermodynamic efficiency 190
 - maximum (Carnot efficiency) 190
- thermodynamic flow 578, 580, 581, 597
- thermodynamic force *see* force, thermodynamic potential gradient
- thermodynamic mol fraction 258
- thermodynamic potential *see* potential
- thermodynamic potential gradient 578, 580, 582, 597
- thermodynamics 2, 27
 - First Law of 39, 50
 - mathematical expression for isobaric processes 40
 - mathematical expression in terms of entropy 186
 - mathematical notation 37
 - non-equilibrium 577–580
 - linear approximation 579
 - in a gravitational field 620
 - and non-equilibrium chemical concentrations 608
 - and rates of natural processes 596
 - Second Law of 35, 124
 - and affinity 613
 - and charlatans 183
 - Clausius statement 183
 - Kelvin–Planck statement 191

- thermodynamics (*cont.*)
 - maximum entropy statement 210
 - minimum energy statement 213
 - Third Law of 207
 - and absolute entropy scale 207
 - and absolute zero 207
 - Nernst's statement 207
 - Planck's statement 207
 - thermofagy 665
 - tidal
 - acceleration 104
 - bulge 105
 - deformation 105
 - despinning 106
 - dissipation 106
 - due to eccentricity 107
 - due to rotation 107
 - lock 106
 - Titan
 - atmosphere 148, 616, 618
 - chemical evolution 623
 - hydrocarbons 336
 - methane fractionation with elevation 624 (*figure*)
 - scale height 623
 - cryomagmas 345, 520
 - internal structure 518, 519
 - lakes 337
 - life 668
 - tidal heating 111
 - total differential 18
 - and rigorous mathematical notation 210
 - toy model 141
 - of greenhouse warming 637
 - of mantle convection 141
 - of ozone depletion 603
 - transformation 13
 - adiabatic 46, 23, 225, 495
 - dissipative 13, 23, 185
 - irreversible 16
 - isothermal 18, 24
 - non-dissipative 13
 - quasi-static 15, 184, 577
 - reversible 16, 146, 188
 - triple point (of H₂O) 52
 - effect of solutes 314, 537, 536 (*figure*)
 - Triton
 - atmospheric composition 346
 - atmospheric scale height 623
 - atmospheric stability 616
 - cryomagmas 344
 - tidal heating 112
 - troposphere 145
 - adiabatic thermal gradient 147
 - as a Carnot engine 196
 - units 6
 - unmixing *see* solvus
 - vapor 64, 329
 - and critical point 354, 371, 428, 432
 - in crystallization of evaporites 306, 317, 316 (*figure*), 425, 426 (*figure*)
 - equilibrium calculation 434, 437, 536
 - in equilibrium with solids 342, 342 (*figure*)
 - and atmospheric escape 619, 654
 - in the Martian atmosphere 539
 - in Triton's atmosphere 346, 346 (*figure*)
 - hydrocarbon (in Titan's atmosphere) 337, 337 (*figure*)
 - pressure *see* pressure
 - water (effect on atmospheric hydrogen loss), 654
 - vaporos 338, 342
 - variable
 - conjugate 218
 - intensive 38
 - as driving potential 218, 620
 - extensive 38
 - and Gibbs–Duhem equation 288
 - variance 289
 - at a critical point 354
 - in open systems 315
 - vector 6, 124
 - Venus
 - atmospheric evolution 654
 - photodissociation of H₂O 656
 - atmospheric oxidation conditions 656
 - atmospheric scale height 623
 - atmospheric stability 618
 - coronae 175
 - lithospheric thickness 175
 - magnetic field 33, 175
 - mantle convection 160, 174, 176 (*figure*)
 - thermodynamic efficiency of 195
 - mantle heat flux 139
 - mantle plumes 175
 - virial theorem 94
 - viscous
 - heating 33
 - in a convecting fluid 162–164, 163 (*figure*)
 - viscosity *see also* momentum
 - activation energy 159
 - apparent (in plate tectonics) 169
 - dynamic 126, *see also* momentum flux
 - kinematic *see* momentum diffusivity
 - temperature effect *see* Arrhenius law
 - volatility 527
 - volcanism 123
 - and early metabolic processes 659, 667
 - on Mars 178, 508 (*figure*)
 - on Titan 520
 - volume
 - as conjugate variable to pressure 218
 - critical 431, 435, 438–440, 438 (*figure*), 439 (*figure*), 438 (*figure*), 440 (*table*)
 - dimensionless 432, 436 (*figure*), 437

- excess 276
excluded 429, 447, 456
of melting 479, 480 (*figure*)
molar 38, 41
molecular 429
as natural variable of Helmholtz free energy 223
as natural variable of internal energy 217
partial molar 252, 588, 621
 of ideal gases 262
 or real gases 454
of phase transitions 238, 243
 critical 355, 375
 discontinuous 362
 in Landau theory 116
 tricritical 379
prohibited 431
reaction 612
and thermal pressure 407, 413
zero pressure 386, 390
zero temperature 387
- work 5
 expansion 14, 21, 46
 at a discontinuous phase transition 45
 during decompression melting 499
 of a frictional force 47
 by a thermodynamic cycle 144, 144 (*figure*)
 in planetary convection 194
tidal 107
of a viscous force 164