

Index

- absolute temperature scale, 29–30
- absolute zero (definition and value), 30
- Accademia del Cimento
  - role in early thermometer experiments, 21
- advection (definition), 6
- Air temperature, 18, 38, 40, 44, 48, 100, 102, 105, 109, 111, 116, 208
- air temperature on ships 10, 11, 71–75, 82–84
- air thermometers
  - description of, 18
  - their defects, 20
- airports as instrument sites, 61, 65, 110
- Aitken, John
  - critical of Stevenson screen, 56
- albedo (definition and values of), 1
- algorithms 72, 73, 188, 196
- Amontons, Guillaume
  - experiments with gases, 29
- analysis of variance, *see* spatial degrees of freedom
- anomalies (working in), 117, 127
- Arabs
  - their role in conserving Greek manuscripts, 18
- Arctic Oscillation
  - influenced by changes in ozone layer, 16, 146
- Argo
  - drifting profiler float, 93–100
- aspirated screens
  - importance in climate studies, 46, 51
  - in future networks, 209
- Assmann, Richard
  - aspirated screen, 47
- Atlantic Multidecadal Oscillation, 147
- atmosphere (composition), 9
- atmospheric circulation (its influence on temperatures), 149
- automatic weather stations (AWSs)
  - as recent and future sources of data, 54
  - danger of proliferation of non-standard stations, 109
- average temperature 116, 197, 201
- averages (synonymous with ‘means’), 115
- back radiation (in greenhouse effect), 8
- balloons
  - manned, 187
  - rubber, for upper air observations, 187
  - unmanned, for observations, 187
- Bartolo, Sebastiano
  - thermometer reference points, 23
- bathythermograph (for ocean temperature profiles), 92
- beryllium-10
  - as proxy for solar activity in the past, 17
- bimetallic thermographs, 35
- blending land air and sea surface temperature datasets, 132
- Boulliau, Ismaël
  - thermometer experiments in Paris, 22
- Boyle, Robert
  - experiments with gases, 29
  - experiments with thermometers, 22
- Boyle’s law, 213
  - in cooling with altitude, 6
- brightness temperature (in remote sensing from satellites), 196, 221
- Brussels Maritime Conference
  - standardisation of observations at sea, 77
- buckets (to measure sea temperature), 73, 76–82, 93
- buoys (as instrument platforms), 82–89
- calibration
  - essential for climate work, 22, 28, 31, 32, 35, 38, 58
  - of radiosondes, 188
- Callendar, G. S.
  - early climate investigator, 102
- Campbell–Stokes sunshine recorder, 10
- carbon dioxide
  - as greenhouse gas, 8
  - potential cause of temperature increase, 150
- carbon-14
  - as proxy for solar activity in the past, 17
  - causes of temperature change, 139–150, 173
- Celsius, Anders
  - inverted centigrade scale, 28

- Centigrade scales, 27–29
- Central England Temperature
  - the datasets and what they show, 167–176
- changes in site conditions and instruments (causing apparent changes in climate), 150
- changes* in temperature (importance in climate studies), 56
- Charles’s law
  - in cooling with altitude, 6
- Christin, Jean Pierre
  - scale related to Réaumur’s, 29
- climate anomaly method
  - gridding technique, 121
- climate models, 10, 139, 149, 180
- Climatic Research Unit, UEA
  - producer of major climate datasets, 103, 105
- clouds
  - and cosmic rays, 17
  - and radiosonde passage through, 188
  - and sunshine duration, 10
  - and warming in the troposphere, 198
  - difficulty in modelling effects of, 149
  - effect on DTR, 180
  - effect on incoming solar radiation, 1
  - formation, 6
  - interference with remote sensing of temperature, 223
  - IR radiation from, 12
- condensation, 6
- continuity of records (importance of), 48, 51
- convection (in transfer of heat and water vapour), 6
- correlation decay-length, *see* spatial degrees of freedom
- cosmic ray intensity (and solar activity), 17
- cotton region shelter, 44
- Dalencé, Joachim
  - fixed thermometer points, 23
- data collection platform
  - for transmission of data via satellites, 85, 94
- data quality (importance in climate work), 54, 105, 107, 109
- datasets from land and sea
  - choice between sea and marine air temperature, 132
  - equivalence between the two, 131
  - from Lugina et al., 133
  - from the Goddard Institute for Space Studies, 133
  - from the National Climatic Data Center, 133
  - the blending process, 132
  - the combined Hadley Centre and Climatic Research Unit dataset, 133
- datasets from the land
  - Hadley Centre, 129
  - Lugina et al., 129
  - National Climatic Data Center, 129
  - University of East Anglia, 129
- datasets from the sea (from the Hadley Centre), 131
- de la Hire, Philippe
  - fixed thermometer points, 23
- dead-reckoning (in measurement of ocean currents), 86
- Delisle, Joseph-Nicolas
  - first to use a 100-step scale?, 28
- Delisle scale
  - used in Russia, 27
- della Porta, Giambattista
  - copying of Greek experiments, 19
- Devillea, Charles Sainte-Claire
  - large thermometer stand, 43
- dew point
  - the maths of, 214
  - the production of clouds, 6
- dissemination of data, *see* Global Telecommunications System
- diurnal temperature range, 34, 149, 153, 176–185
- double-skinned canvas buckets (for SST measurement), 77
- drifting buoys (in measuring sea temperature), 86–88
- dry adiabatic lapse rate (cooling with altitude), 6
- Dutch weather glass, 20
- Ekström, Daniel
  - centigrade scale, 28
- El Niño and La Niña
  - effect on global temperatures, 131
  - influence on Pacific SSTs, 141
  - processes involved, 141–147, 153–166
- El Niño Southern Oscillation, 144
- electrical thermometers, 38
- electromagnetic energy (from the Sun), 1
- electromagnetic spectrum, 216–18
- engine-room intake (in measuring sea temperature), 76, 80–82, 88, 93
- enhanced greenhouse effect (the process), 9
- ethanol (the ‘spirit’ in thermometers), 21
- evaporation
  - and cloud formation, 6
  - the process, 214
- evapotranspiration, 4
- exposure of thermometer screens, 60
- Fahrenheit, Daniel Gabriel
  - fixed points, 25
- feedback (in models), 10
- first difference method
  - gridding technique, 121
- FitzRoy, Capt. Robert
  - observations from British ships, 70
- fixed points (for thermometers), 23
- Fludd, Robert
  - air thermometer, 19
- Galileo
  - his thoughts on Greek experiments, 19
  - possible experiments with thermometers, 19
  - thermometer, 21
- gas laws (Boyle’s and Charles’s laws), 6, 213
- Gaussian filters
  - trendlines in graphs, 138
- Gay-Lussac, Joseph Louis
  - balloon ascent to 23,000 feet, 187

- Glaisher, James
  - balloon ascent to 36,000 feet, 187
  - Glaisher's Stand, 42
- Global Climate Observing System
  - its limitations, 109
  - land air temperature (LAT), 105
  - ocean networks, 106
  - role in any future new network, 206
  - Ten Monitoring Principles of, 106
  - using *Google Earth* to evaluate stations, 111
- Global Historical Climatology Network, 104
- Global Positioning System (GPS)
  - tracking buoy movements, 85
- Global Telecommunications System (GTS)
  - for interchange of meteorological and hydrological data worldwide, 85, 98
- global temperatures
  - gridding SSTs, 131
  - homogeneity, 118
  - weighting SST anomalies, 130
  - working in anomalies, 117
  - working in averages, 116
  - working in grids, 120
- Goddard Institute for Space Studies
  - datasets produced by, 129
  - produce major climate dataset, 104
- Grand Duke of Tuscany, Ferdinand II
  - invention of two types of thermometer, 21
- greenhouse effect, 7, 8, 9, 15, 149, 176
- greenhouse gases, 8, 150
- Greenwich stand
  - correct name for Glaisher's stand, 42
- grids (working in to get areal averages), 120
- Guericke, Otto of Magdeburg
  - air thermometers, 20
- Hadley Centre of the UK Met Office
  - datasets produced by, 129, 131–133
- hair hygograph (for humidity measurement), 55
- Hauksbee, Francis
  - manufacturer of thermometers, 24
- Hazen, Henry A.
  - Signal Service thermometer shelter, 45
- heliopause (extent of the Sun's influence), 16
- Hero of Alexandria
  - early experiments with thermometers, 18
- Hero's fountain, 19
- Herschel, William
  - and sunspots, 15
- homogeneity (of data), 103–108, 118–120, 129, 134
- Hooke, Robert
  - absolute temperature scale, 30
- hull temperatures 73, 76, 80, 85, 88
- Huygens, Christiaan
  - thermometer reference points, 23
- ice cores (containing record of solar activity), 17
- ideal gas equation, 213
- increased levels of carbon dioxide (possible effects on temperature), 150
- Indian Ocean Dipole, 147
- infrared (and greenhouse effect), 7, 8, 12, 13, 15
- instrument maintenance, 59
- Inter-decadal Pacific Oscillation, 146
- Intergovernmental Panel on Climate Change (IPCC), *passim*
- International Meteorological organization, 71
- International Practical Temperature Scale, 30
- interstellar particles (galactic cosmic rays and climate), 16
- inversion, 7
- Isle of Wight temperature screen, 41
- Jason
  - satellite-based altimeter over sea, 93, 94, 98
- Kelvin scale, 30
- Kew Observatory
  - first use of resistance thermometers, 36
- Kew stand, 43
- kites
  - for meteorological observations, 187
  - move away from to free-flying balloons, 187
- Köppen formula
  - for mean temperature estimation, 116
- Köppen, W.
  - early climate investigator, 102
- La Niña, 141–147, 153–166
- Lagrange, Joseph Louis
  - measurement of currents, 86
- Lagrangian buoys, *see* drifting buoys
- laminar boundary layer (molecular diffusion across), 2
- land surface air temperature
  - changes in, 151–158
  - maximum temperature, 55
  - measuring, 54
  - minimum temperature, 55
  - present temperature, 55
- latent heat flux (evaporation and transpiration), 4, 123, 130
- Lawson, Henry
  - Lawson's stand, 42
- Linnaeus (Carl von Linné)
  - centigrade scale, 29
- liquid-in-glass thermometers
  - invented by Jean Rey, 20
  - modern designs, 31
- Little Ice Age (LIA)
  - Central England temperature, 153, 171, 172
  - dates and discussion, 14
- location systems (to track buoys), 85
- magnetic field (of Sun), 16
- maintenance of instruments, 59, 208, 212
- Marié-Davy, H.
  - large temperature stand in Paris, 42
- marine air temperature (MAT), 71, 75–76
- Martin, George
  - Isle of Wight stand, 41

- Maunder minimum
  - period of low sunspot numbers, 14, 150, 172
- Maury, Lieut. Matthew Fontaine
  - observations from ships, 70
- maximum and minimum temperatures (changes in the DTR), 149, 176–185
- maximum and minimum temperature, 32, 37, 45, 47, 51, 52, 55, 71, 75
- mean temperature (estimating), 116–117
- Medici family
  - role in thermometer experiments, 21
- Medieval Warm Period (MWP), 14, 150, 171
- met enclosure maintenance, 64
- metadata, 55, 79, 81, 107, 109, 111, 117, 119
- Meteorologica Cosmica*
  - by Fludd
    - includes description of an air thermometer, 20
- Meteorological Office
  - first director Robert FitzRoy, 70
  - Hadley centre, 129, 131–133
- methane, 8
- Micheli, Jacques Barthélemy
  - centigrade scale, 28
- microclimates (problem in siting instruments), 60–65, 110, 121, 127
- microwave sounders
  - basics, 195
  - hardware, 196
  - performance, 198
  - temperature profiles, 197
- microwave spectrum, 8, 210, 221, 223
- Milankovitch cycles
  - and long-term climate change, 14
- miniature screens (for automatic weather stations), 48–50
- missing grids (when calculating areal means), 128
- Mitchell, J. M.
  - early climate investigator, 102
- model accuracy and reliability, 139
- model projections (of temperature), 139
- Molchanov, Pavel
  - designed one of first radiosondes (1928), 188
- moored buoys (as instrument platforms), 82–85
- moving average (trendlines), 138
- National Meteorological Services 54, 58, 61, 65, 74, 103, 105, 109
- naturally ventilated screens, 56, 60, 209
- Negretti and Zambra
  - maximum thermometers, 33
- net pyrradiometers (measuring net radiation), 12
- net radiation (definition and measurement of), 12
- new instrument network
  - cost, funding and management, 212
  - design concepts and details, 208
  - number of stations required, 207
  - purposes of, 208
- Newton, Sir Isaac
  - limited work on thermometers, 24
- night marine air temperature, 76
- non-adiabatic (cooling with mixing), 6
- North Annular Mode (or Arctic Oscillation), 146
- North Atlantic Oscillation, 146
- ocean currents (measured by Argo), 86, 87, 93
- ocean weather ships (OWS), 73
- open shelters (for thermometers), 41
- Pacific Decadal Oscillation, 146
- parking depth (of Argo floats), 97
- Patrick, John
  - thermometer scale, 24
- pentad (five-day period), 130
- Philo of Byzantium
  - early experiments with thermoscopes, 18
- Pinatubo
  - effect of eruption on climate, in 1991–3, 199
- pirates (part cause of decline of climate data from ships), 75
- platinum resistance thermometers, 36–38, 40, 48, 80–85, 209
- Plymouth Dockyard screen, 43
- pneumatic experiments (in ancient Greece), 18
- polar regions
  - frequency of cover by polar satellites, 196
  - height of tropopause, 7
  - thermometer screens for, 56
- Port Meteorological Officers
  - importance to climate data from ships, 75
- precipitation anomalies (a comparison with temperature anomalies), 125
- Pressure law (*see also* Boyle's and Charles's laws), 213
- Prins, Hendrik
  - Fahrenheit's successor, 25
- profiling floats, *see* Argo
- pyranometers (for measuring total incoming solar radiation), 11
- pyrheliometers (for measuring intensity of direct solar beam), 10
- quality of the data (essential in climate studies), 54, 105, 107, 109
- radiation errors (in radiosondes), 190
- radiative transfer equations (in obtaining temperature profiles from microwave measurements), 197
- radiosondes
  - calibration, 193
  - hardware, 188
  - performance and corrections, 194
  - temperature sensor, 189
- Réaumur scale, 26
  - based on one reference point, 26
- Réaumur, René Antoine Ferchault de
  - competition with Fahrenheit, 26
- reference station method
  - gridding technique, 121
- reflection and scattering of solar radiation, 1
- relative humidity, 9, 13, 214

Renaldini, Carlo  
ice and boiling point references, 23  
representativeness of instrument sites  
an example, 61, 110–112  
to represent surrounding country, 60, 61  
Rey, Jean  
and first liquid-in-glass thermometer, 20  
Rømer, Ole Christensen  
reference points  
visited by Fahrenheit, 25  
Royal Meteorological Society  
and the Stevenson screen, 43  
Royal Society  
newly formed, 24  
scale, 24  
rural and urban (definitions in the UHI effect), 62  
  
salinity (measured by Argo as conductivity), 92, 94, 96–100  
Santorio, Santorio  
possibly made first air thermometer, 19  
satellite measurements  
of surface temperature, 219  
of temperature profile through troposphere, 197  
scales (for thermometers), 23–27  
Schwabe, Heinrich  
and 11-year sunspot cycle, 14  
screen performance (comparisons), 51  
screens  
at tropical and polar sites, 56  
evolution of, 40  
for AWSs, 48  
height of, 48  
on radiosondes, 189  
principles and general design, 40  
screens on ships, 44  
sea surface temperature (SST)  
changes in, 158–161  
compared with air temperature, 71  
definition of, 72  
history of its measurement, 70  
measured from ships, 76  
sea temperature profiles  
measured with bathythermographs, 92  
measured with the Argo float, 93–100  
sensible heat flux (definition), 2, 123, 130  
shelters (for thermometers), 41–43  
ships as instrument platforms, 73–88  
Siemens, Carl Wilhelm  
platinum resistance thermometers, 36  
Signal Service thermometer shelter, 45  
Six, James  
simple maximum and minimum thermometer, 33  
skin temperature (of land and sea), 71–77  
Smithsonian Institution  
publish long-term global meteorological records, 103  
snow (effect on screens), 56  
SOHO satellite (for observing the sun), 16

soil heat flux (factors affecting and time of response), 4, 62  
solar activity  
and climate change, 14  
and effects on climate, 148  
solar constant  
changes in and climate change, 15, 125  
definition and value, 1  
solar cycle, 11-year (changes in UV), 16  
solar radiation  
intensity outside atmosphere, 1  
measurement of, 10  
passage through atmosphere, 1  
solar wind (shielding effect on cosmic rays), 16  
sounders, *see* microwave sounders  
Southern Annular Mode  
or Antarctic Oscillation, 146  
Southern Oscillation, 140–146  
Southern Oscillation Index (calculation of), 227  
Southwell, Robert  
introduction of thermometer to England, 22  
spatial degrees of freedom  
effect of missing grids, 128  
number of stations required, 126  
spatial dependence, spatial analysis, *see* spatial degrees of freedom  
Spörer minimum  
sunspot minimum, 14  
stands (for thermometers), 41–43  
steric or dynamic height (of sea surface), 98  
Stevenson, Thomas  
Stevenson screen, 43  
stratosphere (and ozone layer), 16  
and volcanos, 147  
Strömer, Mårten  
centigrade scale, 28  
Sun's atmosphere (its nature), 16–17  
Sun's magnetic field (influence on cosmic rays), 16  
sunshine duration  
electrical sensor for AWSs, 10  
measurement of, 10  
sunspots (and climate change), 14, 15, 172  
  
teleconnections (for example ENSO), 140–147  
telemetering the measurements (from buoys to base), 85, 211  
temperature changes  
last 160 years, global, 137  
last 30 years in England, 163–167  
long-term, 14  
since 1660 in England, 171–176  
since 1850 (global and hemispheric), 150–163  
the last 35 years, global, 163  
through the troposphere, 198–203  
temperature coefficient (of electrical resistance thermometers), 36  
temperature datasets  
global, 102  
Global Historical Climatology Network, 104  
of the Climatic Research Unit, 103

- of the Global Climate Observing System
  - WMO, 104
- World Weather Records
  - Smithsonian Institution, 103
- temperature profiles from radiosonde data, 198–203
- temperature profiles through the atmosphere, 187–205
- temperature trends, *see* temperature changes
- Ten Monitoring Principles of the GCOS, 59, 75, 106, 206
- terrestrial radiation, 62
- thermal capacitors (for radiosondes), 38
- thermals, 6, 198
- thermistors, 37, 92
- thermocouples, 38
- thermodynamic temperature scale, *see* absolute temperature scale
- thermometers
  - electrical, 36–38
  - history of development, 18–31
  - modern, 31–35
  - screens from radiation, 40
- thermomètre de Lyon*
  - Réaumur's thermometer, 29
- thermoscope (its relationship to thermometers), 18
- Thompson, Benjamin (Count Rumford)
  - dew formation, 7
- Thompson, William (Baron Kelvin of Largs)
  - absolute temperature scale, 30
  - Kelvin scale, 30
- thunderclouds, 7
- time of observations (importance of in calculating the mean temperature), 116
- topography (of sea surface), 98
- Torricelli
  - and the barometer, 20
- total incoming solar radiation (measurement of), 11
- Toynbee, Capt. Henry
  - ships' meteorological logs, 70
- tree rings (containing carbon-14 and beryllium-10), 17
- trendlines, 138
- tropopause (divisions of the atmosphere), 7
- troposphere
  - convection within, 6
  - depth, 2
  - warming in, 138, 197–203
- tropospheric warming (causes of), 198
- turbulent boundary layer (transfer of heat and water vapour through), 2
- ultraviolet
  - changes in during 11-year sunspot cycle, 16
  - production of ozone, 7
- University of East Anglia
  - datasets produced by, 129
- urban heat island (UHI), 61–64, 106, 110, 120, 177, 194
- US Weather Bureau
  - publish long-term meteorological records, 103
- Vinnikov, K. Ya.
  - early climate investigator, 102
- volcanic activity 140, 147–148, 153–154, 156–160, 162, 172, 194
- voluntary observing fleet (VOF), 74
- water vapour
  - as main greenhouse gas, 2, 4, 8
  - production at surface, 6
  - units of, 214
- weather glass (or air thermometer), 20
- weighting function (in microwave measurements), 197
- weighting the data in calculating areal means, 117, 122–126, 130, 133
- wet adiabatic lapse rate (cooling of rising air), 6
- wet bulb thermometer (for humidity measurement), 55
- whirling or sling thermometer, 46
- Wild, Heinrich
  - Russian screen, 45
- Willett, H.C.
  - early climate investigator, 102
- Wilson, Alexander
  - use of kites for upper air measurement, 187
- wind turbulence (transfer of heat and water vapour), 6
- Wolf number (or Zürich number)
  - quantifying sunspot numbers, 14
- World Meteorological Organization, *passim*
- Wren, Sir Christopher
  - air thermometer, 20
- zero drift (of liquid-in-glass thermometers), 34