

## Index

- N*-way arrays, 46, 47
- Q*-learning, 425, 429, 430, 433, 434, 437
- k*-fold cross-validation, 161
- k*-means, 203
- k*-nearest neighbors (kNN), 204
- k*-fold cross-validation, 159–161
- k*-means, 178, 179, 181
  - activation function, 214, 221, 225, 226
  - actor–critic, 438
  - actuator, 324, 325
  - adjoint, 328, 370–373, 376, 377, 383
  - agent, 419, 420, 423–425, 434, 439, 440, 442, 443
  - Akaike information criterion (AIC), 163, 164, 189, 285
  - alternating descent method, 144
  - autoencoder, 233, 236–239, 244, 245, 303, 305, 440, 521, 523–525, 540
  - backpropagation (backprop), 215, 217, 219, 221, 222
  - balanced input–output model, 375
  - Bayesian information criterion (BIC), 163, 164
  - Bellman optimality, 423, 427, 445–447
  - boosting, 203, 205
  - classification, 29, 33, 78, 117–120, 203, 204, 208, 209, 212, 213, 215, 217, 221, 228, 270, 411
  - classification trees, 198, 202
  - closed-loop control, 312, 315, 316
  - clustering, 27, 28, 40, 198, 203, 204
  - coherent structure, 4, 98, 260, 270, 328, 361
  - compressed sensing, 17, 101–105, 109, 111, 260
  - compression, 10, 11, 65, 85, 87, 90, 97, 98, 101, 109, 269
  - control, 7, 53, 63, 102, 169, 257, 270, 286, 296, 328, 329, 361, 362, 389
  - control theory, 102, 260, 311, 357, 361, 393, 396
  - controllability, 53, 322, 324–327, 363–365, 368, 373
  - convex optimization, 105, 146, 278, 330, 402
  - convolutional neural network (CNN), 203, 224
  - cost function, 313, 330, 331, 333, 341, 356, 389, 399, 404, 412
  - CP tensor decomposition, 47–49
  - cross-validation, 115, 116, 157–159, 168, 177, 179, 186, 191, 217, 271, 297
  - curve fitting, 133, 134, 140
  - data arrays, 46
  - data labels, 168, 174–176, 221, 227
  - data matrix, 35, 40, 47, 50, 120, 181, 211, 262, 272, 394, 467
  - deep convolutional neural network (DCNN), 224–226
  - deep learning, 208, 209, 224
  - deep reinforcement learning, 419, 421, 436, 437
  - DeepONet, 529, 531, 533
  - dendrogram, 182, 183
  - dimensionality reduction, 4, 7, 190, 260, 262, 311, 394, 450, 454
  - discrete cosine transform (DCT), 107
  - discrete empirical interpolation method (DEIM), 485, 500
  - discrete wavelet transform, 85, 86, 91
  - DMD eigenvalue, 263, 264
  - DMD mode (also *dynamic mode*), 260, 262, 269, 270
  - dynamic mode decomposition (DMD), 259, 260, 269
  - dynamic programming, 425–427, 431, 432, 439, 444
  - dynamical system, 9, 53, 228, 253, 254, 256–260, 275, 280, 286, 311–313, 333, 361, 486
  - eigenstate realization algorithm (ERA), 270, 300, 373, 375
  - ensemble learning, 202, 203, 205
  - environment, 419–421, 423–425, 430, 436
  - expectation–maximization algorithm (EM), 186, 187, 203, 204
  - extremum-seeking control (ESC), 408, 409, 413
  - fast Fourier transform, 3, 53, 63, 65, 98, 452
  - feature engineering, 168, 173, 225, 513
  - feedback control, 301, 311, 312, 315, 360
  - feedforward control, 312, 354
  - Fourier transform, 15, 53, 60, 61, 295, 347, 461, 487, 506
  - Gabor transform, 76, 77
  - Galerkin projection, 275, 279, 360, 452, 456, 501
  - gappy POD, 457, 485, 501
  - gated recurrent unit (GRU), 235, 244
  - Gaussian mixture models (GMM), 186–188
  - generative adversarial network (GAN), 240, 246

- gradient descent, 133, 139–141, 195, 211, 214, 220
- Gramian, 327, 363, 364, 366, 368
- Hankel matrix, 300, 371, 372, 376
- Hilbert space, 53, 286, 287, 289, 299
- indsight experience replay, 439
- imitation learning, 434
- incoherent measurements, 110, 111
- information theory, 162
- inner product, 39, 46, 54, 109, 110, 289, 295, 360, 364, 457, 458, 465, 486, 488
- Johnson–Lindenstrauss (JL), 111
- Kalman filter, 332–334, 342, 378, 380, 416
- kernel methods, 196, 271, 297
- Koopman eigenfunction, 298, 299
- Koopman operator, 289–291, 296
- Laplace transform, 63, 81–84, 347, 349, 351
- LASSO, 114, 115, 153, 159, 211, 219
- least-squares fit, 113, 134, 135, 158
- linear discriminant, 189, 190
- linear system, 16, 106, 138, 211, 257, 271, 281, 330, 348, 354, 454
- linear–quadratic regulator (LQR), 328–330, 396, 404
- long short-term memory (LSTM), 235, 244, 248, 477, 479
- low rank, 9, 121, 122, 168, 169, 360, 362, 456, 459, 460, 465, 471, 485, 486
- machine learning, 22, 27, 87, 135, 157, 170, 172, 179, 193, 196, 198, 203, 208, 221, 375
- Markov decision process (MDP), 421–423, 426, 429, 434, 435, 444
- Markov parameters, 379
- max pooling, 226
- mixture models, 186–188, 203
- model predictive control (MPC), 393, 395, 396
- model reduction, 327, 360, 361, 502–504
- model selection, 133, 135, 153, 158, 162
- Moore’s law, 102
- multi-resolution analysis (MRA), 85
- multi-scale, 64, 271, 311
- naive Bayes, 203, 204
- neural networks, 140, 203, 208, 209, 222, 303
- neural operator, 529, 531, 533, 539
- noise, 105
- observability, 53, 286, 322, 324, 328, 340, 363–365, 368, 373
- observable function, 286, 287, 296
- off-policy reinforcement learning, 426, 433, 434, 438
- on-policy reinforcement learning, 426, 433
- open loop, 402
- optimization
- gradient descent, 141
- steepest descent, 141
- outliers, 22, 113, 120, 136, 153
- over-determined system, 4, 17, 115, 133, 148, 276
- pagerank, 203, 205
- Pareto front, 155–157
- Perron–Frobenius operator, 259, 296
- physics-informed neural network (PINN), 533, 534
- policy function, 425, 426, 428–430, 435, 436, 438
- policy iteration, 425–429, 434
- polynomial basis functions, 195, 197
- principal component, 25, 28
- principal component analysis (PCA), 3, 7, 23, 41, 111, 120, 208, 373
- principal components, 23, 25, 120
- proper orthogonal decomposition (POD), 3, 111, 260, 273, 360, 362, 449, 455, 501
- pseudo-inverse, 4, 16, 18, 20, 106, 158, 159, 211, 213, 214, 261, 262, 380
- quality function, 426, 429–431, 435–440
- radial basis function (RBF), 197, 244
- random forest, 198, 202
- randomized algorithms, 41, 43
- randomized SVD, 41, 42
- rank truncation, 169, 293
- recurrent neural network (RNN), 224, 233, 244, 477
- reduced-order model (ROM), 270, 470, 500
- reference tracking, 313, 316, 353, 404
- regression, 16, 19, 113, 133–135, 137, 175, 177, 178, 219, 270, 274, 276, 277, 280, 375, 482
- reinforcement learning (RL), 168, 175, 389, 392, 400, 419–421, 423, 425–427, 429, 433, 436, 438, 440, 444
- restricted isometry property (RIP), 104, 111
- reward, 419, 421–425, 428, 430–433, 435, 439, 440, 442
- reward shaping, 439
- ridge regression, 153
- robust control, 335, 340, 346, 347, 355
- robust fit, 153
- robust principal component analysis (rPCA), 120
- robust statistics, 153
- sampling rate, 104, 107
- SARSA, 433, 434
- sensor, 271, 301, 338, 340, 341, 343, 357, 375, 376, 399, 408, 409, 414
- singular value decomposition (SVD), 3, 40, 43, 111, 170, 260–262, 295, 361, 370, 456, 460, 502, 504
- snapshot, 46, 261, 281, 328, 370–373, 394, 456, 460, 465, 501, 504
- sparse identification of nonlinear dynamics (SINDy), 275
- sparse regression, 113, 275–277, 280, 285, 482

- sparse representation, 97, 101, 117, 270  
sparsity, 105  
spectrogram, 76–78  
state space, 299, 360, 374  
stochastic gradient descent (SGD), 215, 217, 222  
supervised learning, 174, 175  
support vector machine (SVM), 193, 204  
system identification (system ID), 260, 270, 280, 300,  
    360, 361, 363, 375, 392,  
    393, 399  
temporal difference (TD) learning, 424, 425, 431–433,  
    440  
temporal difference error, 438  
temporal difference target, 437  
tensors, 46  
test data, 179, 181, 204  
training data, 189, 191, 193, 225, 227  
uncertainty principle, 80  
under-determined system, 4, 17, 102, 105, 106, 117,  
    133, 150, 209, 210  
unitary matrix, 15  
unsupervised learning, 168, 174, 175, 203  
value function, 422, 423, 425–433, 435, 436,  
    438–440, 445, 447  
value iteration, 425–429, 434  
wavelet, 85, 111  
windowed FFT (Gabor transform), 76  
withhold data, 189