

Index

- χ^2 -minimization, 216
- Bernoulli
 - definition, 357
 - density, 16
 - distribution, 15
 - sampling, 22
- beta
 - conjugacy, 133
 - definition, 350
- BetaNegBinomial
 - definition, 360
 - modeling time scales, 292
- beta prime
 - definition, 353
- BetaBernP
 - conjugacy, 230
 - definition, 231
 - estimating molecule counts, 238
 - hyperparameters, 233
 - load, 232
 - pixelization, 240
 - prior, 231
 - regression, 230
 - single molecule localization, 241
 - step finding, 239
- beta distribution
 - prior, 133
- Binomial
 - definition, 357
- categorical
 - conjugacy, 252
 - density, 16
 - distribution, 14
- Cauchy
 - definition, 355
 - prior, 179
- Dirichlet
 - aggregate property, 255
 - base distribution, 255
 - concentration hyperparameter, 255
 - hierarchical, 298
 - marginal, 254
 - Markov jump process prior, 340
 - prior, 136, 252
 - process prior, 258
 - reparametrization, 255
 - sampling, 253
- exponential
 - definition, 9, 351
 - density, 9
 - memoryless, 365
 - sampling, 20
- GaussianP
 - blocked Gibbs-like sampler, 228
 - Brownian bridge, 222
 - Brownian prior, 222
 - conjugacy, 224
 - definition, 17
 - elliptical slice sampler, 230
 - Gibbs-like sampler, 228
 - inducing point, 225, 226
 - Langevin dynamics, 237
 - learning point spread function, 243
 - Metropolis–Hastings, 227
 - predictive distribution, 225
 - process prior, 219
 - regression, 219
 - stream bed profile, 236
 - structured kernel, 226
- gamma
 - conjugacy, 145, 166, 176
 - definition, 352
 - prior, 145
- geometric
 - definition, 358
- Laplace
 - definition, 356
- NegBinomial
 - definition, 359
- Normal_M
 - covariance, 220
 - definition, 10
 - locally periodic kernel covariance, 221
 - posterior, 218
 - prior, 218
 - squared exponential kernel covariance, 220
 - stationary kernel covariance, 220
- normal
 - Box–Muller sampler, 25
 - center, 7
 - conjugacy, 144, 166, 176
 - covariance matrix, 218
 - definition, 7, 353
 - distribution, 7
 - likelihood, 144
 - mean, 7
 - precision, 145

- spread, 7
- standard deviation, 7
- truncated, 172
- variance, 7
- Poisson
 - conjugacy, 142
 - definition, 358
 - likelihood, 142
- StudentT
 - definition, 354
- uniform
 - definition, 349
 - sampling, 18
- algorithm
 - ancestral sampling, 27
 - ancestral sampling for Gaussian state-space models, 321
 - ancestral sampling for mixture distributions, 248
 - backward recursion (stable version), 279
 - backward recursion (unstable version), 272
 - backward recursion for Rauch–Tung–Striebel smoothers, 326
 - Baum–Welch, 273
 - BIC change point, 156
 - Box–Muller, 25
 - conjugate gradient, 116
 - elliptical slice sampler, 230
 - expectation-maximization for likelihood, 121
 - expectation-maximization for posterior, 147
 - finite state projection, 107
 - forward filtering backward sampling, 285
 - forward filtering backward sampling for the linear Gaussian state-space model, 328
 - forward recursion (stable version), 279
 - forward recursion (unstable version), 269
 - forward recursion for Kalman filters, 324
 - fundamental theorem of simulation for continuous variables, 19
 - fundamental theorem of simulation for discrete variables, 21
 - Gibbs sampler, 184
 - Gibbs sampler for continuous state-space models, 328
 - Gibbs sampling for Bayesian hidden Markov model, 283
 - Gillespie simulation, 66
 - gradient descent, 115
 - greedy, 156
 - Hamiltonian Monte Carlo, 207
 - Hungarian, 250, 291
 - Markov jump process parameter sampling with trajectory marginalization, 341
 - Metropolis–Hastings sampler, 171
 - Metropolis–Hastings sampling for Bayesian hidden Markov model, 286
 - Metropolis–Hastings within Gibbs for the Markov jump process, 340
 - Nelder–Mead, 112
 - Newton–Raphson, 114
 - sampling Dirichlet random variables, 253
 - sampling Brownian motion, 93
 - sampling mixture model constitutive states, 251
 - trajectory sampling for Markov jump processes, 337
 - uniformization, 336
 - Viterbi recursion for hidden Markov model, 273
- array
 - definition, 348
 - lexicographical ordering, 55, 348
- balance
 - detailed, 168
 - full, 168
- Bayesian nonparametric paradigm
 - BetaBernP, 231
 - definition, 132
 - Dirichlet process, 258
 - GaussianP, 17, 219
 - hierarchical Dirichlet, 298
 - model selection, 157
 - prior effect, 138
 - regression, 215
- Bayesian paradigm, 109
 - Bayes’ factor, 135
 - Bayes’ rule, 27, 375
 - conjugacy in exponential family, 143
 - conjugate prior-likelihood pair, 141
 - continuous state-space model, 328
 - credible interval, 138
 - evidence, 133
 - hidden Markov model, 282
 - hierarchical formulation, 148
 - hyperparameter, 132
 - information criterion, 152
 - linear Gaussian state-space model, 329
 - maximum a posteriori estimate, 133
 - method, 131
 - mixture model, 250
 - model selection, 152
 - nonparametrics, 132, 138, 157
 - outliers, 160
 - posterior, 132, 139
 - prior, 132
- biology
 - central dogma, 102
 - feedback, 102
 - genetic toggle switch, 103
 - stochastic binary decision, 102
 - stochastic bistability, 103

biology (<i>cont.</i>) - stochastic simulation, 102 - transcription factor binding, 104	invariant, 168
boundary condition - Dirichlet, 106 - open, 97	joint, 24
Brownian motion, 92	marginal, 24
Cartesian product, 55, 59, 71	reversible, 168
central limit theorem, 145	stationary, 168
chemistry - bimolecular reaction, 63 - chemical master equation, 71 - chemical species, 63 - chemical system, 62 - chemical system modeling, 62 - chemical system simulation, 65 - excited state lifetime, 129 - Förster resonance energy, 315, 316 - fluorescence spectroscopy, 299 - fluorophore, 45, 299 - ground state, 299 - Jablonski diagram, 299 - kinetic scheme, 76 - mass action law, 72 - photo-bleaching, 45, 294 - photo-blinking, 295 - photo-state, 295 - photo-switching, 45 - propensity, 57, 61, 64 - reactions, 52 - singlet state, 299 - stoichiometric array, 62 - time-resolved spectroscopy, 299 - triplet state, 299 - well-stirred, 65	target, 164
continuous - generator matrix, 68 - space homogeneous dynamics, 81 - space increment, 86 - space inhomogenous dynamics, 81 - space transition kernel, 81 - state-space, 80, 93, 318 - time, 93 - time propagator, 69 - transition rate matrix, 53	diffusion - anisotropic, 97 - Brownian motion, 5, 17, 92 - coefficient, 91 - drift, 97 - equation, 96 - hop, 104, 105 - isotropic, 96 - open boundary condition, 97 - Ornstein–Uhlenbeck process, 104 - rotational, 106 - stationary, 96 - temperature dependence, 92
covariance - kernel, 220 - locally periodic kernel, 221 - matrix, 220 - squared exponential kernel, 220 - stationary kernel, 220	Dirac delta, 14, 361, 363
data - analysis, 7 - classification, 245 - clustering, 245 - definition, 29	discrete - regular times, 74 - state-space, 44, 74, 264 - time, 74, 80, 300
density definition, 8	distribution - banana, 211 - base, 255 - conditional, 25 - confidence interval, 138 - emission, 117, 248 - emission level, 248 - exponential family, 141 - full conditional, 183 - joint, 23 - K-parameter exponential family, 143 - marginal, 23 - mixture, 246 - mother, 248 - observation, 117, 118 - predictive, 135, 136 - target, 164, 169 - transition, 86 - Weibull, 36
	dynamical system - birth process, 48 - birth-death process, 51, 72, 126 - death process, 49 - hidden Markov model, 265 - modeling, 27 - switching process, 53 - trajectory, 42 - trajectory marginalization, 66
	equation - continuity, 97 - Fokker–Planck, 96 - generalized Langevin, 89 - Langevin, 87 - Langevin SDE, 95 - master, 67, 68

overdamped Langevin, 91	definition, 148
Smoluchowski, 99	node, 148, 149
stochastic differential, 94	
underdamped Langevin, 89	
filtering	Hadamard product, 270
backward variables, 271	hidden Markov model
continuous time, 342	Baum–Welch algorithm, 273
correction, 323	Bayesian, 282
definition, 269	decoding, 268
filter, 322	estimation, 268
forecaster, 326	evaluation, 268
forward filtering backward sampling, 285	factorial, 296
forward filtering backward sampling for the hidden Markov model, 284	forward filtering backward sampling, 285
forward filtering backward sampling for the linear Gaussian state-space model, 327	frequentist, 268
forward recursion for Kalman filters, 324	Gibbs, 283
forward variables, 269	infinite, 296
Gaussian state-space model, 322	joint decoding, 272
hidden Markov model, 269	left-to-right, 295
Kalman, 323	likelihood, 268
prediction, 323	marginal decoding, 271
Rauch–Tung–Striebel smoother, 325	Metropolis–Hastings, 286
frequentist paradigm	parameter, 267
confidence interval, 138	stable backward recursion, 279
definition, 109	stable forward recursion, 279
hidden Markov model, 268	state sequence decoding, 270
mixture model, 248	sticky, 293
function	variant, 291
continuous, 201	Viterbi recursion, 273
cumulative distribution, 20	
definition, 377	information theory
differentiable, 201	entropic prior, 141
dissimilarity, 291	entropy, 157
domain, 377	information formula, 157
error, 9	maximum entropy principle, 158, 159
gamma, 136, 254	maximum entropy signal deconvolution, 159
generalized, 363	mutual information, 159
image set, 377	rate-distortion theory, 159
indicator, 361	Shore–Johnson axioms, 158
inverse cumulative distribution, 20	
involution, 201	Kronecker
objective, 217	delta, 122, 361
probability density, 20	product, 55, 59
range, 377	sum, 59, 71
Gibbs	Laplace’s method, 153
conditionally conjugate, 188	likelihood
continuous state-space models, 328	completed, 119
full conditional, 183	Cramer–Rao lower bound, 126
hidden Markov model, 283	definition, 29
Metropolis–Hastings within Gibbs, 197, 198	dependencies, 109
sampler, 182	estimator, 30, 109
update, 184	hidden Markov model, 268
graphical representation	logarithm, 110
	marginal, 119
	maximum, 110
	ratio, 135
	state-space labeling invariance, 280
	true, 119
	usage, 109

- list
 - definition, 348
- Markov
 - assumption, 28, 47
 - blanket, 151
 - chain, 76
 - jump process definition, 50
 - jump process notation, 53
 - process, 47
 - renewal process, 49
 - transition probability matrix, 48
- Markov chain
 - convergence, 192
 - feasibility, 169
 - invariance, 169
 - irreducibility, 169
 - mixing, 191
 - processing and interpretation, 189
 - requirements, 169
 - reversibility, 169, 174
 - trace, 191
- Markov jump
 - collapsed, 60, 71
 - composite, 54
 - composite holding period, 58
 - definition, 50
 - discretization, 77
 - elementary reaction, 57
 - hidden, 333
 - incongruent composite, 58
 - memoryless, 50
 - Metropolis–Hastings within Gibbs, 340
 - reparametrization, 51
 - trajectory, 46
 - trajectory marginalization, 341
 - uniformization, 335, 336
 - virtual jump, 335, 338
- matrix operation
 - Cholesky decomposition, 223
 - Cholesky factor, 223
 - Cholesky–Banachiewicz algorithm, 223
 - inverse of sum, 33
 - matrix exponential, 69
 - push through identity, 33
 - singular value decomposition, 223
 - Woodbury identity, 33
- mean square displacement, 91
- memoryless
 - definition, 364
 - exponential distribution, 365
 - Markov jump, 50
 - random variable properties, 365
- Metropolis–Hastings
 - definition, 171
 - GaussianP, 227
 - hidden Markov model, 286
 - proposal, 171
- microscopy
 - aberrated point spread function, 241
 - Airy probability density, 38
 - astigmatism, 242
 - camera (EMCCD), 38, 129
 - defocus, 241
 - estimating molecule counts, 238
 - excited state lifetime, 129
 - Förster resonance energy transfer photon crossover, 315
 - fluorescence, 198, 299
 - fluorescence background, 198
 - fluorescence lifetime, 300
 - fluorophore, 299
 - ground state, 299
 - imaging plane, 320
 - instrumental response function, 262
 - integrative detector, 343
 - photo-bleaching, 45, 294
 - photo-blinking, 295
 - photo-state, 295
 - photo-switching, 45
 - pixelization, 240
 - point spread function, 38, 241, 243
 - pupil function, 241
 - scalar diffraction theory, 241
 - single molecule localization, 241
 - single molecule tracking, 332
 - singlet state, 299
 - triplet state, 299
- mixture model
 - ancestral sampling, 248
 - Bayesian, 250
 - categories, 247
 - definition, 245, 246
 - frequentist, 248
 - normal, 209
- model
 - definition, 3
 - estimation, 8
 - forward, 41, 139
 - forward versus generative, 139
 - generative, 29, 139
 - generative with measurement uncertainty, 118
 - nested, 152
 - parameter, 6
- model selection
 - Bayesian, 136, 137, 152
 - Bayesian information criterion (BIC), 152, 153
- Monte Carlo
 - autocorrelation, 193
 - burn-in, 192
 - definition, 163
 - ergodicity, 168
 - expectation, 164
 - feasibility, 168
 - Hamiltonian, 202
 - integration, 163

- Markov chain, 166, 169, 174, 189, 191, 192
- optimization, 163
- proposal, 178
- sampler, 163, 170
- thinning, 193
- warm-up, 192
- noise
 - additive, 248
 - definition, 84
 - measurement, 5, 117
 - multiplicative, 248
 - time-decorrelated white, 89, 220
- optimization
 - conjugate gradient, 116
 - expectation-maximization for likelihood, 120
 - expectation-maximization for posterior, 147
 - gradient, 113
 - gradient descent, 115
 - Hessian, 113
 - Nelder–Mead, 112
- parameter
 - definition, 108
 - emission, 117
 - latent, 108, 117
 - model, 6
 - nuisance, 108
 - observation, 117
 - scale, 349
- physics
 - Brownian motion, 5, 17, 92
 - fluctuation–dissipation theorem, 90, 104
 - force spectroscopy, 314
 - free energy, 111
 - friction coefficient, 88
 - Kramers–Moyall expansion, 98
 - leapfrog integrator, 203
 - maximum entropy, 158
 - moment closure relation, 101
 - Newton’s second law, 82, 83
 - nonradiative transition, 300
 - optical trap, 104
 - partition function, 111
 - phase-space, 82
 - photo-electric effect, 6
 - photo-electron counting, 367
 - point mass, 81
 - quantum efficiency, 199
 - scalar diffraction theory, 241
 - state dependent force, 83
 - state independent force, 81
 - temperature, 90
 - thermal, 99
 - thermodynamic entropy, 158
- point
 - change, 154, 156
 - estimate, 109, 131
 - statistic, 144
- prior
 - conditional conjugacy, 146
 - conjugate, 141
 - definition, 132, 139
 - hierarchical process, 298
 - hyper-, 143, 148
 - hyper-hyperparameter, 143
 - hyperparameter, 136, 143
 - improper, 140
 - informative, 141
 - Jeffreys, 141
 - pseudocount, 134, 143, 144
 - pseudoestimate, 144
 - strength, 143
 - uninformative, 140
- probability
 - σ -algebra, 369, 379
 - Borel σ -algebra, 370
 - chain rule, 27
 - conditional distribution, 26, 375
 - Cox’s theorem, 372
 - cumulative function, 18
 - density, 8, 11, 374
 - distribution, 8, 380
 - distribution function, 20
 - event space, 368
 - expectation, 164
 - generating events, 371
 - image set, 377
 - independent event, 374
 - joint density, 24
 - marginal density, 24
 - measurable, 379
 - measurable space, 379
 - measure, 371
 - normalization, 11
 - pre-image set, 377
 - sample space, 366
 - space, 376
 - support, 349
 - transition, 76
 - transition matrix, 48
- problem
 - data classification, 245
 - data clustering, 245
 - direct, 31
 - ill-posed, 31
 - inverse, 31, 139, 163
 - regression, 215
 - well-posed, 31
- process
 - BetaBernP, 231, 258
 - definition, 40
 - Dirichlet, 258
 - GaussianP, 219, 258

process (<i>cont.</i>)	sampler
hierarchical Dirichlet, 298	ancestral continuous state-space model, 321
hierarchical prior, 298	ancestral definition, 26
Ornstein–Uhlenbeck, 108, 128	ancestral for mixture models, 248
prior, 219	auxiliary variable, 198
random, 40	beam, 299
renewal, 49	elliptical slice, 229, 230
Wiener, 85, 94	forward filtering backward sampling for hidden Markov model, 283
prototype experiment, 7	forward filtering backward sampling for the linear Gaussian state-space model, 327
random variable, 5	Gibbs, 182
completion, 24	Gibbs for continuous state-space models, 328
continuous, 5, 18	Gibbs for hidden Markov model, 283
coordinate transformation, 13	Gibbs for mixture model, 257
de-marginalization, 24	Hamiltonian Monte Carlo, 202
definition, 5	Markov jump process parameter sampling with trajectory marginalization, 341
discrete, 5, 14, 20	Metropolis, 178
iid, 23	Metropolis–Hastings, 171
latent, 108, 117	Metropolis–Hastings for GaussianP, 227
marginalization, 24	Metropolis–Hastings for hidden Markov model, 286
rescaling, 12	Metropolis–Hastings within Gibbs, 197
sampling, 8	Metropolis–Hastings within Gibbs for Markov jump process, 340
stochastic event, 5	Monte Carlo, 170
stochastic realization, 6	multiplicative random walk, 195, 211
support, 349	slice, 200
transformation, 12	trajectory sampling for Markov jump processes, 337
versus deterministic, 5	uniformization, 336
random walk	set theory
additive, 180	element, 368
circular, 77	empty set, 369
definition, 76	image set, 377
kinetic scheme, 76	pre-image set, 377
MCMC scaling, 181	set, 368
Metropolis, 180, 196	set intersection, 369
Metropolis–Hastings, 195	set unions, 369
multiplicative, 195	simulation
rate	Box–Muller, 25
memoryless, 365	definition, 18
parameters, 349	fundamental theorem, 18
transition, 77	Gillespie, 65
regression	state
BetaBernP, 230	Bayesian state-space model, 328
continuous, 219	collapsed state-space, 61
discrete, 231	constitutive, 42
GaussianP, 219	continuous state-space, 318, 319
input point, 217	definition, 41
least squares estimator, 216	discrete state-space, 45, 264
linear, 215	dwell phase, 79
nonlinear, 216	dwell time, 80
nonparametric, 215	epoch, 45
objective function, 217	escape rate, 50
parametric, 215	
regularization parameter, 217	
test point, 217	
rule	
assessment, 44, 265, 319	
Bayes', 27, 375	
initialization, 44, 265, 319	
transition, 44, 265, 319	

finite state projection, 107, 129	state-space label invariance, 280
Gaussian state-space model, 320	statistics
hidden, 43	sufficient, 144
holding, 46	stochastic
holding period, 46	definition, 40
infinite state truncation, 106	operation, 366
joint decoding, 272	system, 41
jump time, 46	structured Markov chain
labeling, 45	collapsed state, 60
latent, 43	composite system, 54
linear Gaussian state-space model, 322	congruent system, 54
marginal decoding, 271	elementary state-space, 54
passing, 42	elements, 54
persistence, 78	
phase, 45	underflow, 120, 175
relabeling, 250	
sequence decoding, 270	vectors, 348
state-space, 42	