

INDEX

- A:shiwi, 56
- accuracy, 152, 177, 203, 308
- actor, 4–7, 24, 36, 79–80, 156, 193, 267–268, 306, 308
- Actor-Network Theory, 7
- actor-oriented model, 96
- adjacency list, 69, 98, 101, 294
- affiliation, 29, 79–80, 83, 85, 294
- affiliation network. *See* network, types of
- agent-based modelling, 50, 280
- animation, 229, 235, 293
- Aotearoa, 32, 83
- ARIADNE, 44, 78, 252
- attribute, 4, 6–7, 9–10, 14, 19, 24, 28–30, 33–35, 56–57, 65, 68, 70, 84, 117, 129, 167, 191, 193–194, 197, 199, 209, 211, 213–214, 216, 221, 237–238, 245, 265–266, 305–306
- edge, 45, 53, 58, 101, 209
- node, 13, 64, 66, 85, 101, 307
- Bayesian analysis, 95, 184–185
- beta skeleton, 248, 260, 295
- bi-directional network. *See* network, types of
- binarization, 217–218
- bootstrapping. *See* resampling
- boundary, 66, 98, 160, 216, 221, 239, 272
- boxplot, 169, 173–174, 286
- Brainerd-Robinson similarity metric, 85, 123, 167, 178, 217, 231, 257
- bridge, 123–125, 198, 204, 241–242
- brokerage, 144, 197–198, 266, 268–269
- brokers. *See* brokerage
- Bronze Age, 20, 33, 38, 42, 44, 46, 78, 204–205, 253–254
- categorized network. *See* network, types of
- centralization, 133
- centrality, 8–10, 14–15, 32–33, 37, 104, 132–133, 135, 137, 139, 141, 144–146, 148, 150, 160, 167, 170, 176, 178, 181–182, 187, 189–190, 192, 198–199, 207, 211, 213, 217, 220, 234, 236, 253, 286, 288, 296, 305
- betweenness, 13–14, 46, 132–133, 135, 137–139, 141, 146, 148, 161, 167, 169–173, 187, 189–190, 195, 198–199, 205, 207, 220, 236, 245–246, 285–286, 295–296, 302
- closeness, 130–131, 133, 135, 137–139, 141, 143, 297
- degree, 77, 81, 133, 135–137, 141–142, 144, 148, 175–176, 178–179, 189–191, 194, 236, 245, 285–287, 298, 307
- eigenvector, 133, 137, 141–143, 146, 167–169, 187, 231, 286, 300
- ceramics, 15, 32–35, 38, 43, 53, 55–56, 66, 85, 87–89, 95, 131, 144, 153–154, 167, 170–171, 177–178, 182–183, 185, 196, 202, 213, 216, 219, 221–228, 231, 233, 236, 248, 257–258, 266, 268, 272–273, 275, 277–278
- Chaco Canyon, 55–56, 167, 169, 177–178, 185, 258

- Cibola, 56–57, 89, 170–171, 194, 215, 236
- citation, 31, 49, 59, 73, 75, 100, 120, 136–137
- clique, 103, 126–127, 146, 148, 284, 297
- closeness. *See* centrality
- cluster, 6, 32, 35, 46, 61, 70, 78, 83, 112, 114–116, 122, 139, 141, 143, 150, 159, 173, 196–199, 202–207, 209–210, 216, 220–223, 225, 229, 231, 246, 249–250, 254–255, 287–288
- clustering coefficient, 114–115, 122, 146, 297, 307
- co-authorship, 31, 49, 58–59, 79, 82, 123, 172–173
- cohesive subgroup, 105, 126–129, 131, 145, 298, 302
- color vision deficiency, 210
- complete network. *See* network, types of
- complex network. *See* network, types of
- complex systems, 2, 19
- complexity science, 16, 19, 24
- component, 7, 9, 72, 87, 112, 115, 122–125, 147–149, 159, 173, 187, 204, 229, 231, 242, 248, 273–274, 284, 296, 298
- correlation coefficient, 160–161, 172, 178, 286
- critical network research, 263
- crossroad, 30, 36, 241
- cutpoint, 124–125, 148, 298
- cyberSW project, 53, 55–56
- cycle, 120–121, 267, 294, 298, 302
- dark network. *See* network, types of
- degree, 107–109, 111, 115–116, 128–129, 131, 135–136, 142, 144–145, 147, 176, 188, 245, 250, 284, 286–287, 294, 298, 308–309
- degree distribution, 109, 116, 166, 188, 245, 251, 274, 299, 301, 306
- Delaunay triangulation, 43, 248–250, 260, 299
- dendrogram, 196, 208–209
- dense network. *See* network, types of
- density, 72, 89, 104, 107, 111, 115, 122, 126, 129, 132, 144, 147, 157, 206, 223, 226, 234, 245, 269, 287, 294, 304, 307
- dependency, 9–10, 24, 65, 72, 78, 93, 98, 197, 265, 305
- diameter, 121–123, 139, 147, 248, 260, 284, 295, 299, 301
- digital elevation model, 45, 61
- directed network. *See* network, types of
- dissimilarity, 85
- distance, 14, 30, 32, 36–38, 42–45, 56, 59, 61, 67, 71, 77–78, 84–85, 87–88, 116, 118, 121–123, 127–130, 138–139, 141, 147–148, 152, 165, 185–186, 202, 204, 206–208, 216–217, 223, 233, 237, 244–246, 248–251, 253, 255–259, 272–273, 277, 284, 297–298, 301, 303–304, 306–307
- dyad, 65, 104, 112, 114, 126, 300
- edge list, 67–68, 70–71, 74, 97–98, 101, 300
- ego network. *See* network, types of
- empty network. *See* network, types of
- error, 45, 61, 97, 149–151, 155, 158, 167, 181, 184–189, 301, 309
 - sampling, 153–154, 162, 164, 177–179, 306
 - statistical, 152–153, 189, 307
 - systematic, 151–153, 189, 308
- Etowah mounds, 35
- Euler, Leonhard, 16
- event, 6, 70, 79–80, 150
- exponential random graph models, 46, 96, 114, 117–118, 184
- Florence, Italy, 2–3
- food web, 47, 121, 237
- force-directed algorithm, 206–207, 231, 287
- Fruchterman-Reingold algorithm, 207, 221
- Gabriel graph, 248, 256, 260, 295, 301
- general additive model, 252, 257
- general similarity network. *See* network, types of
- generalized linear model, 257
- geodesic, 121, 301
- Girvan and Newman clustering, 131, 138, 221, 302

- graph theory, 16–17, 24, 155, 240
- gravity models, 30, 43, 184, 252
- Hamming distance, 87
- hierarchical network. *See* network, types of
- Hohokam, 37, 50, 87
- homophily, 117, 184
- Hopi, 33
- hub, 53, 107, 133–134, 136, 277, 294, 302
- illicit network. *See* network, types of
- imputation, 183
- imputation method, 183–186, 190, 302
- incidence matrix. *See* matrix
- indegree, 107–108, 135–136, 251, 294, 302
- Inka, 146
- isotope, 38
- k*-core, 128, 131, 147, 302
- K-nearest neighbor network. *See* network, types of
- label, 69–70, 159, 176, 198–200, 208, 218, 220, 236, 287
- Lambda set, 131, 302
- line-of-sight network. *See* network, types of
- longitudinal network. *See* network, types of
- Louvain modularity, 59, 132, 147, 195–196, 198–199, 204, 223, 287, 303
- Mahalanobis distance, 87
- Manhattan distance, 85
- mathematical notation, 5, 67
- matrix, 40–41, 69–70, 81, 89, 97, 111, 178, 223, 292, 294, 300, 302
 - adjacency, 69–70, 74, 77, 81, 85, 98, 101, 111, 197, 207–208, 217, 222–225, 235, 294, 298, 300, 303, 307, 310
 - incidence, 70, 81, 83, 85, 87–88, 98, 102, 302
- matrix algebra, 52, 81, 292
- maximal subnetwork, 112, 127–128, 131, 302–304
- maximum distance network. *See* network, types of
- Maya, 32, 48, 52, 76–77, 95, 143–144
 - inscriptions, 48, 76
 - stelae, 143
- Medicis, the, 2–3
- Mesoamerica, 8
- Mesopotamia, 37, 44, 252
- missing data, 156, 158, 166, 173–174, 183, 189, 285–286
 - edges, 126, 151, 160, 165, 173, 191, 222–223
 - nodes, 151, 158–159, 162, 169, 172–173, 183, 188, 190, 286
- modularity, 132, 205, 274, 303–304
- Monte Carlo method. *See* resampling
- Morisita Index, 87
- Mousterian, 52
- m*-slices, 129, 131, 147, 303
- multi-dimensional scaling, 204, 208, 288, 304
- multilayer network. *See* network, types of
- museological networks, 31, 50–51
- museum, 50–51, 215
 - Metropolitan Museum of Art, 51
 - Pitt Rivers Museum, 51
- n*-clique, 112, 127–128, 304
- neighborhood, 30, 40, 43, 248–249, 251, 255, 260
- network data, xii, 5, 9, 13, 15, 17–18, 20–23, 27–28, 45–46, 52–53, 64, 66–67, 69–73, 75, 78, 88, 92, 97–100, 103–105, 117–118, 144–145, 149, 151, 153–154, 156, 162–163, 166, 175, 183, 190–191, 194, 196–197, 204, 208, 226, 230–231, 240–241, 257, 265, 269, 271, 277, 292, 294, 300, 302, 304
- network science, 1–2, 4, 8–10, 12, 14–16, 20–26, 47, 53, 58–59, 67, 69–70, 72, 75, 91–92, 94, 96, 104, 106, 112, 116, 118–121, 124, 126–127, 131–132, 143, 145, 155, 225, 238, 243, 245, 259, 263–265, 270–271, 277–278, 301, 304
- network structure, 6, 8–10, 17, 23, 37–38, 84, 93, 96, 122, 141, 146, 150, 154–155, 159, 161, 166, 193, 202, 229, 238, 248, 267, 274, 277–279, 288, 303–305

- network theory, 7, 9, 14, 269
- network, types of
 - acyclic, 60, 75, 120, 242, 244, 294, 308
 - affiliation, 80
 - bi-directional, 75
 - categorized, 77–79, 98, 296
 - complete, 72–73, 131
 - complex, 19, 216, 218–219, 221, 230, 293
 - dark, 50, 80, 158, 174, 189
 - dense, 70, 72–73, 126, 203, 235, 299
 - directed, 47, 69, 73–75, 98, 100, 104, 107–109, 111, 113, 120, 135–137, 216, 251, 294, 297, 299–300, 302, 305
 - ego, 89–90, 99, 300
 - empty, 73, 98, 301
 - general similarity, 29
 - hierarchical, 120, 203, 208, 241, 302
 - illicit, 31, 50, 158, 174
 - K-nearest neighbor, 42, 250–251, 256, 260, 302
 - line-of-sight, 45–46, 69, 93, 239
 - longitudinal, 92, 94–96, 99, 226, 303
 - maximum distance, 251, 255, 257
 - multilayer, 91–92, 304
 - one-mode, 46, 72, 81, 83–84, 304
 - ontological, 50
 - road, 12, 37–39, 52–53, 72–75, 91, 107, 119–123, 126–129, 138–139, 141–143, 146, 191, 253, 262
 - scale-free, 109, 146, 306
 - signed, 75–76, 79, 92, 98, 296
 - similarity, 57, 84–85, 87–88, 123, 257, 307
 - simple, 72–73, 75, 98, 160, 195, 197, 203–204, 210, 213, 217, 223, 226, 307
 - simulated, 34
 - small-world, 19, 122, 277, 307
 - sparse, 72–73, 307
 - spatial, 22, 39, 45–46, 58, 62, 124, 129, 139, 160, 202, 237–241, 243–247, 252, 254–257, 259–260, 307
 - total, 155–156, 160, 166–167, 308
 - two-mode, 44, 51, 71, 79, 81, 83–84, 98, 101, 213, 236, 293, 304, 309
 - undirected, 69, 74, 108, 111–112, 135, 216, 236, 287, 299
 - uni-directional, 74, 98
 - valued, 77–78, 131
 - weighted, 77–79, 85, 88, 92, 98, 104, 107–108, 129, 131–132, 167, 295, 299–300, 303, 309
- New Zealand. *See* Aotearoa
- node variable, 64–66, 98, 100, 305
- obsidian, 8, 10, 32, 44, 83–84, 95, 162, 272
- Oceania, 17, 42
- one-mode network. *See* network, types of
- one-mode projection, 81, 83–85, 98, 102, 283
- ontological network. *See* network, types of
- ORBIS model, 37–38
- Ostia, 37, 40
- outdegree, 107–108, 135–137, 251, 302, 305
- path, 9, 13, 21, 30, 36–40, 42, 46, 62, 66, 72–73, 103–105, 118–120, 122–124, 133, 135, 137–139, 141, 145, 161, 196, 200, 202, 216–217, 219, 225, 239–240, 242, 245, 248, 296, 298, 303, 306
- shortest path, 46, 121–123, 138, 147, 170, 198, 245–246, 295, 297, 299, 301, 306–307
- Pompeii, 12, 14
- pottery. *See* ceramics
- power law, 109–110, 306
- precision, 152–153, 189, 307
- probability distribution, 109, 185
- Proximal Point Analysis, 30, 42, 250
- reachability, 19, 39, 78, 122, 124, 126–128, 145, 147, 241, 277, 284, 298, 300, 306
- relational perspective, 6–7, 24, 51, 264, 306
- relative neighborhood graph, 306
- resampling, 89, 149, 151, 153, 162–163, 165–166, 172, 174, 177–179, 183, 186, 189–191, 285–286, 296
- bootstrapping, 163, 172, 177, 179, 181, 189, 296
- Monte Carlo, 163, 189, 304

- road network. *See* network, types of
- Roman Empire, 7, 37, 42, 54, 276
 - Roman roads, 23, 37, 52–53, 65, 107, 119, 121–123, 126–127, 129–130, 139, 142–143, 201, 262, 277
 - Romans, 12, 14, 53, 128, 131
- sampling, 22, 141, 149, 153, 155–156, 162–166, 168, 170, 172–173, 178, 181, 189, 286, 296
 - biased, 156–158, 160, 172, 190–191, 285, 296, 306
 - random, 156–158, 166–168, 170, 172, 174, 178, 191, 286, 296, 306
- scale-free network. *See* network, types of
- seriation, 51–52, 87, 204, 223
- signed network. *See* network, types of
- similarity, 29–30, 32–35, 43, 47, 51, 53–54, 56, 66, 72–73, 78–79, 84–85, 87–89, 96, 106, 118, 123, 126, 131–132, 135, 147, 167, 170–171, 175, 177, 182, 196–197, 202, 208–209, 213, 216–219, 221–223, 226–228, 231, 233–234, 236, 239, 257–258, 266–268, 272–273, 275, 278–279, 287, 307
- similarity network. *See* network, types of
- simple network. *See* network, types of
- simulated network. *See* networks, types of
- small-world network. *See* network, types of
- social network analysis, 1, 16, 18, 20, 24, 80, 105, 144, 163, 239, 278, 292–294
- social relationship, 1, 7, 80, 106, 240, 277
- social system. *See* social relationship
- sociogram, 194
- sociometry, 18, 193
- Southwest Social Networks Project, 18, 53, 87, 154, 167, 177, 197, 200, 231–233, 254, 256, 266
- space syntax, 39–40, 47, 240, 259
- sparse network. *See* network, types of
- spatial analysis, 15
- spatial network. *See* network, types of
- Spearman’s rank correlation, 161, 169, 172, 178, 192, 286
- Spearman’s rho, 160–161, 168
- strength of weak ties, 77, 267
- structural variable, 64, 66, 71, 79, 81, 98, 100, 300, 304, 308–309
- subnetwork, 71, 90, 112–115, 119, 122–123, 126–128, 130–131, 145, 302–303, 308–309
- Thiessen polygon. *See* Voronoi diagram
- threshold, 43, 88–89, 206, 217, 251, 257, 260, 285, 303
- timeline, 228, 235
- total network. *See* network, types of
- total viewshed, 46
- trail network, 160
- transitivity, 112, 114–115, 308
- tree, 121, 208, 221, 241, 244, 248–249, 260, 302–303, 308
- triad, 76, 112, 114–115, 126, 141, 147, 184, 268, 297, 305, 308
- triad census, 114, 309
- two-mode network. *See* network, types of
- uncertainty, 12, 22, 66, 149–151, 162–163, 165, 177, 181–182, 185–189, 274, 309
- undirected network. *See* network, types of
- uni-directional network. *See* network, types of
- unreachable. *See* reachability
- valued network. *See* network, types of
- variable, 64, 66, 161, 211, 245, 259, 272, 300
- vertex, 4–5, 128, 291, 302, 309–310
- visualization, 5–6, 8, 18, 22–23, 27, 42, 50–51, 64, 70, 72, 84, 88–89, 168–169, 235, 240, 260, 266, 270, 287–288, 291–293, 304
 - color, 210–212, 214–217, 220, 223, 227–228, 230–231, 234, 236, 287–288, 292
 - scaling, 131, 211, 231
- Voronoi diagram, 43, 247, 250, 260, 299, 308–309
- walk, 118–121, 132, 157, 298, 306, 308–309
- walktrap clustering, 132, 309
- weighted network. *See* network, types of
- Zuni. *See* A:shiwi