

# Index

- A-B-C perspective, of body focused repetitive behaviors (BFRBs), 66–67
- Acceptance and Commitment Therapy (ACT), 33, 76
- acceptance techniques, 78
- activities, external antecedents for BFRBs, 21
- ADHD/impulse control issues, 128–129
- adherence, 132
- adolescence (13–18 years-old), 124–126
- affective and arousal states, 25–26
- affective cues, 22
- affective domain, 59–61, 65, 143–144
- Emily and, 59–61
- affective domains
- interventions and, 75–77
- affective interventions, 93
- alternative treatments, 29
- ambivalence, 42–43, 132
- American Psychiatric Association, 5
- diagnostic system, 6
- antecedents. *See*
- A-B-C perspective
- anxiety, 7, 10, 39, 112
- anxiety disorders, 130
- assessment, 23, 71, 133
- and functional analysis, 50, 51, 67
  - clinical, 9
  - ComB, 8, 32, 34, *See also* treatment
  - ComB treatment, 49–50
  - ComB treatment phase of, 32
  - importance of in treatment of BFRB, 51–53
  - of child's sensory functioning, 123
- auditory (sounds), 72
- automatic pulling, 19
- automatic versus focused*
- performance, 22
- avoidance, 61
- awareness, raising, 51–53
- baby trich, 10, 118
- Behavioral Precision Medicine Initiative (BPMI), 135
- behavioral treatments, 30–31
- behaviors, 23, 116, *See also*
- A-B-C perspective
  - chain of BFRB, 48
  - establishing a baseline of, 53
  - motives for the, 8
  - post BFRBs, 18
  - post BRBFs, 18
- BFRBs. *See* body focused repetitive behaviors (BFRBs)
- Body Dysmorphic Disorder (BDD), 8
- body focused repetitive behaviors (BFRBs), 19, 22–23, 31, 40, 42, 51
- A-B-C perspective of, 66–67
  - age of onset, 10, 110
  - approach to treating multiple, 64
  - automatic, 62, 79–80
  - aversive consequences of, 26–27
  - beginning of, 11
  - categories of, 18
  - challenges with parenting a child with, 126–127
  - client's buy-in for treatment, 133
  - clinical presentation of, 17
  - ComB perspective of, 31
  - co-morbid diagnoses of, 10
  - competing responses and, 80
  - confusion with OCD, 7
  - consequences of, 24–26
  - cues promoting, 20–23
  - cycle, 66–67
  - de-pathologizing behavior, 13
  - differences from obsessive compulsive disorders (OCD), 7–8
  - differential diagnoses and, 7–9
  - elimination of, 44
  - functional analysis of, 32
  - generalized anxiety disorder (GAD) and, 130
  - genetic components of, 9
  - internal obstacles to, 38–44
  - long-term consequences of, 26
  - myths about, 15–16
  - neurophysiological data and affected persons, 135
  - not classified, 6
  - other problems of, 93–94
  - overview of, 5
  - parenting a child with, 110–111
  - parents and their roles in treatment, 117–118
  - phases of, 18–19
  - positive reinforcement and, 25
  - post, 18–19
  - preparatory, 18
  - raising patient's awareness of, 51–53
  - reasons for engaging in, 13
  - recurrent patterns of, 92–93
  - relapse rates, 46
  - secondary emotional and interpersonal effects of, 12–13
  - shame and, 12–13
  - skin and hair pulling, 92
  - sources of reinforcement of, 32
  - tracking, 53
  - triggers for, 76
  - unknown factors about, 11
  - urges vs body focused repetitive behaviors (BFRBs), 73
- body scan, 106, 108
- breathing patterns, 107
- breathing techniques/exercises, 86, 91, 93, 107
- focused, 107
- child dignity, 112
- children
- behavioral treatment and, 117

- children (cont.)  
 childhood trauma, 111  
 elementary age (7–11 years), 121–124  
 getting parents/caregivers support for, 110  
 reasons for not being engaged in treatment, 115–116  
 secretiveness and lack of trust and truthfulness, 112  
 sexual abuse or other trauma, 15, 111  
 shame and, 112, 113  
 treatment of 3–6 year olds, 119–121
- clients  
 increasing motivation of, 43–44  
 preparing for ComB treatment, 38  
 profiles used in ComB's assessment, 136  
 relationship with the therapist, 37  
 therapists mistakes and, 133
- cognitive cues, 22
- cognitive domain, 57–58, 64–65, 142  
 Emily and, 57–58  
 interventions and, 72–75  
 perfectionism in the, 58–59  
 cognitive impediments, 39–41  
 cognitive interventions, 76, 92  
 treatment and, 39
- cognitive therapy, 30
- cognitive triggers, 31
- cognitive-behavior therapy (CBT) techniques  
 acceptance techniques used with, 78
- ComB Model. *See* Comprehensive Behavioral (ComB) conceptual model
- ComB Therapist, 33–34
- ComB treatment, 31–32, 37, 136, *See also* Comprehensive Behavioral (ComB) conceptual model  
 acceptance techniques as part of, 78  
 as precision medicine, 136  
 assumptions about, 34  
 changes in, 33
- children and, 117
- components of treatment  
 after, 94–96  
 discussion, 81  
 emerging research and, 135  
 formal process of, 34–35  
 framework of, 7  
 Functional Analysis Form (completed), 139  
 future possibilities of, 136  
 key features of, 32–33  
 lifestyle changes and, 96  
 mindfulness-based techniques and, 78–79  
 motivation and adherence to therapy, 95  
 phases of, 49–50  
 psychoeducation and preparation, 38  
 Self-Monitoring Form, 139  
 Self-Monitoring Form (completed), 139  
 ways of improving effectiveness of, 52
- compassion, self, 104–106
- Comprehensive Behavioral (ComB) conceptual model, 17, 19, 32–33, *See* ComB  
 conceptual framework of, 17–18  
 empirical support for, 35  
 guidance for treatment, 26  
 secondary psychosocial issues and, 27
- conscious awareness, 79
- consequences. *See* A-B-C perspective
- cosmetic damage, 26
- crisis management, 94–95
- DBT, 77
- depression, 27, 29, 34, 39, 112  
 BFRBs and, 10  
 depressive symptoms, 7, 10, 27  
 low self-esteem and, 129–130
- Diagnostic and Statistical Manual of the American Psychological Association, 17
- classification of hair pulling disorder (HPD), 5
- Dialectical Behavior Therapy (DBT), 26, 30, 33, 76
- disfigurement, 26
- eating habits, healthy, 102
- embarrassment. *See* shame
- Emily  
 affective domains and, 59–61, 93  
 cognitive domain and, 57–58, 92  
 explaining functional analysis to, 53–54  
 first implementation session, 82–87  
 helping to set treatment goals, 44–45  
 helping with ambivalence, 42–43  
 helping with cognitive impediments, 40–41  
 inconvenience review with, 43–44  
 motor domain and, 62–63, 93  
 place domain and, 54–55, 93  
 raising her awareness through self-monitoring, 52–53  
 SCAMP and, 47  
 self-care and, 101–102  
 self-compassion and, 105–106  
 sensory domain and, 55–57, 92  
 third implementation session, 90–92  
 treatment and, 92
- emotions  
 emotional contributions, 22  
 emotional impediments, obstacle to treatment, 38–39  
 emotional self-regulation skills, 26  
 lack of in BFRB activity, 60  
 regulation issues, 59  
 regulation of, 104
- environmental antecedents for BFRBs, 21
- excoriation disorder. *See also* skin picking disorder (SPD)
- exercise, 103–104
- Exposure and Response Prevention (ERP), 7
- external antecedents, 31  
 body focused repetitive behaviors (BFRBs), 20–21

- families, keeping perspectives with, 127
- Food and Drug Administration (FDA), 30
- functional analysis, 9, 19–20, 32, 33, 49
- and assessment, 50, 51
- developing, 53
- development of a, 18
- incorporation of a, 19
- Functional Analysis Form, 65, 70, 82, 139
- completed, 139
- function-based treatment, 32
- Habit Reversal Training (HRT), 30
- augmented, 30–31
- hair
- anatomy of, 99–100
- health benefits of, 98
- loss, 14
- managing damaged, 100–102
- problems caused by ingesting, 26
- hair pulling disorder (HPD), 5–6
- ACT techniques with cognitive behavior therapy for, 78
- body sites affected by, 6
- classification of, 5
- clinical presentation for, 13–14
- cues to, 20
- diagnostic criteria of, 5
- intestinal disorders caused by ingesting hair, 26
- prevalence of, 10
- profiles, 135
- sites of, 23
- hallucinations, 9
- High-Risk Profiles Form, 69
- information
- about the client's BFRB practices, 54–57
- gathering, 51
- ingestive system, 97–98
- intentional self-harm, 16
- internal antecedents, 32
- body focused repetitive behaviors (BFRBs), 21–23
- Intervention Use Form, 86, 146
- completed, 147
- interventions
- affective domain and, 75–77
- guidelines for identifying and implementing, 68–70
- implementing, 68
- list of, 139–145
- the five senses and, 71–72
- using the A-B-Cs of BFRBs, 66
- within the sensory modality, 70–71
- Lazarus, Arnold, 33
- legs, 75
- as hair pulling site, 6, 23, 92
- lifestyle changes, 96
- List of Possible Interventions*, 69
- location, external antecedents for BFRBs, 21
- maladaptive behavior patterns, disrupting, 33
- Massachusetts General Hospital (MGH) Hairpulling Scale, 51
- scoring the, 149
- Massachusetts General Hospital Skin Picking Scales, 51
- mental attention, BFRB and, 62
- mindful body scan (MBS), 106
- mindfulness techniques, 107
- mindfulness-based techniques, 78–79
- misinformation
- correcting, 15–16
- mistakes, therapists and, 133
- motivation, 95
- family, 118
- high motivation, low readiness, 132–133
- issues of, 132
- motivation, as an obstacle, 43–44
- motor domain, 61–63, 65, 144
- Emily and, 62–63
- motor interventions, 93
- motor modality, interventions for, 79–81
- motoric cues, 22–23
- Multimodal Therapy, 32
- N-Acetyl Cysteine (NAC), 8, 29
- nails, 9
- anatomy of, 100
- biting and/or picking of, 6
- newborn–2 years, 118
- Obsessive Compulsive and Related Disorders (OCD), 5, 6, 130
- confusion with BFRBs, 7
- olfactory, sense (smell, sense of), 72
- Parent Monitoring Form for Children, 119
- parent-child relationship, 114, 119
- troubled, 113
- parents
- challenges with parenting a child with BFRB, 126–127
- initial discussions with, 110–111
- role of in getting children engaged in training, 115–116
- roles during treatment, 113–114
- roles of in BFRB treatment, 117–118
- setting treatment expectations with, 114–115
- perfectionism, 41–42, 58–59, 103, 131
- permission giving thought, 83
- pharmacotherapy, 29–30
- physical and medical problems, 26
- place (environmental) domain interventions within, 81
- place domain, 49, 54, 65, 83, 145
- Emily and, 54–55
- place interventions and, 93
- place interventions, 81, 93
- positive reinforcement principles, 25
- preparatory behaviors, 18
- progressive muscle relaxation (PMR), 106
- psychiatric disorders, body focused repetitive behaviors (BFRBs) and, 111
- psychodynamic treatment, 28
- psychological disorders, 9
- psychoneurological disorders, 16

- pulling and picking behaviors, 23–24
- pulling or picking behaviors, 18
- relapse prevention, 134
- relaxation, 106–107
- research, emerging, 135
- rewards
- giving to children, 115
  - setting up plans for, 116–117
- SCAMP domains, 46–49
- analysing, 64–65
- SCAMP techniques
- explaining the domains, 117
  - using to gather information, 54–57
- selective serotonin reuptake inhibitors (SSRIs), 7, 29
- self-care
- Emily, 101–102
  - positive practices for, 102
  - positive techniques for, 109
  - routines, 102–109
- self-compassion, 104–106
- self-confidence, low, 104
- self-damaging patterns, 5
- self-esteem, good, 43, 78
- boosting, 109
- self-esteem, poor, 34, 39, 104, 112
- and depression, 129–130
  - children and, 113
  - depression and, 27
- Self-Monitoring Form, 51, 53, 139
- completed, 137
- self-talk, negative, 58
- senses, the, 71–72
- sensory blockers, 70, 71, 72, 139
- Sensory Checklist, 123
- sensory distraction, 70, 139
- sensory domain, 54–57, 64, 139–142
- assessment of sensory cues, 71
  - children and, 124
  - Emily and, 55
  - sensory cues, 20, 21–22
  - sensory experiences, 17, 32, 47–48, 60, 70–71, 107
  - after BFRB, 24–25
  - sensory gratifiers, 71, 72
  - sensory interventions, 72, 92
  - sensory modality, 70–71
  - sensory modulators, 70, 139
  - sensory pleasers, 72, 139
  - sensory substitutes/ substitution, 70, 71, 72, 123, 139
- Sensory, Cognitive, Affective, Motor, and Place (SCAMP) domains, 33
- sexual abuse
- and other trauma, 111
  - or molestation, parent's fear of, 111
- shame, 12, 27, 42, 95, 104, 110
- alleviating, 136
  - and guilt, 38–39
  - BFRBs, 129
  - BFRBs and, 59, 76
  - children and, 12, 112, 113
  - effects of, 117
  - parentings help and, 112
  - reasons for feelings of, 27
  - reducing, 9, 34, 35, 37, 44, 48, 98, 130, 133
  - secondary, 128
  - therapists adding to the, 16
  - working through, 12
- skin
- anatomy of, 98
  - health benefits of, 98
  - make-up of, 98
  - managing damaged, 100–102
- skin and hair
- developing a healthier relationship with, 97
  - importance of healthy, 97–98
- skin picking disorder (SPD), 5, 6–7
- clinical presentation of, 14–15
  - cues to, 20
  - diagnostic criteria for, 6
  - prevalence of, 10
  - profiles, 135
  - skin picking sites, 23
- Skin Picking Scale –revised (SPS-R), 149–151
- sleep, 103
- stress. *See also* depression
- tactility/touch (sense of), 71
- taste/sound, sense of (gustatory/oral), 71
- teenagers, treatment of, 124–126
- tension-reduction mechanism, 60–61
- therapists
- client relationship with the, 37
  - mistakes of, 133
- therapy
- adherence to issues in, 95
  - dealing with past experiences with, 46
  - getting parents/caretakers' support for children, 110
  - timing of, 45
- thinking hard/focusing, 61
- third wave techniques, 77
- thoughtwatching techniques, 108–109
- TLC Foundation for Body Focused Repetitive Behaviors, 135
- trance, 25
- treatment
- adolescence (13–18 years old), 124–126
  - affective interventions, 93
  - alternative, 29
  - ambivalence as an obstacle to, 42–43
  - augmented Habit Reversal Training (HRT), 30–31
  - body focused repetitive behaviors (BFRBs), 28
  - children not engaged in, 115–116
  - client motivation as an obstacle to, 43–44
  - cognitive impediments to, 39–41
  - cognitive interventions, 92
  - elementary age (7–11 years old), 121–124
  - Emily's first implementation session, 82–87
  - Emily's second implementation session, 87–89
  - emotional impediments to, 38–39
  - establishing goals for, 44–45
  - establishing parents expectations about, 114–115
  - Habit Reversal Training (HRT), 30
  - importance of client buy in for, 133
  - motor interventions and, 93
  - newborn–2 years, 118

		Index	161
non-behavioral treatments, 28–30	sensory interventions and, 92	diagnostic criteria for, 5	
obstacles to, 128–133	third implementation session, 90–92	tunnel vision, 25	
parents roles during, 113–114	timing of therapy, 45	unattractive, desire to be, 16	
patient assessment, 51–53	younger childhood (3–6 years-old), 119–121	underlying issues, 15–16	
perfectionism as an obstacle to, 41–42	trichobezoars (hairballs), 27	visual senses, 71	
pharmacotherapy, 29–30	blockage by, 13	willpower, 16	
place interventions, 93	trichotemnomania, 130	zoning out experience, 25	
preparing the client for, 38	trichotillomania, 14, 22, 130, <i>See also</i> hair pulling		
psychodynamic, 28	disorder (HPD)		