

Index

- α -helix, 125
 - $^3_{10}$, 142
 - Exciton, 120, 123–126
 - Isotope labeling, 131–133
- β -sheet, 127
 - Exciton, 120, 126–128
 - Hairpin simulation, 229–232
 - Isotope labeling, 131
- $\pi/2$ -pulse, 24
- 2Q
 - Dream experiment, 252
 - Pulse sequence, 233–237, 239–240, 252
 - see also Exciton two-quantum Hamiltonian, 233
- $^3_{10}$ -helix, 142
- 3D IR spectroscopy, 2–3, 239–242

- Absorption, 37–38
- Absorption coefficient, 143
- Absorption spectrum, *see* Linear spectrum
- Absorptive lineshape, 65
- Absorptive spectrum, *see* Lineshape, Phase twist
 - 2D, 75
 - 3D, 241
- Aliasing, 183, 202, 203, 256
- Amide I mode, 120
 - Charge density, 134
 - Coupling constants, 134–136
 - Coupling maps, 136–137
 - Isotope labeling, 128–133
 - Lineshapes, 222
 - Simulation, 229–232
- Angular momentum operator, 102
- Anharmonicity, 7
 - Anharmonicity for coupled dimer, 117–119
 - Calculation of, 226–228
 - Diagonal anharmonic shift, 5, 7–8
 - Extracting accurate values, 213–214
 - Influenced by exciton delocalization, 120, 123, 128
 - Intermode, 138
 - Local mode, 112, 117
 - Measuring with 2Q pulse sequence, 235
 - Molecular dynamics, 220
 - Normal mode, 137–140
 - Off-diagonal anharmonic shift, 5, 8
- Balanced heterodyne detection, *see* Spectrometer
 - design, 186–188, 206
- Bilinear coupling, 110, 111
- Bleach, 7
- Bloch
 - Dynamics, 154
 - Theorem, 122
 - Vector, 24
 - Tilt angle, 25
- box-CARS, 70, 184

- Carrier envelope phase, 197
- Cascaded signals, 237–239
 - Parallel vs. sequential, 252
- Causality, 59, 161, 194, 204, 255
- Central limit theorem, 150
- Chemical exchange, 13, 174–175
- Clebsch–Gordan coefficients, 266
- Coherence, 22, 28
 - Interstate, 79
- Coherence artifact, 87
- Coherence spike, 87
- Coherence transfer, 166
- Coherent control, 245–246
- Coherent state, 30
- Condon approximation, 148
 - Breakdown, 163
- Correlation function
 - Diffusive component, 223
 - Ergodic hypothesis, 151
 - Four-point, 90
 - Frequency–frequency or frequency fluctuation (FFCF), 150

- Six-point, 106
- Stationary, 150
- Coupling, 3–4, 8, 10, 109–137, 140, 144
 - α -helix, 126, 132
 - β -sheet, 127
 - 3_{10} -helix, 142
- Accuracy, 119–120
- Bilinear, 110, 111
- Calculations
 - Excitons, 229–232
 - Quantum, 226–227
- Darling–Dennison terms, 139
- Dimer, 114–116
- Fermi resonance, 140–142
- Isotope labeling, 130
- Map, 136–137
- Measurement, 213, 235
- Models, 134–136
- Off-diagonal disorder, *see* Off-diagonal disorder
- Population transfer, 167
- Quantum conserving terms, 110
- Strong vs. weak regimes, 117–119
- Transition dipole, 4, 114
- Units, 143
- Cross-peaks, 9–10
 - 2D lineshapes, 11
 - 3D IR, 240
 - Polarization dependence, 106–108
- Caused by chemical exchange, 13, 174–175
- Caused by kinetics, 14, 243–245
- Caused by population transfer, 166–172
- Extracting accurate anharmonicities, 213–214
- For typical pulse sequences, 77–84
- Forbidden, 79, 81
- Interstate coherences, 79
- On-diagonal, 81
- Polarization dependence, 88, 91, 93–100
- Spurious, 204, 212
- Strong vs. weak regimes, 117–119
- Transient pump–probe, 85
- Cumulant expansion, 149–150, 153, 155, 157
 - Avoiding it, 224–226
 - Simulations, 224
- Darling–Dennison coupling terms, 139
- Data collection and processing, 176–215
- Debye equation, 102
- Density matrix, 27–31, 49
 - Basis-free representation, 49
 - Coherence, 28
 - Coherent state, 30
 - Incoherent state, 31
 - Of a statistical average, 50–52
 - Population, 28
 - Pure state, 31
 - Time evolution, Liouville–von Neumann equation, 49
- Density operator, 31
- Diagonal anharmonic shift, 5
- Diagonal disorder, 124, 127, 131, 164, 167, 231
 - Forbidden transitions, 124
- Diagonal peak, 7
- Diagonal peaks, 4
 - 2D spectrum, 72–76
 - 3D IR, 239–242
 - Polarization dependence, 106–108
- Eliminating with polarization, 99–100
- Influenced by exciton delocalization, 120, 123, 128
- Lineshapes, 145–164
 - Measuring population relaxation, 105–106
 - Oriental contribution, 103–104
 - Polarization dependence, 92–93
- Diffusive component, 223
- Dipole allowed transition, 9
- Dipole operator, 19, 31, 32, 91
 - Expectation value, 57
 - In interaction picture, 57
- Dispersion relation, 122, 123, 142
- Dispersive lineshape, 65
 - 2D and phase twist, 74
- Double sided Feynman diagrams, *see* Feynman diagram
- Dunham expansion, 138
- Ergodic hypothesis, 151
- Etalon, *see* Spectrometer design
- Euler angles, 94
- Exciton, 109–113
 - α -helix, 120, 123–126
 - β -sheet, 120, 126–128
 - Breakdown of model, 226
 - Coupled dimer, 121
 - Defect, 131
 - Diagonal disorder, 124, 127, 131, 164, 167, 231
 - Dispersion relation, 122, 123, 142
 - Linear chain, 121–124
 - Molecular, 109
 - Off-diagonal disorder, 124, 127, 131, 164, 167
 - One-quantum Hamiltonian, 111–114, 231
 - Quantum conserving terms, 110
 - Simulation, 229–232
 - Tight binding model, 121
 - Transition dipoles, 113, 114
 - Two-quantum Hamiltonian, 111–113, 142
 - Vibron, 109
- Fabry–Perot, *see* Spectrometer design
- Fast modulation limit, 152–153
- Fermi resonance, 140–142
- Feynman diagram
 - 2Q spectra, 234
 - Chemical exchange, 173
 - Double sided, 36
 - Fifth-order or 3D IR, 242, 252
 - For 2D narrow-band spectra, 83
 - For 2D non-rephasing spectra, 80

- For 2D rephasing spectra, 78
- For pump–probe, 84
- Linear response, 37
- Population and coherence transfer, 166
- Rules, 46–47
- Single sided, 55, 56
- Third-order, 43
- Feynman pathway, 34
- Fifth-order response function, *see* Response function, fifth-order
- First-order response function, *see* Linear response function
- Flipping angle, *see* Tilt angle
- Forbidden transition, 9, 79, 81
 - Coupling limits, 140
 - Diagonal disorder, 124
 - One vibrational quantum, 119
- Fourier transform, 254–259
 - Aliasing, 183, 202, 203, 256
 - Causality, 194, 204
 - Discrete, 204
 - Double pulse, 15
 - Initial value, 204
 - Nyquist frequency, 202, 256
 - Resolution, 202, 204
 - Zero-padding, 204–206
- Frame
 - Laboratory, 92
 - Molecular, 94
 - Polarization, 106
 - Rotating, 194–197
- Free induction decay, *see* Linear response function
 - Perturbed, 86
- Frequency domain 2D IR spectroscopy, *see* Spectrometer design, Etalon, 82–84
 - Polarization dependence, 98
 - Pulse shaping, 176–180
 - Spectrometer design, 176–180
- Frequency resolution, 202, 204
- Frequency–frequency correlation function, 150
- FTIR Spectroscopy, *see* Linear (FTIR) Spectroscopy
- Gaussian lineshape, *see* Lineshape, 150, 153, 155
- Hamiltonian
 - α -helix, 125
 - β -sheet, 126
 - Diagonal disorder, *see* Diagonal disorder
 - Exciton, 110
 - Fermi resonance, 141
 - Harmonic oscillator, 260
 - Interaction picture, 54
 - Isotope labeling, 130
 - Linear chain, 121
 - Morse oscillator, 6
 - Normal mode, 138
 - Off-diagonal disorder, *see* Off-diagonal disorder
 - One-quantum, 111–114, 231
 - Quantum conserving terms, 110
 - System, 52, 54, 55, 58
 - Time dependence, 166
 - Two-quantum, 111–113, 142
- Heterodyne detection, 64, 70–71
 - Balanced, 186–188, 206
 - Local oscillator, 70
 - Local oscillator intensity, 188
 - Optical densities and spectral distortion, 188–189
 - Scatter, 189
 - Self-, 64, 185
 - Signal strength, 163
 - Versus homodyne, 70
- Hole-burning, 11, *see* Frequency domain 2D IR spectroscopy and Spectrometer design, Etalon
- Homodyne detection, 70
- Homogeneous, *see* Lineshape
 - 0–1 vs. 1–2 transition, 68
 - Dephasing, 28
 - Limit, 152
 - Lineshape, 10
 - Rotational contribution to dephasing, 104
- Incoherent state, 31
- Inhomogeneous, *see* Lineshape
- Inhomogeneous broadening, 10, 26
 - Limit, 153, 157
- Intermode anharmonicity, 138
- Interstate coherence, 79
- Isotope labeling, 128–133
- Kubo model, 145, 152–153
- Laboratory frame, 92
- Ladder operator, 68, 110, 260–261
- Legendre polynomials, 96, 265–266
- Line-narrowed, 156
- Linear
 - (FTIR) Spectroscopy, 6, 184, 195, 213
 - Lineshape, 27, 152–154, 214
 - Response function, 32, 34, 37, 52, 59, 148, 150
 - Response theory, 35
 - Spectrum, 22, 86, 103
 - CD3 ζ peptide, 129
 - Of a coupled dimer, 114–116
 - Water, 250
- Lineshape, 145–165
 - 2D, 156–157
 - 3D IR, 240–242
 - Absorptive, 65, 72–75, 82–84
 - Antidiagonal width, 11, 156, 179
 - Condon approximation, 148
 - Breakdown, 163
 - Cross-peaks, 11
 - Cumulant expansion, 149–150
 - Diagonal width, 11, 156, 179
 - Dispersive, 65
 - Ellipticity, 160

- Excitonically coupled systems, 164
- Fast modulation limit, 152–153
- Function, 149
- Gaussian, 150, 153, 155
- Homogeneous, 10
- Homogeneous limit, 152
- Inhomogeneous, 10, 26
- Kubo model, 145, 152–153
- Line-narrowed, 156
- Lorentzian, 64, 152, 154
- Nodal line, 159
- Non-Gaussian, 157, 225, 239, 242
- Phase twist, 72–75
- Quasi-absorptive, 81
- Simulations, 217–226
- Spectral diffusion, 12, 154, 169
 - Measuring, 156, 159–163
- Voigt, 154
- Wings, 65
- Liouville pathway, 34
- Liouville–von Neumann equation, 49, 51, 52, 56, 146
- Local mode, 8, 109–144
 - Anharmonic shift, 112
 - Anharmonicity, 117
- Local oscillator, *see* Heterodyne detection, 70
 - Around or through the sample, 188–189
 - Intensity, 188
- Lorentzian lineshape, *see* Lineshape, 64, 152, 154
- Macroscopic polarization, 21
 - Bloch vector, 24
 - Calculated from dipole operator, 57
 - Convolution with laser pulse, 35, 62, 84
 - Phase shift, 22, 37
- Magic angle, 98, 105
- Mass weighted coordinates, 144
- Michelson interferometer, 75, 183, 186, 188
- Molecular dynamics simulations, 217–232
- Molecular exciton, 109
- Molecular frame, 94
- molecular response, 21
- Momentum operator, 261
- Morse oscillator, 6, 112, 140
- Narrow band pump–probe, *see* Frequency domain 2D IR spectroscopy
- Nodal line, 159
- Non-Condon effects, 163, 226
- Non-rephasing
 - 2D spectrum, 79–81
 - Diagram, example, 41, 65, 158
- Normal mode, 109, 137–140
 - Amide I, *see* Amide I
 - Dunham expansion, 138
 - Hamiltonian, 138
- Normal modes
 - Gaussian calculations, 227
- Number operator, 260
- Nyquist frequency, 202, 256
- Off-diagonal anharmonic shift, 5
- Off-diagonal disorder, 124, 127, 131, 164, 167
- On-diagonal cross-peaks, 81
- Operator
 - Angular momentum, 102
 - Density, 31
 - Dipole, 19, 31, 91
 - Expectation value, 57
 - In interaction picture, 57
 - Ladder, 68, 110, 260–261
 - Momentum, 261
 - Number, 260
 - Position, 261
 - Time evolution, 55
 - Transition dipole, 113
- Optical density, 188–189
- Oriental response, 88–108
 - 3D and higher-order pulse sequences, 106–108
 - Cross-peaks, 93
 - Diagonal peaks, 91–93, 100
 - Dynamics, 100–106
 - General expression, 96, 106
- Peak shift measurement, 161–163
- Perturbed free induction decay, 86
- Phase cycling
 - Frequency domain, 180
 - Methods, 197–200
 - Pathway selection, 44–46, 191–194
 - Removing scatter, 191–193
 - Removing transient absorption bkgd, 191–193
 - Rotating frame, 194–197
- Phase matching, 42
 - box-CARS geometry, 70, 184
 - Selecting pathways, 42–44
 - Standard geometries, 184
 - Thin sample limit, 185
- Phase stability, 180
- Phase twist, 72–76, 194
 - Narrowband 2D spectra, 84
 - Quasi-absorptive, 81
- Photoelastic modulator, 198
- Photon echo, 41
 - Example of a heterodyned signal, 162, 236
 - Fifth-order, 236
 - Heterodyne, *see* Heterodyne detection
 - Integrated, 70, 161
 - Peak shift, 161–163
 - Pulse sequence, 41
- Physical constants, 262–264
- Polarization
 - $\langle -45^\circ, +45^\circ, 0^\circ, 90^\circ \rangle$, 99
 - Combining pulse polarizations, 99–100
 - Eliminating diagonal peaks, 99
 - Frame, 106
 - General expression, 96, 106

- General expression for fifth-order and higher, 106–108
 Magic angle, 98, 105
 Response, *see* Orientational response
 Table summarizing responses for
 XXXX,XXYY,XYXY,YYYY, 97
 Population relaxation, 27
 0–1 vs. 1–2, 67
 Density matrix, 28, 66
 Feynman diagram, 167
 Measurement, 105–106
 Relation to homogeneous dephasing, 67
 Position operator, 261
 Product operator formalism, 246
 Projection slice theorem, 85
 Pulse sequence
 2Q, 233–237, 252
 2Q 3D IR, 239–240
 2Q dream experiment, 252
 Purely absorptive 3D IR, 241–242
 Transient 2D IR spectroscopy, 243–245, 252
 Pulse shaping, 75, 82, 191, 204
 Data collection, 200–201
 Frequency domain, 176–180
 Phase stability, 181
 Phasing, 207
 Rapid scanning, 245
 Shaper design, 199–200
 Pump–probe
 Background, 189
 Balanced heterodyne detection, 187
 Experimental setup, 83
 Extracting rephasing and non-rephasing signals, 193–194
 Feynman diagrams for narrowband, 83
 Frequency domain, *see* Frequency domain 2D IR spectroscopy
 Frequency domain spectrometer design, 176
 Hole-burning, 11
 Local oscillator intensity, 188
 Negative time delays, 86
 Phase matching geometry, 45, 75, 184, 185
 Spectrum for 2D IR calibration, 209
 Table of polarization conditions, 105
 Transient, 84–86
 Pure dephasing, 29, 67
 Diagonal disorder, 169
 Fast modulation limit of Kubo, 152
 Pure state, 31
 Quantum conserving terms, 110
 Quantum correction factor, 171
 Quasi-absorptive 2D spectrum, 81
 Rapid scanning 2D IR, 245
 Rephasing
 2D spectrum, 77–79
 Diagram, example, 41, 66, 158
 Response function
 Even-order (e.g. $R^{(2)}$), 59
 Fifth-order, 252
 Linear, 32, 34, 37, 52, 59, 148, 150
 n th-order, 59
 Single sided, 44, 59
 Third-order, 39, 59, 65–69
 Rotating frame, 194–197, 202
 vs. undersampling, 204
 Rotating wave approximation, 35–37, 43, 47, 53
 Rotation matrices, 94
 Rotational diffusion, 102–103
 Debye equation, 102
 Rotational response, *see* Orientational response
 Scatter, 189–193
 Schrödinger equation, 19
 Selection rules, 20
 Derivation, 133
 Harmonic oscillator, 8
 Self-heterodyne, 64, 185
 Semiclassical approximation, 19, 145
 Semi-impulsive limit, 71, 72
 Side-chain absorbances, 130
 Simulation
 2D spectra using excitons, 229–232
 Lineshapes, 217–226
 Molecular couplings, 226–227
 Single-sided Feynman diagram, 55, 56
 Slow modulation limit, 153
 Spectral density, 170
 Spectral diffusion, 12, 154, 169
 Measuring, 156, 159–163
 Water, 217
 Spectral interferometry, 206–207
 Spectrometer design, 69–72, 176–215
 Alignment, 214–215
 Balanced heterodyne detection, 186–188, 206
 using polarization, 187, 188
 Etalon, 75, 82, 108, 176–179, 200, 201
 Fabry–Perot, 75
 Frequency domain, 176–180
 Homodyne detection, 70
 Michelson interferometer, 75, 183, 186, 188
 Optical density, 188–189
 Phase cycling, *see* Phase cycling
 Phase matching, 184–186
 Phase stability, 180–182
 Polarization control, 186
 Pulse intensities, 188
 Pulse shaping, *see* Pulse shaping
 Scatter, 189–193
 Time domain, 180–188
 Spherical harmonics, 95, 265–266
 Addition theorem, 95
 Clebsch–Gordan coefficients, 266
 Closure property, 103
 Orthogonality, 102, 266

286

Index

- Strong coupling limit, 117–119
 System Hamiltonian, 52, 54, 55, 58
- Thin sample limit, 185
- Third-order response function, *see* Response function, third-order
- Tight binding model, 121
- Tilt angle, 25
- Time domain 2D IR spectroscopy, 14–16
- Time-evolution operator, 55
- Transient 2D IR spectroscopy, 14, 189, 243–245, 252
 Rapid scanning, 245
- Transition charge density, 133, 134
- Transition dipole, 133–134
 Coupling, 114
 Matrix, 113–114
 Moment, 20, 115
 Operator, *see* Operator, Dipole
 Point charge model, 135
 Strength, 133
 Amide I, 121
 Strength from absorption spectrum, 143
 Units, 143
- Transition dipole operator, 113
- Triggered exchange, 244
- Two-quantum, *see* 2Q
- Under-sampling, 202–204
 Units, 262–264
- Vibrational dynamics
 Bloch, 154
- Vibrational exciton, *see* Exciton
- Vibrational selection rules, 20
 Derivation, 133
- Vibron, 109
- Voigt lineshape, *see* Lineshape, 154
- Wavepacket, 21
- Wavevector, 19
 Definition, 185
- Weak coupling limit, 117–119
- Window functions, 211–212
- Zero-padding, 204–206