

## INDEX

- abundance of species, 235, 239
- abyssal plains, 23
  - bedrock, 35
  - bioregions, 182
  - biota, 14, 35, 54, 182
  - new species, 45
  - nutrients, 35, 34–5
  - species distribution, 188
  - water pressure, 35
- Abyssochrysidae, 176
- acidification of oceans, 106, 136, 153, 194, 223, 237
- Acipenser medirostris*, 161
- Acipenser transmontanus*, 161
- acoustic sensors, 72, 73, 77–8
  - arrays of, 150, 158
  - hydrophones, 78, 80
  - imaging, 235
  - multibeam, 74
  - and sampling, 77
  - tags, 80
- Aequorea macrodactyla*, 150
- Africa, unknown marine
  - fauna, 100
- Alaria fistulosa*, 101
- albacore tuna, 165
- albatrosses, 5, 73, 165, 237
- Aleutian Islands, 16
- alewife, 27, 216
- Alfred P. Sloan Foundation, 10
- algae, 128, 152
  - see also* kelps; seaweeds
- allopatric speciation, 127
- allozymes, 48
- Alphaproteobacteria, 147
- Alvin* submersible, 50–1, 75–6, 175–8
  - see also* submersibles, manned
- American lobster, 5, 104
- ammonium cycling, 152
- Amperima rosea*, 191
- amphipods, 6, 17, 33
  - Antarctic, 127
  - Arctic, 33, 128, 130, 132, 133
- Amundsen Sea, 135
- anadromous fishes, 80, 157, 161
- anchovies, 156, 165, 211
- anglerfish, 7
- Antarctic Circumpolar Current, 126, 129
- Antarctic Convergence, 126, 127, 129, 137
- Antarctic marbled rockcod, 124
- Antarctic Ocean, 31
  - area, 124
  - bacteria, 152
  - biodiversity, 31, 135
  - biological isolation, 126
  - continental shelf, 30, 126, 132, 135
  - ecoregions, 124
  - fisheries, 136
  - human influence, 124
  - Larsen B area, 130, 184
  - national claims, 136–7

## 256 Index

- Antarctic Ocean (cont.)
  - national research, 124
  - new species, 45
  - pelagic species, 129
  - seal tagging, 98
  - slope biodiversity, 181
  - tourism, 136
  - tropic emergence, 126–7
  - warming, 136
  - see also* Southern Ocean
- Antimora rostrata*, 190
- apex predators, 221, 223
- aquaria, 98
- Archaea
  - abundance, 152
  - ammonium cycling, 152
  - Arctic, xiii, 134, 135
  - numbers of, 146
  - in vents, 37
- archeology, evidence from, 107, 211, 212, 214, 218–19
- archival tags, 81
- Arctic Ocean Diversity (ArcOD) project, xiii, 14
  - Arctic biogeographical history, 126
  - collaboration, 124, 134, 237
  - methodology and sampling standards, 83, 134
  - new species, 132–3
  - project research conditions, 121
- Arctic Council, 237
- Arctic Ocean, xiii, 14, 30, 50
  - area, 124
  - biodiversity, 31, 102
  - cod, 130
  - continental shelf, 124–6, 132
  - deep-ocean biodiversity, 135
  - differences from Antarctic, 126
  - ecoregions, 124
  - fisheries, 136
  - human influence, 124
  - hydrothermal vents, 135
  - ice cover, 128–9, 135
  - ice-water interface, biota, 128
  - light penetration, 128, 129
  - microbes, xiii, 152
  - migration into, 126
  - prospecting in, 136
  - seeps, 188
  - standard research methodology, 83
  - warming, 133, 135, 156
  - whales, 129, 133
  - see also* polar oceans
- Arctica islandica*, longevity, 5
- Argentina, 97
- Aristotle, 47
- Astrotoma agassizii*, 126
- Atlantic gray whales, 217
- auks, 86, 121, 217
- Aulacoctena*, 122
- Aureophycus aleuticus*, 97
- Austrodoris kerguelenensis*, 127
- Aurora Australis*, 184
- Australia, fisheries decline, 215–16
- Austropallene cornigera*, 123
- Ausubel, Jesse, 10, 16, 76
- Autonomous Benthic Explorer (ABE), 196
- Autonomous Reef Monitoring Structure (ARMS), 83, 98, 103, 110
- autonomous underwater vehicles (AUVs), xiv, 24, 72, 239
  - Autonomous Benthic Explorer*, 196
  - REMUS, 51
  - untethered, 76
- Azores, 36
- bacteria, 9, 150
  - Arctic, xiii, 134, 135
  - diversity of, xiii
  - nitrogen-fixing, 153
  - numbers of, xiii
  - in vents, 37
- bacterial respiration, 180
- bait, 75
- Baja California, 166, 237
- Balaena mysticetus*, longevity, 5
- Baltic Sea, herring, 211, 214
- Banco Chinchorro reef, 104
- barcoding, xii–xiii, 48, 74, 82–3
  - ArcOD project, 134
  - CAML project, 134
  - CMarZ project, 82, 154–5
  - CReefs project, 102–3
  - coral reef organisms, 102–3

- future development of, 239
- method for, 52–3
- naming of new species, 103
- whalefish, 56
- zooplankton, 82, 154–5
- Barents Sea fisheries, 136, 211
- barges, 161
- bathyal habitats, 58
- bathymetry, 48
- bathypelagic zones, exploration
  - of, 238
- Bay of Fundy, 211
- Beagle*, voyage of, 48, 49
- Beaufort Sea, 33, 50
- Beebe, William, 175
- Benguela Current, zooplankton, 156
- benthic boundary layer, new species, 132
- Benthoctopus rigbyae*, 17
- Bering Strait, 126
- Beverton, R. J. H., 216
- billfish, latitudinal diversity, 155
- binomial nomenclature, 47
- biodiversity
  - Census discoveries, 233–5
  - definition, 8
  - global estimate, 9–10
  - see also under individual ecosystems; organisms and projects*
- Biogeography of Deep-Water Chemosynthetic Ecosystems (ChEss) project, 14, 178
  - chemosynthetic environment protection, 237
  - hydrothermal vent investigation
    - code, 237
  - sampling, 76
  - vent discoveries, 188
- biologging, 25, 34, 78, 80–2
  - see also tagging*
- biological oceanography, xi
- bipolar species, 134, 152
- bivalve mollusks, 126, 180, 183
- Black Sea, 152, 156, 184
- black smoker vents, 76
  - see also hydrothermal vents*
- black-footed albatross, 165, 237
- Block, Barbara, 81
- blue chromis, 17, 104
- blue crabs, 79
- blue hake, 190
- “blue highways,” 164
- blue mussels, 53
- blue sharks, 165
- blue whales, 124, 165
- bluefin tuna, 6, 79
  - migration, 5, 163, 164, 165
  - in northern European, 220–1
  - size decline, 219
- blue-green bacteria *see* Cyanobacteria
- bongo nets, 50
- bottles, 50, 74
- Bouchet, Philippe, 61
- bowhead whale, longevity, 5
- box corer, 50
- Brazil, seagrass beds, 100
- break points, 100–1
- brine pools, 180
- Britain, fisheries decline, 215
- brittle stars, 126, 132, 184
- bryozoans, 5, 133
- bubble gum coral, 108
- Bucklin, Ann, 74
- bull kelp, 110
- bycatch, 221–3, 237
- Caboto, Giovanni (John Cabot), 48, 214
- Calanus finmarchicus*, 129
- calcareous sponges, 133
- California Current, 164, 165–6, 189
- California Marine Sanctuaries
  - cameras, 71, 75, 77
    - HabCam, 112
    - torpedo, 77
    - video, 75, 76
- CAML *see* Census of Antarctic Marine Life project
- Canada Basin, 33, 122, 132, 133
- Canadian Healthy Oceans Network (CHONE), 184, 242
- Canary Current, 189
- canyons, 34, 189, 193
- capelin, 129
- Captain Arutyunov mud volcano, 16
- carbon cycling, 147, 152, 154, 184, 190
- carbon dioxide, x, 194, 223
- Caretta caretta*, migration, 163
- Caribbean, 46, 53, 59, 100
- Carson, Rachel, 8, 10

## 258 Index

- Cashes Ledge, 100  
 CEAMARC 2008 joint expedition, 123  
 CeDAMar *see* Census of Diversity of Abyssal Marine Life project  
 CenSeam *see* Global Census of Marine Life on Seamounts project  
 Census of Antarctic Marine Life (CAML)  
   project, xiii, 14  
   collaboration, 124  
   launch of, 133–4  
   new species, 133  
   and Vulnerable Marine Ecosystems, 237  
 Census of Coral Reef Ecosystems (CReefs)  
   project, xiii, 14, 95  
   reef management tools, 237  
   and reef monitoring structure, 83  
   sampling methods, 102–7, 103–6  
 Census of Diversity of Abyssal Marine Life (CeDAMar) project, 14, 178  
 corers, 75  
 and endemic abyssal species, 193  
 manganese nodule area conservation, 237  
 new Antarctic species, 133  
 Porcupine Abyssal Plain study, 190  
 standardized sampling, 83, 180  
 taxonomic revision, 183  
 Census of Marine Life  
   applications and results, 236–7, 241  
   future developments, 242  
   inception, 9  
   national participation, 12, 13  
   objectives, 11  
   project study areas, 15  
   projects, 12, 15  
   rediscovered species, 235  
   research method, xi–xii  
   species discovered, 12–13, 16–17, 155  
   zooplankton barcoding, 155  
 Census of Marine Zooplankton (CMarZ)  
   project, xiii, 14  
   and evolutionary relationships, 87  
   and holoplankton, 153–4  
   methods, 154  
   sampling, 45  
   species identification, 61–2, 74, 82, 83  
 cephalopods, 101, 155, 181  
   *see also* octopuses; squid  
 ceratoid anglerfish, 7  
 cerianthid anemones, 110  
 chaetognath arrow worms, 154, 155  
 Challenger expedition, 48, 49, 72  
*Champscephalus gunnari*, 124  
*Chelonia mydas*, longevity, 5  
 chemical oceanography, xi  
 chemicals, sensing of, 72, 76  
 chemosynthetic environment protection, 237  
 Chesapeake oyster beds, 217  
 ChEss *see* Biogeography of Deep-Water Chemosynthetic Ecosystems project  
 Chile, 100, 101  
 chimneys, 191  
 Chinese ocean biota, species checklists, 83  
 chinook salmon, 157–62, 160–1  
 chlorophyll, 81, 101–2, 148  
*Chromis abyssus*, 17  
*Chromis cyanea*, 104  
 Chuckchi Sea, 133, 136  
 cinema, 76–7  
 clams, 3, 191  
 Clarke, Arthur C., 3  
 climate change, 54  
   *see also* global warming  
*Clione limacina*, 122  
*Clupea harengus*, 129, 211  
 Cluzaud, Jacques, 76  
 CMarZ *see* Census of Marine Zooplankton project  
 cnidarians, longevity, 5  
 coastal zones, 25–30  
   biomass decline, 219  
   Census projects, 95–7  
   hypoxia, 223  
   latitudinal biodiversity, 155  
   new species, 45  
 Cobscook Bay, 101  
 cod  
   Arctic, 33, 128  
   as medieval staple, 214  
   farming of, 224  
   Newfoundland decline, 29, 211, 214, 215, 223  
   size decline, 218  
   coho salmon, 160, 216  
 COI barcoding *see* barcoding  
 “cold spots,” xii, 13  
 cold-water corals, 36, 221  
 Columbus, 48, 72

- COMARGE *see* Continental Margin  
 Ecosystems on a Worldwide Scale project
- comb jellies, 122, 156
- Commission for the Conservation of Antarctic Marine Living Resources, 237
- conductivity–temperature–depth (CTD)  
 sensors, 50, 81
- Congo River Canyon, 189
- contaminants *see* pollutants
- Continental Margin Ecosystems on a Worldwide Scale (COMARGE) project, 14  
 sampling devices, 75, 180  
 dataset compatibility, 179, 183  
 deep-sea biodiversity, 182
- continental margins, 14, 179
- continental shelf, 23, 186
- continental slope, 23  
 and land runoff, 35  
 mid-slope peak diversity, 181  
 Nova Scotia, 36  
 nutrient supply, 179  
 sampling, 186
- continuous plankton recorders, 155, 239
- Convention on Biological Diversity, 237
- Cook, James, 48, 74
- copepods  
 Arctic, 17, 129, 133, 151  
 Black Sea, 156  
 calanoid, 154  
 diversity, 154  
 East Asia, 155, 156  
 at Mid-Atlantic Ridge, 190  
 North Sea, 156  
 Southern Ocean, 177, 180
- coral crab, 110
- coral reefs  
 biodiversity, 9, 26, 102–7, 30  
 Census projects, xiii, 14  
 decline of, 97, 106  
 exploration of, 238  
 fishes, 223  
 as habitats, 25, 154  
 health of, 237  
 Nova Scotia, 184  
 productivity, 107  
 protection of, 237  
 sampling, 83, 102–7
- corals  
 black, 5  
 bleaching, 106  
 bubblegum, 108  
 cold-water, 36, 221  
 deep-water, 35, 108, 130, 180, 185  
 diversity hot spots, 101  
 Gulf of Maine, 108  
 identification, 53  
 sea corn, 108  
 on seamounts, 190  
 in Southern Ocean, 180
- corers, 75, 197
- Cousteau, Jacques, 8
- cownose rays, 223
- crabs, 16, 45, 79
- CReefs *see* Census of Coral Reef Ecosystems project
- Crenarchaeota, 152
- crustaceans, 45, 126, 188
- Curaçao, 5
- curtain sensors, 12
- Cyanobacteria, 147–52
- Cyphoma gibbosum*, 7
- cytochrome oxidase I (COI), 53, 82, 102–3
- dams, 160–1, 237
- damselfish, 17
- Darwin, Charles, 48, 49
- data rescue, 54, 240
- databases  
 merging, 72, 84–5  
 OBIS, 15, 54  
 taxonomic consistency, 62  
*see also under individual projects*
- DDT, 193
- dead zones, x
- decapods, 190
- deep sea, 23  
 biodiversity, 183  
 characteristics, 178  
 Census projects, 178  
 corals, 193  
 fauna, 176, 188  
 habitats, 179, 185  
 human impact, 192  
 macrofaunal species, 60  
 meiofaunal species, 60  
 new species, 45, 58  
 rate of species discovery, 60  
 sampling dearth, 186

## 260 Index

- deep sea (cont.)  
   sampling, 76, 83, 197  
   unknown species, 178  
   species total, 179–80  
   submersibles, 50–1  
   uniqueness, 178  
 demersal fishes, 181, 190  
 demersal habitats, 58  
 Denmark, fisheries, 211, 215  
 depensation, 216  
 deposit feeders, 132  
 depth diversity, 180, 181  
   *see also* continental slope; mid-slope  
   peak diversity; zonal diversity  
 depth measurement, 80–1  
*Dermochelys coriacea*, 163–4  
 diadromous fishes, 218  
 diatoms, 153  
 Digital Sky Survey, 10  
 dimorphism, sexual, 46, 57  
 dinoflagellates, 52, 150, 152  
*Diomedea epomophora*, longevity, 5  
 discards, 216  
 Discovery Corridor, 108, 112, 184  
 DNA, fossil, dolphins, at MAR, 190  
 domains, 9–10  
*Dosidicus gigas*, 194  
  
 Earth, dimensions, ix  
 East Pacific Rise, vents, 188  
 Easter Island, 16  
 echinoderms  
   longevity, 5  
   as marine animals, 46, 162  
   Mediterranean, 188  
   taxonomic guides, 97  
 echosounders, 74, 77  
 ecologists, taxonomic inexpertise, 57  
 ecoregions, 23–4  
 ecosystem services, 9  
 ecosystem-based management, 29, 107, 108,  
   112–13  
 ecotones, 182  
 eelpouts, 17, 38  
 eels, 211, 214  
 El Niño, 182, 211  
 electronic tags, 72–3, 165  
 elephant seals, 34, 78, 80, 81, 124, 165  
 Elphinstone Reef, 26  
  
 email, 55  
 Encyclopedia of Life (EOL), 52, 61,  
   113, 240  
 endemism  
   vent species, 191  
   zooplankton, 155  
 environment, definition, 8  
 environmental genetic sequencing, 82,  
   103, 239  
 environmental history, 48, 212  
*Enyppiastes*, deep-sea, 176  
 enzymes, 35, 48  
 epibionts, 133  
 epifaunal organisms, 75  
*Eschrichtius robustus*, 220  
 estuaries, 26–7, 215, 219,  
*Euaugaptilus hyperboreus*, 17  
 eukaryotes, 9  
*Euphausia superba*, 129  
 euphausiid krill  
   barcoding, 155  
   decline in, 129, 136  
   fishing for, 136  
   in food webs, 129, 165  
   latitudinal diversity, 155  
   at Mid-Atlantic Ridge, 190  
 European Union, 97, 135  
*Eusirus holmi*, 6  
 evolutionary relationships, 78,  
   87–8  
 expeditions, 186  
   *Challenger* expedition, 48,  
   49, 72  
   cost of, 37, 49  
   history of, 48  
   present-day, 49–54  
   and rate of species discovery, 60  
   *see also* research ships  
 extinction of species, 55, 86–7  
 extirpations, 219  
  
 fertilizer runoff, 223  
 fetch, 30  
 films, 8, 29  
 fin whales, 124  
 fish farming *see* mariculture  
 fisheries  
   California, 211  
   catches, ix

- coastal, 25, 29, 34, 193
- decline, 8–9, 29, 106, 107, 124, 193
- deep-sea, 34, 193
- employment, 217, 223, 241
- history of, 213
- and human diet, 217
- impact of, 54
- industrial, 216–17, 221–3
- Jamaica, 216
- lack of historical data, 211–12
- locating factors, 31
- management of, 77, 86, 241
- recreational, 29, 221
- scallops, 223
- science of, 216
- around seamounts, 189
- sustainability, 241
- see also* whaling
- fishes
  - deep-sea diversity, 180
  - endothermic, 165
  - global list, 58
  - global numbers, 221
  - latitudinal diversity, 155
  - new species, 45, 46, 58, 180
  - rate of species discovery, 58–9
  - shoals, 73, 235
  - swim bladders, 77
- fishing vessels, 212, 215, 216
- flamingo tongue snail, 7
- FMAP *see* Future of Marine Animal Populations project
- Food and Agriculture Organization of the United Nations (FAO), seamounts, 237
- foraminifera
  - deep sea, 133, 180, 188, 193
  - distribution, 154, 180
  - latitudinal diversity, 155
  - taxonomic consistency, 183
  - see also* komokiaceans
- fossil DNA, 153
- Fram Strait, 126
- Framvaren Fjord, 152
- functional redundancy, 107
- fur seals, 124
- Future of Marine Animal Populations (FMAP) project, xiii–xiv, 15
  - and ecosystem-based management, 95
  - and latitudinal diversity, 101–2, 155
  - and ocean changes, 212, 215–17
  - rate of species discovery, 86
  - undiscovered fish species, 58
- Gakkel Ridge, 135
- Galatée Films, 26, 29, 76–7
- Gay Head – Bermuda Sampling line, 9, 10, 150
- gelatinous zooplankton, 10
- GenBank, 103
- geographic information systems (GIS), 53–4, 74
- Georges Bank, 25, 78, 107, 108
- ghost shrimp, 16
- giant barrel sponge, 5
- glaciers, 102, 129
- glass sponges, 133, 180, 188
- Global Census of Marine Life on Seamounts (CenSeam) project 14
  - and deep sea, 178
  - and FAO, 237
  - seamount sampling, 76
  - seamount biodiversity, 182
  - SeamountsOnline database, 189
- global warming, 194
  - and Antarctic, 136
  - and Arctic, 135
- golden v kelp, 97
- GoMA *see* Gulf of Maine Area (GoMA) project
- Google Earth, 54, 71, 85, 236
- global positioning systems (GPS), 81, 239
- grabs, 75
- Grand Cayman, 7
- Grassle, J. Frederick,
  - and species diversity, 8
  - and Census project, 10
  - and hydrothermal vents, 37
  - and total species estimate, 60, 179
  - and submersibles, 75–6
- great auk, 121, 217
- green sea turtles, 5, 220
- green sturgeon, 161
- gray seals, 86
- Griffiths, Charles, 45
- Groeneveld, John, 45
- groupers, 221
- Guaymas hydrothermal vent, 178
- guilds, tracking, 163
- guitarfish, 104
- Gulf of Cadiz, 16
- Gulf of Guinea, 189

## 262 Index

- Gulf of Maine Area (GoMA) project, 14, 107–13  
 and ecosystem-based management, 95  
 biodiversity, 100, 108–12  
 krill, 97, 100
- Gulf of Maine Register of Marine Species, 113
- Gulf of Mexico  
 biodiversity, 7, 182  
 sharks, 221, 223  
 species checklists, 83
- Gulf Stream, 148
- guyots, 189
- gyres, 30, 148
- HabCam camera, 112
- Halicreas minimum*, 6
- hake, 190
- halibut, 211
- Halieutika*, 214
- hammerhead sharks, 221
- Hawaiian Islands, 5, 35
- Hemichordata, 57
- hemoglobin, 131
- hermit crabs, taxonomic guides, 97
- Heron Island, Australia, 110
- herring  
 in Arctic Ocean, 129  
 decline of, 211  
 as medieval staple, 214  
 predation on, 165  
 shoaling, 112
- Hessler, Robert
- Hexanchus griseus*, 161
- “highways,” xii
- Hippocrates, 214
- Histioteuthis bonnellii*, 176
- History of Animals*, 47
- History of Marine Animal Populations  
 (HMAP) project, xiii–xiv  
 and environmental history, 48, 212  
 and historical records, 213  
 and ocean changes, 95  
 whales, 219–20
- HMAP *see* History of Marine Animal  
 Populations project
- holoplankton, 154
- Holt, S. J., 216
- Homarus americanus*, 5, 104
- hot spots, xii, 13  
 of abundance, 81, 165–6, 235
- Antarctic, 132  
 of diversity, 54, 100, 235  
 global distribution, 236  
 North Pacific, 165–6  
 protection of, 180, 241  
 at water mass boundaries, 100
- Hudson*, CGS, 196
- Human Genome Project, 12
- Humboldt Current, 189
- Humboldt squid, 194
- humpback whales, 5, 124, 165
- Hurlbert’s index, 236
- Huxley, Thomas Henry, 217, 242
- Hydrodamalis gigas*, 121
- hydrogen sulfide, 183, 189, 191
- hydrophones, 78, 80
- hydrothermal vents  
 biodiversity, 16, 38, 191  
 at plate boundaries, 37  
 biogeography, 183, 188  
 biological provinces, 183  
 biota mapping, 54  
 chemical energy, 37  
 chemical signatures, 72, 76  
 equatorial Atlantic, 196  
 exploration, 75–6, 238  
 Guaymas, 178  
 investigation code, 237  
 metals in, 191  
 microbes, 147  
 new species, 38, 45
- Hydrozoa, 83, 132, 154
- icefish, 124, 131, 136
- Iceland, 36
- ICoMM *see* International Census of Marine  
 Microbes (ICoMM) project
- India, 100, 242
- Indian Ocean, foraminiferans, 182
- Indian Ridge, vents, 188
- International Census of Marine  
 Microbes (ICoMM) project, xiii,  
 14, 153  
 genetic identification, 82  
 evolutionary relationships, 88  
 Lipid Maps database, 153  
 MICROBIS database, 153  
 sampling, 147  
*see also* microbes



- International Commission for the Conservation of Atlantic Tunas (ICCAT), 241
- International Council for the Exploration of the Sea (ICES), 11, 241
- International Polar Year, 124, 134
- International Seabed Authority, 237
- International Union for the Conservation of Nature (IUCN), 237
- Internet, 15, 49–52, 73, 240
- intertidal zones
  - Antarctic, 135
  - Arctic, 136
  - NaGISA project, 83, 95, 97–100
  - new species, 45
  - North Pacific, 100
  - rocky, 26, 104
  - sandy and muddy, 27
  - standard investigative methodology, 83
- iron
  - cycling of, xiii, 146, 152
  - fertilization, 129, 194
  - in Southern Ocean, 129
- isopod crustaceans
  - Antarctic ice shelf species, 127
  - deep-sea diversity, 180, 181, 188
  - new Southern Ocean species, 133, 180
  - taxonomic consistency, 183
  - tropical submergence, 126
- Jamaica, fisheries, 216
- jellyfish, 6, 150
  - Arctic species, 132, 133
  - barcoding, 154
  - comb, 122, 156
  - habitat, 154
  - newly discovered, 155
- jewelled squid, 176
- kelps
  - Alaska, 101
  - as habitats, 27, 29, 106, 133
  - in NaGISA project, 95
  - new species, 16
  - plasticity of, 53
  - see also* algae; bull kelp; golden v kelp; seaweeds
- Kiwa*, 16
- Kiwaidae, 16
- Klee diagrams, 87
- komokiaceans, 133
- Korea, 242
- krill *see* euphausiid krill
- Kuroshio Current, 100–1
- Lamellibrachia luymesii*, 5
- Lamna ditropis*, migration, 163
- Lankester, Edwin, 217, 242
- lanternfish, 129
- Larsen B area, 130, 184
- larvae, movement of, 238
- latitude measurement, 81
- latitudinal patterns, 101–2, 155, 180, 181
- Lau Basin, vents, 188
- Laysan albatross, 165
- lead lines, 74
- lead, 193
- leatherback turtles, 86, 163–4, 165, 223, 237
- light measurement, 80–1
- Liljeborgia*, 127
- Limatula*, 126
- limpets, 126
- ling, 214
- Linnaeus, Carl, 47–8
- Leiopathes glaberrima*, 5
- Lipid Maps database, 153
- lipids, 153
- listening curtains, 157–60
- Lizard Island Reef, Australia, 98, 104, 110
- lobsters, 16–17
  - American, 5, 104
  - fisheries, 104
  - new species, 45
  - squat, 83, 176
  - taxonomic consistency, 183
- loggerhead turtles, 163, 165, 237
- longevity estimates, 4, 5
- Lophodolos*, 7
- Los Roques Archipelago, Venezuela, 214
- Louisiana Slope, 5
- Lycodomus*, 17
- Maciolek, Nancy, 60, 179
- Macquarie Ridge, 184, 196
- macroalgae, 95, 97, 102
- Madagascar Ridge, 17

## 264 Index

- mako sharks, 165  
*Mallotus villosus*, 129  
 management of species, 166, 238  
 manganese cycling, xiii, 146  
 manganese nodules, 180, 190, 193  
   mining, 241  
   MPAs for, 237  
 mangroves, 27, 101, 224  
 MAR-ECO *see* Patterns and Processes of the Ecosystems of the Northern Mid-Atlantic (MAR-ECO)  
 mariculture, 224  
 Marine Barcode of Life (MarBOL) project, xiii, 53, 82  
 Marine Biodiversity and Ecosystem Functioning (MarBEF), 97  
 marine biology, xi  
 marine geology, xii  
 marine geophysics, xii  
 marine logs, 48, 218, 219  
 Marine Protected Areas (MPAs), 237, 242  
   Baja California, 237  
   design of, 238  
   for manganese nodule areas, 237  
 marine snow, 34  
 marine photosynthesis, 31  
 Mediterranean Sea, 188, 189, 221  
*Melicerita oblique*, 5  
 meroplankton, 154  
 mesopelagic zones, exploration of, 238  
 metadata analysis, 54  
 metazoans, Arctic, 135  
 methane  
   cycling, 152  
   hydrates, 194  
   pock marks, 180  
   seeps, 191, 184  
   in vents, 183  
 methodologies, consistency of, 83  
 microbes, 14, 31, 146–53  
   Arctic, 134–5  
   biodiversity, 9, xiii, 146  
   concentration of, 146  
   distribution, 147–53, 152–3  
   evolutionary relationships, 52, 88  
   Gulf of Maine, 108  
   identification, 52  
   new species, 45, 46, 58, 234  
   number of species, 61  
   Southern Ocean, 129  
   total numbers, 147  
 microbial loop, 112, 129  
 microbial reefs, 184, 191  
 MICROBIS database, 153  
 Mid-Atlantic Ridge, 14, 35–6, 186, 190  
   decapods, 190  
   deep-water corals, 190  
   diurnal movements, 235  
   dolphins, 190  
   fishes, 176, 190  
   new species, 180  
   rays, 190  
   squid, 176  
   whales, 190  
   zonation, 182  
   zooplankton, 190  
 middens, 214  
 mid-ocean ridges, 35, 186, 189  
   *see also* Mid-Atlantic Ridge  
 migration, xii, 14, 33, 54, 86  
   “highways,” 81, 235  
   “truck stops,” 235  
   *see also under individual biota headings*  
 mining, 193, 194  
*Mola mola*, 243  
 molecular clock, 126  
 molecular techniques, 52–3, 74  
   *see also* barcoding; pyrosequencing; sequencing  
 mollusks  
   ancient remains, 213, 214  
   Arctic species, 135  
   longevity, 5  
   Pacific, 61, 132  
   *see also* bivalves; clams; cephalopods  
 monk seals, 86  
*Montastraea annularis*, 53  
 movements, of animals, 79–80, 134, 235  
   *see also* migration  
 mud volcanoes, 16, 180  
 multibeam sonar, 74, 197  
 Multiple Opening/Closing Net and Environmental Sensing System (MOCNESS), 75

- mussels, farming, 224  
 myctophids, 129  
 Myers, Ransom, 212  
 mysid crustaceans, 155
- Nacella*, 126  
 NaGISA *see* Natural Geography in Shore Areas project  
 Nair, Vijayalakshmi, 83  
 naming of organisms, history of, 47–8  
 Napoleon wrasse, 26  
 National Geographic Society, 85  
 Natural Geography in Shore Areas (NaGISA) project, 14  
   sampling, 105  
   standard datasets, 83  
   project target areas, 29, 95, 97–100  
*Nautile*, 196  
 nearshore zones, 23, 25–30, 31  
   depletion, 215  
   sampling, 24  
 nekton, 33  
 nematodes  
   deep-sea,  
   depth diversity, 178, 181, 193, 188  
   in Mediterranean, 188  
   taxonomic consistency, 183  
*Neocalanus robustior*, 150  
*Neocyema*, 177  
*Nereocystis luetkeana*, 101, 110  
 Netherlands, fisheries decline, 215  
 nets, 72, 74–5, 155  
   *see also* fisheries  
 New England, cod fisheries, 217  
 New Jersey, fish shoals, 78  
 Newfoundland  
   fisheries, 29, 216, 217  
   walruses, 212  
 Nile Deep Sea Fan, seeps, 188  
 Ningaloo Reef, 110  
 Niskin bottles, 50  
 nitrogen cycle, xiii, 146, 147, 152, 153, 154  
 North Icelandic Shelf, 5  
 North Pacific Marine Science Organization (PICES), 241  
 North Pacific Transition Zone, 165  
 North Sea, medieval fisheries, 214  
 Northern Line Islands coral reefs, 103, 106, 107  
 northern shrimp, 223
- Norwegian Sea, seeps, 188  
*Notothenia rossii*, 124  
 Nova Scotia, 185  
 nutrients  
   at abyssal plain, 34–5  
   on continental slopes, 179  
   and deep-sea biodiversity, 181–2
- OBIS *see* Ocean Biogeographic Information System  
 O'Dor, Ron, 163, 242  
 Ocean Biogeographic Information System (OBIS), xiv, 15, 49, 83–4, 240  
   Antarctic records, 133, 134  
   CReefs data records, 106  
   data integration, 54  
   GoMA records, 113  
   NaGISA records, 97  
   sampling variability, 186  
   and *World Register of Marine Species*, 235  
   ocean currents, effect of, 189  
   ocean health, and species loss, 238  
   ocean quahog, longevity, 5  
   oceanic ridges, 45, 189  
   *see also* Mid-Atlantic Ridge  
 Ocean Tracking Network, 163, 239, 242  
 ocean trenches, 23  
   exploration of, 238, 240  
   new species, 45  
 oceanic islands, new species, 58  
*Oceans*, 26, 76  
 oceans, future status, xiv, 233, 234  
 octopuses  
   Antarctic shelf, 127  
   deep-sea, 123  
   evolution of, 126, 127  
   Lizard Island, 110  
   new species, 45  
   range of movement, 79  
 oil drilling, 194  
*Oncorhynchus*  
   *kisutch*, 160  
   *mykiss*, 160  
   *nerka*, 162  
   *tshawytsch*, 160–1  
 operational taxonomic units (OTUs), 46–7, 146  
   *see also* species  
 Oppian, 214

## 266 Index

- optical sensors, 71
- orange fish, 177
- orange roughy, 190, 216
- OSPAR Commission, 237
- ostracod crustaceans, 133, 154, 155
- oxygen, x, 101–2, 155
- oxygen minimum zones (OMZs), 180, 181, 189, 191, 194
- Oyashio Current, 101
- oysters, 217
  
- Pacific bluefin tuna, 163, 217
- Pacific gray whales, 220
- Pacific Ocean Shelf Tracking Project (POST), xii, 14
  - salmon survival, 237
  - salmon tagging, 80, 150, 157–62
- paintings, as historical evidence, 213
- Palau, 17
- Palinurus barbara*, 17
- Pandalus borealis*, 223
- Pandea rubra*, 154
- Paragorgia arborea*, 108
- passive integrated transponder (PIT) tags, 79–80
- Patterns and Processes of the Ecosystems of the Northern Mid-Atlantic (MAR-ECO), 14, 178
  - pelagic fish, 190
  - sampling method, 75
  - new species found, 180, 190
  - see also* Mid-Atlantic Ridge
- PCBs, 193
- pelagic zone, 34, 146
- Pelagonemertes rollestoni*, 123
- Penelope, 81
- Perrin, Jacques, 76
- phenotypic plasticity, 53
- Pholadomya candida*, 3
- photographs, 57
- photosynthesis, marine, 31
- Physeter macrocephalus*, 190
- physical oceanography, xi
- phytodetritus, 182
- phytoplankton, 31
  - abundance measurement, 81
  - Arctic species, 129
  - and deep-sea biodiversity, 181–2
  - Gulf of Maine, 108
  - Gulf Stream, 148
  - and oceanic predators, 101–2
  - satellite sensing, 24
  - Southern Ocean, 129
- Pinguinus impennis*, 121
- pinniped seals, 101
- pivotal thresholds, 86
- Planet Ocean, naming, 3
- plankton, 31, 128, 151
  - see also* phytoplankton; zooplankton
- Pliny the Elder, 214
- Pocillopora*, for reef sampling, 103, 106
- pogonophorans, longevity, 5
- polar bears, 130
- polar ecosystems, 33, 125, 238
- polar emergence, 126–7
- polar oceans, 30–1
  - biota mapping, 54
  - new species, 45, 58
  - freshwater flows, 126
  - human influence, 135–7
  - unknown species, 135
  - see also* Antarctic Ocean; Arctic Ocean; Southern Ocean
- pollock, 133, 165
- pollution, 193, 240
  - and coral reef decline, 106
  - in blue mussels, 53
  - in deep oceans, 193, 195
  - sewage, 223
- polychaete worms
  - Antarctic, 133, 188
  - Arctic, 132, 133
  - deep-sea, 188
  - diversity by depth, 181
  - Pacific, 182, 193
  - taxonomic consistency, 183
- popup tags, 81
- Porcupine Abyssal Plain, 190–1
- position-finding, 85–6, 240
- POST *see* Pacific Ocean Shelf Tracking Project
- predators, biodiversity, 101–2, 155
- Primnoa resedaeformis*, 108
- Prince William Sound, 105
- Prochlorococcus*, 46, 147, 153
- prokaryotes, 9
- Proteobacteria, 152
- protists, 9, 150
  - Antarctic species, 133

- Arctic species, 135
- barcoding, 154
- taxonomic consistency, 183
- Protoperdinium pellucidum*, 150
- pteropod mollusks, 122, 155
- Ptychodactis*, 131
- Puffinus griseus*, migration, 164
- Puget Sound, 162
- pyrosequencing, xiii, 82, 152
  
- queen conch, 214
- QUEST, 197
  
- radio tags, 82, 157
- Radiolaria, distribution, 154
- rainbow trout, 160
- random forests models, 112
- rate of species discovery, 59–60
- rays, at MAR, 190
- Red Sea, 26
- Red sea urchin, 5
- reference points, 86
- “regime shifts”, 156
- Regimen II*, 214
- remotely operated vehicles (ROVs), 24, 72, 76, 122, 239–40
  - jellyfish observation, 76
  - QUEST vehicle, 197
  - ROPOS vehicle, 51
- REMUS 6000 vehicle, 51
- research ships, 25, 239
- Rhincodon typus*, 110
- Rhizophysa*, 151
- rhizolenoid diatoms, 153
- rhodolith beds, 27
- Rhynchobatus djiddensis*, 104
- ribbon worm nemerteans, 123
- Ricker, W. E., 216
- Riftia pachyptila*, 38
- Rigby, Robin, 17, 98
- right whales, 217
- ROPOS vehicle, 51
- Ross, James Clark, 134
- rougeye rockfish, longevity, 5
- ROVs *see* remotely operated vehicles
- royal albatross, longevity, 5
- runoff, 223
- Russia–ArcOD cooperation, 134
- Rutherford, Ernest, 55
  
- sailfish, 5
- salinity measurement, 80–1
- salmon, xii, 14, 157–61
  - aquaculture, 157, 224
  - and dams, 160–1, 237
  - decline of, 157, 211
  - detection of, 78, 80
  - as medieval staple, 214
  - migration, 157
  - see also* chinook salmon; coho salmon; sockeye salmon
- salmon sharks, 163, 165
- salt marshes, 27
- salting, of fish, 213
- sampling
  - and acoustic sensors, 77
  - deep-sea, 197
  - standards for, 97, 235
  - techniques, xiv, 75
  - see also under individual projects*
- Sanders, Howard, 10, 179
- sandsharks, 104
- sardines, 165, 211
- satellites, 24, 239
- scalability, of sampling and knowledge, 108–12
- scallop fishery, 223
- Scandinavian Fishing Club, 221
- SCAR-MarBIN database, 133–4
- Scientific Committee on Antarctic Research (SCAR), 133
- scuba diving, 24, 29, 33, 76
- sea anemones, 104, 126, 180
- Sea Around Us, The*, 8
- sea corn, 108
- sea cucumbers
  - Antarctic shelf, 127
  - Arctic, 133
  - deep-sea, 176, 185, 191
  - new species, 45, 180
- sea lions, 101, 163, 166
- sea slugs, 127
- sea spiders, 123
- sea stars, 104, 110, 122, 180
- sea urchins, 104, 126, 133
- seabirds, 5, 164
- seagrasses, 26, 27
  - Brazilian, 100
  - biodiversity, 101

## 268 Index

- seagrasses (cont.)  
 and NaGISA project, 95  
 taxonomic guides, 97
- seals  
 Arctic, 33, 128, 129  
 migration, 163, 165  
*see also* elephant seals; fur seals; gray seals;  
 monk seals; pinniped seals
- seamounts, 14, 36, 189  
 biodiversity, 36, 182, 189, 190  
 biota, 180, 189  
 and corals, 35  
 and deep-sea abundance, 190  
 ecosystems management, 237  
 exploration of, 37, 238  
 fish species checklists, 83  
 fisheries, 36, 193, 216, 237  
 MPAs, 237  
 new species, 58  
 on Macquarie Ridge, 197
- seaweeds, 26, 95, 106  
*see also* algae; kelps
- Sebastes aleutianus*, longevity, 5
- sediments, 35, 189
- seeps, 180  
 cold, 37, 185  
 fisheries, 193  
 exploration, 238  
 methane, 185, 191  
 New Zealand, 188  
 Nile Deep Sea Fan, 188  
 new species, 38  
 Norwegian Sea, 188  
 sulfide, 185
- sei whales, 124, 190
- sensors  
 conductivity–temperature–depth (CTD),  
 50, 81  
 development of, 71  
 electronic, 235  
 satellite-based, 24  
*see also* acoustic sensors; cameras
- sequencing, ICoMM, 147
- serial depletion, 216
- sewage, 223
- Shackletonia*, 17
- sharks  
 as bycatch, 223  
 catch size, 221  
 in Gulf of Mexico, 221, 223  
 at Mid-Atlantic Ridge, 190  
 migration, 165  
 population decline, 221, 223  
*see also* blue sharks; hammerhead sharks;  
 mako sharks; salmon sharks; silky sharks;  
 six-gill sharks; thresher sharks; whale  
 sharks; white sharks; whitetip sharks
- shearwaters, 5, 81  
*see also* sooty shearwaters
- shell-less pteropods, 122
- “shifting baseline syndrome,” 212
- ships, for oceanographic research, 25, 239
- ships’ logs, 48, 218, 219
- sibling species, 55
- silky sharks, 221
- six-gill sharks, 80, 161
- size of marine organisms, 4
- skates, 190
- Smith, Tim, 212
- smooth black coral, longevity, 5
- snails, 133, 176  
 flamingo tongue, 80  
 swimming, 122
- sockeye salmon, 162
- Solaster*, 104, 110
- sooty shearwaters, 134, 164  
 migration, 163, 164, 165
- South Africa, 45
- Southern California Bight, 166
- Southern Ocean Observation System, 137
- Southern Ocean, 14, 31  
 deep-sea fauna, 188  
 elephant seal tagging, 78  
 latitudinal gradient, 181  
 new species, 180  
 nutrients, 129  
 species evolution, 127  
 species migration, 126–7  
*see also* Antarctic Ocean; polar oceans
- southern right whales, 124, 220
- spatial resolution, 240
- species  
 abundance, 235, 239  
 cosmopolitan, 60, 61  
 definition, 46–7  
 distributions, 235  
 identification of, 46, 47–8, 53, 240  
 lists, 55, 83  
 loss of, 86, 238  
 management of, 238

- numbers of, 54–5, 55–7, 59
- numbers unknown, 4, 58–61
- rate of discovery, 45–6, 52, 55, 58–62, 72
- total marine percentage, 61  
*see also* operational taxonomic units
- species-area curves, 86
- species-oriented research, 156
- speed, of marine organisms, 5
- sperm whales, 190, 217
- sponges
  - calcareous, 133
  - carnivorous, 45, 133
  - giant barrel, 5
  - glass, 133, 180, 188
  - longevity, 5
- squat lobster, 83, 176
- squid, 163, 165, 177, 180, 194
- “Squidworm,” 150
- St. Petersburg Zoological Institute, 134
- Stauroteuthis syrtensis*, 79
- steelhead, 160
- Stelephant Colbert, 81
- Steller’s sea cow, 86, 121
- Stellwagen Bank, 112
- Sterechinus*, 126
- Strait of Georgia, 151, 160
- Strombus gigas*, 214
- Strongylocentrotus franciscanus*,  
 longevity, 5
- sturgeon, 80, 161, 215
- subduction, 37
- submersibles, manned, 72, 76, 196  
*see also* Alvin submersible
- Sub-Polar Front, 190
- subtidal zones, 97–100, 29
- sulfide seeps, 185
- sulfur bacteria, 6
- sulfur cycling, xiii, 146, 147, 152
- sunfish, 243
- Sutton, Tracey, 55
- swim bladders, 77
- swimming snail, 122
- sympagic communities, 128
- Synechococcus*, 147, 153
- Systema naturae*, 47
- tagging, xii, 14, 78, 156, 235
  - archival, 81
  - location tracking, 82
  - numbering, 79
  - technical development of, 79–80, 239  
*see also* biologging
- Tagging of Pacific Predators (TOPP) project,  
 xii, 14, 80, 81, 85, 163–6, 237
- taxonomic catalogs, 235
- taxonomic consistency, 183  
*see also* under individual projects
- taxonomic expertise, 57
- taxonomists, and rate of species discovery, 59
- taxonomy, Internet tools for, 49–52
- Tealia*, 104
- temperature
  - and coral reef decline, 106
  - and deep-sea biodiversity, 182
  - Gulf Stream, 148
  - and latitudinal diversity, 155
  - measurement of, 80–1
  - and oceanic predators, 101–2
- terrestrial animals, numbers of, 46
- Thaumastochelopsis*, 16–17
- Thaumeledone gunteri*, 123
- Theragra chalcogramma*, 133
- Thompson, Charles Wyville, 48, 49
- thresher sharks, 165, 221
- Thunnus orientalis*, 163, 217
- Thunnus thynnus*, 6, 219
- tidal zones *see* intertidal zones
- time series data, 216
- Titanic*, 51
- toothfishes, 136
- TOPP *see* Tagging of Pacific Predators project
- torpedo camera, 77
- Torquarator bullocki*, 57
- Tortuga, 48
- tourism, Antarctic, 136
- trash, 194, 195, 237  
*see also* pollution
- trenches *see* ocean trenches
- tricorners, 239
- tropical submergence, 126–7
- tropical oceanic islands, new species, 58
- “truck stops,” xii, 235
- tubeworms, 38, 185, 191
- tuna
  - fisheries, 34
  - latitudinal diversity, 155
  - migration, 5, 163, 165
  - Pacific decline, 223
  - sale prices, 217

## 270 Index

- tuna (cont.)  
 see also albacore; bluefin tuna;  
 International Commission for the  
 Conservation of Atlantic Tunas;  
 yellowfin tuna
- turtles, 79, 163  
 see also green sea turtles; leatherback turtles;  
 loggerhead turtles
- umbrella squid, 176
- US Fish and Wildlife Service, 237
- US National Academy of Sciences, 10
- US National Marine Sanctuaries, 112
- Undaria pinnatifida*, 97
- Vancouver Aquarium, 151
- vents see hydrothermal vents
- vertical movements, animals, 79
- video cameras, 75, 76
- video plankton recorders, 75
- viruses, 133, 150
- Vulcanocalliax arutyunovi*, 16, 85
- Vulnerable Marine Ecosystems, 237
- Wadden Sea, 215, 217–18
- Wallace Line, 101
- walleye pollock, 133
- walruses, 101, 212
- Walters Shoals, 17
- warm Atlantic period, 211
- water fleas, 17, 33
- water masses, 100, 152
- weather, and abyssal biodiversity, 182
- Weddell Sea, 5, 135
- whale shark, 110
- whalefish, 56
- whales  
 abundance and distribution, 219  
 in Arctic, 129, 133  
 as bycatch, 223  
 carcasses as habitats, 38, 180, 192  
 Census discoveries, 235  
 mercury in, 136  
 migration, 163, 165  
 see also blue whales; Atlantic gray whales;  
 humpback whales; Pacific gray whales;  
 right whales; sei whales; southern right  
 whales; sperm whales
- whaling, 136, 219–20
- White Sea, fisheries, 211
- “white shark café,” 163
- white sharks  
 Atlantic decline, 221  
 diet, 165  
 migration, 163, 165, 166  
 white sturgeon, 161  
 whitefish, 211  
 whitespot ray, 104  
 whitespot shovelnose ray, 104  
 white-spotted guitarfish, 104
- whitetip shark, 221
- Wilson, E. O., 8, 52
- winds, and deep-sea fauna, 189
- Woods Hole Oceanographic Institution,  
 10, 51, 196
- World Ocean Atlas*, 182
- World Ocean Circulation Experiment  
 (WOCE), 12
- World Register of Marine Species (WoRMS),  
 57, 62, 83, 235, 240
- World Summit on Sustainable  
 Development, xiv
- writings, as historical evidence, 213–14, 220
- Xestospongia muta*, longevity, 5
- yellowfin tuna, 165
- Yeti crab, 16, 62
- zoarcid fishes, 38
- zonational diversity, 180, 182  
 nematodes, 178, 181, 188, 193  
 polychaete worms, 181  
 zooplankton, 155  
 see also continental slope; mid-slope peak  
 diversity; depth diversity
- zooplankton, 153–6  
 Antarctic, 129  
 Arctic, 128–9, 132, 153–6  
 barcoding, 82, 154–5  
 Census discoveries, 235  
 and CMarZ project, 14  
 diversity, 154–5, 156, 181  
 evolutionary relationships, 87  
 gelatinous, 76, 133  
 historical changes, 155–6  
 in food webs, 31, 154  
 Japanese species checklists, 83  
 non-observability, 24  
 numbers of, 154