

Cambridge University Press

978-1-107-00238-8 - Exploratory Social Network Analysis with Pajek: Revised and Expanded
Second Edition

Wouter De Nooy, Andrej Mrvar and Vladimir Batagelj

Index

[More information](#)

Index of Pajek and R Commands

The index is arranged by the screen from which commands are available: the Draw screen, Editing Network screen, Hierarchy screen, Main screen, and Report screen. Commands are listed alphabetically within each screen, and subcommands are nested within commands. If a subcommand or option is not listed, inspect the higher level (sub)commands.

Draw Screen

- [Draw] Draw screen, 18
- [Draw] Change the class number of vertices, 42, 372
- [Draw] Export, 24, 383
- [Draw] Export > 2D > Bitmap, 24, 383
- [Draw] Export > 2D > EPS/PS, 24, 384
- [Draw] Export > 2D > SVG, 24, 385
 - > Current and all Subsequent, 386
 - > General, 385
 - > Labels/Arcs/Edges, 385
 - > Line Values
 - > Classes, 386
 - > Nested Classes, 128, 386
 - > Partition, 385
 - > Classes, 385
 - > Classes with semi-lines, 385
 - > Nested Classes, 386
- [Draw] Export > 3D > Kinematics
 - > Current and all Subsequent, 388
- [Draw] Export > 3D > MDL MOLfile, 388
- [Draw] Export > 3D
 - > X3D, 132
 - > XML, 387
- [Draw] Export > Options, 24, 389
 - > Arc Color, 392
 - > Arc Width, 392
 - > Arrow Position, 392
 - > Arrow Size, 392
- > Bckg. Color 1, 394
- > Bckg. Color 2, 394
- > Bckg. Color 3, 394
- > Border Color, 390, 395
- > Border Radius, 395
- > Border Width, 390, 395
- > Edge Color, 392
- > Edge Width, 392
- > EPS Border, 395
- > EPS, SVG, VRML Size of Vertices, 394
- > EPS: Use RGB colors instead of CMYK, 394
- > Export options overwrite Shapes file, 392
- > Font Size, 391–392
- > Gradient, 394
- > Interior Color, 390
- > Label Angle, 392, 394
- > Label Color, 391–392
- > Label Position (on line), 393
- > Label Position (polar), 392
 - > Angle, 392–393
 - > Radius, 392–393
- > Only straight lines, 394
- > Pattern, 392
- > Shape, 390
- > Shapes file, 392
 - > SVG: 3D Effect on Vertices, 394
- > X3D, VRML Width of Lines, 394
- > x/y ratio, 391

410

Index of Pajek and R Commands

- [Draw] GraphOnly, 22
- [Draw] Info > All Properties, 23
- [Draw] Info > Closest Vertices, 23
- [Draw] Layers > Averaging x coordinate, 264, 286
- [Draw] Layers > In y direction, 187, 250, 264
- [Draw] Layers > In z direction, 131
- [Draw] Layers > Optimize layers in x direction, 187, 264
- [Draw] Layers > Type of Layout, 130–131 > 3D, 131
- [Draw] Layout > Circular > using Partition, 42
- [Draw] Layout > Energy, 20 > Fruchterman Reingold, 21 > 2D, 21 > 3D, 21, 132, 387 > Factor, 21 > Kamada-Kawai, 21 > Fix first and last, 21 > Fix one in the middle, 21 > Fix selected vertices, 42 > Free, 21, 40 > Separate Components, 21, 128 > Starting positions, 20 > circular, 20 > Given xy, 20 > Given z, 20 > random, 20
- [Draw] Move > Circles, 22, 40
- [Draw] Move > Fix, 22 > Radius, 22 > y, 188
- [Draw] Move > Grid, 22
- [Draw] Next, 22, 109
- [Draw] Options > Colors > Arcs > Relation Number, 19 > Edges > Relation Number, 19 > Partition Colors > for Vertices, 40 > Relation Colors, 19
- [Draw] Options > Layout, 22 > Real xy Proportions, 57
- [Draw] Options > Lines > Mark Lines > No, 19 > with Labels, 19 > with Values, 19, 48
- [Draw] Options > Mark Vertices Using, 22 > Mark Cluster Only, 274 > Partition Clusters, 41 > Vector Values, 55
- [Draw] Options > Previous/Next > Optimize Layouts, 109 > Apply to, 22, 109, 386, 389
- [Draw] Options > Scrollbar On/Off, 131
- [Draw] Options > Size > of Vertices, 54, 171
- [Draw] Options > Transform, 22 > Fit Area, 42, 57 > Rotate 2D, 188, 189, 251
- [Draw] Options > Values of Lines > Similarities, 103–104, 171
- [Draw] Previous, 22, 109
- [Draw] Redraw, 22
- [Draw] Spin menu, 131
- [Draw] ZoomOut, 22
- Edit Hierarchy Screen**
- [Editing Hierarchy] Hierarchy Edit screen, 88, 313
- [Editing Hierarchy] Edit > Change Type, 314
- [Editing Hierarchy] Edit > Show Subtree, 313
- Edit Network Screen**
- [Editing Network] Editing Network Screen, 27
- [Editing Network] Newline, 27
- Edit Partition Screen**
- [Editing Partition] Editing Partition Screen, 38–39
- Main Screen**
- [Main] Main Screen, 9
- [Main] Cluster > Create Complete Cluster, 310
- [Draw] Cluster > Create Empty Cluster, 199, 274
- [Draw] Draw-2 Vectors, 54
- [Main] Draw > Draw-Partition, 40, 54, 81, 187
- [Main] Draw > Draw-Partition-2Vectors, 55
- [Main] Draw > Draw-Partition-Vector, 54, 128
- [Main] Draw > Draw-SelectAll, 42, 372
- [Main] Draw > Draw-Vector, 54
- [Main] File > Hierarchy > Edit, 88, 166, 274
- [Main] File > Network > Edit, 27, 372

Index of Pajek and R Commands

411

- > Export Matrix to EPS
- > Original, 304
- > Using Permutation, 304, 314
- > Read, 11, 56, 263, 369
- > Save, 24, 28, 75, 373
- [Main] File > Pajek Project File, 37
- [Main] File > Partition
 - > Dispose, 359
 - > Edit, 38, 47, 219, 274, 371–372
 - > Read, 37
 - > Save, 37, 373
- [Main] File > Show Report Window, 15
- [Main] File > Vector, 51
 - > Dispose, 359
 - > Edit, 373
 - > Read, 56
 - > Save, 373
- [Main] Hierarchy drop-down menu, 88
- [Main] Hierarchy > Extract Cluster, 274
- [Main] Hierarchy > Make Partition, 314
- [Main] Info > Network, 343
 - > General, 16, 75–76, 172
 - > Indices, 274–275
 - > Line Values, 122, 285
 - > Multiple Relations, 17
 - > Triadic Census, 242
- [Main] Info > Partition, 19, 39, 76, 88, 177, 192, 204, 223, 266, 267, 276, 344
- [Main] Info > Vector, 1, 171, 204, 263, 278, 359
- [Main] Macro > Add message, 197
- [Main] Macro > Play, 197, 268, 278
- [Main] Macro > Repeat Last Command, 359
 - > Fix (First) Partition, 359
 - > Fix (Second) Partition 359
- [Main] Macro > Record, 197
- [Main] Net > Citation Weights, 284
 - > Normalization of Weights, 285
- [Main] Net > Components
 - > Bi-Components, 165, 274
 - > Strong, 81, 84, 214, 217–218, 245, 250, 288
 - > Weak, 81, 286, 343
- [Main] Net > Hierarchical Decomposition
 - > Clustering > Options, 313
 - > Symmetric-Acyclic, 249
- [Main] Net > k-Neighbours, 147, 266
 - > All, 172
 - > From Cluster, 147
- > Input, 147, 223
- > Output, 147–148
- [Main] Net > Partitions > 2-Mode, 118, 122
 - > Core
 - > All, 84, 284
 - > Input, 84
 - > Output, 84
 - > Degree, 75, 126, 147
 - > All, 344, 353
 - > Input, 123, 199, 218
 - > Output, 267
 - > Depth
 - > Acyclic, 250
 - > Genealogical, 263
 - > Domain > Input, 224, 227
 - > Islands
 - > Generate Network with Islands, 126
 - > Line Weights, 126
- [Main] Net > Paths between 2 vertices
 - > All Shortest, 149, 265
 - > Diameter, 344
 - > Distribution of Distances > From All Vertices, 149, 348
- [Main] Net > Random Network
 - > Bernoulli/Poisson, 345
 - > Extended Model, 355
 - > Partition > Make Network > Random Network, 345
 - > Scale Free, 354
 - > Adding > Free, 355
 - > Directed, 354
 - > Small World, 348
 - > Total No. of Arcs, 27, 345, 371, 374
 - > Vertices Output Degree, 192, 345
- [Main] Net > Transform
 - > 1-Mode to 2-Mode 268
 - > 2-Mode to 1-Mode
 - > Columns, 122
 - > Include Loops, 122
 - > Multiple lines, 122
 - > Rows, 122
 - > Arcs → Edges
 - > All, 15, 75, 86, 196, 204, 265
 - > Bidirected only, 251
 - > Edges → Arcs, 14, 147
 - > Generate in Time, 108
 - > Multiple Relations
 - > Change Relation Number-Label, 265, 268
 - > Extract Relation(s), 12, 268

412

Index of Pajek and R Commands

- [Main] Net > Transform (*cont.*)
 - > Relation Numbers → Line Values, 265
 - > Remove
 - > all edges, 265, 267
 - > lines with value > lower than, 47, 50, 286
 - > lines with value > within interval, 110
 - > loops, 147, 217, 250, 288
 - > multiple lines, 147, 355
 - > Transpose > 1-Mode, 219
- [Main] Net > Vector
 - > Centrality
 - > Betweenness, 151, 204
 - > Closeness, 149
 - > Clustering Coefficients > CC1, 172, 344, 348, 349, 359
 - > Get coordinate, 57, 132
 - > Important Vertices > 1-Mode: Hubs-Authorities, 153
 - > Structural Holes, 176
- [Main] Nets > Cross-Intersection > First, 14
- [Main] Nets > Fragment (First in Second)
 - > Find, 86, 275
 - > Options, 86
 - > Check relation numbers, 275
 - > Check values of lines, 275
 - > Induced, 275
- [Main] Nets > Multiply First * Second, 268
- [Main] Nets > Union of Vertices, 57
- [Main] Network drop-down menu, 11–12, 303
- [Main] Operations > Balance, 104, 109
- [Main] Operations > Blockmodeling
 - > Optimize Partition, 319
 - > Random Start, 319, 321, 325
 - > Load MDL File, 326
 - > User Defined, 325
 - > Restricted Options, 319
 - > Short Report, 319
- [Main] Operations > Brokerage Roles, 177
- [Main] Operations > Dissimilarity
 - > Network based > d1 > All, 310
 - > Options > Report Matrix, 311
- [Main] Operations > Extract from Network
 - > Cluster, 274
 - > Partition, 44, 84, 128, 172, 277, 286, 309, 319
- [Main] Operations > Reorder
 - > Network, 305
 - > Partition, 305
- [Main] Operations > Shrink Network
 - > Partition, 47, 50, 245, 288
- [Main] Operations > Transform
 - > Direction, 198
 - > Lower → Higher, 287
 - > Remove Lines
 - > Between Clusters, 176, 251
 - > Inside Clusters, 50
- [Main] Operations > Vector
 - > Diffusion Partition, 199
 - > Put coordinate, 57
 - > Summing up Neighbours, 196
- [Main] Options > Blockmodel-Shrink, 48
- [Main] Options > Ini File
 - > Load, 390
 - > Save, 390
- [Main] Options > Read/Write
 - > 0/0, 197
 - > Bipartite Pgraph, 273
 - > GEDCOM – Pgraph, 263, 273
 - > Ignore Missing Values in Info/Vector?, 359
 - > Max. vertices to draw, 381
 - > Ore: Different relations for male and female links, 263–264
 - > Pgraph + labels, 273
 - > Threshold, 375
- [Main] Partition drop-down menu, 37
- [Main] Partition > Binarize, 196, 277
- [Main] Partition > Count, Min-Max Vector, 344
- [Main] Partition > Create Constant Partition, 41–42, 371
- [Main] Partition > Create Random Partition > 1-Mode, 104
- [Main] Partition > Make Cluster, 199, 310
- [Main] Partition > Make Network > Random Network, 345
- [Main] Partition > Make Permutation, 304
- [Main] Partition > Make Vector, 53, 196, 221, 353
- [Main] Partitions, 42
- [Main] Partitions > Add Partitions, 277
- [Main] Partitions > Dispose, 359
- [Main] Partitions > Expand > First according to Second (Shrink), 250
- [Main] Partitions > Extract Second from First, 44–45, 88, 123, 128, 267, 286, 319

Cambridge University Press

978-1-107-00238-8 - Exploratory Social Network Analysis with Pajek: Revised and Expanded
Second Edition

Wouter De Nooy, Andrej Mrvar and Vladimir Batagelj

Index

[More information](#)*Index of Pajek and R Commands*

413

- [Main] Partitions > Info
 - > Cramer's V/Rajske, 58–59, 276, 320
 - > Spearman Rank, 220, 228
- [Main] Partitions > Make Random Network, 345
- [Main] Permutation drop-down menu, 304
- [Main] Tools > R > Locate R, 131
 - > Send to R > All Vectors, 132
 - > Current Vector, 353
- [Main] Vector > Create Constant Vector, 373
- [Main] Vector > Extract Subvector, 56, 128, 278
- [Main] Vector > Make Partition
 - > by Intervals
 - > First Threshold and Step, 53, 228
 - > Selected Thresholds, 54, 276
 - > by Truncating (Abs), 53, 130
- [Main] Vector > Shrink Vector, 56
- [Main] Vector > Transform > Multiply by, 171
 - > Normalize > Max, 54
- [Main] Vectors > Divide First by Second, 196–197, 199, 227
- [Main] Vectors > Info, 221
- Read – Write > Ignore Missing Values in Info/Vector?, 359

Report Screen

- [Report] Report screen, 15
- [Report] File > Empty Report, 360

R Commands

- R: {igraph}power.law.fit(), 354
- R: Edit
 - > Run all, 132, 353
 - > Run line or selection, 354
- R: File > Open script, 132, 353

Subject Index

- actor, 5, 399
 - in a two-mode network, 118
- acyclic network, 243, 244, 399
- Adamic, L. A., 338, 364
- adjacency matrix, 301, 370, 399
- adjacent vertices, 74, 399
- adoption category, 193, 399
- adoption rate, 191, 399
- affective relations, 97
- affiliation matrix, 301
- affiliations, 116, 117. *See also* group affiliation
- aggregate constraint, 170, 399
- Aldenderfer, Mark S., 331
- Albert, R., 349, 365
- alpha (in blockmodeling), 105, 106, 109
- ancestor. *See* pedigree
 - closest common, 263
- arc, 7, 399
- articulation point. *See* cut-vertex
- asymmetric dyad, 236, 400
- Attiro data, 71–72
- attribute, 37, 58, 399
- attribution, 99
- average degree, 343, 348, 351, average path distance, 346
- balance model, 238, 400
- balance theory, 97, 106, 234, 235. *See also* structural balance
- balanced network. *See* signed graph, balanced
- Barabási, A. L., 349, 365
- Barabási-Albert model, 349, 352
- Batagelj, Vladimir, 256, 290, 331, 365
- Bernoulli random graph model, 341, 349
- betweenness centrality, 150, 202, 400
- betweenness centralization, 150, 400
- bi-component, 81, 163, 165, 272, 400
- bidirectional arc, 7
- bipartite network. *See* two-mode network
- Blashfield, Roger K., 331
- block, 315, 389
 - complete, 315
 - null, 315
- blockmodel, 316, 400. *See also* blockmodeling
- blockmodeling, xxvi–xxvii, 299, 317–318, 400
 - generalized, 324, 403
- blogs, 338, 343, 348, 353
- blood marriage, 269, 400
- blood relation, 262
- Bollobás, B., 365
- Bonacich, P., 157
- Boorman, S.A., 331
- Borgatti, S., 135
- Bornschier, Volker, 62
- boundary specification, 6, 272
- Brandes, U., 365
- Breiger, Ronald, 135, 331
- bridge, 161, 165, 400
- brokerage, 167
- brokerage role, 174, 400. *See also* coordinator role; gatekeeper; itinerant broker; liaison; representative
- Burt, Ronald S., 182, 208, 231
- Carlson, Richard O., 208–209
- Carrington, P.J., 209, 365

Subject Index

415

Cartwright, Dorwin, 113
 cell (of a matrix), 300, 404
 centrality, 141. *See also* betweenness
 centrality, closeness centrality,
 degree centrality, eigenvector
 centrality
 centrality literature data, 279
 centralization, 141–144. *See also*
 betweenness centralization,
 closeness centralization, degree
 centralization
 chi-square statistic, 243
 citation, 278, 279
 analysis, 281
 networks, 350, 364
 Clifford, Roy A., 94, 231
 clique, 84–86
 overlapping, 86
 size, 85
 closeness centrality, 146
 closeness centralization, 146
 cluster (Pajek data object), 112, 310
 clusterability model, 238–239, 400. *See also*
 also cycle, clusterable; signed graph,
 clusterable
 clusterable network. *See* signed graph,
 clusterable
 clustering. *See* hierarchical clustering
 clustering coefficient, 342, 345 *See also*
 local clustering coefficient;
 Watts-Strogatz clustering coefficient
 cohesive subgroups, 91
 Coleman, James S., 208, 231
 Columbia University drug study data,
 208
 column (matrix), 300
 profile, 307
 communication network, 142, 145
 complete dyad, 236
 complete network, 73, 401
 component, 34, 357. *See also*
 bi-component; strong component;
 weak component; giant component
 conditional uniform random graph models,
 342
 connected network, 78. *See also* strongly
 connected network; weakly connected
 network
 connectedness, 78–79, 352, 362
 constraint, 168. *See also* dyadic constraint;
 aggregate constraint
 contagion. *See* social contagion

contextual view, 49, 401
 continuous property, 50–51
 continuous-time Markov process model,
 338
 contours, 80, 124, 131
 coordinates (of vertices), 50–51
 coordinator role, 177–178
 core-periphery structure, 299, 307
 correlation coefficient, 219. *See also*
 Pearson's correlation coefficient;
 Spearman's rank correlation
 createpajek.exe, 373
 critical mass, 200–204
 cross-sectional network, 108–109
 cut-vertex, 162
 cycle, 98–99
 balanced, 99, 400
 clusterable, 100, 106
 data collection techniques, 25
 free recall, 25
 fixed choice, 26
 observation, 26
 paired comparison, 26
 ranking, 26
 roster, 26
 Davis, James A., 113, 236
 de Nooy, Wouter, 256
 de Solla Price, D., 350, 365
 De Solla Price's model, 351, 354
 Degenne, Alain, 156, 182
 degree, 74, 143–144, 401
 average, 74–75, 341, 351
 degree (of a family relation). *See* remove
 degree centrality, 144–145, 147, 153–154,
 401
 degree centralization, 144, 401
 degree distribution, 342, 349, 353
 degree sequence, 344, 353
 deleting a vertex, 162, 401
 dendrogram, 308, 311, 401. *See also*
 hierarchical clustering
 density, 73–74, 341, 401
 of a two-mode network, 119
 of an ego-network. *See* egocentric density
 descendant, 263, 266
 diffusion
 curve, 190–191, 401
 of information, 161
 process, 186
 digraph. *See* directed graph
 dimension of a partition, 104, 401

- dining-table partners data, 4
- directed
 - graph, 7
 - line. *See* arc
- discrete property (vertex), 36–37
- dissimilarity, 307–308
- distance, 145, 146
- distance distribution, 149
- divide et impera (divide and rule) strategy, 167, 173
- domain, 221–222, 402. *See also* restricted domain
 - input, 222
 - output, 222
- Doreian, Patrick, 113, 256, 290, 291, 331
- Dutch literary criticism data, 256
- dyad, 402. *See also* asymmetric dyad; complete dyad; null dyad; symmetric dyad
- dyadic constraint, 168–169, 169–170
- edge, 7, 402
- ego-centered approach, 141, 166–167, 402
- ego-network, 166–168, 402
 - density. *See* egocentric density
- egocentric density, 171, 402
- eigenvector centrality, 153
- endogamy, 269, 273, 402
- energize a network, 129, 133
 - in three dimensions, 129
- equivalence, 306. *See* position class, 306
 - equivalent position. *See* position
- Erdős, P., 341, 364
- Erdős-Rényi random graph model, 341, 345
- error matrix, 319–320, 333
- error score (of a blockmodel), 103, 109–111
- estimation techniques. *See* sample, network event, 119–120
 - size of, 119
- Everett, M., 135
- exploratory social network analysis, 5–9
- exponential random graph models (ERGM), 338, 343
- exposure, 193, 402
- extracting a subnetwork, 43, 402
- family of child (FAMC), 261, 273, 402
- family of orientation. *See* family of child
- family of procreation. *See* family of spouse
- family of spouse or procreation (FAMS), 261, 402
- Faulkner, Robert R., 135
- Faust, Katherine, 31, 94, 113, 135, 156, 231
- Fennema, Meindert, 135
- Ferligoj, Anuška, 256, 290, 331
- Fernandez, Roberto M., 182
- first order inflection point, 201
- Flament, Claude, 255, 280, 282, 286–287
- flying teams data, 112
- forest, 148, 156, 181, 272, 391
- Forsé, Michel, 156, 182, 331
- Freeman, Linton C., 31, 156, 279, 286–287
- Galesburg drug study data, 208
- Garfield, Eugene, 291, 364, 364–365
- GEDCOM (genealogical data format), 263, 275
- genealogical generation, 262–263
- genealogy, 272. *See also* patrilineal genealogy
- generation jump, 293, 403
- generation. *See* genealogical generation; social generation
- geodesic, 150–151
- giant component, 342, 353
- Gil-Mendieta, Jorge, 331
- Gilbert, E. N., 364
- Glance, N., 338, 364
- gatekeeper role, 185
- global view, 46, 403
- Gould, Roger V., 182
- Granovetter, Mark, 29, 182
- graph, 6, 18. *See also* directed graph; Ore graph; P-graph; signed graph; simple graph; undirected graph; valued graph
- graph drawing esthetics, 18
- graph theory, 6, 9
- group affiliation, 135, 173
- Hage, Per, 113
- Harary, Frank, 3, 29, 113
- head (of an arc), 7
- Heider, Fritz, 97, 99, 113
- hierarchical clustering, 299, 308, 311, 312–313
- hierarchical clusters model, 239, 246, 252, 254, 257–258, 403
- hierarchy, 403
- hi-tech unionization data, 181

Cambridge University Press

978-1-107-00238-8 - Exploratory Social Network Analysis with Pajek: Revised and Expanded
Second Edition

Wouter De Nooy, Andrej Mrvar and Vladimir Batagelj

Index

[More information](#)*Subject Index*

417

- Hlebec, Valentina, 256
 Holland, Paul W., 236, 256, 365
 Hollywood composers data, 134
 homophily, 71, 160, 403
 Hughes, Michael, 135
 Hummon, Norman P., 281, 291
 hypothesis testing, xxviii, 5
- image matrix, 316
 immediacy index, 280, 403
 impact factor, 280, 403
 indegree, 404
 independence, 341
 induced subnetwork, 43–44
 inference, 336, 340
 innovativeness, 193, 195
 interactive innovation, 203
 interlocking directorate, 118, 135
 intermarriage. *See* endogamy
 islands, 124
 Isle of Man genealogical data, 290
 isomorphic, 302
 itinerant broker role, 174
- Johnsen, Eugene C., 256
 Jorion, Paul, 291
- k*-connected component, 81, 404
k-core, 81–82, 281, 404
 Kadushin, Charles, 135
 Kalish, Y., 365
 Katz, Elihu, 231
 Katz, L., 364
 Kick, E., 63
 Kincaid, D. Lawrence, 155, 156
 Kinematics, 388–389
 Knoke, David, 231
 Kolaczyk, E. D., 364
 Korea family planning data, 155–156
 Krackhardt, David, 182
- landscape, 131
 layout, network, 17
 Leinhardt, Samuel, 236, 255, 365
 Leonard, Olen E., 94, 231
 liaison role, 177
 Lin, Nan, 4, 231
 line, 404. *See also* arc; edge; loop
 multiplicity, 121
 values, 8, 66
 line-network, 144
 local clustering coefficient, 344
- local view, 43, 404
 log-log scale, 351
 longitudinal network, 107–110
 Loomis, Charles P., 94, 231
 loop, 7, 404
 Luce, R.D., 94
 Lusher, D., 365
- Mahnken, Irmgard, 290
 main path, 283, 404
 analysis, 281
 component, 247
 marriage relation, 262, 267
 Massey, J. G., 156
 matrilineal line, 276
 matrix, 56. *See also* adjacency matrix;
 error matrix; image matrix; affiliation
 matrix
 matrix multiplication, 267
 maximal subnetwork, 82, 96
 Menzel, Herbert, 208, 231
 Mexican political elite data, 330
 Michael, Judd H., 4, 29, 135, 156
 Milgram, Stanley, 31
 modern math diffusion data, 199–201
 Monte Carlo simulation, 356, 358
 Morales, Julio O., 94, 231
 Moreno, J. L., 3, 31, 113
 Mrvar, Andrej, 113
 multiple director, 118–119, 122
 multiple lines, 7, 15, 19, 29, 31
 multiple relations network, 8
 multiplex network, 8
 multiplication. *See* matrix multiplication
 multiplicity, 123, 404
- neighbor, 74, 143, 404
 nested subnetworks, 83, 124, 404
 network, 3, 7, 404. *See also* acyclic
 network; communication network;
 complete network; one-mode
 network; star-network; transaction
 network; two-mode network; valued
 network
 network data. *See* Pajek network data file
 network growth models, 349
 network motif, 358
 network transitivity. *See* clustering
 coefficient
 New Guinea data, 112
 Newman, M.E., 364, 365
 nonblood relinking, 270, 404

- Norman, Robert Z., 113
 null dyad, 236, 319
- one-mode network, 118–119, 404
 derived from a two-mode network, 119–120
 optimization technique, 103–104, 318–319, 420
 Ore graph, 262, 404
 outdegree, 74, 405
- P-graph, 271, 405
 bipartite, 273
 Pajek, 9
 active network, 12
 blockmodel (MDL) file, 325–326
 data objects, 9
 macro, 197
 matrix data format, 374–375
 missing value (99999998), 59, 344, 359
 network data file, 9–10, 19, 24, 56, 161, 303, 373–376
 two-mode network data file, 122, 375–376, 380–381
 Vega data format, 370
 partial order, 217, 405
 partition, 36–37, 405
 creating, 373, 379–380
 path, 78, 404
 shortest. *See* geodesic
 average path distance, 346
 patrilineal genealogy, 260
 patrilineal line, 276
 Pattison, P., 365
 Pearson’s correlation coefficient, 219–220
 pedigree, 259, 263, 266, 278–279, 405
 periphery. *See* core-periphery structure
 permutation, 303, 405
 Perry, A., 94
 Ph.D. students in computer science data, 290–291
 polarization, 99
 polygamy, 273
 popularity, 217–218, 349, 405
 position, 306, 405
 PostScript (PS), 25
 Encapsulated (EPS), 25, 384
 Powell, J.H., 364
 power law, 350, 353
 preferential attachment models, 349, 353
 prestige, xxiv. *See also* proximity prestige; social prestige; structural prestige
 prevalence of an innovation, 189, 405
 probability distribution, 337, 342, 356
 profile. *See* column profile; row profile
 proportional strength, 169–170, 405
 proximity prestige, 225–227, 302
- Ragusan nobility data, 259–260
 random graph models, 340
 random structure, 241
 ranked clusters model, 239, 405
 ranked structure (blockmodel), 324
 ranking, social, xxiv, 234
 formal, 234
 informal, 234
 rate of participation, 119, 405
 ray tracing, 387–388
 reachable, 145, 147, 150, 222
 Read, K., 113
 receiver. *See* head (of an arc)
 regular block, 275, 322–323
 regular equivalence, 322–324
 relation, 8, 217
 relinking index, 271–272
 remarriage, 266, 271
 remove (genealogy), 259–260, 269, 271
 Rényi, A., 341, 364
 representative role, 177
 restricted domain, 406
 rewiring, 347, 355
 Riordan, O., 365
 Roberts, Fred S., 113
 Robins, G., 365
 Rogers, Everett M., 3, 155, 209
 rotation, 129–130
 positive, 129
 row (matrix), 300
 profile, 300
- Sabidussi, G., 156
 sample, network, 5
 Sampson monastery data, 101
 Sampson, Samuel F., 100, 101–102, 106, 113
 San Juan Sur data, 73–74, 77, 94, 216, 218, 225, 228, 231
 sawmill communication data, 142
 Scalable Vector Graphics (SVG), 25, 383, 385–387, 390, 392, 395
 scale-free, 350, 352, 354
 Schijf, Huibert, 135
 Schmidt, Samuel, 331
 Schweitzer, Thomas, 291

Subject Index

419

- Scott, John, 31, 94, 118, 120, 209, 365
 Scottish capital data, 118, 135
 second order inflection point, 20–201, 206,
 211
 Seidman, S.B., 94
 semicycle, 98–99, 272
 balanced. *See* cycle, balanced
 clusterable. *See* cycle, clusterable
 semipath, 78–79, 81, 90, 92, 99, 262
 semiwalk, 77–78, 112
 sender. *See* tail (of an arc)
 shrinking a network, 60
 sibling, 262, 266, 269, 273
 sibling group, 266, 269
 signed graph, 98–99
 balanced, 99–100
 clusterable, 100
 signed network, 26, 99. *See also* signed
 graph
 similarity. *See* dissimilarity
 Simmel, Georg, 116, 135, 166, 182
 simple graph, 12, 406
 sink vertex, 283–284, 404, 406
 small-world models, 345, 349, 352
 Small World problem, 6, 31, 146, 345,
 346
 Smith, David A., 36, 58, 63
 Sneath, Peter H. A., 331
 Snijders, T.A.B., 365
 Snyder, D., 63
 sociability. *See* social capital
 social circles, 86, 89, 116, 135
 social cleavage, 102
 social contagion, 186, 189, 200, 406
 social generation, 262, 406
 social prestige, 215
 sociocentered approach, 166, 402, 406
 sociogram, 4–5
 sociometric choice, 4–5
 sociometry, 3–5
 Sokal, Robert R., 331
 source vertex, 192, 209
 Spearman's rank correlation, 219–220,
 225, 232
 Spencer, J., 365
 spring embedder, 20
 star-network, 143
 statistical inference. *See* inference
 statistical models, 6, 242, 365
 statistical network model, 338
 statistics, 35, 219
 Steglich, C.E.G., 365
 stratification, 26, 62
 strength of weak ties hypothesis, 164–165
 strike discussion data, 245
 Strogatz, S.H., 365
 strong component, 79–80, 91, 96
 strongly connected network, 78, 154
 structural balance, 99, 101. *See also* cycle,
 balanced; signed graph, balanced
 structural equivalence, 307, 313–314
 structural hole, 167, 171, 175
 secondary, 173, 176
 structural prestige, 215–216
 structural property, 37, 407
 structural relinking, 259, 269. *See also*
 blood marriage; nonblood relinking
 student government data, 356
 symmetric cluster, 247
 symmetric dyad, 236
 symmetric-acyclic model, 214–217, 324
 symmetrizing a network, 95
 tail (of an arc), 273
 tertius (gaudens) strategy, 167, 170
 threshold, 195
 category, 193, 399
 lag, 407
 ties
 asymmetric, 234
 strong, 162
 weak, 162, 164
 transaction network, 174, 182
 transitive triad, 239, 361, 407
 transitivity model, 239, 242, 252, 258,
 407
 transposed network, 217–218, 222, 407
 traversal weight, 283, 284
 tree, 142, 271
 Trezzini, Bruno, 62
 triad, 85–89, 166–169
 complete, 84–85, 167
 triad census, 240–242, 253–254, 257, 358,
 363, 367
 triple, 85, 89
 unclusterable, 102, 106, 252
 Tusnady, G., 365
 two-mode network, 118, 119, 345
 two-step flow diffusion model, 189
 txt2Pajek.exe, 373
 Ucinet, 370
 DL file format, 370
 undirected
 graph, 7, 407
 line. *See* edge

Cambridge University Press

978-1-107-00238-8 - Exploratory Social Network Analysis with Pajek: Revised and Expanded
Second Edition

Wouter De Nooy, Andrej Mrvar and Vladimir Batagelj

Index

[More information](#)

420

Subject Index

- Valente, Tom W., 209
valued network, xxvi, 26, 121–122, 408
van de Bunt, G.G., 365
vector, 43, 408
 creating, 371, 380
vertex, 6, 408
 label, 371
vertices. *See* vertex
Virtual Reality Markup Language
(VRML), 24, 387–388

walk, 77, 408
Wallerstein, Immanuel, 34, 62
Wasserman, Stanley, 31, 94, 113, 135,
 156, 209, 231, 255, 331, 365

Watts, D.J., 365
Watts-Strogatz clustering coefficient,
 344
 model, 347
weak component. *See* component
weakly connected network, 408
White, Douglas R., 36, 58, 63, 182
White, Harrison C., 182, 331
Wilson, R. J., xxix
World System, 34–36
world trade data, 376–377

X3D, 388

Zeleny, Leslie D., 112