

Index

- a posteriori comparisons, 157–162
 - after Levene test, 206
 - after single-factor ANOVA, 157
 - after two-factor ANOVA, 181–192
 - after two-factor ANOVA without replication, 214
 - and Type 1 error, 163
 - Tukey test, 158
- a priori comparisons, 162–164, 183
- absolute value, 322
- accuracy, 29
- additivity
 - of polynomial expansions in regression, 271
 - of sums of squares and degrees of freedom, 151, 179
- alpha α , 62
 - of 0.05, 62
 - other values of, 61–62
- alternate hypothesis, 12
- analysis of covariance (ANCOVA), 284–296
 - and regression analysis, 291
 - assumptions of, 289–293
 - concept of, 288
 - reporting the results of, 295
- analysis of variance (ANOVA)
 - a posteriori comparisons, 157–165
 - reporting the results of, 164
 - Tukey test, 158
 - a priori comparisons, 162–164
 - assumptions, 201
 - homoscedasticity, 196
 - independence, 201
 - normally distributed data, 197
 - concept of, 146
 - fixed and random effects, 153
 - interaction, 168
 - example of, 170
 - Model I, 153
 - Model II, 153
 - multiple comparisons, 157–165
 - risk of Type 1 error, 140
 - nested, 222–228
 - reporting the results of, 230
 - randomised blocks, 214–216
 - reporting the results of, 229
 - repeated measures, 216–221
 - reporting the results of, 230
 - single factor, 140–154
 - a posteriori comparisons, 157–165
 - arithmetic example, 147–152
 - degrees of freedom, 154
 - Model I (fixed effects), 153
 - Model II (random effects), 153
 - reporting the results of, 154
 - unbalanced designs, 152
 - three-factor, 192
 - two-factor, 168–194
 - a posteriori comparisons, 181
 - advantage of, 168
 - cautions and complications, 181–192
 - concept of, 180
 - fixed and random factors, 187–192
 - interaction, 169, 182
 - interaction obscuring main effects, 183
 - reporting the results of, 193
 - synergistic effect, 168
 - Tukey test, 182
 - unbalanced designs, 192
 - two-factor without replication, 209
 - a posteriori testing, 214

- and randomised blocks, 214
- reporting the results of, 229
- ANOVA. *See* Analysis of variance (ANOVA)
- apparent replication. *See* replication
- average. *See* mean
- backward elimination, 278
- Bayes' theorem, 77–86
 - estimation of a conditional probability, 78
 - updating probabilities, 80
- beta β . *See* Type 2 error
- binomial distribution, 103
- biological risk, 136
- bivariate normal distribution, 241
- box-and-whiskers plot, 197–200
 - worked example, 199
- carryover effects, 216
- central limit theorem, 102
- chi-square
 - statistic χ^2 , 64
 - table of critical values, 388
 - test, 64–66, 302–308
 - bias with one degree of freedom, 308
 - for heterogeneity, 306
 - for one sample, 302
 - inappropriate use of, 312
 - reporting the results of, 316
 - worked example, 64
 - Yates' correction, 308, 309
- choosing a test, 375
- cluster analysis, 368–372
- Cochran Q test, 316
- coefficient of determination r^2 , 257
- conditional probability, 75
 - Bayes' theorem, 77
- confidence interval, 99, 108
 - for a population, 99
 - for a sample, 100
 - used for statistical testing, 102
- confidence limits, 99, 108
- contingency table, 306
- control treatments, 35
 - for disturbance, 36
 - for time, 36
- sham operations, 38
- correlation, 234–241
 - coefficient r , 234
 - confused with causality, 30
 - contrasted with regression, 233–234
 - linear
 - assumptions of, 241
 - reporting the results of, 242
 - non-parametric, 342
- covariate, 284
- data
 - bivariate, 15, 25
 - continuous, 17
 - discrete, 17
 - displaying, 17–28
 - bivariate, 25
 - cumulative graph, 20
 - frequency polygon, 18
 - histogram, 17
 - nominal scale, 23
 - ordinal scale, 23
 - pie diagram, 22
 - interval scale, 16
 - multivariate, 15, 26
 - nominal scale, 16
 - ordinal scale, 16
 - ratio scale, 15
 - univariate, 15
- degrees of freedom, 112
 - additivity in single-factor ANOVA, 151
 - for a 2×2 contingency table, 307
 - for F statistic, 154
 - for t test, 112
 - in regression analysis, 261
- dissimilarity, 361
- distribution
 - binomial, 103
 - normal, 88
 - of sample means, 95
 - Poisson, 104
- effect size, 132
 - and power of a test, 135
- eigenvalues, 351
 - table of in PCA, 355

398 **Index**

- eigenvectors, 351
- environmental impact assessment, 42
- error
- and sample size, 102
 - Type 1, 130
 - definition of, 61
 - Type 2, 131
 - definition of, 61
 - uncontrollable among sampling units, 143
 - when estimating population statistics
 - from a sample, 93
 - within group, 175
- ethical behaviour, 48–54
- acknowledging input of others, 50
 - acknowledging previous work, 49
 - approval and permits, 50
 - experiments on vertebrates, 51
 - fair dealing, 49
 - falsifying results, 52
 - modifying hypotheses, 124
 - moral judgements, 51
 - plagiarism, 48
 - pressure from peers or superiors, 53
 - record keeping, 53
- Euclidian distance, 362
- exact tests
- Fisher Exact Test, 309
 - for ratio, interval and ordinal scale data, 327, 334
- examples
- antibiotics and pig growth, 338
 - Arterolin B and blood pressure, 56
 - bacteria and turbidity in a reservoir, 349
 - basal cell carcinomas, 23
 - cane toads in Queensland, 306
 - chilli yield and fertilisers, 276
 - cholera in London, 11
 - cockroaches
 - activity and weather, 169
 - growth, 174
 - control treatments, 35
 - dental decay in Hale and Yarvard, 25
 - dental hygiene in male adolescents, 341
 - dietary supplements and pig growth, 160
 - drugs and brain tumours, 142
 - egg laying by mosquitoes, 43
 - familiarity effect and athletes, 116
 - gecko behaviour and predators, 315
 - growth of palm seedlings and soil type, 325
 - herbivorous snails and predators, 35
 - hypothesis testing, 8, 11
 - koalas and tooth wear, 234
 - lung structure and damage, 336
 - maggot numbers in cadavers, 267
 - mites living in human hair follicles, 258
 - Panama Gold crop, 115
 - pelt colour in guinea pigs, 302
 - pollutants in sediments, 354
 - Portuguese millipedes and light, 8–10
 - prawn growth in aquaculture ponds, 222
 - prawns in Dark Lake, 32
 - predicting adult height, 244
 - prostate tumours and drugs, 209
 - pseudoreplication, 32
 - rats and heavy metals, 284
 - reaction time of students, 18
 - sandfly bites and hair colour, 331
 - scavenging whelks, 313
 - sperm counts of coffee drinkers, 67
 - stomach ulcers in humans, 12
 - student visits to a medical doctor, 17
 - suggestion and motion sickness, 309
 - testicular torsion in humans, 43
 - tomato yield and fertilisers, 274
 - Type 1 error, 61
 - Type 2 error, 62
 - vitamin A and prawn growth, 38
 - wombat fatalities along a country road, 322
- examples, worked
- analysis of covariance (ANCOVA), 288, 293
 - analysis of variance (ANOVA), 140–156, 168–195, 209–232
 - Bayes' theorem
 - and bowel cancer, 79
 - and potable water, 77
 - updating probabilities, 81, 85
 - box-and-whiskers plot, 199
 - chi-square test, 64, 306
 - cluster analysis, 368–372
 - Kolmogorov–Smirnov one-sample test, 320

- linear regression, 258
- McNemar test, 315
- multidimensional scaling (MDS),
361–368
- Pearson correlation, 235–241
- population variance, 90
- principal components analysis (PCA),
348–353
- probability
coin tossing, 71, 72
rolling a die, 71, 75
- statistical significance testing, 57–61
- t* test
paired sample, 118
single sample, 116
two independent samples, 120
- Type 1 error and multiple comparisons,
141
- Z* statistic, 93
- Z* test, 98, 111
- experiment
common sense, 37
good design versus cost, 45
manipulative, 29, 34–42
control treatments, 35
need for independent replicates,
34
placebo, 38
pseudoreplication, 38
treatments confounded in time, 37
- meaningful result, 56
- mensurative, 29, 34
confounded, 31
correlation and causality, 30
need for independent samples, 32
need to repeat, 34
pseudoreplication, 33
- negative outcome, 12
- realism, 42
- replication not possible, 41
- testing an hypothesis, 7
- experimental design, 29–46
- experimental unit, 1, 15
- F* statistic, 125, 146
degrees of freedom for, 154
- for linear regression, 256
- table of critical values for ANOVA, 392
- factor, 142
fixed and random, 188
- false negative. *See* Type 2 error
- false positive. *See* Type 1 error
- Fisher Exact Test, 309
reporting the results of, 317
- Fisher, R., 60, 141
his choice of $P < 0.05$, 67
- frequency, 17
- Friedman test, 338
reporting the results of, 340
- G* test, 308
reporting the results of, 317
- Gossett, W.S. *See* Student
graph
bivariate data, 25
cumulative frequency, 20
frequency polygon, 18
histogram, 17
multivariate data, 26
nominal scale data, 23
ordinal scale data, 23
- heterogeneity of variances. *See*
heteroscedasticity
- heteroscedasticity, 196
tests for, 204–205
- homogeneity of variances. *See*
homoscedasticity
- homoscedasticity, 196
- Hurlbert, S., 33, 38
- hypothesis, 7
alternate, 12, 35
becoming a theory, 11
cannot be proven, 11
null, 12, 35, 60
prediction from, 7
retained or rejected, 7, 11
two-tailed contrasted with one-tailed,
121–124
- interaction, 169
obscuring main effects in ANOVA, 183

400 **Index**

- Kolmogorov–Smirnov one-sample test, 320–325
 reporting the results of, 324
- Kruskal–Wallis test, 331
 and single-factor ANOVA, 334
 reporting the results of, 335
- Kuhn, T., 13
- Lakatos, I., 13
- leptokurtic, 103
- Levene test, 204
 reporting the results of, 205
- log-likelihood ratio. *See* *G* test
- Mann–Whitney *U* test, 325
- McNemar test, 315
- mean, 26, 87, 93
 calculation of, 90
 of a normal distribution, 89
 standard error of (SEM), 95
- mean square, 150
- median, 105
- meta-analysis, 42
- mode, 105
- Monte Carlo method, 304
- multicollinearity, 279
- multidimensional scaling (MDS), 361–368
- multiple linear regression, 273–281
 multicollinearity, 279
- multivariate analyses, 346–373
 cluster analysis, 368–372
 caution in use of, 372
 group average linkage method, 369
 hierarchical clustering, 368
 reporting the results of, 372
 multidimensional scaling (MDS), 361–368
 cautions in the use of, 367
 example, 363
 reporting the results of, 368
 stress, 366
 principal components analysis (PCA), 348–361
 cautions and restrictions, 359
 eigenvalue, 351
 eigenvector, 351
 number of components to plot, 359
 practical use of, 358
 principal components, 351
 redundancy, 348
 reporting the results of, 360
- Q-mode, 347
- R-mode, 347
- nested design, 222
- non-parametric tests
 correlation, 342–344
 introduction to, 298
 nominal scale and independent data, 301–313
 chi-square test, 302–308
 Fisher Exact Test, 309
 G test, 308
 inappropriate use of, 312
 randomisation test, 308
 nominal scale and related data, 314–316
 Cochran *Q* test, 316
 McNemar test, 315
 ratio, interval or ordinal scale and independent data, 319–335
 cautions when using, 319
 exact test for two samples, 327
 Kolmogorov–Smirnov one-sample test, 320–325
 Kruskal–Wallis test, 331
 Mann–Whitney test, 325
 randomisation and exact tests, 334
 randomisation test for two samples, 327
 ratio, interval or ordinal scale and related data, 335–340
 Friedman test, 338
 Wilcoxon paired-sample test, 336
- normal distribution, 87–102
 descriptive statistics, 89
 leptokurtic, 103
 platykurtic, 103
 skewed, 103
- null hypothesis, 12
- one-tailed
 hypotheses and tests, 121–124
 cautions when using, 123

- orthogonal, 169
 design without replication, 209
- outliers, 197, 200
- parallelism
 in ANCOVA, 289
 showing lack of interaction in ANOVA, 170
- parametric, 88
- Pearson correlation coefficient r , 234
 calculation of, 235–241
 degrees of freedom for, 241
- peer review, 53
- placebo, 38
- plagiarism, 48
- planned comparisons. *See* a priori comparisons
- platykurtic, 103
- Poisson distribution, 104
- polynomials. *See* regression: curvilinear
- Popper, K., 7
- population, 1
 statistics (parameters), 89–93
- post-hoc test. *See* a posteriori comparisons
- power of a test, 135
 and sample size, 135
- precision, 29
- predictor variable, 244
- principal components analysis (PCA), 348–361
- probability
 ≥ 0.05 , 63
 < 0.001 , 62
 < 0.01 , 61, 62
 < 0.05 , 60, 62
 < 0.1 , 62
 addition rule, 71
 and statistical testing, 56–68
 basic concepts, 71–86
 Bayes' theorem, 77
 conditional, 75
 multiplication rule, 72
 not significant, 63
 of 1, 71
 of an event, 71
 of exactly 0.05, 66
 of 0, 71
 posterior, 82
 prior, 81
 relative and absolute risk, 73
 significant, 60
 stating exact values, 63
 unlikely events, 68
 cancer clusters, 68
- pseudoreplication, 33
 alternating treatments, 39
 apparent replication, 39–41
 clumped replicates, 39
 in manipulative experiments, 38–41
 in mensurative experiments, 34
 inappropriate generalisation, 34
 isolative segregation, 40
 sharing a condition, 40
- Q-mode, 347
- r statistic, 234
- r^2 statistic, 257
- randomisation test, 327
 for nominal scale data, 304, 308
 reporting the results of, 317
- randomised blocks, 214
- range, 90, 105
- ranks, 319
- redundancy, 348
- regression, 244–281
 contrasted with correlation, 233–234
 curvilinear, 266–271
 comparing polynomial expansions, 270
 danger of extrapolation, 270
 reporting the results of, 271
 linear, 244–266
 assumptions of, 264
 coefficient of determination r^2 , 257
 danger of prediction and extrapolation, 262
 intercept, 246, 249
 reporting the results of, 264
 residuals, 263
 significance testing, 250–257
 slope, 246–249

402 Index

- regression, (cont.)
 multiple linear, 273–281
 refining the model, 278
 reporting the results of, 281
 replicates, 9
 replication
 apparent, 39
 alternating treatments, 39
 clumped replicates, 39
 isolative segregation, 40
 sharing a condition, 40
 need for, 9, 32, 34
 residuals, 263
 use in ANCOVA, 288
 response variable, 142, 244
 risk, 73
 R-mode, 347
- sample, 1
 mean, 26, 93
 random, 1
 representative, 1
 statistics, 93–95
 as estimates of population statistics,
 93
 variance, 94
 sampling unit, 1, 15
 scientific method, 14, 48
 hypothetico-deductive, 7
 Kuhn, T., 13
 Lakatos, I., 13
 paradigm, 13
 sigma Σ , 89
 significance level, 57
 skew, 17
 examining data for, 197
 Spearman's rank correlation, 342
 reporting the results of, 344
 standard deviation
 for a population σ , 91
 proportion of normal distribution, 91
 standard error of the mean (SEM), 95
 estimated from one sample, 99
 statistic, 63
 statistical significance, 57
 and biological risk, 136
 and biological significance, 67
 stress, 366
 Student, 100
 Student's *t*. *See t* statistic
 sum of squares, 150
 additivity in single-factor ANOVA,
 151
 synergistic effect. *See* interaction
- t* statistic, 100
 critical values, 112, 390
 degrees of freedom, 112
t test, 112–127
 assumptions
 equal variances, 125
 normality, 124
 random samples, 125
 choosing the appropriate, 125
 for two independent samples, 118–120
 paired sample, 116–118
 reporting the results of, 126
 single sample, 112–115
 theory, 11
 transformations, 201–204
 arc-sine, 203
 legitimacy of, 203
 logarithmic, 202
 square root, 201
 Tukey test, 158
 for two-factor ANOVA, 182
 Type 1 error, 61, 130
 and sample size, 131–134
 trade-off with Type 2 error,
 131–134
 Type 2 error, 61, 131
 and sample size, 131–136
- unplanned comparisons, 157
- variable, 15
 dependent, 234
 independent, 234
 response, 142, 234
 variance
 among group, 146
 for a population σ^2 , 90

Cambridge University Press

978-1-107-00551-8 - Statistics Explained: An Introductory Guide for Life Scientists: Second edition

Steve McKillup

Index

[More information](#)

-
- calculation of, 90
 - for a sample s^2 , 94
 - total, 147, 176, 179
 - within group, 146, 176
 - variance ratio. *See F* statistic
 - variation
 - among samples by chance, 3
 - natural, 2
 - Wilcoxon paired-sample test,
 - 336
 - reporting the results of, 340
 - Yates' correction, 309
 - Z statistic, 91
 - Z test, 108, 112