Index

a posteriori comparisons, 157-162 after Levene test, 206 after single-factor ANOVA, 157 after two-factor ANOVA, 181-192 after two-factor ANOVA without replication, 214 and Type 1 error, 163 Tukey test, 158 a priori comparisons, 162-164, 183 absolute value, 322 accuracy, 29 additivity of polynomial expansions in regression, 271 of sums of squares and degrees of freedom, 151, 179 alpha α , 62 of 0.05, 62 other values of, 61-62 alternate hypothesis, 12 analysis of covariance (ANCOVA), 284-296 and regression analysis, 291 assumptions of, 289-293 concept of, 288 reporting the results of, 295 analysis of variance (ANOVA) a posteriori comparisons, 157-165 reporting the results of, 164 Tukey test, 158 a priori comparisons, 162-164 assumptions, 201 homoscedasticity, 196 independence, 201 normally distributed data, 197 concept of, 146 fixed and random effects, 153

interaction, 168 example of, 170 Model I, 153 Model II, 153 multiple comparisons, 157-165 risk of Type 1 error, 140 nested, 222-228 reporting the results of, 230 randomised blocks, 214-216 reporting the results of, 229 repeated measures, 216-221 reporting the results of, 230 single factor, 140-154 a posteriori comparisons, 157-165 arithmetic example, 147-152 degrees of freedom, 154 Model I (fixed effects), 153 Model II (random effects), 153 reporting the results of, 154 unbalanced designs, 152 three-factor, 192 two-factor, 168-194 a posteriori comparisons, 181 advantage of, 168 cautions and complications, 181-192 concept of, 180 fixed and random factors, 187-192 interaction, 169, 182 interaction obscuring main effects, 183 reporting the results of, 193 synergistic effect, 168 Tukey test, 182 unbalanced designs, 192 two-factor without replication, 209 a posteriori testing, 214

Index 397

and randomised blocks, 214 reporting the results of, 229 ANOVA. See Analysis of variance (ANOVA) apparent replication. See replication average. See mean backward elimination, 278 Bayes' theorem, 77-86 estimation of a conditional probability, 78 updating probabilities, 80 beta β . See Type 2 error binomial distribution, 103 biological risk, 136 bivariate normal distribution, 241 box-and-whiskers plot, 197-200 worked example, 199 carryover effects, 216 central limit theorem, 102 chi-square statistic χ^2 , 64 table of critical values, 388 test, 64-66, 302-308 bias with one degree of freedom, 308 for heterogeneity, 306 for one sample, 302 inappropriate use of, 312 reporting the results of, 316 worked example, 64 Yates' correction, 308, 309 choosing a test, 375 cluster analysis, 368-372 Cochran Q test, 316 coefficient of determination r^2 , 257 conditional probability, 75 Bayes' theorem, 77 confidence interval, 99, 108 for a population, 99 for a sample, 100 used for statistical testing, 102 confidence limits, 99, 108 contingency table, 306 control treatments, 35 for disturbance, 36 for time, 36

sham operations, 38 correlation, 234-241 coefficient r, 234 confused with causality, 30 contrasted with regression, 233-234 linear assumptions of, 241 reporting the results of, 242 non-parametric, 342 covariate, 284 data bivariate, 15, 25 continuous, 17 discrete, 17 displaying, 17-28 bivariate, 25 cumulative graph, 20 frequency polygon, 18 histogram, 17 nominal scale, 23 ordinal scale, 23 pie diagram, 22 interval scale, 16 multivariate, 15, 26 nominal scale, 16 ordinal scale, 16 ratio scale, 15 univariate, 15 degrees of freedom, 112 additivity in single-factor ANOVA, 151 for a 2×2 contingency table, 307 for F statistic, 154 for *t* test, 112 in regression analysis, 261 dissimilarity, 361 distribution binomial, 103 normal, 88 of sample means, 95 Poisson, 104 effect size, 132 and power of a test, 135 eigenvalues, 351

table of in PCA, 355

398 Index

eigenvectors, 351 environmental impact assessment, 42 error and sample size, 102 Type 1, 130 definition of, 61 Type 2, 131 definition of, 61 uncontrollable among sampling units, 143 when estimating population statistics from a sample, 93 within group, 175 ethical behaviour, 48-54 acknowledging input of others, 50 acknowledging previous work, 49 approval and permits, 50 experiments on vertebrates, 51 fair dealing, 49 falsifying results, 52 modifying hypotheses, 124 moral judgements, 51 plagiarism, 48 pressure from peers or superiors, 53 record keeping, 53 Euclidian distance, 362 exact tests Fisher Exact Test, 309 for ratio, interval and ordinal scale data, 327, 334 examples antibiotics and pig growth, 338 Arterolin B and blood pressure, 56 bacteria and turbidity in a reservoir, 349 basal cell carcinomas, 23 cane toads in Queensland, 306 chilli yield and fertilisers, 276 cholera in London, 11 cockroaches activity and weather, 169 growth, 174 control treatments, 35 dental decay in Hale and Yarvard, 25 dental hygiene in male adolescents, 341 dietary supplements and pig growth, 160 drugs and brain tumours, 142 egg laying by mosquitoes, 43

familiarity effect and athletes, 116 gecko behaviour and predators, 315 growth of palm seedlings and soil type, 325 herbivorous snails and predators, 35 hypothesis testing, 8, 11 koalas and tooth wear, 234 lung structure and damage, 336 maggot numbers in cadavers, 267 mites living in human hair follicles, 258 Panama Gold crop, 115 pelt colour in guinea pigs, 302 pollutants in sediments, 354 Portuguese millipedes and light, 8-10 prawn growth in aquaculture ponds, 222 prawns in Dark Lake, 32 predicting adult height, 244 prostate tumours and drugs, 209 pseudoreplication, 32 rats and heavy metals, 284 reaction time of students, 18 sandfly bites and hair colour, 331 scavenging whelks, 313 sperm counts of coffee drinkers, 67 stomach ulcers in humans, 12 student visits to a medical doctor, 17 suggestion and motion sickness, 309 testicular torsion in humans, 43 tomato yield and fertilisers, 274 Type 1 error, 61 Type 2 error, 62 vitamin A and prawn growth, 38 wombat fatalities along a country road, 322 examples, worked analysis of covariance (ANCOVA), 288, 293 analysis of variance (ANOVA), 140-156, 168-195, 209-232 Bayes' theorem and bowel cancer, 79 and potable water, 77 updating probabilities, 81, 85 box-and-whiskers plot, 199 chi-square test, 64, 306 cluster analysis, 368-372 Kolmogorov-Smirnov one-sample test, 320

CAMBRIDGE

Cambridge University Press & Assessment 978-1-107-00551-8 — Statistics Explained Steve McKillup Index More Information

Index 399

linear regression, 258 McNemar test, 315 multidimensional scaling (MDS), 361-368 Pearson correlation, 235-241 population variance, 90 principal components analysis (PCA), 348-353 probability coin tossing, 71, 72 rolling a die, 71, 75 statistical significance testing, 57-61 t test paired sample, 118 single sample, 116 two independent samples, 120 Type 1 error and multiple comparisons, 141 Z statistic, 93 Z test, 98, 111 experiment common sense, 37 good design versus cost, 45 manipulative, 29, 34-42 control treatments, 35 need for independent replicates, 34 placebo, 38 pseudoreplication, 38 treatments confounded in time, 37 meaningful result, 56 mensurative, 29, 34 confounded, 31 correlation and causality, 30 need for independent samples, 32 need to repeat, 34 pseudoreplication, 33 negative outcome, 12 realism, 42 replication not possible, 41 testing an hypothesis, 7 experimental design, 29-46 experimental unit, 1, 15

F statistic, 125, 146 degrees of freedom for, 154

for linear regression, 256 table of critical values for ANOVA, 392 factor, 142 fixed and random, 188 false negative. See Type 2 error false positive. See Type 1 error Fisher Exact Test, 309 reporting the results of, 317 Fisher, R., 60, 141 his choice of *P* < 0.05, 67 frequency, 17 Friedman test, 338 reporting the results of, 340 G test, 308 reporting the results of, 317 Gossett, W.S. See Student graph bivariate data, 25 cumulative frequency, 20 frequency polygon, 18 histogram, 17 multivariate data, 26 nominal scale data, 23 ordinal scale data, 23 heterogeneity of variances. See heteroscedasticity heteroscedasticity, 196 tests for, 204-205 homogeneity of variances. See homoscedasticity homoscedasticity, 196 Hurlbert, S., 33, 38 hypothesis, 7 alternate, 12, 35 becoming a theory, 11 cannot be proven, 11 null, 12, 35, 60 prediction from, 7 retained or rejected, 7, 11 two-tailed contrasted with one-tailed, 121 - 124

interaction, 169 obscuring main effects in ANOVA, 183

400 Index

Kolmogorov-Smirnov one-sample test, 320-325 reporting the results of, 324 Kruskal-Wallis test, 331 and single-factor ANOVA, 334 reporting the results of, 335 Kuhn, T., 13 Lakatos, I., 13 leptokurtic, 103 Levene test, 204 reporting the results of, 205 log-likelihood ratio. See G test Mann-Whitney U test, 325 McNemar test, 315 mean, 26, 87, 93 calculation of, 90 of a normal distribution, 89 standard error of (SEM), 95 mean square, 150 median, 105 meta-analysis, 42 mode, 105 Monte Carlo method, 304 multicollinearity, 279 multidimensional scaling (MDS), 361-368 multiple linear regression, 273-281 multicollinearity, 279 multivariate analyses, 346-373 cluster analysis, 368-372 caution in use of, 372 group average linkage method, 369 hierarchical clustering, 368 reporting the results of, 372 multidimensional scaling (MDS), 361-368 cautions in the use of, 367 example, 363 reporting the results of, 368 stress, 366 principal components analysis (PCA), 348-361 cautions and restrictions, 359 eigenvalue, 351 eigenvector, 351

number of components to plot, 359 practical use of, 358 principal components, 351 redundancy, 348 reporting the results of, 360 Q-mode, 347 R-mode, 347 nested design, 222 non-parametric tests correlation, 342-344 introduction to, 298 nominal scale and independent data, 301-313 chi-square test, 302-308 Fisher Exact Test, 309 G test, 308 inappropriate use of, 312 randomisation test, 308 nominal scale and related data, 314-316 Cochran Q test, 316 McNemar test, 315 ratio, interval or ordinal scale and independent data, 319-335 cautions when using, 319 exact test for two samples, 327 Kolmogorov-Smirnov one-sample test, 320 - 325Kruskal-Wallis test, 331 Mann-Whitney test, 325 randomisation and exact tests, 334 randomisation test for two samples, 327 ratio, interval or ordinal scale and related data, 335-340 Friedman test, 338 Wilcoxon paired-sample test, 336 normal distribution, 87-102 descriptive statistics, 89 leptokurtic, 103 platykurtic, 103 skewed, 103 null hypothesis, 12

one-tailed hypotheses and tests, 121–124 cautions when using, 123 parallelism

170

parametric, 88

placebo, 38

plagiarism, 48

Popper, K., 7

population, 1

precision, 29

probability

 $\geq 0.05, 63$ < 0.001, 62

< 0.1, 62

of 1, 71

Cambridge University Press & Assessment 978-1-107-00551-8 - Statistics Explained Steve McKillup Index More Information

> of 0, 71 orthogonal, 169 design without replication, 209 posterior, 82 outliers, 197, 200 prior, 81 relative and absolute risk, 73 significant, 60 in ANCOVA, 289 stating exact values, 63 showing lack of interaction in ANOVA, unlikely events, 68 cancer clusters, 68 pseudoreplication, 33 Pearson correlation coefficient r, 234 alternating treatments, 39 calculation of, 235-241 apparent replication, 39-41 degrees of freedom for, 241 clumped replicates, 39 peer review, 53 in manipulative experiments, 38-41 in mensurative experiments, 34 inappropriate generalisation, 34 planned comparisons. See a priori isolative segregation, 40 comparisons sharing a condition, 40 platykurtic, 103 Poisson distribution, 104 Q-mode, 347 polynomials. See regression: curvilinear r statistic, 234 r^2 statistic, 257 statistics (parameters), 89-93 randomisation test, 327 post-hoc test. See a posteriori comparisons for nominal scale data, 304, 308 power of a test, 135 reporting the results of, 317 and sample size, 135 randomised blocks, 214 range, 90, 105 predictor variable, 244 ranks, 319 redundancy, 348 principal components analysis (PCA), 348-361 regression, 244-281 contrasted with correlation, 233-234 curvilinear, 266-271 comparing polynomial expansions, < 0.01, 61, 62 < 0.05, 60, 62 danger of extrapolation, 270 reporting the results of, 271 addition rule, 71 linear, 244-266 and statistical testing, 56-68 assumptions of, 264 coefficient of determination r^2 , 257 basic concepts, 71-86 danger of prediction and extrapolation, Bayes' theorem, 77 conditional, 75 262 multiplication rule, 72 intercept, 246, 249 not significant, 63 reporting the results of, 264 residuals, 263 of an event, 71 significance testing, 250-257 of exactly 0.05, 66 slope, 246-249

Index

401

402 Index

regression, (cont.) multiple linear, 273-281 refining the model, 278 reporting the results of, 281 replicates, 9 replication apparent, 39 alternating treatments, 39 clumped replicates, 39 isolative segregation, 40 sharing a condition, 40 need for, 9, 32, 34 residuals, 263 use in ANCOVA, 288 response variable, 142, 244 risk, 73 R-mode, 347 sample, 1 mean, 26, 93 random, 1 representative, 1 statistics, 93-95 as estimates of population statistics, 93 variance, 94 sampling unit, 1, 15 scientific method, 14, 48 hypothetico-deductive, 7 Kuhn, T., 13 Lakatos, I., 13 paradigm, 13 sigma Σ , 89 significance level, 57 skew, 17 examining data for, 197 Spearman's rank correlation, 342 reporting the results of, 344 standard deviation for a population σ , 91 proportion of normal distribution, 91 standard error of the mean (SEM), 95 estimated from one sample, 99 statistic, 63 statistical significance, 57 and biological risk, 136

and biological significance, 67 stress, 366 Student, 100 Student's t. See t statistic sum of squares, 150 additivity in single-factor ANOVA, 151 synergistic effect. See interaction t statistic, 100 critical values, 112, 390 degrees of freedom, 112 t test, 112-127 assumptions equal variances, 125 normality, 124 random samples, 125 choosing the appropriate, 125 for two independent samples, 118-120 paired sample, 116-118 reporting the results of, 126 single sample, 112-115 theory, 11 transformations, 201-204 arc-sine, 203 legitimacy of, 203 logarithmic, 202 square root, 201 Tukey test, 158 for two-factor ANOVA, 182 Type 1 error, 61, 130 and sample size, 131-134 trade-off with Type 2 error, 131-134 Type 2 error, 61, 131 and sample size, 131-136 unplanned comparisons, 157 variable, 15 dependent, 234 independent, 234 response, 142, 234 variance among group, 146

for a population σ^2 , 90

Index 403

calculation of, 90 for a sample *s*², 94 total, 147, 176, 179 within group, 146, 176 variance ratio. *See F* statistic variation among samples by chance, 3 natural, 2 Wilcoxon paired-sample test, 336 reporting the results of, 340

Yates' correction, 309

Z statistic, 91 Z test, 108, 112