

## Index

- a* axis, 73
- above-anvil plumes, 347, 422, 426
  - cirrus plumes, 424
  - satellite observations, 426
- absorption layer
  - for cloud models, 336
- accumulation mode, 136
- acid rain, 407
- adiabatic cooling, 90
- adiabatic process, 89
- adiabatic slice model, 314
- aerodynamic diameter
  - of aerosol particles, 136
- aerosol
  - biogenic sources, 149
  - concentration of, 136
  - dry removal, 151
  - Junge size categories, 135
  - oceanic sources, 148
  - removal of, 151
  - size category, 135
  - size distribution, 139
  - sources of, 141
  - wet removal, 396
  - Whitby size categories, 135
- aerosol coagulation, 153
- aerosol concentration
  - variation with height, 137
- aerosol in the atmosphere, 134–154
- aerosol particles
  - primary, 143
  - secondary, 143
  - sources of, 143
  - wet removal, 396
- aerosol production
  - biomass burning, 145
- aerosol scavenging
  - below cloud, 154
  - in cloud, 154
  - mesoscale simulation, 406
- aggregation efficiency, 274
- aggregation process
  - snow, 274
- aging of aerosols, 141
- anelastic assumption, 332
- anelastic models, 331
- artificial weather modifications, 427
- atmospheric cavity, 369
- atmospheric chemistry
  - and clouds, 396
- axial symmetric models, 330
- axis ratio
  - raindrop, 48, 49, 206, 207, 392, 395, 442, 208, 284
- bag breakup, 261
- basic textures
  - cirriform, 5
  - cumuliform, 5
  - stratiform, 5
- bell swing
  - graupel, 265
- bend-bond model, 84
- Bernal–Fowler rules, 75
- Bernoulli’s law, 197
- bilayer structure
  - of ice crystal surface, 127
- bin model, 335
- binary nucleation, 142
- biogenic IN, 175
- Bjerrum defects, 76
- blackbody temperature, 415
- blue jets, 375
- Boltzmann constant, 93
- Boltzmann’s law, 93
- bounded weak echo region, 353
- breakup of drops
  - due to collision, 261
- breakup of raindrops
  - bag breakup 209
  - dumbbell breakup, 209
- bright band, 285
- broadening of size spectrum
  - giant nuclei, 302
- broken ice model, 83
- Brownian coagulation
  - of aerosol particles, 141

446

Brownian diffusion regime, 402  
 Brunt–Väisälä frequency, 317  
 bubble burst mechanism, 148  
   aerosol production, 148  
 bulk parameterization models, 334  
 buoyant force, 310  
 buoyant frequency, 317  
 BWER of severe storms  
   *see* bounded weak echo region

canting  
   raindrops, 209

capacitance, 240

*c* axis, 73

CCL and LCL, 314

CCN, 134  
   *see also* cloud condensation nuclei  
   chemical property dependence, 171  
   size dependence, 171

CCOPE supercell, 338

charge distribution  
   and temperature, 371  
   in thunderstorm, 371  
   tripole structure, 371

charge reversal, 384

charge separation, 377

chemical defects, 76

chemical equilibrium, 96

chemical potential, 94  
   physical meaning of, 94

Chernobyl, 153

cirriform, 5  
   *see* basic textures

cirrocumulus  
   *see* high clouds

cirrostratus  
   *see* high clouds

cirrostratus cloud  
   simulated, 353

cirrus  
   *see* high clouds

cirrus observation  
   lidar, 356  
   radar, 356

Clapeyron equation, 98

clathrate model, 84

Clausius–Clapeyron equation, 97, 98  
   generalized, 116

closed system, 86

cloud albedo effect, 413

cloud and precipitation particles  
   holographic sampling, 31  
   sampling of, 31

cloud classification, 4  
   according to phase, 20  
   conventional, 4

cloud condensation nuclei, 37, 113, 134, 146,  
 150, 157, 167, 428

cloud drop size distribution, 35  
   mathematical expressions, 35

*Index*

cloud drops, 30

cloud dynamics, 305

cloud electrification, 377

cloud model components, 328

cloud models  
   dimensions, 329

cloud observation  
   lidar, 22  
   radar, 22  
   remote sensing, 22

cloud phase frequency  
   empirical relation, 28  
   temperature dependence, 28

cloud top entrainment, 324

clouds with vertical development  
   cumulonimbus, 10  
   cumulus, 10

cloud-to-ground flash, 372, 373  
   return stroke, 374  
   stepped leader, 373  
   streamer, 374

CN, 134  
   *see also* condensation nuclei

coalescence  
   of electrically charged drops, 392  
   of drops, 257

coalescence efficiency  
   collision kinetic energy, 261  
   relative humidity effect, 258

coarse mode, 136

cold cloud seeding, 427

cold pool, 349

collection efficiency, 31, 255, 260, 266, 290,  
 293, 401, 402, 405

collision  
   crystal–crystal, 273  
   giant nuclei and large drop, 300

collision and coalescence, 252

collision efficiencies  
   drop–drop, 255

collision efficiency  
   definition, 253  
   turbulence effect, 257

collision efficiency  
   ice–drop, 266

collision efficiency of cloud droplets  
   enhancement by electric effect, 387

collision growth, 252–253

collision kernel, 254  
   geometrical, 254

colloidal system, 27

compressible models  
   for cloud simulation, 332

condensation broadening, 300

condensation coefficient, 232

condensation freezing nuclei, 174

conditional instability, 311

conduction current, 367

conical graupel  
   flow fields around, 216

- conical particle, 49
  - mathematical description, 49
- contact angle, 112
  - Teflon, 113
- contact nuclei, 174
- continuity equation, 182
- continuous growth model, 289
- convective available potential energy, 377
- convective charging theory, 380
- convective cloud formation
  - conceptual model, 313
- convective condensation level, 314
- cosmic rays, 366
- critical electric field, 372
- critical initial offset, 253
- critical nucleation rate, 163
- crystal–crystal collision, 274
- cubic ice, 80
- cumuliform, 5
  - see* basic textures
- curvature effect, 118
  
- D defect, 76
- dart leader, 374
- deposition nuclei, 174
- desorption, 169
- deuterium, 70
- diffusion flux density, 229
- diffusion growth, 228
  - effect of latent heat, 233
  - electrostatic analogy, 239
- diffusion relaxation time, 230
- diffusiophoresis, 398
- dipole structure, 371
- disdrometers, 34
- disk breakup, 261
- dislocations, 77
- double gamma distribution, 46
- DPC, 143
- drag coefficient, 202
  - falling ice crystals, 212
- drag force, 191
- drop size
  - influence of updraft, 290
- drop size spectrum
  - effect of breakup, 302
  - impact of giant nuclei, 300
- drop-to-particle conversion, 143
- dry adiabatic lapse rate, 91
- dry growth
  - hail, 263
- dry removal
  - inertial impaction, 151
- dynamic pressure, 183
  
- eddy shedding, 185
- edge dislocation, 77
- effect of entrainment
  - on convective clouds, 325
- electric breakdown, 372
- electric charges
  - and hydrometeor type, 371
  - transport by lightning, 372
- electric conductor, 240
- electric fields
  - in storms, 370
- electric potential
  - no space charge, 364
- electron avalanche, 372
- electrosphere, 369
- electrostatic analogy
  - diffusion growth for ice particles, 239
- elementary step
  - ice crystal surface, 127
- elves, 375
- embryo
  - population of, 158
  - pre-nucleation, 158
- entrainment, 92, 321
- entrainment rate, 326
- equilibrium
  - pure water drop and humid air, 119
  - solution drop and humid air, 122
- equilibrium level, 312
- equivalent potential temperature, 310
- equivalent size, 42
- Euler equation, 95
  
- fair-weather electric field, 363
- fall attitudes
  - melting snowflakes, 286
- fall velocity
  - hydrometeors 216
- filament breakup, 261
- first law of thermodynamics, 87
- flickering cluster model, 84
- flipping
  - during riming, 264
- flow past spherical drops
  - numerical solutions, 199
- flow pattern
  - dependence on Reynolds number, 184
- formation of sulfuric acid drop
  - chemical reactions, 407
- free energy of germ formation, 170
- free energy of *i*-mer formation, 158, 159, 161, 162
- Frenkel defects, 76
- front stagnation point, 191
- Fukushima, 153
- funnel cloud
  - of tornadoes, 307
  
- gas-to-particle conversion, 142
- Gauss law, 240
- generalized Clausius-Clapeyron equation, 118
- germ
  - post-nucleation, 158
- GEWEX, 355
- giant particles, 135
- Gibbs surface, 108
- Gibbs–Duhem relation, 96
- gigantic jets, 375

448

global circuit, 369  
 global electric circuit, 369  
 Global Energy and Water Cycle Experiment, 355  
 global warming, 412  
 global water vapor cycle, 421  
 GPC, 142  
 graupel, 30, 51  
   definition of, 30  
   density of, 52  
   shape of, 51  
 graupel/hail region  
   of simulated storm, 352  
 gravity wave breaking  
   storm top, 424  
 grazing collision, 253  
 Greenfield gap, 402  
 growth rate  
   diffusion for drop, 231  
 growth rates of rimed crystals  
   empirical expressions, 273  
 Gunn–Marshall distribution  
   of snowflakes, 63  
  
 habit change  
   of ice crystals, 247  
 habit of ice crystals, 58  
 Hadamard–Rybczynski flow, 197  
   drag, 199  
 hail, 30, 52  
   density of, 52  
   soft, *see* graupel  
 hail pad, 34  
 hail size distribution, 52  
 Hallett–Mossop mechanism  
   of ice multiplication, 180  
 HDO, 70  
 heat capacity at constant volume, 89  
 heat conduction equation, 233  
 Helmholtz free energy, 159  
 heterogeneous nucleation, 156, 169, 170  
   on curved substrate, 170  
   on plane substrate, 169  
 hexagonal ice, 73  
 high clouds, 5  
   cirrus, 5  
 high tropical cirrus clouds  
   ice- $I_c$ , 81  
   ice- $I_{sd}$ , 81  
 Hill's spherical vortex, 199  
 homogeneous freezing  
   of pure water, 164  
   surface, 165  
 homogeneous nucleation, 156  
   homogeneous condensation, 156  
   homogeneous deposition, 156  
 hook echo, 353  
 hydrometeors  
   types of, 30  
 hydrophilic materials, 113  
 hydrophobic materials, 113  
 hygroscopic particles, 168

*Index*

ice  
   molecular structure of, 73  
 ice clouds  
   frequency, 28  
 ice crystal surface  
   bilayer structure, 127  
   elementary step, 127  
   liquid-like layer, 128  
 ice crystals, 30  
 ice enhancement  
   *see* ice multiplication  
 ice multiplication, 179  
   Hallett–Mossop mechanism, 180  
 ice nuclei, 134, 144, 157, 167, 173, 175, 178,  
   428, 431, 439  
   chemical composition of, 174  
   condensation freezing nuclei, 173  
   contact nuclei, 174  
   deposition nuclei, 173  
   effective criteria, 176  
   immersion nuclei, 174  
   Pseudomonas syringae, 175  
 ice particles  
   fall pattern, 210  
   flow fields past, 211  
 ice–drop collision, 262  
 ice- $I_c$ , 80  
   *see also* cubic ice  
 ice- $I_h$ , 73  
   *see also* hexagonal ice  
   basal face, 73  
   *c* axis, 73  
   defects of, 75  
   prism face, 73  
 ice- $I_{sd}$ , 81  
 ideal mixture, 119  
 ideal solution, 115  
*i*-mer, 157  
 immersion nuclei, 174  
 impaction scavenging, 397  
   Brownian diffusion, 397  
 incompressibility assumption, 183  
 indirect aerosol effect, 413  
 inductive, 380  
 inductive charging mechanisms  
   drop breakup, 382  
   rebound during collision, 382  
   selective ion capture, 381  
 inertial impaction, 398  
 inertial impaction regime, 402  
 infrared heating  
   in cirrus clouds, 415  
 initialization method  
   of cloud models, 335  
 IN storm, 176  
 interception, 398  
 inter-cloud flashes, 375  
 interface  
   conceptual model, 107  
 interfacial layer, 107  
 interfacial transport

- of SO<sub>2</sub> into a drop, 410
- internal gravity waves, 317, 347, 423
  - breaking, 423
- interstitial defects, 76
- interstitial model, 83
- intra-cloud flashes, 375
- ionized states defect, 76
- ionosphere, 369
- isochoric process, 89
- isothermal process, 89
- isotopes
  - of water, 70
- jumping cirrus, 344, 347, 425, 426
- Junge layer, 139
- Junge size distribution
  - of aerosol, 141
- Kelvin equation, 120
- Khragian–Mazin distribution, 38
- kinematic viscosity, 184
- KM distribution
  - see* Khragian–Mazin distribution
- Knollenberg probes, 32
- Knudsen number, 192
- Köhler equation i, 122, 123, 172, 234
  - stable regime, 123
  - unstable regime, 123
- L defect, 76
- Lagrangian description, 327
- Laplace equation, 230
- large ions, 367
- large particles, 135
- large raindrops
  - shape of, 41
- latent heating, 418
  - in cirrus clouds, 418
- lateral entrainment, 324
- layer method
  - see* slice method
- LCL
  - see* lifting condensation level
- leakage current, 367
- Lennard-Jones potential, 72
- level of neutral buoyancy, 312
- lifting condensation level, 92, 308
- lightning
  - and updraft speed, 378
  - blinking, 375
- lightning frequency
  - radar echo, 379
- lightning hole
  - and BWER, 379
- lightning holes, 379
- liquid drop
  - flow past, 197
- liquid water
  - molecular structure of, 81
- liquid water content, 35
- liquid water structure
  - theoretical models, 83
- log-normal distribution, 40
- low clouds
  - nimbostratus, 9
  - stratocumulus, 9
  - stratus, 9
- MADT
  - see* modified anomalous diffusion theory
- Magono–Lee classification, 59
- Marshall–Palmer distribution, 42
- mean maximum charge
  - water drops, 372
- mean ventilation coefficient, 236
- mechanical equilibrium, 96
  - curved interface, 112
- melting, 276
  - large ice particles, 278
  - small frozen drops, 276
  - theoretical treatments, 279
- mesohigh, 348
- microphysics parameterizations, 333
- middle clouds, 7
  - altocumulus, 7
  - altostratus, i, 7
- middle clouds, 7
- mixed phase cloud, 21
- mixing models, 318
- modeling electrification, 387
- modified anomalous diffusion theory, 354
- moist adiabatic process
  - reversible, 308
- molecular dynamics, 71
- molecular structure
  - X-ray diffraction, 82
- molecular volume, 161
- monomer, 157
- morphological changes
  - melting snowflakes, 286
- mother-of-pearl clouds
  - see* nacreous clouds
- mountain waves
  - clouds produced by, 306
- MP distribution
  - see also* Marshall–Palmer distribution
- Mt. Pinatubo, 147
- nacreous clouds, 3
- Navier–Stokes equation, 183
  - non-dimensional, 187
- noctilucent clouds, 3
- $N_0$  jump, 43
- non-ideal solutions, 116
- non-inductive, 380
- non-inductive charging mechanisms, 383
  - air bubbles escaping from melting graupel, 387
  - Dinger–Gunn effect, 387
  - drop breakup, 386
  - fracture of freezing drops, 386
  - freezing of solution drops, 386
  - riming electrification, 384

450

non-inductive charging mechanisms, (cont.)  
   splintering during riming, 386  
   thermoelectric effect, 383  
   Workman–Reynolds effect, 386  
 non-wettable surface, 113  
 nuclear power plant accident, 153  
 nucleation  
   two-dimensional, 128  
   heterogeneous, 156  
   homogeneous, 156  
 nucleation of liquid water  
   on p–n junction, 172  
 nucleation scavenging, 397  
 nuclei mode, 136  
 numerical cloud models, 328  
  
 one-moment scheme, 335  
 open system, 87  
 orientation defects, 76  
 Oseen drag, 193  
 overshooting, 312  
 overshooting dome  
   *see* overshooting top  
 overshooting top, 11, 312, 344, 350, 423, 424, 426  
  
 perturbation field, 345  
 phoretic effects, 398  
 plasma, 368  
 plume, 319  
 PM2.5, 136  
 PMS probes  
   *see* Knollenberg probes  
 p–n junction  
   n-type, 173  
   p-type, 173  
 Poisson equation, 365  
 polymer state  
   of water vapor, 157  
 population dynamics  
   drop–drop collision, 288  
 potential flow, 194  
 potential temperature, 307  
 precipitation particles  
   sampling of, 33  
 precipitation scavenging  
   flux model, 399  
   mathematical models, 399  
   of aerosol particles, 397  
   trajectory model, 401  
 preferential riming  
   of ice crystals, 272  
 pressure perturbation  
   in cloud models, 331  
 pressure perturbation equation, 332  
 primary aerosol particles, 143  
 pseudoadiabatic lapse rate, 310  
 pseudoadiabatic process, 309  
*Pseudomonas syringae*, 175, 176  
 pseudo-sound speed, 332  
 pyroCb  
   *see* pyrocumulonimbus  
 pyrocumulonimbus, 146

*Index*

QLL  
   *see* quasi-liquid layer  
   alpha-type, 129  
   beta-type, 129  
   thickness of, 129  
 quasi-compressible models, 332  
 quasi-liquid layer, 78, 129  
  
 radar observation  
   dual polarization, 23  
 radiation boundary condition, 336  
 radiative impact  
   cirrus clouds, 412  
 radioactive emanation, 366  
 raindrop size distributions, 41  
 raindrops, 30  
   canting, 209  
   fall behavior, 205  
   oscillation, 207  
   shapes, 206  
 rainout, 154  
 raindrop shape, 46, 47  
 raindrops  
   breakup, 209  
 Raoult's law, 116  
 rational activity coefficient, 116  
 rebound, 258  
 relative humidity, 92  
 return stroke  
   negative flash, 374  
   positive flash, 374  
   speed, 374  
   temperature, 374  
 Reynolds number, 184  
   falling drops, 185  
   physical meaning of, 184  
 riming, 263, 264  
   wind tunnel experiments, 264  
  
 satellite, 24  
   CALIPSO, 23  
   CloudSat, 23  
   geostationary, geosynchronous, 24  
   GOES, 24  
   Meteosat, 24  
   MODIS, 24  
   polar orbiting, 24  
   TRMM, 23  
 saturation vapor pressure, 92  
   effect of different salts, 126  
   over a concave surface, 120  
   over a convex surface, 120  
   over a curved surface, 120  
   over a salt solution, 123  
 SAXS, 84  
 scavenging of aerosol particles by ice  
   crystals, 402  
 SCE  
   *see also* stochastic growth equation  
 Schmidt number, 237  
 Schottky defects, 76  
 Schumann resonance, 369

- Schumann–Ludlam limit, 263  
 screw dislocation, 77  
 second return stroke, 374  
 secondary aerosol particles, 143  
 secondary ice production  
   *see* ice multiplication  
 Sekhorn and Srivastava distribution  
   snowflakes, 63  
 shape  
   cloud particles, 29–65  
   hydrometeors, 29–65  
 shape and size of ice crystals and snowflakes, 57  
 shape of large raindrops  
   electric effect, 392  
 shedding of drops  
   melting ice particles, 279  
 sheet breakup, 261  
 sheet lightning, 375  
 Shuttleworth equation, 109  
 single water molecule  
   structure of, 68  
 size distribution, 29–65  
 slab symmetric models, 330  
 slice method, 316  
 small-angle X-ray scattering, 84  
 small ions, 367  
 snow crystals  
   stereographs, 58  
 snow pellet  
   *see* graupel  
 snowflakes, 30, 63  
   size distribution of, 63  
 solar heating  
   in cirrus clouds, 415  
 solute effect, 118  
 space charge density, 365  
 specific heat of air at constant pressure, 91  
 specific volume, 90  
 spongy ice, 263  
 sprite halos, 375  
 stability  
   colloidal system, 27  
 stability condition  
   by potential temperature, 311  
 stability criteria  
   in slice method, 316  
 stacking faults, 77  
 starting plume, 319  
 static stability, 310, 316  
 static stability condition, 311  
 statistical growth model  
   *see* stochastic growth model  
 stochastic collection equation, 293  
 stochastic growth model, 292  
 Stokes drag, 191  
 Stokes flow, 189  
 Stokes–Cunningham slip correction factor, 191  
 stratiform, 5  
   *see* basic textures  
 stratosphere–troposphere exchange  
   by deep convective clouds, 420  
 stratospheric aerosol layer  
   *see* Junge layer  
 streamfunction, 188  
 subsun, 16  
 supercooled clouds  
   frequency, 28  
 supersaturation, 103, 156, 168, 172, 248, 299  
 surface charge density, 363  
 surface diffusion, 169  
 surface free energy, 109  
   and surface tension, 109  
 surface melting, 129  
 surface tension, 108  
 surface tension of solids  
   *see* Shuttleworth equation  
 terminal velocity, 218, 222  
   distance to reach, 222  
 thermal, 319  
 thermal accommodation coefficient, 234  
 thermal conductivity coefficient, 233  
 thermal equilibrium, 96  
 thermals  
   lidar observation, 319  
 thermodynamic equilibrium  
   general conditions of, 96  
   water substances, 86  
 thermophoresis, 398  
 three-moment schemes, 335  
 thunder, 376  
   acoustic energy spectrum, 376  
   mythology, 376  
 time splitting, 332  
 TIP4P  
   empirical water model, 164  
 transient luminous events, 375  
   *see* transient luminous events  
 transport of gases  
   in acid rain formation, 408  
 trimodal distributions  
   and breakup, 303  
 tritium, 70  
 tropical tropopause layer (TTL), 421  
 turbulent closure scheme, 335  
 two-moment scheme, 335  
 two-stream radiative transfer, 354  
 upper atmospheric lightning, 375  
 vacancies, 76  
 vapor density gradient, 231  
 vapor jumping length, 232  
 ventilation effect, 236  
 videosonde, 34  
 virga, 5, 15  
 wake capture, 256  
 warm bubble, 335, 336, 338, 342, 344, 354  
 warm cloud seeding, 427  
 warm rain process, 289  
 wash out, 154

452

water molecular structure  
  X-ray diffraction, 80  
water molecule  
  electric dipole moment, 69  
  hydrogen bond in, 70  
  O–H bond, 69  
water vapor, 1  
  concentration, 1  
  dimers in, 71  
  distribution, 1  
  molecular structure of, 71  
  trimers in, 71  
wave-driven extratropical pump  
  in global water vapor cycle, 421  
Weber number, 262  
wet growth

*Index*

  hail, 263  
wet removal  
  aerosol, 153  
  of trace gases, 407  
wettability  
  and contact angle, 113  
wetable surface, 113  
wetting coefficient, 113  
wind-blown dusts  
  chemical composition, 144  
WISCDYMM, 338  
Wisconsin Dynamical/Microphysical  
  Model, 338  
 $\alpha$ -QLL, 129  
 $\beta$ -QLL, 129