

Index

- ab initio calculations, 62
- absorption coefficients
 - GaAs, 340
 - Ge, 346
 - Si and Ge, 210
 - Si, 204
- acceptor, 11
- accumulation, 13, 14
- acoustic phonon, 268
- admittance density, 137
- admittance from interface states, 136
- admittance measurement, 132
- admittance of MOS structure, 133
- Arrhenius plot, 86
- atomic energy levels, 79
- atomic potential, 78
 - vibrational, 112
- atomic relaxation, 81
- atomic vibrational energies, 78
- band diagram n-channel biased at V_{TH} , 298
- band gap, temperature dependence, 85
- band structure, silicon, 204
- band-to-band generation, 90
- Bardeen model, 48, 58
- binary oxides, 36
- black body radiation, 90
- Boltzmann distribution, 17, 74
- Boltzmann's constant, 74
- bond force, 39
- bond strength, molecular, 36
- border traps, 168
- Brillouin zone, silicon, 203
- bulk CMOS technology, 261
- bulk oxide traps, carrier statistics, 104
- $k \times \Delta E_C$ for high- k oxides, data, 265
- canonical ensemble, 71
- canonical partition function, 79
- capacitance density, 137
- capacitance of ideal MOS system, 21
 - low frequency, 21
- capacitance of ideal MOS system, 21
 - high-frequency, 24
- capacitance, measured, 132
- capture cross section, 85
 - effective, 170
 - thermally activated, 87
 - interface states, 149
 - interface states, HfO₂/Si, 282
- capture mechanisms in oxide, 112
- capture rate, 99, 131
- channel doping, 27, 261, 298
- channel length, 27, 336
- charge carrier dynamics, 134
- charge carrier generation, 87
- charge neutrality level, 47
- charge pumping, 159
 - influence of carrier statistics, 162
 - current, 162
 - methodology, 159
- chemical stability, 290
- charge carrier traps, 11
- Clausius–Mosotti equation, 42
- conductance density, 137
- conductance measurement, 132
- conductance method, 153
 - Lehovec treatment, 154
 - numerical treatment, 154
- configurational coordinate diagram, 81
- Coulomb forces, 77
- Coulomb potential, 77
- coupled differential equations, 117
- Cowley–Sze model
 - for metal/oxide structures, 55
 - for semiconductor/oxide barriers, 59
 - metal-semiconductor barriers, 46
- crimped interface, 114
- crystal structure of HfO₂, 271
- current fluctuations, 93
- C–V data, temperature dependence HfO₂/Si, 285
- C–V technique
 - influence from interface states, 141
 - capture cross section, 144
 - frequency dependence, 142
 - three cases of interface states, 141

- ΔE_C for HfO_2/Si , literature data, 278
- dangling bond, 223
- Deal–Grove oxidation model, 231
- Debye length, 29
- deep level transient spectroscopy (DLTS), 173
- degeneracy factor, 76
- density of interface states
 - from HF C–V data, 149
 - HfO_2 , Gd_2O_3 and LaSiO , 280
- density of states, 137
 - GaAs, 340
 - Ge, 346
 - Si, 206
- depletion, 14
- depletion regions, 13
- detailed balance, 96
 - condition of, 97
- dielectric bandgap, 51
- dielectric constant
 - frequency dependence, 270
 - high- k oxides, 264
 - high- k oxides, data, 265
 - isotropic three dimensional case, 40
 - schematic case, 38
- diode coupled MOSFET, 98
- dipoles between metals and bandgap materials, 44
- DLTS
 - frequency scanned, 176
 - capacitance transient, 176
 - constant capacitance, 179
 - energy resolution, 184
 - gate voltage cycle, 182
 - influence of temperature variation, 187
 - lock-in filtering, 186
 - probed energy interval, 189
 - temperature scanned, 176
 - weight function, 175
- donors, 11
- doping, 25
- dry and wet oxidation technique, 233
- E' center, 255
- effective k -value, influence of interlayer, 272
- effective metal work function
 - influence of annealing, 303
 - influence of interface charge, 305
- effective workfunction, 299
 - vs. metal workfunction, 301
 - illustration (Fig. 12.2), 300
 - influence of MIGS, 302
- electric potential, 14
- electric vector field, 14
- electron affinity, 43
- electron energies, 78
- electron injection into oxide, 119
- electron paramagnetic resonance (EPR), 221
- electron potential, 78
- electron spin resonance (ESR), 221
- electronegativity, 36, 49
- emission and capture, general, 96
- emission rate, 131
- emission rate, effective, 169
- energies of symmetry points, InGaAs, 335
- energy and structure GaAs, 335
- energy band diagram of oxide InGaAs interface, 337
- energy band structure, Ge, 345
- energy barriers
 - at bandgap materials, general, 43
 - E_C , comparison IPE and XPS, 277
 - models of, 66
- energy levels, 79
- energy offset values, high- k/Si , 276
- energy relations, MOS, 55
- enthalpy, 83
- enthalpy and Gibbs free energy, temperature dependence, 84
- entropy, 74, 80
- entropy change, 77
- equi-partition principle, 99
- equivalent circuit, 21, 132, 146
- equivalent oxide thickness (EOT), 30, 34
- ergodic hypothesis, 72, 92
- escape length, electrons, Ge, 347
- ESR properties, GeP_{b1} defect, 343
- excess minority carriers, 99
- excitons, 96
- extended ensemble, 77
- f -electrons, 32
- Fermi function, 131
 - derivative of, 133
- Fermi level
 - pinning, by gap states, 48
 - pinning, oxide/InGaAs, 334
 - definition, 75
 - pinning by chemical reaction, 53
- first-principle calculations, 237
- fixed charge, 16
- flatband, 14, 28
 - capacitance, 29
 - condition, 13
 - voltage shift, versus time, 122
 - voltage shift, injection, 121
- formation energies, oxygen vacancies in HfO_2 , 288
- Fowler–Nordheim tunneling, 109
- Fowler–Nordheim tunneling, 314
- Frank–Condon shift, 109
- free energy, 73
- gamma-factor, 48
- gate leakage by tunneling, 325
- gate oxide charge, 104
- gate stacks, 32
- gate voltage, 18

- g-factor, 222
- Gibbs ensemble, 80
- Gibbs free energy, 80
- g-matrix, 223
- grand canonical ensemble, 74
- grand canonical partition function, 79
- Hamilton operator, 113
- harmonic oscillators, 81
- heat of formation, 36
- heterojunction, 11
- high-*k* oxides
 - data, 38
 - influence of humidity, 292
 - overview, 32
- high-mobility channel materials, 333
- hyperfine interaction, 225
- hysteretic tunneling, 113
- induced gap states, 109
- InGaAs MOS stucture, calculated C–V curves, 337
- InGaAs MOS stucture
 - experimental C–V curves, 338
 - experimental interface state distribution, 338
- insulator capacitance, 16
- insulator charge, 25
- insulator thickness, 25
- insulator/semiconductor interface, 11
- interface charge, 16
- interface state distributions, Ge/GeO₂, 342
- interface states, 16, 171
 - at oxide/III–V interfaces, 336
- interlayer, 113
- internal energy, 77
- internal photoemission (IPE), 196
- inversion, 21
- IPE
 - influence of interlayers and tunneling, 210
 - absorption coefficient, emitted carriers, 207
 - absorption depth, 198
 - barrier lowering, 203
 - comparison measured data, 209
 - emission probability, 198
 - emission probability, 200
 - energy band offset, 197
 - energy range for emission, 206
 - escape cone, 201
 - escape probability, 198
 - escape probability in oxide, 198
 - method, 196
 - photocurrent, 197
 - photoyield, 207
 - photoyield from bare silicon, 205
 - Schottky effect, 201
 - threshold energy, 197
 - yield, 203
 - yield curves, calculated, 208
- k*-tensor, 271
- k*-value
 - and phonon dynamics, 266
 - of crystalline structures, 270
- lambda factor in SOI, 262
- Lax states, 90, 144, 148
- leakage current, 153
- leakage data, high-*k* oxides, 263
- local bond strength, 77
- local heat, 82
- local vibrational frequency, 77
- localized wave function, 78
- longitudinal optical phonon, 268
- Lyddane–Sachs–Teller equation, 269
- matrix element, 318
- measured density of states distribution, temperature smoothening, 193
- metal gate, 297
- metal induced gap states (MIGS), 51
- metal/oxide Schottky barrier, 43
- minority carriers, generation, 90, 92
- MPAS data HfO₂/Si, 286
- multi-electron traps in oxide, 116
- multiparameter admittance spectroscopy (MPAS), 157
- (MPAS)
 - influence of interface states, 157
 - methodology, 157
- multiphonon process, 78
- multiphonon states, 90, 148
- Mönch’s relation, 52
- n-channels of InGaAs, 334
- negative U traps, 106
- nuclear spin, 225
- occupation probability, 80, 89, 105, 132
- operator, 318
- optical penetration depth, Ge, 347
- oscillating impurity, 78
- oscillator energy, 81
- oscillator potential, 78
- oxidation regimes, 233
- oxide traps, transition processes, 108
- partition function, 73, 79
- passivation and de-passivation of interface states, 248
- Pb center, 222
 - and the density of states, 243
 - diamagnetic, 255
 - dissociation kinetics, 252
- Pb-peak, 142
- periodic table, 32
- perovskites, 33

- phonon waves, 268
- phonons, 96
- photogeneration in oxides, 112
- photons, 96
- photoyield data Ge/HfO₂, 344
- photoyield, InGaAs/Al₂O₃ structure, 339
- plasma frequency, 51
- Poisson equation, 17
- polarizability, schematic case, 39
- polarization
 - catastrophe, 42
 - tensor, 270
 - electronic, 40
 - ionic, 40
 - schematic case, 39
- polaron traps in HfO₂, 290
- polarons, 289
- polycrystalline silicon gate, 297
- Poole–Frenkel effect, 320
- positive U traps, 106
- quasiparticle, 96
- quasi-static method, 151
- random telegraph signals, 92
- rare-earth metals, 32
- rare-earth oxides, 36
- rare-earth prevskites, *k*-values, data, 266
- recombination at interfaces, 98
- recombination enhanced defect creation, 249
- reflection coefficient, 207
- relaxation geometries, oxygen vacancy, HfO₂, 287
- remote carrier scattering, 275
- remote phonon scattering, 267
- Schottky barrier, 11, 46
- Schottky–Mott model, 43, 58
- second law of thermodynamics, 74
- self trapping, 289
- semiconductor charge, 18
- S-factor, 49
- Shockley–Read statistics, 99
- Si/SiO₂
 - bridge bonds, 239
 - effective *k*-value, 240
 - interface states, capture cross section, 246
 - interface, density of Pb states, 247
 - interface, hydrogen segregation, 251
 - Pb center, 242
 - transition region, 238, 241
- silicates without interlayer, 273
- silicon dioxide
 - basic structure, 234
 - dielectrics, 231
 - hot electron injection, 250
- single traps, 94
- SOI technology, 261
- spin density, 245
- spin-dependent recombination, 225
- splitting factor, 221
- stoichiometry, gradual change, 114
- Stokes shift, 109
- sub-oxides, 231, 235
- substrate injection, 110
- surface potential, 18
- surface recombination velocity, 100
- ternary oxides, 33, 36
- thermal emission rate, 85
- thermal emission, validity in depletion regions, 95
- thermal equilibrium, 11, 13
- thermal velocity, electron, 86
- thermally stimulated current (TSC), 168
- threshold voltage, 21
- transition layer traps, 169
- transition metals, 32, 36
- transversal optical phonon, 268
- trap assisted tunneling, 317
- tunneling
 - and Heisenberg’s uncertainty relation, 308
 - through a trap potential, 315
 - through high-*k* oxides with interlayer, 327
 - concept, 308
 - direct, 308
 - influence of effective mass, 308
 - influence of image force lowering, 313
 - influence of image force potential, 320
 - quantization effects, 326
 - two-step thermal, 173
- two-electron trap, 118
- two-step processes, 90
- vacuum level, 44
- vibrational eigenenergies, 81
- vibrational eigenstates, 80
- vibrational properties, interface traps, 283
- virtual gap states, 51
- Wentzel–Kramers–Brillouin (WKB) approximation, 35
 - derivation, 310
 - validity, 312
- work function, 11, 43
- XPS
 - core spectra, 3, 214
 - derivation of energy offset values, 215
 - determination energy offset values, 213
 - influence of charge distributions, 217
 - influence of interlayers, 216
 - principle, 3, 212
- X-ray photoemission spectroscopy (XPS), 196