

Index

- Abhujmar Group, 167, 170, 175
- Acasta Gneisses, Canada, 719
- Advanced argillicalteration, 281
- Algoma type Fe-formation, 12, 103, 497, 735–736
- Albitite, 406, 569–570, 652–653, 666–667
- Albitite-associated U-mineralisation, 454
- Alligator River ore deposits, Australia, 722
- Aluminium Saturation Index (ASI), 265
- Amgaon Gneiss-Supracrustals, 159
- Ampani basin, 215, 225–227
- Ancient Pb-Zn ore smelting, Zawar, 553–556
- Andaman Nicobar Island arc, 526–527
- Andean porphyry belt, 283
- Anorogenic (A-type) granite, 418
- Anorthosite (-gabbro) massifs in India
 - Bankura, West Bengal
 - Bolangir, Chilka, Mayurbhanj, Orissa, 324–326
 - Chimalpahad, Andhra Pradesh, 39
 - Kadavur, Tamil Nadu, 51
 - Oddanchetram, Tamil Nadu, 51
 - Sittampundi, Tamil Nadu, 52
- Antimony mineralisation, Barasigri, Himalaya, 708
- Appalachian orogeny, North America, 722
- Aravalli belt/ Supergroup
 - Age of the Aravalli rocks, 558
 - Deformation and metamorphism, 556–558
 - Rock types and stratigraphic sequence, 551–556
- Archeancratonic nucleus, Singhbhum-Orissa, 352
- Archeangeotherm, 720
- Archean–Paleoproterozoic atmosphere, 12
- Archeantonolite-trondhjemite-granodiorite (TTG) crust, 366, 419
- Arkasani Granite-Granophyre, 380
- ‘A’ veins, 282
- Athabasca and Thelou basin, Canada, 135, 666
- Askotmultimetal deposit, Himalaya, 698
- Bababudanite(magnesio-riebeckite), 10
- Balda Granite, 575–576, 578
- Banded Gneissic Complex (BGC)
- Gneissic rocks, 551
- Ahar River Granite, 558
 - Gingla Granite, 558
 - Untala Granite, 558
- Berach Granite, 542
- NandwaraGranitoid, 548
- Anjana Granite, 550
 - Deformation and metamorphism, 550
- Banded iron formation (BIF)
 - Definition and classification, 357
 - Microfossils in BIF, 362
 - Blue dust
 - Genesis of BIF, 12
- Banded hematite ores in India
 - Ore characteristics, 702
 - Classification of ore types, 483–485
 - Disposition of ore bodies, ore characters, 485–488
 - Ore genesis, 140, 295, 653
 - Central Indian deposits, 487
 - Eastern Indian deposits, 487
 - South Indian deposits, 487

- Banded magnetite ores, Kudremukh, 103
 Bailadila Group
 Bailadila belt, 162–167
 Chhotadongar-Mademnar-Rowghat belt, 167
 Hahaladi-Sonadehi-Dulki-Kanchar-Dalli-Rajhara belt, 167
 Bangur Gabbro, Baula-Nuasahi area, Orissa, 499
 Barberton craton, South Africa, 733
 Barite mineralisation in India
 Ghattihsahalli, Sargur Group, 7–9, 48
 Mangampeta, Cuddapah basin, 130
 Barr Conglomerate, South Delhi fold belt (SDFB), 570
 Bastarcraton, 312–313
 Bauxite
 Definition, 145
 Classification of lateritic bauxite, 146–147
 Distribution of bauxite in space and time, 145
 Favourable conditions for bauxite formation, 147–148
 General weathering profile, 146
 High- and low-level bauxites, 148
 Bauxite deposits in India
 Chhattisgarh: Keshkal and Sulaipat-Mainpat deposits, 316
 East Coast bauxite deposits: Orissa & Andhra Pradesh, 334–340
 Gujarat: Bhavnagar, Amreli, Junagarh, Jamnagar and Kutch dists., 677–678
 Jharkhand: Bagru, Sendag and Netarhat deposits, 521–525
 Karnataka: Boknur-Navge, and Paduvari deposits, Belgaum, 150
 Kerala: Alleppy, Cannanore, Quilon and Trivandrum dists., 151
 Madhya Pradesh: Amarkantak, Katni, Phutkapahar, Semaria, Supkhar-Kothapahar and Rewa-Satna deposits, 313–316
 Maharashtra: Dhangarwadi-Penhela and Udagiri deposits, 316–318
 Tamil Nadu: Kollaimalai, Nilgiri, Palni and Shevaroy hills deposits, 152
 Beach placer (monazite, zircon, ilmenite etc) deposits in India
 Chavara-Manavalakurchi, Kerala-Tamil Nadu, 126–127
 Chhatrapur, Orissa, 332, 342
 Bengal basin, 526
 Bengpal Group, 160–161
 BetulSupracrustal belt, 192–193
 Bhilwara Province/ BhilwaraSupergroup
 Status of BhilwaraSupergroup, 558–559
 Bhima basin/ Group, 59–62
 Bijawar Group, 184–186
 Bijli Rhyolite, 171
 Bilaspur-Raigarh belt, 207–210
 Bimodal volcanic arkose-conglomerate (BVAC), 720
 Bistrampur conglomerate, Singhbhum, 371
 Boliden and Skellefte deposits, Sweden, 721
 Bonanza metallogeny, 730
 Broken Hill deposit, Australia, 713, 721
 Burnham model, 387
 Bushveld Complex, South Africa, 505, 721
 Bundelkhand Crustal Province/ Bundelkhandcraton, 153
 Bundelkhand Granite Gneiss / massif
 Enclave suite, 182
 Granitoids, 183
 Mafic dyke-swarm and other dykes, 183
 Tectono-magmatic evolution, 184
 Carlin type Au-mineralisation, 722
 Carbonatites in India
 Ambadongar, Gujarat, 125
 Eastern Ghats, Orissa and Andhra Pradesh, 313, 334
 Newania, Rajasthan, 550
 Northern Shear Zone, Purulia, West Bengal, 464, 476
 Pakkanadu-Mulakkadu, 126
 Samalpatti, 118, 125
 Sung valley, Meghalaya, 533–534
 Central Indian Tectonic Zone (CITZ), 153, 155, 187
 Charnockite Line –Fermor, 48
 Chilpi Group, 168–169
 Chitradurga Group (Chitradurga belt), 16–17
 Chitradurga Group (Shimoga belt), 16–17
 Chhattisgarh basin/Supergroup, 218–225
 Chhotanagpur Gneissic Complex (CGC), 343, 370, 419, 421, 519, 526
 CIA (Chemical Index of Alteration), 16
 Climax type Mo deposit, 285
 Collisional orogeny/ tectonics, 691, 694
 Continental flood basalt, 228–232
 Chromite mineralisation
 Composition field, 503–504
 Magmatic crystallisation, 504–506
 Podiform (ophiolitic) chromite ores, 502–503
 Stratiform (Bushveld type) chromite ores, 502
 Chromite deposits in India
 Baula-Nuasahi deposits, Orissa, 499–500
 Jojohatu-Roro deposits, Jharkhand, 497–498
 Nuggihalli-Byrapur deposits, Karnataka, 70
 Nagaland-Manipur deposits, 526, 528

- Sukinda deposit, Orissa, 498–499
 Chronostratigraphy of rocks in Eastern Indian craton, 416–417
 Collisional orogen, 679
 Copper mineralisations in India and Bhutan
 Adash, Orissa, 341
 Aladahalli, Karnataka, 71
 Bajta deposit, Sawar belt, Rajasthan, 609–610
 Bhagoni-KhoDariba, Alwar belt, Rajasthan, 651
 Baraganda, Jharkhand, 515–516
 Gongkhola copper prospect, Bhutan Himalaya, 712–713
 Gani-Kalva, Cuddapah basin, 132
 Ingaldhal, Chitradurga schist belt, Karnataka, 78, 735
 Kalyadi, Karnataka, 71, 735
 Khetricopper belt, Rajasthan, 637–640
 Kho-Dariba copper deposit, 651
 Malanjkhanda Cu (-Mo-Au) deposit, Madhya Pradesh, 270–277
 Pachekhani-Pedong-Peshok Cu mineralization, Sikkim, 704
 Rangpo-Dikchu Cu deposits, Sikkim, 702
 Ran Mangli, Sakoli belt, Maharashtra, 294
 Singhbhum Cu-U belt, Jharkhand, 424–427
 Tamakhun, Northern shear zone, Jharkhand, 463
 Thutanbori, Sakoli belt, Maharashtra, 294
 Coulomb's Wedge model, 407–408
 Crustal fluid circulation, 286
 Crustal province, 153–155, 159, 178, 181–187, 214–215, 258, 326, 329, 560
 Cuddapah basin
 Chitravati Group, 56, 58
 Kurnool Group, 56, 58
 Nallamali Group, 56, 58
 Origin and evolution, 55–56
 Papagani Group, 56, 58
 Darjiling Group, 365–366
 Deccan Traps, 61–62, 147, 155, 18, 193, 204, 207, 216, 228–232, 315–317, 678, 740
 Delhi fold belt (DFB)
 North Delhi fold belt (NDFB), 561–571
 South Delhi fold belt (SDFB), 571–577
 Tenability of N-S divide, Delhi fold belt, 578–581
 Tectonic models, 582–585
 Delhi-Hardwar ridge, 695
 Degana Granite, 577
 Dehydration reactions, 53n
 Depleted mantle, 35, 47–48, 50, 185, 346, 417, 506, 731
 Deonadi (river) section, 356, 362
 Dharwar Province
 Eastern Dharwar Block (EDB), 45–48
 Western Dharwar Block (WDB), 45–48
 Similarity, contrast and relationship of Eastern and Western Dharwar Blocks, 45–48
 Dharwar Gneisses and Granites of EDB
 Closepet Granite (batholith), 18, 20
 Champion Gneiss, 34–36
 Peninsular Gneiss (PGC – 2/Dharwar batholith), 4–7
 Dharwar Gneisses and Granites of WDB
 Peninsular Gneiss (PGC -1 & 2), 4–7
 Dharwar Supergroup
 Bababudan Group, 9
 Chitradurga Group, 16
 Dharwar schist belts (Eastern Dharwar)
 Deodurg schist belt, 29–30
 Gadwal schist belt, 37
 Hutti-Maski schist belt, 30–32
 Jonnagiri schist belt, 37
 Kadiri schist belt, 38
 Khammam schist belt, 39
 Kolar schist belt, 34–36
 Kunigal schist belt, 38
 Kushtagi schist belt, 28–29
 Manglur schist belt, 29
 Nagamangala schist belt, 6, 116
 Nellore schist belt, 38–39
 Ramagiri-Penkacherla schist belt, 32–33
 Veligallu schist belt, 37
 Sandur schist belt, 24–28
 Dharwar schist belts (Western Dharwar)
 Sargur Group, 7–8
 Bababudan belt/Group, 9
 Chitradurga schist belt/Group, 16
 Gadag schist belt, 92–95
 Diamonds
 General Comments, 141–142
 Diamonds in Bastar pipes, 312–313
 Diamonds in Panna belt: Majhgaon-Hinota pipes and Vindhyan sediments, 309–312
 Diamond in Wajrakarur-Lattavaram pipes, 40, 42
 Diamonds in Krishna basin sediments, 143–144
 Famous Indian diamonds, 143–144
 Origin of diamonds, 142–143
 Dome and basins structures in supracrustal rocks, 17
 Dongargarh Granite
 Malanjkhanda Granite, 175

- Madanbera Granite, 173–174
 Sitagaon Granite, 174
 Kanker-Mainpurgranitoid batholith (Bundeli, Chura, Kanker, Keshkalgranitoids), 174
 Dongargarh Supergroup (including Kotri and Chilpi formations) 168, 176
 Dongri Buzurg Mn-deposit, 301, 305–306
 Ductile shear zones, 129
 Ductile-brittle shear zones. 129
 Dumortierite-bearing rocks, Singhbhum shear zone (SSZ), 371
- Earliest evidence of life , 719
 East Gondwana, 329–332
 Enderbite, 322
 Eoarchean crust, 719
 Epithermal Au (-Ag) ‘World class’ deposits, 723
 Erinpura Granite, 577
 Eurasian Plate, 690–691, 693
- Faccenda et al. model, 687
 Fault valve activity and mineralization, 98
 ‘Fertile’ granite, 6
 FlinFlon deposit, Canada, 722
 Fluid inclusion studies
 Dariba-Rajpura Zn-Pb (-Cu)-ores
 Kolar Au-ores
 Malanjkhanda Cu-ores
 Singhbhum Cu-ores
 ZawarPb-Zn ores, 556–557, 560, 594, 612, 614, 623
 Fluid mixing and mineralization, 98, 101
 Fold belts/mobile belts, India
 Aravalli fold belt, 582–588
 Chandaner-Tulsidongar mobile belt, 156
 Delhi fold belt: North Delhi and South Delhi fold belts, 561–581
 Dongargarh-Kotri-Chilpi belt, 735
 Eastern Ghats mobile belt (EGMB), 345
 Himalayan fold belt, 693
 North Singhbhum mobile belt, 370–411
 Pandyan mobile belt, 51, 735
 Sakoli fold belt, 178–181
 Fold-thrust belt (FTB), 407
- Gangetic basin, 589, 693–694
 Garnetcoticles, 178, 392
 Garo Hills, 526, 528, 530, 533, 539
 Gavilgarh Fault, Central India, 154, 204, 207
 Graben/rifts-Godavari and Mahanadi rifts, 155, 161, 321, 325–326, 328
- Great boundary fault, 590–591
 Grenvillian orogeny in India, 326, 331
 Geophysical attributes of EGMB, 326, 328
 Godavari rift, 155, 161, 321, 325–326, 328
 Gold mineralisation – the state of the art, 97–99
 Gold mineralisation in high grade rocks, 129
 Gold in porphyry Cu-deposits, 280–288
 Gold mineralisation in Dharwarcraton, South India
- Sargur belts:Golarahalli, Kempinkote, Honnebetta, Bellibetta, Ambale-Volagere, 73
 Central Kolar belt:Kolar gold field (KGF), Bisanattam mines, 74–79
 South Kolar belt: Mallapakonda, Chigargunta prospects, 79–83
 Hutti-Maski belt: Hutti mine, 83–86, Hira Buddini, 87–88, Uti mines, 86–87, Wandali, Chincherg, Buddini mines, Tuppadhur, Sanbal, 88–89
 Ramagiri belt, 89
 Chitradurga belt: Ajjanahalli, G.R. Halli, C.K. Halli, 89–92
 Gadag schist belt: Hosur, Kabulayatkatti, Mysore mine, Sangli mine, Beldhadi, Sankatodak, 92–95
 Jonnagiri schist belt: Dona temple block, Dona East-South -North blocks, 95–97
 Dharwar-Shimoga belt: Chinmulgund, Karjagi, Kallihalli, 97
 Discussions on gold mineralisation in Dharwar craton, 97–102
 Gold mineralisation Southern Granulite Province, South India
 Attapadi valley, Wynad-Nilambur region, 118–119
 Gold mineralisation in high grade rocks, 129
 Gold mineralisation in Southern Crustal Province (Bastar), Central India
 Malanjkhanda Cu-Mo deposit, 258–288
 Kotri belt: Guruwandi, Sonadehi prospects, 256–257
 Sonakhan greenstone, 257
 Sakoli fold belt, 178–181
 Raigarh Granite-gneiss belt, 257
 Gold mineralisation in Northern Crustal Province, Central India
 Mahakoshalbelt: Imalia, Gurhar Pahar, Gulaldih, SonaPahari, 296–298
 Gold mineralisation in Singhbhumcraton (SGC) and NSMB, Eastern India
 Kunderkocha gold deposit, 424
 Placer gold in Dhanjori basin , 374–377

- Gold mineralisation in Dalma volcanic belt, 397–405
 Lawa-Mysera gold prospects, 470–473
 Lungtu-Parasi-Sinduari gold prospects, 473–475
 Pahardiha gold prospect, 470
 Gold mineralisation in Chhotanagpur Gneissic Complex (CGC)
 Sono gold, 517
 Gold mineralisation in Aravalli, Western India
 Bhukia-Jagpura gold prospect, 629–634
 Hinglasmata-Bharkundi gold mineralisation, 634–637
 Gondite, 197, 301, 303–306
 Gondwana coal-bearing basins, 536
 Granulite belts and provinces, India
 Bastarcron: Bhopalpatnam, Kondegaon, Konta, 161–162
 CITZ belts: Makrohar, Balaghat-Bhandara, Ramakona-Katangi, 202–204
 Karimnagar granulite belt, 161–162
 Sandmata Granulite Complex, 551–552
 Southern Granulite Province (SGP)/Terrain (SGT), 48–54
 Granulite metamorphism and causes, 52–54
 Granular rock (Singhbhum Shear Zone), 380–393
 Greenstone belts, 7, 12, 18, 25, 61, 97, 120
 Gwalior Group, 184–210
- Hadean Eon, 717
 Hamersley basin, Australia, 111–112
 Hamersley iron ore deposit, 112
 Hall Petch relationship, 272
 High-Mg basalt, 298
 High grade rocks and U-Th mineralisation, 128–129
 Himalayan Geology
 Active faults/Neotectonics, 683
 Black Mountain Group, 688
 Chalsa Thrust, 683
 Drasvolcanics, 713
 Earthquakes, 679, 689, 694
 Evolution of Himalaya, 690–695
 Granites and gneisses, 685
 Gondwana and equivalents, 684–685, 692
 Gorubathan Thrust, 683, 702–703
 Himalayan syntaxes
 Higher Himalayan Crystallines (HHC), 687–689
 Indus-Tsangpo suture, 690
 Inverted Barrovian metamorphism, 686–687
 Lesser Himalaya, 683–684
 Main Boundary Fault (MBT), Main Central Thrust (MCT)
 and Main Frontal Thrust (MFT), 680
 Metallogenic analysis, 695–716
 Major orogenic phases, 692–695
 Oldest Himalayan rocks, 683–685
 Peak metamorphism, 714, 720–721
 Peninsular Geology continuation, 695
 Sub-Himalaya: Murees, Siwaliks etc., 680–683
 Simla and Jaunsar Groups, 684, 691
 Tethyan zone, 689–690
 Neo- and Paleo-Tethys, 692, 715
 Trans Himalayan region, 690
 Tibet Himalaya, 693, 710
 Horse-shoe synclinorium of Jones, 454, 456
 Hotazel iron formation, South Africa, 112
- I-type granite, 265, 564
 Ilmenite series granite, 41, 71, 85, 96, 126–127, 263, 715
 Indo-Australian Plate, 690–691, 693
 Indo-Burman Range, 526, 534–536
 Indus-Ganga-Brahmaputra basin/alluvial valley, 679–680, 732
 Indravati basin, 224–225
 India-Eurasia collision, 692–693
 IOCG mineralisations, 457–458
 Irish Zn-Pb ($\pm$ Ba) deposits, 626
 Iron ore Group (IOG), 345, 349, 352, 354, 356, 362, 447, 467, 507
 Iron ore provinces, South Singhbhum-North Orissa, 354–357
 Isaq Gneiss Complex in SW Greenland, 719
 Isuasupracrustals, 719
- Jack Hills zircons, 718
 Jagannathpur lava, 364–365, 367, 370
 Jamestown ophiolite, 718
 Jamda-Koira valley, 353, 356, 361–362, 364, 368, 480, 488, 497, 513–514
- K-T boundary, 232
 Kaapvaal Craton, South Africa, 720, 724
 Kaladgi basin/Supergroup, 62
 Badami Group, 62
 Bagalkot Group, 62
 Kalahari manganese deposits, 306
 Kambalda deposit, Australia, 720
 Khondalite, 49–51, 125, 127, 129, 321–322, 324, 332, 337–339, 341–342, 551
 Khariar basin, 225–227
 Khairagarh Group, 174–176
 Khasi Hills, 530–531, 533, 536
 Khasi Greenstone, 531
 Kimberlites and lamproites, 740

- Kimberlites and lamproites in India
 Krishna valley, 740
 Mainpur, 740
 Majhgaoon-Hinota, 740
 Nallamala, 740
 Narayanpet, 740
 Tokapal-Bhejripadar, 313
 Wajrakarur-Lattavaram, 740
 Kiruna deposits, Finland, 455
 KishengharhNephelineSyenite, 550
 Kolhan Group
 Age, 370
 Chaibasa-Noamundi basin, 366–368
 Champakpur-Keonjhar group basin, 368
 Mankarchua basin, 368–369
 Saraipalli-Kamakhyanagar-Mahagiri area, 369–370
 Krivoy Rog basin, Ukraine, 112, 418
 Kunjar Group, 366
 Kuroko type ore deposits, 453, 709
 Kyanite-quartzite, Piedmont, Virginia, 388
- Laco and other magnetite deposits, Chile, 455
 Lake Superior type Fe-formations, 12, 361, 486, 496
 Lapsa Buru kyanite deposit, 388, 391, 395–397, 419
 Large Igneous Province (LIP), 725, 727
 Laterite, 119, 145, 147–148, 241, 243, 313–317, 336–337, 498, 507, 517, 525, 678
 Lead-zinc/Zinc-lead deposits in India
 Ajmer, Rajasthan: Ghugra, Kayar, Madarpur, 656–657
 Askot deposit, Himalaya, 698
 Bageswar deposit, Himalaya, 691, 698, 702
 Betul, Maharashtra, 192–196
 Dariba-Rajpura-Bethumni belt, Rajasthan, 600–608
 Ganesh Himal deposit, Nepal Himalaya, 691, 709–710
 Genekha and Jemena, Bhutan, 710–711
 Gorubathan deposit, West Bengal, 691, 701–702
 Kolari-Bhaonri, Sakoli belt, Maharashtra, 292–293
 Manaksas prospect, Rajasthan, 562, 569, 578, 644, 646–647
 Mawmaram, Meghalaya, 537
 Pur-Banera belt, Rajasthan, 608–609
 Rampura-Agucha deposit, Rajasthan, 596–600
 Sargipalli, Orissa, 464–466
 Sawar-Bajta-Tikhi deposits, 609–610
 Zawar belt, Rajasthan: Belaria, Mochia-Magra and Zawarmala deposits, 556, 560, 611, 615–617
- Zangamrajupalli-Golapalli, Cuddapah basin, 132, 737–738
 Lead isotope studies on Indian ores
 Ambaji-Sendra belt, 662–663
 Delhi-Aravalli belt, 545, 582–585
 Ganesh Himal deposit, Higher Himalaya, 691, 709–710
 Bageswar, Rangpo, Garubathan deposits, Lesser Himalaya
 Sargipalli, 702
- Mafic (- ultramafic) volcanic rocks in the IOG, 585, 588, 592, 608, 654–655, 663, 722–723, 732, 740
 Magma mixing/assimilation, 281, 505
 Magnesite deposits in India
 Kumaon-Garhwal, 708–709
 Magnetite Series granites, 265, 281
 Mahadek and Langpar Formations, 527, 531–533
 Mahakoshalsupracrustal belt, 188
 Geochemical character of volcanics, 190–191
 Geophysical characteristics of Mahakoshal belt and its surroundings, 192
 Gneisses and granitic plutons along SNSF ('Dudhi Complex'), 191
 Stratigraphy, 189
 Mahanadi rift/graben, 322–323
 Malani Group/Malani Rhyolite/Malani igneous suite, 585–588
 Malanjkhanda Granite, 174–175, 211, 215, 256–268, 734, 737
 Malangtoli lavas, 364–365
 Manganese mineralisation in Dharwar, Southern India, 113–114
 Chitradurga, Tumkur, Shimoga, Sandur deposits, 74, 113, 736
 Manganese mineralisation in Central Indian
 Sausar manganese belt, 300–303
 Manganese mineralisation in Eastern India
 Gangpur deposits, 466
 Jamda-Koira valley deposits, 353–354, 356, 361–362, 364, 368, 480–481, 488, 513–514
 NSMB mineralization, 514
 Poverty of Mn-deposits in Archean, 358–359
 Manganese mineralization in Eastern Ghats mobile belt
 Kutinga-Nishikal, Kodur, Garbham and Garividi deposits, 332–334
 Petrology of Mn-rich rocks, 303–306
 Mantle plumes, 723–731
 Markamparatrondhjemite gneiss, Bastarcraton, 158
 MarwarSupergroup, 589
 MASH model of Hildreth-Moorbath, 284

- Mattagami and Matabi Cu-Zn deposits, Canada, 722
 Mayurbhanj Granite (MBG), 343, 351–352, 356, 380, 418–419, 734
 Mesabi Fe-ores, 111, 486
 Mesothermal/Mesozonal gold, 97, 282, 296
 Metallogenetic analysis of the Himalaya, 713–716
 Metamorphism of sulphidic ore, 436–438
 Microfossils in BIF, 250
 Donimalai, 106–110
 Kasia mines, Keonjhar, 362
 Mikir Hills, 528, 530–531
 Mississippi Valley type (MVT) ores, 626, 723, 730
 Molybdenite deposits in India, 123–124, 274–276, 279, 282, 287–288, 438, 442, 446, 461, 478–479, 570, 599, 643, 657, 674, 705
 Ambalavayal, Wynad district, Kerala, 118, 124
 Harur-Uttarangi, Tamil Nadu, 123–124
 Malanjikhand Cu (-Mo) mineralization, Madhya Pradesh, 278
 Singhbhum Cu-U belt, 424–427, 453, 459–462
 Mother Lode, 723
 MORB-type tholeiites, 403
 Mylonite, 52, 96, 199, 206–208, 210, 381, 383, 387
- Nandgaon Group, 169–170
 Nagaland-Manipur ophiolite belt, 526, 528
 Nagaur Gypsum, 589
 Napier Complex, 331
 Native sulphur and gypsum in Zawar ore, 611–629
 Newer Dolerite, Singhbhum, 343, 350, 353–354
 Ni-bearing laterite, Sukinda, 507
 Ni-Mo(-Co) mineralization in Jaduguda-Bhatin, 454, 462
 Ni-bearing magnetite in Nagaland, 540–541
 Norilsk-Talnakh deposit, Russia, 723, 740
 Nilgiri Granite (Kaptipada Granite), 351
 North Singhbhum mobile belt (NSMB)
 Chaibasa Formation, 408–410
 Dhalbhum Formation, 365, 395, 397, 400, 405, 410, 419
 Dhanjori basin/volcanics/Group, 371–377
 Dalma volcanic belt/Dalma Group, 394–405
 Metamorphism, 410–411
 Ongarbiravolcanics, 377–380
 Petrochemistry of volcanic rocks, 400–405
 Singhbhum Group/Supergroup, 395, 412
 Singhbhum Shear Zone (SSZ), 380–385
 Tectonics: Fold-Thrust belt model, 407–410
- Oceanic ridge, 11, 15, 32, 80, 232–233, 731, 735
 Oldham Fault, 528
- Older Metamorphic Group (OMG), Singhbhum-N. Orissa, 343, 345–346
 Older Metamorphic Tonalite Gneiss (OMTG), Singhbhum-N.Orissa, 343, 345–346, 348, 350
 Oldest crustal rocks, 719
 Olympic Dam deposit, Australia, 457
 Ores: syngenetic, syn-diagenetic, epigenetic, 92, 131, 357, 472, 479, 498, 497, 537, 578, 655, 705, 736, 738
 Ore fluids, 47, 88, 92, 98, 100–101, 140, 288, 295, 458, 595, 626, 628, 635, 672
 Ores and metamorphism, 3, 7, 9, 30, 32, 38–39, 46, 49–53, 67–68, 737
 Orogenic gold, 78, 86, 91–92, 95–99, 101, 720–721, 738
- Pan-African tectonic event in India, 340–341
 Pan-African metallogenic events in India, 124
 Peninsular Gneiss, 1, 4–7, 16, 20–23, 39, 42–43, 48, 69, 71, 73–74, 104, 116–117, 740
 Peninsular Shield, 62, 526
 Petrofabric analysis, 383
 PGM mineralisation in India
 Baula-Nuasahi deposit, Orissa, 498–500
 Sakoli fold belt, Maharashtra, 292–296
 Sittampundi, Tamil Nadu, 52
- Phosphatic mineral deposits in India
 Apatite-magnetite deposits, SSZ, 340–341
 Apatite-magnetite-vermiculite deposits, Kasipatnam, 341
 Beldih-Kutni-Mednitanr phosphate deposit, Purulia, W.Bengal, 463, 520
 Hirapurphosphorite, Madhya Pradesh, 308
 Jhamarkotra-Maton-Kanpur phosphorite deposits, Rajasthan, 675–677
 Jhabua phosphate deposits, Madhya Pradesh, 307–308, 737
 Mussooriphosphorite deposit, Uttaranchal, 706–708
 Panrkidih apatite mineralisation, Purulia, W.Bengal, 448, 463, 520
 Sonraiphosphorite, Madhya Pradesh, 308
 Sung valley apatite mineralization, Meghalaya, 539
- Phuladophiolite, 585, 663
 Phyllonite, 96, 380–381
 Pilbara craton, 719–720, 724, 729, 734
 Pitepanivolcanics, 172
 Placer deposits (REE,Thg,Ti,Zr etc.), 126–127
 Polymetallic mineralisation in India
 Agnigundala-Markapur (Pb-Cu),GaniKalva (Zn-Pb-Cu),

- Cuddapah basin, 131–132
 Banera, Rajasthan, 609, 611
 Basantgarh-Golia-Pipela (Zn-Cu), Rajasthan, 657, 663
 Betul, Maharashtra, 298–299
 Bhimsain Killa, Maharashtra, 294–295
 Biranthia-Khurd-Kalabar-Chitar, Rajasthan, 656–657
 Deri-Ambaji, Rajasthan, 572–573
 Dikchu-Rangpo-Gorubathan, 701
 Hesatu-Belbathan: Pindara, Dhawa, Biharbari, 516–517
 Khandela, Rajasthan, 569–570, 653–656
 Mamandur, Tamil Nadu, 121–123
 Maonda-Sior, Rajasthan, 653
 Pular-Parsori, Maharashtra, 292–294
 Rampura-Tonda, 645–646
 Ranga valley, Arunachal Pradesh, 704–705
 Rohil, Rajasthan, 651–654
 Potassic alteration, 268, 274, 276, 281–282, 286–287, 387, 656
 Porphyry Cu (-Mo-Au) mineralisation system
 Distribution in space and time, 280–5
 Host rocks, 281
 Modes of occurrence, 282–283
 Mineralogy and chemistry of ores, 283
 Origin, 285–287
 Tectonic influence, 283–285
 Wall rock alterations, 281–282
 Pranhita-Godavari (PG) basin/valley
 Albaka Group, 64
 Age, 68
 Basin tectonics and evolution, 68–69
 Deformation and metamorphism, 67–68
 Pakhal Group, 64
 Paleogeography, 66–67
 Penganga Group, 64
 Somanpalli Group, 64
 Stratigraphy, 64–66
 Sullavai Group, 64
 Proterozoic intracratonic basins, 3, 411
 Proterozoic supracrustal rock association, 721
 Purana basins, 55, 62, 69, 225, 734
 Pseudotachylite, 206–207
 Pyrite deposits in India
 Amjhor, Bihar, 520–521
 Saladipura, Rajasthan, 644, 656
 Pyrophyllite rock, 180–181, 390, 411
 Quartz pebble conglomerate (QPC), 9, 58, 115, 374–375, 447, 469, 663, 667, 720–721, 730
 Quartzite-pelite-carbonate (QPC-Condite, 1989)
 Quadrilatero Ferrifero deposits, Brazil, 112, 495
 Rajmahal trap, 229, 232, 533
 Rayner Province, 725
 Remobilisation/translocation of ores, 121, 128, 131, 287, 295, 305, 461, 479, 598, 602, 628, 736
 Re-Os chronometry, Malanjkhanda, 276–277
 Riedel shear, 382, 460
 Rare metal (Li, Be, Nb, Ta, Sn) and REE-bearing pegmatites-Characteristics, 517–519
 RM and REE deposits in India
 Bastar-Malkangiri pegmatite belt (BMPB), Chhattisgarh, 234
 ‘Bihar’ (Jharkhand) mica belt, 517–519
 Danta-Bhunas, Rajasthan, 675
 Deposit types and characteristics, 517–519
 Garda-Toyar sector, Chhattisgarh, 235–238
 Limboi-Umedpur, Gujarat, 675
 Purulia, CGC, West Bengal, 519–520
 Sakoli and Sausar belts, Maharashtra, 239
 Sarguja-Jashpur area, CGC, 235
 Ratnagiri, Maharashtra, 239
 Rosing uranium mineralisation, Namibia, 454
 S-C mylonites, SSZ, 383
 Samalpatticarbonate, 125
 ‘Sandstone type’ U-mineralisation, 714
 Satpura Province, 155, 159, 188
 Sausarsupracrustals belt, 210
 SEDEX deposits, 283, 625–627, 737
 Sendra Granite, 576–577
 Sewariya Granite, 575–576
 Shear zones/Thrust zones/Regional faults
 Achankovil shear zone, SGP, 2
 Central Indian shear (CIS), 154–155, 178, 188, 258, 260
 Dauki Fault, 526, 528
 Great Boundary Fault, NW India, 558, 579, 590–591
 Haflong-Disang Fault, 533–534
 Kolab-Machkund-Sileru shear zone, EGMB, 319, 323
 Main Boundary Thrust (MBT), Himalaya, 679–680
 Main Frontal Thrust (MFT), Himalaya, 680
 Moyar-Bhabani shear zone, SGP, 50, 52, 121
 Palghat-Cauveri shear zone, SGP, 2, 50–52, 129
 Singhbhum shear zone (SSZ), 350, 371–374, 380–394, 407, 421–422, 424–436, 440–462
 Son-Narmada North Fault (SNNF), 155, 187–188, 216

- Son-Narmada South Fault (SNSF), 155, 188
 South Purulia shear zone/Northern shear zone/
 Tamar-Porapahar shear zone, 202, 420, 424,
 462–463, 476, 520
 Sukinda Thrust, 381
 Tan shear, Central India, 204–207, 210, 215
 Tyrsad-Barapani shear zone, Meghalaya,
 531–532
 Sheath folds, Singhbhum, 383
 Shillong-Mikir Massif, Meghalaya-Assam
 Gneissic Complex, 528
 Granite plutons:Kylang, Kyrdem, Mawdoh,
 Myllem, Nongpo,
 Rongjen, Sinduli and Songsakplutons, South
 Khasi batholith, 528–530
 Metamorphic history, 530
 Shillong Group, 531
 Shumarallochthon, 695
 Silesia-Cracow Zn-Pb district, Poland, 627
 Simlipalvolcanics, 351, 371, 380
 Singhbhum-North Orissa craton, 351, 355, 367, 370,
 507, 735
 Singhbhum-North Orissa and NSMB Granites and
 Gneisses
 Arkasani Granite/Granophyre, 393
 Bonai Granite (BG), 349
 Chakradharpur Granite (CKPG), 349–350
 Kuilapal Granite, 406, 410, 420, 476–477
 Mayurbhanj Granite (MBG), 351–352
 Nilgiri (Kaptipara) Granite (NG), 351
 Older Metamorphic Tonalite Gneiss (OMTG),
 343, 345–346
 Pala Lahara Gneisses, 352
 Rengali-Raimal Granite, 352
 Singhbhum Granite (SBG): SBG-A, SBG-B,
 346–349
 Soda granite, 380, 382–383, 385–387
 Tamperkola Granite, 352
 Sittampundi Complex, 52
 Sonakhan Group, 176–178
 Stockwork veins, 279, 287, 350, 478–479
 S-type granites, 99, 405, 723
 Subduction through geological time, 41, 47, 87, 143,
 173, 200, 211–215, 233, 418, 420–421, 457, 503,
 506, 527, 536, 544, 566, 582–585, 662, 693–694,
 717–718, 731
 Subduction and metallogeny, 267, 279
 Submarine plumes, 730–731
 Sudbury deposit, Canada, 722
 Sukma Gneiss-Supracrustals, 156–162, 166–168,
 175–176, 291
 Sullivan ore deposits, USA, 625–626
 Sung valley carbonatite and alkali intrusives, 533
 ‘Supergene metamorphic’ model, 111–114, 737
 Supergene vshypogene models of
 BIF to Fe-ore transformation, 488, 495–497
 Superior Province, 496, 720
 Supercontinents
 Atlantica, 725
 Columbia, 725
 Gondwanaland, 726–729
 Kenorland, 729
 Laurentia, 725–726
 Nena, 725, 729
 Pangea, 729
 Rodinia, 725–726
 Ur, 724–725
 Vaalbora
 Superplume, 730
 Sylhet Limestone, 533
 Sylhet Trap, 229, 527, 533
 Tectonic models
 CITZ, 62, 153, 155, 159, 181, 187–189, 196,
 200, 204, 207, 210, 213–215, 223, 291, 528,
 724
 Delhi-Aravalli belt, 582–585
 NSMB, 370–371, 377, 380–381, 392, 394,
 407–411, 735, 738
 Tethys: Neo- and Paleo-Tethys, 692
 Tibetan plateau, 693
 Tin mineralization
 Bastar-Dantewara, Chhattisgarh, 234
 Koraput, Orissa, 234
 Tin belt of SE Asia, 723
 TirodiBiotite Gneiss (TBG), 196–199
 Tourmaline-rich rocks and tourmalinite, 296, 391–393
 Trans-Amazonian orogeny, Brazil, 112
 Transcurrent faults, 283–284
 Transcurrent shears, Dharwar, 17–19, 46–47
 Troctolitic intrusion, 722
 Troodos Massif, Cyprus, 716
 TTG rocks, 1, 6–7, 20–22, 45, 47, 153, 155–156, 182,
 184, 188, 357, 418–419, 545–546, 560, 719–720,
 732, 734
 Tungsten mineralisation
 Balda deposit, Rajasthan, 720
 Burugu-banda, EGMB, 342
 Chhendapathar and other deposits, West Bengal,
 392, 405, 475–478, 480, 672
 Dholpani and Bhurkhola deposits, 709, 711
 Degana deposit, Rajasthan, 577, 588, 670–671

Kuhi-Khobna-Agargaon deposits, Maharashtra, 295–296	Bhima basin: Gogi, Ukinal prospects, 62, 137–139
Sewaria, Rajasthan	Dharwar U-mineralization, 114–115
Ultra high temperature (UHT) metamorphism, EGMB, 321–324, 413	Stratabound U-mineralization in Cuddapah Supergroup, 133–135
Ultramylonite, Tan shear, 206–208, 210	U-Th in high grade metamorphic rocks, 128–129, 537
Uranium mineralisation in Central India	Vein-type U-mineralization in surrounding metamorphites and basement rocks, 132–133
Abhujmar basin, 289	Uranium mineralisation in West India
Chhattisgarh basin, 290–291	Albitite zone, Rajasthan, 569–571
Dongargarh Province, 288	
Uranium mineralisation in Singhbhum Cu-U belt, Eastern India	Variscan orogeny, 723
Age of U-mineralisation, 447	VMS deposits, 283, 452, 461, 662, 720, 722–723, 731
Bagjata deposit, 441	Voisey’s Bay Ni-deposit, Canada, 722
General characteristics, 444–446	Volcanic arc granite, 159, 267, 418, 476
Jaduguda-Bhatin deposits, 442–443	
Mahuldih deposits, 444	Warrawoona, Pilbara craton, Western Australia, 719
Narwapahar deposit, 443	West Gondwana, 329
Ore genesis, 440	Wilson Cycle, 583, 731
Turamdih-Bandhuhorang-Keruadungri, 443–444	Witwatersrand deposit, South Africa, 115, 720–721
Uranium mineralisation in Himalaya	
Western Lesser Himalaya, 714	Xenotime, Kanyaluka, SSZ, 95, 235, 238–239, 440, 446
Siwalik (+Muree), 697, 714	
Uranium mineralisation in North East India	Yilgarn craton, Western Australia, 129, 718, 720, 724
Domiasat–Gomaghat deposits, Maghalaya, 537–539	Yulong porphyry Cu belt: Himalaya-Tibet orogen, 716
West Siang and Upper Subansiri, Arunachal, 705	
Uranium mineralisation in South India	Zero Gneiss, Arunachal, 685