

## Index

- (e,2e)
  - inner-shell, 207–242
  - relativistic, 221–242
  - spectroscopy, 137–152
  - spin-resolved, 243–266
  - with longitudinally polarized electrons, 260–266
- experiment
  - geometry, 214–216
  - low to intermediate energies, 164–205
  - relativistic, 254–260
- antiproton-induced fragmentation, 160–161
- Auger-photoelectron coincidence spectroscopy (APECS), 23–40
- Bethe ridge, 143, 212
- cold target recoil ion momentum spectroscopy (COLTRIMS), 127, 128, 141, 179–181
- distorted wave Born approximation
  - non-relativistic, 212–214, 216, 220
  - relativistic, 222–242, 254–266
- double photoionization, 3–42
  - DC-assisted, 103–108
  - direct, 3–21
  - indirect, 21–40
- double photon ionization
  - two photon, 101–103
- electron momentum spectroscopy (EMS), 143–147
- fine-structure effect, 251–260
- high harmonics generation, 108–110
- ion–atom fragmentation, 155–161
- laser fields
  - intense ultrashort pulses, 72–94
  - strong, 98–115
- molecular fragmentation, 23–27, 72–94, 137–152, 196–202, 266
- molecular-ion beams, 72–94
- photoionization
  - time delay, 110–114
- plane wave impulse approximation, 146–147, 221
- positron-induced fragmentation, 116–129
- positronium-induced fragmentation, 129–133
- propagating exterior complex scaling, 48–70
- QED photon propagator, 221, 223, 231–232
- Schrödinger equation
  - time dependent, 99–101, 115, 155–161
  - time independent, 48–70
- spin asymmetry, 245–266
- Wannier theory, 4–8, 59, 170–192