

## Index

- Abiogenic origins  
   natural gas, possibility of, 136–137  
   oil, possibility of, 135–136
- Absorption, effect on solar energy, 36–37
- Adelman, M.A., 329
- Adsorption of methane, 155–156
- Aesthenosphere, 17
- Agriculture  
   algae resulting from runoff, 116–117  
   amount of land dedicated to, 106f6.2  
   erosion of soil and, 112–114  
   eutrophication resulting from runoff, 116–117  
   fertilizers (*See* Fertilizers)  
   forests, conversion to farmland, 114–115  
   grasslands, conversion to farmland, 114–115  
   groundwater, use of, 251  
   historical background, 105–107  
   hypoxia resulting from runoff, 116–120  
   irrigation in, 251, 254f12.7  
   plowing, effect of, 112, 114  
   soil and, 90–91  
   water, use of, 251
- Alcohol. *See* Ethanol
- Algae  
   from agricultural runoff, 116–117  
   biofuels from, 100–101  
   fossil fuels from, 124
- Alfisol, 92
- Alpha particles, 264–265, 266
- Animals, fossil fuels from, 123, 124
- Anthracite coal, 127
- Anticline, 171, 171f9.4, 180
- Appalachian Basin, 175
- Appalachian Mountains, 145
- Aquifers  
   depletion of, 8–9  
   freshwater aquifers, avoiding carbon sequestration in, 295–297  
   High Plains Aquifer, 251–255  
   hydraulic fracturing and freshwater aquifers, 208f10.7  
   saline aquifers, carbon sequestration in, 294–298
- Archaea  
   gas hydrates, role in formation of, 215–216  
   oil sand, role in formation of, 215–216
- Asphaltenes, 217–219
- Aswan High Dam, 72
- Atacama Desert, 45–46
- Atchafalaya River, 117, 120
- Atchafalaya Swamp, 124
- Athabasca Basin, uranium in, 281–282
- Athabasca River region, oil sand in, 220–224
- Atmosphere. *See also* Wind energy  
   carbon dioxide in, 26–28  
   condensation, latent heat from, 69–71  
   convective air masses, 60–61  
   Ferrel cells, 59  
   formation of, 14  
   geology, effect on, 26–28  
   Hadley cells, 59

- Atmosphere (*cont.*)  
 jet streams, 62  
 nitrogen in, 26, 59  
 oxygen in, 26, 59  
 planetary boundary layer, 63, 64  
 polar cells, 59  
 surface winds, 62–64  
 trade winds, 61–62  
 turbulence in, 62–64
- Austin Chalk, 202–203
- Azerbaijan, oil wells in, 170–171
- Bacteria  
 gas hydrates, role in formation of, 215–216  
 oil sand, role in formation of, 215–216
- Bakken Formation, 203–205, 204f10.6
- Barnett Formation, 198–199, 202, 203–204
- Bay of Fundy, 77–78, 78f4.10
- “Beer can” experiment, 289, 290f14.1
- Bell Labs, 345
- Beta particles, 266
- Biodegradation of oil, 217–220, 218f11.1, 223
- Biodiesel fuel, 98–100
- Biofuels  
 advantages over fossil fuels, 80  
 from algae, 100–101  
 biodiesel fuel, 98–100  
 capacity to meet energy demands, 337  
 carbon dioxide and, 80  
 distillation and, 95–96  
 efficiency of, 93  
 environmental costs of, 103–105, 120–121, 346  
 fermentation and, 95–96  
 land use and, 94–95  
 limitations on, 8–9  
 lipids, 98–100  
 overview, 80–82, 101  
 renewability of, 80  
 from switchgrass, 83, 93  
 technology, impact of, 345  
 transesterification, 98  
 water, use of, 243f12.3, 245  
 yeast, role of, 96
- Bituminous coal, 127
- Blowouts, 171–174
- Bohr, Niels, 314
- BP/Deepwater Horizon oil spill, 119–120, 170, 173–174
- Brine, 287
- California State Water Project, 256, 257
- Cambrian rocks, 22–25
- Canada  
 oil sand in, 220–224  
 oil wells in, 170–171
- Cape Wind project, 67–68
- Capture of carbon dioxide.  
*See* Carbon sequestration
- Carbohydrates, 92–93
- Carbon dioxide  
 in atmosphere, 26–28  
 biofuels and, 80  
 climate change and, 345–346  
 continental weathering cycle and, 27f2.6  
 costs of, 292  
 ethanol, emissions from, 115–116  
 global warming and, 345–346  
 as greenhouse gas, 26–27, 345–346  
 Lake Nyos, release from, 298  
 land, disposal in, 10  
 limestone, effect of, 28  
 negative feedbacks, 27–28  
 oceans, disposal in, 9–10  
 oil shale, emissions from, 162–163  
 “peak oil” and, 5  
 plants, effect of, 28  
 soil, emissions from, 114–116, 115f6.4  
 sources of waste, 292–293  
 supercritical carbon dioxide, 295, 298  
 switchgrass, emissions from, 115–116  
 waste disposal (*See* Carbon sequestration)
- Carbon sequestration  
 in coal seams, 294  
 costs of, 293  
 depth of, 297f14.5  
 in freshwater aquifers, avoiding, 295–297  
 injection wells and, 299–300  
 magnesite and, 299–300  
 in natural gas reservoirs, 294  
 in oceans, 300–301  
 in oil reservoirs, 291–294

- olivine and, 299–300
- overview, 287–288, 311
- peridotite and, 299–300
- rock, conversion to, 299–300
- in saline aquifers, 294–298
- seepage, 298
- supercritical carbon dioxide, 295, 298
- Carnot, Sadi, 48–49
- Carnot efficiency, 48–49
- Caspian Sea, 170
- Cellulosic ethanol
  - biodiesel fuel compared, 98
  - capacity to meet energy demands, 337
  - environmental costs of, 346
  - land use and, 95
  - limitations on, 96–98
  - technology, impact of, 345
- “Cenothermic Era,” 318
- Cenozoic Era, 24–25, 317
- Centrifuges, 284
- Cerrado region, 107
- Cesium, 303
- Charles’s Law, 59
- Chernobyl nuclear disaster, 301, 303
- CHOPS (cold heavy oil production with sand), 226
- Clathrates, 227
- Clay in mudstone, 192
- Clean Air Act of 1970, 149
- Cleveland, Cutler, 330–331
- Climate change
  - fossil fuels and, 345–346
  - global warming, 316
  - rate of, 30
- Cloud cover, effect on solar energy, 40–41
- Coal
  - anthracite, 127
  - baking of, 125–127
  - bituminous, 127
  - carbon sequestration in coal seams, 294
  - deltas, formation in, 144–145
  - depth of, 128f7.4
  - environmental costs of, 152–153
  - formation of, 124–127, 144–145
  - as fossil fuel, 142–143
  - historical background, 1–2, 143
  - lignite, 127
  - mires, formation in, 124–125
  - overburden, 150
  - overview, 143, 163
  - “Paleothermic Era,” 317
  - “peak coal,” 5
  - in Powder River Basin, 147–149, 150–151
  - radioactivity in, 152–153
  - reserves of, 5, 139, 332, 333
  - safety of mining, 152
  - scrubbing, 149
  - sediment, role in formation, 125
  - stripping ratio, 150
  - sub-bituminous, 127
  - sulfur in, 146–147, 149, 152–153
  - surface mining of, 152
  - thermal efficiency of, 48–49
  - toxic substances in, 152–153
  - water, use of in mining, 244
  - Wyodak coal, 149–150
- Coalbed methane, 154–156
- Coal gasification, 154
- Coastal upwelling, 45–46, 109, 129–131
- Coccoliths, 202
- Coking, 226–227
- Colorado River, 70f4.6, 72–73, 74f4.7
- Combustion of plants, 92–93
- Condensate, 133–134
- Condensation, latent heat from, 69–71
- Continental weathering cycle, 27f2.6
- Continuous accumulations, 190
- Convective air masses, 60–61
- Coriolis effect, 42, 45–46, 60–61, 62
- “Corn Belt,” 113
- Corn ethanol
  - biodiesel fuel compared, 98
  - capacity to meet energy demands, 337
  - carbon dioxide emissions from, 115–116
  - efficiency of, 93
  - land use and, 94
- Costanza, Robert, 330–331
- Crab Nebula, 261
- Cratons, 64–65
- Cretaceous period, 147, 179–180, 202, 222–223
- Crude oil, 134, 217
- Crust of Earth, 16–19, 264, 266, 280
- CSS (cyclic steam injection), 226
- Cyanobacteria, 82

- Dams  
 benefits of, 72  
 environmental costs of, 73  
 infill and, 73–75  
 limitations of, 72–73  
 overview, 72
- Darcy, Henry, 248–249
- Darcy's Law, 248–249, 250, 274
- Davy lamp, 154–155
- “Dead zones,” 116, 117, 119f6.6
- Deccan Plateau, 105
- Deere, John, 112
- Deltas, formation of coal in, 144–145
- Department of Agriculture, 98–100, 108
- Department of Energy, 100, 242, 244
- Desalination  
 costs of, 257  
 disadvantages of, 257–258  
 reverse osmosis, 257  
 vacuum distillation, 257
- Deserts, solar energy and, 41–42, 45–46
- Deuterium-helium-3 fusion, 53–54
- Deuterium-tritium fusion, 52–53
- Diesel, Rudolf, 98
- Dinosaurs, fossil fuels from, 123, 124
- Directional drilling, 196–197
- Distillation, biofuels and, 95–96
- Diversification of energy, 6
- Drake, Edwin, 2
- “Drip gas,” 133–134
- “Dust Bowl,” 113
- Eagleford Formation, 205
- Earth, formation of, 14
- Earthquakes  
 “beer can” experiment, 289, 290f14.1  
 geothermal energy projects, caused by, 289  
 hydraulic fracturing, caused by, 208–209, 289–291  
 induced seismicity, 275f13.6, 288–291  
 water injection, caused by, 275f13.6, 288–291
- Eastern Venezuela Basin, 225
- East Pacific Rise, 268
- East Texas Field, 197
- Efficiency  
 of biofuels, 93  
 Carnot efficiency, 48–49  
 coal, thermal efficiency of, 48–49  
 of ethanol, 93  
 fossil fuels, efficiency as solar collectors, 137–140  
 of oil shale, 162  
 plants, efficiency as solar collectors, 93  
 solar energy, thermal efficiency of, 49
- Einstein, Albert, 34
- Energy cost of energy, 330–331
- Energy density, 81f5.1
- Energy Information Administration, 199–202, 322
- Energy return on investment (EROI)  
 energy content versus, 333, 334f15.7  
 energy cost of energy, 330–331  
 oil shale and, 162  
 power available versus, 336f15.8  
 total energy required, influence on, 332f15.6
- Enhanced oil recovery, 185–186
- Entisols, 88
- Environmental Protection Agency, 210–211
- Eocene Lakes, oil shale in, 157–162, 159f8.5, 160f8.6
- EROI. *See* Energy return on investment (EROI)
- Erosion of soil, 112–114
- Estonia, oil shale in, 157
- Ethanol. *See also* specific type of ethanol  
 biodiesel fuel compared, 98  
 capacity to meet energy demands, 337  
 carbon dioxide emissions from, 115–116  
 efficiency of, 93  
 land use and, 94–95  
 technology, impact of, 345
- Euphrates River, 87, 88
- Eurasian Steppe, 91, 107
- Eutrophication, 116–117, 131
- Evaporation, 68–69, 247
- Everglades Marsh, 124
- “Extra heavy oil,” 219. *See also* Oil sand
- Fermentation, biofuels and, 95–96
- Ferrel cells, 59

- Fertilizers  
 algae resulting from runoff, 116–117  
 eutrophication resulting from runoff, 116–117  
 Haber-Bosch process and, 107–108  
 historical background, 107  
 hypoxia resulting from runoff, 116–120  
 inorganic nitrogen fertilizers, 107–108  
 phosphorus in, 108–111  
 potassium in, 108, 111–112
- Field mapping, 180
- Firedamp, 154–155
- Fischer-Tropsch process, 154
- Fissile uranium, 283–284
- Fission products, 303
- Flooding, 200f10.4
- Flowers, rise of, 83
- Fluid hydrocarbons, 189
- Forests  
 farmland, conversion to, 114–115  
 rise of, 83
- Fort Worth Basin, 198–199
- Fossil fuels  
 advantages over biofuels, 80  
 algae, from, 124  
 animals, from, 123  
 climate change and, 345–346  
 coal (*See* Coal)  
 continuous accumulations, 190  
 dinosaurs, from, 123  
 disadvantages of, 140–141  
 efficiency as solar collectors, 137–140  
 global warming and, 345–346  
 growth in, 2  
 land plants, from, 124  
 limitations on, 8  
 natural gas (*See* Natural gas)  
 oil (*See* Oil)  
 origins of, 123–124  
 “peak oil,” 4–5  
 reserves of, 139  
 “resource plays,” 190  
 as solar energy, 123–124  
 technology, impact of, 345  
 thermodynamics and, 343  
 time frames regarding, 316–317  
 unconventional fossil fuels, 189–190  
 water, use of, 243f12.3
- Fossils  
 overview, 142–143  
 measurement of time by, 22  
 “Fossil water,” 250–251
- Fracking. *See* Hydraulic fracturing
- France  
 nuclear waste disposal in, 305  
 oil shale in, 157
- Freshwater  
 carbon sequestration in aquifers, avoiding, 295–297  
 hydraulic fracturing and freshwater aquifers, 208f10.7  
 scarcity of, 238
- Fukushima nuclear disaster, 301
- Gamma rays, 266
- Ganges River, 87, 88, 105
- Gas. *See* Natural gas
- Gas hydrates  
 archaea, role in formation, 215–216  
 barriers to extraction, 231–233  
 clathrates, 227  
 dangers of, 233–234  
 estimates of, 231  
 formation of, 227–231  
 methane, possibility of catastrophic release, 233–234  
 microorganisms, role in formation, 215–216  
 near continental shelves, 230–231  
 in oceans, 229–230, 229f11.5  
 overview, 216–217, 234–235, 333–335  
 permafrost and, 227–228, 228f11.4
- Gasoline, 226
- Geology  
 aesthenosphere, 17  
 atmosphere, effect of, 26–28  
 crust of Earth, 16–19, 264, 266, 280  
 dependence on for energy, 342  
 durability of Earth, 12  
 formation of Earth, 14  
 glaciers, effect of, 25–26  
 groundwater, effect on, 211  
 history, 13  
 inner core of Earth, 15  
 mantle of Earth, 15–16, 264, 266, 280  
 mountain ranges, 19–22  
 oceanic spreading, 18, 19  
 outer core of Earth, 15

- Geology (*cont.*)  
 overview, 30–31  
 renewable energy, effect on, 9  
 rifting, 20  
 sedimentary basins, 19–22  
 subduction, 17–18  
 tectonic plates, 16–19  
 volcanoes, 18  
 water, effect of, 25–26
- Geothermal energy  
 capacity to meet energy demands, 337  
 earthquakes caused by, 289  
 environmental costs of, 346  
 heat flow rate, 267–268  
 home geothermal systems, 277  
 hydraulic fracturing and, 275–276  
 hydrothermal systems, 272–274  
 interior heat of Earth and, 263–264  
 limitations on, 9  
 nonrenewable, 268–269  
 overview, 284–285  
 radioactive decay, impact of, 263, 264–266  
 rate of heat flow, 274–276  
 steam energy and, 271–274  
 technology, impact of, 345  
 temperature gradient and, 270–271, 274  
 thermal conductivity and, 265f13.2  
 thermodynamics and, 343  
 from volcanoes, 269–270  
 water, injection of, 275–276
- Germany  
 nuclear waste disposal in, 305  
 oil shale in, 157
- Geysers Geothermal Field, 272–275, 275f13.6, 289
- Gillete coalfields, 150
- Glaciers, 90f5.4, 91f5.5  
 geology, effect on, 25–26  
 soil, effect on, 88
- Glass, use in solar energy, 46–47
- Glen Canyon Dam, 70f4.6, 74f4.7
- Global warming  
 fossil fuels and, 345–346  
 overview, 316  
 “peak oil” and, 5  
 rate of, 30
- Gold, Thomas, 136–137
- Grasslands  
 farmland, conversion to, 114–115  
 rise of, 83
- Gravitational energy, hydroelectric energy and, 71
- Great Barrier Reef, 179
- Great Lakes, 255
- Great Plains, 8–9, 113
- Greenhouse gases  
 carbon dioxide as, 26–27, 345–346  
 methane as, 211–212
- “Green Revolution,” 103
- Green River Formation, oil shale in, 157, 158–161, 158f8.4
- Groundwater  
 agriculture, use in, 251  
 average residence time, 245–246  
 conventional drilling, effect of, 211  
 energy used to extract, 256–257  
 extraction of, 256–257  
 as a “fossil” resource, 250–251  
 gravity and, 249  
 hydraulic fracturing, possibility of contamination by, 206–207, 210–211  
 hydrologic cycle and, 246  
 local geology, effect of, 211  
 methane in, 209–210  
 overview, 258–259  
 permeability and, 248–250  
 porosity and, 248–250  
 pressure and, 249  
 rate of flow, 248–250  
 uranium in, 281–283
- Gulf Coast, 20
- Gulf of Mexico  
 BP/Deepwater Horizon oil spill, 119–120, 170, 173–174  
 hypoxia in, 117–119, 119f6.6  
 nutrients in, 129–131  
 oil and gas fields in, 68, 175–176  
 as sedimentary basin, 20, 125  
 sediment in, 125
- Gushers, 171–174
- Haber-Bosch process, 107–108
- Hadean period, 14
- Hadley cells, 59
- Hall, Charles, 330–331
- Hawaiian Islands, 270
- Hayward Fault, 288
- “Heavy oil,” 219. *See also* Oil sand
- Helium-3-deuterium fusion, 53–54
- High Plains Aquifer, 251–255
- Himalaya Mountains, 20, 29–30, 45, 87–88

- Hindenburg (airship), 34  
 Home geothermal systems, 277  
 Hoover Dam, 70f4.6, 72–73, 74f4.7  
 Horizontal drilling, 196–197  
 Hubbert, M. King, 4–5, 290f14.1, 318–320, 319f15.1, 323, 330  
 Hydraulic fracturing  
   backlash against, 206  
   earthquakes caused by, 208–209, 289–291  
   economic impacts of, 205–206  
   environmental costs of, 206  
   flow-back fluids, 212  
   geothermal energy and, 275–276  
   groundwater contamination  
     by, possibility of, 206–207, 210–211  
   health impacts of, 206  
   historical background, 198  
   methane emissions from, 212  
   in mudstone, 199–202  
   overinflated fractures, dangers of, 207–209  
   process of, 197–198  
   rise of, 198–202  
   sand, use of, 198  
   water, use of, 244  
 Hydrocracking, 226–227  
 Hydroelectric energy  
   benefits of, 72  
   capacity to meet energy demands, 335  
   dams (*See* Dams)  
   environmental costs of, 73, 346  
   gravitational energy and, 71  
   infill and, 73–75  
   kinetic energy and, 71  
   limitations of, 72–73  
   natural concentration and, 343  
   overview, 58–59, 78–79  
 Hydrofracturing. *See* Hydraulic fracturing  
 Hydrogen, nuclear fusion and, 33–35  
 Hydrogen bonding in water, 240  
 Hydrogen sulfide, 135  
 Hydrologic cycle, 245–248  
 Hydrothermal systems, 272–274  
 Hypoxia, 116–120, 131  
  
 Ice ages, 30  
 Iceland, 18, 270  
 Imperial Valley, 268  
 Inceptisols, 88  
  
 Induced seismicity, 275f13.6, 288–291  
 Indus River, 87, 88, 105  
 Industrial Revolution, 1–2, 107  
 Injection wells  
   carbon sequestration and, 299–300  
   earthquakes caused by, 275f13.6, 288–291  
   geothermal energy and, 275–276  
   induced seismicity, 275f13.6, 288–291  
   nuclear waste disposal and, 304  
   oil recovery, enhancement of, 186  
 Inner core of Earth, 15  
 Inorganic nitrogen fertilizers, 107–108  
 Insolation, effect on solar energy, 37–39, 43f3.6  
 Insulation by rocks, 264, 277, 303–304  
 Intergovernmental Panel on Climate Change, 30, 293, 299, 300, 316  
 International Energy Agency, 292  
 Irrigation, 251, 254f12.7  
 Isotopes, 261–263, 266, 283–284, 303  
 Ivanpah Solar Electric Generating System, 50  
  
 Jet fuel, 226  
 Jet streams, 62  
 Jevons, William Stanley, 165  
 Johnson, Samuel, 142, 143, 250  
 Jurassic Era, 24–25, 175, 179  
  
 Kansas, 65, 65f4.4  
 Kaufmann, Robert, 330–331  
 Kerogen, 127, 156  
 Kinetic energy  
   hydroelectric energy and, 71  
   nuclear fission and, 278–279  
 Kumano Basin, 232f11.7  
  
 Labrador Current, 129–131  
 Ladararello area, 272–274  
 Lake Huron, 251, 254  
 Lake Mead, 70f4.6, 73, 74f4.7  
 Lake Nasser, 73, 75  
 Lake Nyos, 298  
 Lake Powell, 70f4.6, 74f4.7  
 Lakes  
   average residence time, 245–246  
   hydrologic cycle and, 246  
   oil, formation of, 131

- Land use  
 biofuels and, 94–95  
 cellulosic ethanol and, 95  
 corn ethanol and, 94  
 sugarcane ethanol and, 94–95
- Latent heat from condensation, 69–71
- Lenses, use in solar energy, 50
- Lignite coal, 127
- Limestone  
 carbon dioxide, effect on, 28  
 porosity of, 167  
 tightness of, 202
- Lipids, 98–100
- Loess, 88, 90–91
- Los Angeles Basin, 175
- Lynch, M.C., 329
- Magnesite, 299–300
- Malthus, Thomas, 4
- Mantle of Earth, 15–16, 264, 266, 280
- Marcellus Formation, 199, 201f10.5, 203–204, 206, 209–210, 244
- Mars, 237
- McArthur Basin, uranium in, 281–282
- McKelvey, V.E., 329
- “Mesothermic Era,” 318
- Mesozoic Era, 24–25, 317
- Methane  
 adsorption of, 155–156  
 coalbed methane, 154–156  
 “fugitive emissions,” 211–212  
 gas hydrates, possibility of release by extraction of, 233–234  
 as greenhouse gas, 211–212  
 in groundwater, 209–210  
 hydraulic fracturing, emissions from, 212  
 in natural gas, 134  
 reserves of, 139  
 thermogenic nature of, 209–210  
 on Titan, 136
- Microalgae, biofuels from, 100–101
- “Micronutrients,” 86, 112
- Microorganisms  
 gas hydrates, role in formation of, 215–216  
 oil sand, role in formation of, 215–216, 217–220
- Microseismicity, 208–209
- Mid-Atlantic Ridge, 268
- Midway-Sunset Field, 182, 183f9.9, 185
- Mires, formation of coal in, 124–125
- Mirrors, use in solar energy, 50
- Mississippi River, 20, 72–73, 117, 118f6.5, 120
- Missouri River, 113
- Mojave Desert, 50
- Mollisols, 92
- Moon  
 helium-3 from, 53–54  
 radioactive decay and, 14  
 tidal energy and, 76–77
- Morocco, phosphorus in, 109, 111
- Mountain ranges  
 geology of, 19–22  
 wind energy in, 65–67
- Mount St. Helens, 269, 270
- Mount Vesuvius, 269
- Mount Washington, 65
- Mudstone  
 clay in, 191  
 contents of, 191–192  
 directional drilling in, 196–197  
 horizontal drilling in, 196–197  
 hydraulic fracturing in, 199–202  
 natural gas in, 193–196  
 oil in, 193–196  
 organic material in, 191–192  
 overview, 190–191  
 porosity of, 193–194, 194f10.2, 195f10.3  
 structure of, 192f10.1  
 vertical drilling in, 196  
 water in, 192
- Nankai Trough, 233
- Nantucket Sounds, 67–68
- NASA, 54
- National Energy Board of Canada, 244
- National Energy Technology Laboratory, 292, 294
- National Resources Defense Council, 256–257
- Natural concentration of energy sources, 343
- Natural gas  
 abiogenic origins, possibility of, 136–137  
 carbon sequestration in natural gas reservoirs, 294  
 “Cenothermic Era,” 318



- checklist for exploration, 174
- continuous accumulations, 189–190
- directional drilling for, 196–197
- exploration for, 180–181, 187–188
- extraction of, 165–166
- field mapping and, 180
- formation of, 134–135
  - as fossil fuel, 142–143
  - growth in reserves, 182–183
  - in Gulf of Mexico, 175–176
- horizontal drilling for, 196–197
- hydraulic fracturing (*See* Hydraulic fracturing)
- “Mesothermic Era,” 318
- methane in, 134
- migration of, 168–171
- in mudstone, 193–196
- non-hydrocarbons in, 135
- permeability of rock and, 168–169
- in Persian Gulf, 176–180, 177f9.7
- recovery factor, 185
- reserves of, 139, 183–184
- residential heating, use in, 51–52
- seepage of, 170
- seismic images and, 181
- solar energy compared, 51–52
- SONAR and, 180–181
- tight reservoirs, 202–203
- vertical drilling for, 196
  - water heating, use in, 51–52
- Navy, oil shale and, 162
- Neptunium, 303
- Niagara Escarpment, 67
- Nile River, 72, 73, 75, 87, 144
- Niobrara Formation, 205
- Nitrogen
  - in atmosphere, 26, 59
  - cyanobacteria releasing, 82
  - inorganic nitrogen fertilizers, 107–108
  - in soil, 86
- Non-hydrocarbons in natural gas, 135
- North Dakota, oil in, 203–205, 204f10.6
- North Sea
  - oil and gas fields in, 68
  - wind energy in, 68
- Nuclear fission
  - energy released by, 278–279
  - environmental costs of, 346
  - fast reactors, 308–310
  - kinetic energy and, 278–279
  - naturally occurring, 307–308
  - overview, 284, 285
  - rate of, 279
  - reactors, 283–284
  - solar energy, independence from, 32
  - steam energy and, 279
  - technology, impact of, 345
  - thermodynamics and, 343
  - of uranium-238, 278f13.8
  - waste disposal (*See* Nuclear waste disposal)
  - water, use of, 243f12.3, 244
- Nuclear fusion
  - capacity to meet energy demands, 333–335
  - deuterium-helium-3 fusion, 53–54
  - deuterium-tritium fusion, 52–53
    - as potential energy source, 52–54
    - in Sun, 33–35
  - technology, impact of, 345
- Nuclear waste disposal
  - cesium, 303
  - decay heat, 310f14.9
  - fast reactors and, 308–310
  - fission products, 303
  - fuel reprocessing and, 308–310
  - injection of, 304
  - long-term stability, 307–308
  - neptunium, 303
  - overview, 10–12, 288, 301, 311
  - plutonium, 303, 308–310
  - proposals, 304
  - in salt deposits, 304–305
  - spent fuel, 302f14.7, 310f14.9
  - time frames regarding, 307
  - underground storage, 303–307
  - uranium, 302–303
- Nuclear weapons, 279, 309–310
- Nutrients in oil, 129–131
- Oak Ridge National Laboratory, 283
- Oceans
  - average residence time, 245–246
  - carbon dioxide, disposal of, 9–10
  - carbon sequestration in, 300–301
  - circulation of, 132f7.7
  - gas hydrates in, 229–230, 229f11.5
  - hydrologic cycle and, 246
  - oceanic spreading, 18, 19
  - seawater, abundance of, 237–238
  - as solar collector, 130f7.6
  - uranium in, 283, 333–335

- Offshore wind energy, 67–68  
 Ogallala Group, 251  
 Oil  
   abiogenic origins, possibility of, 135–136  
   anticlines, 171, 171f9.4, 180  
   biodegradation of, 217–220, 218f11.1, 223  
   blowouts, 171–174  
   carbon sequestration in oil reservoirs, 291–294  
   “Cenothermic Era,” 318  
   checklist for exploration, 174  
   condensate, 133–134  
   continuous accumulations, 190  
   cooking of, 131–133  
   crude oil, 134, 217  
   degradation of, 169–170  
   directional drilling for, 196–197  
   “drip gas,” 133–134  
   enhanced oil recovery, 185–186  
   eutrophication, role in formation, 131  
   exploration for, 180–181, 187–188  
   extraction of, 165–166  
   “extra heavy oil,” 219  
   field mapping and, 180  
   formation of, 128–134  
   as fossil fuel, 142–143  
   in Gulf of Mexico, 175–176  
   gushers, 171–174  
   heating to enhance recovery, 186  
   “heavy oil,” 219  
   horizontal drilling for, 196–197  
   hydraulic fracturing (*See* Hydraulic fracturing)  
   hypoxia, role in formation, 131  
   information technology to enhance recovery, 187  
   lakes, formation in, 131  
   “Mesothermic Era,” 318  
   migration of, 168–171  
   in mudstone, 193–196  
   North Sea Brent, 133–134  
   nutrients in, 129–131  
   overpressure, 171–174  
   “peak oil” (*See* “Peak oil”)  
   permeability of rock and, 168–169  
   in Persian Gulf, 176–180, 177f9.7, 224  
   phytoplankton, role of, 128–131  
   recovery factor, 184–185  
   refining of, 134  
   reserves of (*See* Oil reserves)  
   secondary oil recovery, use of water in, 245  
   seepage of, 170  
   seismic images and, 181  
   SONAR and, 180–181  
   Strategic Petroleum Reserve, 322  
   technology, impact of, 344  
   tightness and, 202–203, 205  
   U.S. oil production history, 324f15.3  
   vertical drilling for, 196  
   viscosity of, 219–220  
   water injection to enhance recovery, 186  
   waxy oils, 219–220  
   wells, 170–171  
   West Texas Intermediate, 133–134  
   wildcat wells, 181  
   world oil production history, 320f15.2, 326f15.4  
 Oil and Gas Journal, 186  
 Oil reserves  
   estimates, 325–326  
   generally, 320–321  
   grocery store analogy, 321–323  
   growth in, 182–183, 323–324  
   overview, 4–5  
   production versus proven reserves, 323–324, 325  
   “resource pyramid,” as component of, 327–328, 329–330  
   revisions to, 183–184  
   Strategic Petroleum Reserve, 322  
   supply, relation to, 326  
   technology, effect of, 328  
   U.S. oil reserve history, 324f15.3  
   warehouse analogy, 321–323  
   world oil reserve history, 326f15.4  
 Oil sand  
   archaea, role in formation, 215–216  
   in Athabasca River region, 220–224  
   bacteria, role in formation, 215–216  
   biodegradation and, 217–220, 223  
   CHOPS (cold heavy oil production with sand), 226  
   coking, 226–227  
   CSS (cyclic steam injection), 226  
   drilling for, 226  
   extraction of, 225–227  
   hydrocracking, 226–227

- microorganisms, role in formation, 215–216, 217–220
- in Orinoco River region, 224–225
- overview, 216, 234–235
- SAGD (steam assisted gravity drainage), 226, 227
- in sandstone, 220–222
- surface mining of, 227
- upgrading of, 225–227
- water, use of, 244
- Oil shale
  - benefits of, 162
  - carbon dioxide emissions from, 162–163
  - efficiency of, 162
  - environmental costs of, 162–163
  - in Eocene Great Lakes, 157–162, 159f8.5, 160f8.6
  - EROI and, 162
  - in Green River Formation, 157, 158–161, 159f8.5
  - kerogen in, 156
  - overview, 143–144, 156–157, 163
  - “Paleothermic Era,” 317
  - retorting, 143–144, 157
  - in situ extraction of, 161–162
  - tight oil distinguished, 205
- Okefenokee Swamp, 124
- Oklo-Bangombé region, nuclear fission in, 307–308
- Olivine, 299–300
- OPEC, 322
- Oregon Trail, 147
- Orinoco River region, oil sand in, 224–225
- Outer core of Earth, 15
- Outwash, 88
- Overburden, 150
- Overpressure, 171–174
- Oxisols, 87
- Oxygen
  - in atmosphere, 26, 59
  - biodegradation of oil, role in, 220
  - cyanobacteria releasing, 82
- Pacala, S., 6
- Pacific Plate, 18–19
- Paleocene-Eocene Thermal Maximum (PTM), 30, 233–234
- “Paleothermic Era,” 317
- Paleozoic Era, 24–25, 317
- Pangea (supercontinent), 18, 20, 28–30, 145f8.1, 175, 179, 199
- Patagonia, 107
- Patzek, Tadeusz, 93
- Pavilion Field, 210–211
- “Peak coal,” 5
- “Peak oil”
  - market factors, effect of, 320
  - for U.S., 4–5, 318–319, 319f15.1
  - for world, 319–320
- Pennsylvania, oil in, 211
- Peridotite, 299–300
- Permafrost, 227–228, 228f11.4
- Permeability of rock, 168–169, 248–250
- Persian Gulf, oil and gas fields in, 176–180, 177f9.7, 224
- Peru Current, 45–46
- “Petrified gas,” 215. *See also* Gas hydrates
- “Petrified oil,” 215. *See also* Oil sand
- Petroleum. *See* Oil
- Phanerozoic rocks, 24–25
- Phosphates, 110f6.3
- Phosphorus
  - in fertilizers, 108–111
  - in soil, 86
- Photosynthesis, 82
- Photovoltaic cells, 47, 49–50, 51, 345
- Pimentel, David, 93
- Pinedale Field, 203
- Pitchblende, 281
- Planetary boundary layer, 63, 64
- Plants. *See also* Biofuels
  - carbon dioxide, effect on, 28
  - combustion of, 92–93
  - efficiency as solar collectors, 93
  - evolution of, 82–83
  - fossil fuels from, 124
  - as solar collectors, 92–93
- Plowing, 112, 114
- Plutonium, 303, 308–310
- Polar cells, 59
- Porosity
  - groundwater and, 248–250
  - of limestone, 167
  - of mudstone, 193–194, 194f10.2, 195f10.3
  - of rocks, 167–168
  - of sandstone, 167, 194f10.2
- Portugal, wave energy in, 78
- Post-settlement alluvium, 113

- Potassium
  - in fertilizers, 108, 111–112
  - in soil, 86
- Potatoes, biodiesel fuel from, 100
- Powder River Basin
  - coalbed methane in, 156
  - coal in, 147–149, 150–151
- Prudhoe Bay Field, 179–180, 205, 323, 324
- Pyrenees Mountains, 29–30, 87–88
- Quality of energy versus quantity of energy, 342–344
- Quartz, use in solar energy, 46–48
- Radioactive decay. *See also* Nuclear fission
  - decay heat, 310f14.9
  - geothermal energy, impact on, 263, 264–266
  - measurement of time by, 14
  - overview, 278
- Radioactivity in coal, 152–153
- Recovery factor, 184–185
- Red Sea, 20, 179
- Reduced energy usage, 346
- Refining of oil, 134
- Renewable energy
  - capacity to meet energy demands, 335–337
  - environmental costs of, 346
  - geology, effect of, 9
  - geothermal energy (*See* Geothermal energy)
  - limitations on, 8–9, 335
  - overview, 5–6
  - quality of energy versus quantity of energy, 344
  - solar energy (*See* Solar energy)
  - tidal energy (*See* Tidal energy)
  - wave energy (*See* Wave energy)
  - wind energy (*See* Wind energy)
- Reserves
  - of coal, 5, 139, 332, 333
  - estimates for 21st Century, 333
  - of fossil fuels, 139
  - of natural gas, 139
  - of nuclear fission, 5, 332, 333
  - of oil (*See* Oil reserves)
- Residential heating
  - natural gas, use of, 51–52
  - solar energy, use of, 51–52
- Resins, 217–219
- “Resource plays,” 190
- “Resource pyramid”
  - cost of energy extraction and, 343–344
  - illustration, 327f15.5
  - reserves as component of, 327–328, 329–330
  - resources as component of, 329–330
- Retorting, 143–144, 157
- Reverse osmosis, 257
- Rifting, 20
- Rivers. *See also* Hydroelectric energy
  - average residence time, 245–246
  - hydrologic cycle and, 245–246
- Rocks
  - Cambrian rocks, 22–25
  - carbon dioxide, conversion of, 299–300
  - insulation by, 264, 277, 303–304
  - permeability of, 168–169, 248–250
  - Phanerozoic rocks, 24–25
  - porosity of, 167–168
  - sedimentary rock, measurement of time by layers of, 22
- Rocky Mountain Arsenal, 289, 291f14.2
- Rocky Mountains, 67, 113, 202, 203
- Rotation of Earth, effect on solar energy, 33, 39
- SAGD (steam assisted gravity drainage), 226, 227
- Sahara Desert, 88
- Saline aquifers, carbon sequestration in, 294–298
- Saline water, 287
- Salt deposits, nuclear waste disposal in, 304–305
- San Andreas Fault, 18–19, 288
- Sand
  - hydraulic fracturing, use in, 198
  - oil sand (*See* Oil sand)
  - solar energy, use in, 46–48
- Sandstone
  - oil sand in, 220–222
  - porosity of, 167, 194f10.2
  - structure of, 168f9.2
  - tightness of, 202
- San Joaquin Valley, 251
- Saturated hydrocarbons, 217
- Scattering, effect on solar energy, 36–37

- Schmitt, Harrison, 54  
 Scotland, oil shale in, 157  
 Scrubbing, 149  
 Searchinger, Timothy, 114–116  
 Seawater. *See* Oceans  
 Secondary oil recovery, use of water  
   in, 245  
 Sediment  
   coal, role in formation of, 125  
   removal from soil, 113  
   in soil, 84–86  
 Sedimentary basins  
   overview, 19–22  
   uranium in, 281–282  
 Sedimentary rock, measurement of  
   time by layers of, 22–25  
 Seismic images, 181  
 Shale. *See* Mudstone  
 Shell In Situ Conversion Process, 161,  
   162  
 Sierra Nevada Mountains, 251, 256  
 Silicon, use in solar energy, 46–48  
 Siljan Ring, 136–137  
 Sleipner Field, 295, 296f14.4  
 Smith, George Otis, 4  
 Socolow, R., 6  
 Soil  
   agriculture and, 90–91  
   alfisols, 92  
   carbon dioxide emissions from,  
     114–116, 115f6.4  
   classification of, 83–84  
   entisols, 88  
   erosion of, 112–114  
   fertility patterns, 86–92  
   flushing of nutrients from, 86–87  
   formation of, 84–86  
   glaciers, effect of, 88  
   inceptisols, 88  
   loess, 88, 90–91  
   loss of, 8–9, 112–114  
   “micronutrients” in, 86  
   mollisols, 92  
   nitrogen in, 86  
   outwash, 88  
   oxisols, 87  
   phosphorus in, 86  
   plowing, effect of, 112, 114  
   potassium in, 86  
   regions, 85f5.2  
   sediment in, 84–86  
   till, 88  
   ultisols, 87  
   water in, 86  
 Solar Challenge, 49  
 Solar collectors, plants as, 92–93  
 Solar energy  
   absorption, effect of, 36–37  
   capacity to meet energy demands,  
     337  
   cloud cover, effect of, 40–41  
   continents, effect of, 45  
   deserts and, 41–42, 45–46  
   environmental costs of, 346  
   equatorial regions and, 41–42  
   fossil fuels as, 123–124  
   geography, effect of, 41–42  
   glass, use of, 46–47  
   insolation, effect of, 37–39, 43f3.6  
   lenses, use of, 50  
   limitations on, 8–9, 48–50, 55  
   mirrors, use of, 50  
   mountain ranges, effect of, 45  
   natural gas compared, 51–52  
   nuclear fission, independence of,  
     32  
   nuclear fusion and, 33–35  
   overview, 32–33, 55  
   photovoltaic cells, 47, 49–50, 51,  
     345  
   practical use of, 50–52  
   quartz, use of, 46–48  
   residential heating, use in, 51–52  
   rotation of Earth, effect of, 33, 39  
   sand, use of, 46–48  
   scattering, effect of, 36–37  
   silicon, use of, 46–48  
   technology, impact of, 345  
   thermal efficiency of, 49  
   tidal energy, independence of, 32  
   tilt of Earth’s axis, effect of, 37–39  
   vehicles powered by, 49–50  
   water, use of, 242  
   water heating, use in, 51–52  
 South Africa, synthetic gas in, 154  
 Spindletop Hill, 165–166, 170–171  
 Stabilization wedges, 6–7  
 Steam energy  
   geothermal energy and, 271–274  
   nuclear fission and, 279  
   overview, 48  
 Steroids, 136  
 Storage of carbon dioxide. *See* Carbon  
   sequestration  
 Strategic Petroleum Reserve, 322  
 Stripping ratio, 150

- Sub-bituminous coal, 127
- Subduction, 17–18, 19
- Sugarcane ethanol
  - biodiesel fuel compared, 98
  - land use and, 94–95
- Sulfate in coal, 146–147
- Sulfur in coal, 146–147, 149, 152–153
- Sun. *See also* Solar energy
  - amount of energy from, 36
  - distance of, 36
  - helium-3 from, 53
  - nuclear fusion in, 33–35
  - size of, 34–35
  - temperature of, 34–35
  - tidal energy and, 76–77
- Supercritical carbon dioxide, 295, 298
- Supernovae, 261
- Surface mining
  - of coal, 152
  - of oil sand, 227
- Surface winds, 62–64
- Sustainability, 2–4
- Switchgrass
  - biofuels from, 83, 93
  - carbon dioxide emissions from, 115–116
  - water, need for, 251
- Synthetic gas, 153–154
  
- Technology
  - biofuels, impact on, 345
  - cellulosic ethanol, impact on, 345
  - fossil fuels, impact on, 345
  - geothermal energy, impact on, 345
  - nuclear fission, impact on, 345
  - nuclear fusion, impact on, 345
  - oil, impact on, 344
  - oil reserves, effect on, 328
  - overview, 344
  - solar energy, impact on, 345
  - wind energy, impact on, 345
- Tectonic plates, 16–19
- Temperature gradient, geothermal energy and, 270–271, 274
- Thermal conductivity, 265f13.2
- Thermal efficiency, 48–49
- Thermodynamics, 343
- Three Forks Formation, 205
- Three Gorges Dam, 73
- Three Mile Island, 301
- Tibetan Plateau, 20
  
- Tidal energy
  - capacity to meet energy demands, 335
  - coastlines, effect of, 77–78
  - limitations on, 9
  - Moon and, 76–77
  - overview, 58, 78–79
  - solar energy, independence from, 32
  - Sun and, 76–77
- Tight reservoirs, 202–203, 205
- Tigris River, 87, 88
- Till, 88
- Tilt of Earth's axis
  - solar energy, effect on, 37–39
  - wind energy, effect on, 59–60
- Time frames and energy
  - foreseeable future, 315–337
  - fossil fuels, regarding, 316–317
  - human psychology regarding, 315–337
  - nuclear waste disposal, regarding, 307
  - overview, 314–315, 337–339
- Time measurement
  - by fossils, 22
  - by radioactive decay, 14
  - sedimentary rock, by layers of, 22–25
- Titan, 136
- Topography, wind energy and, 64–67
- “Town gas,” 153–154
- Toxic substances in coal, 152–153
- Trade winds, 61–62
- Transesterification, 98, 99f5.7
- Transpiration, 247
- Triglycerides, 98
- Tritium-deuterium fusion, 52–53
- Turbulence in atmosphere, 62–64
  
- Ultisols, 87
- Unconventional fossil fuels, 189–190
- United Nations Environmental Program, 238
- United Nations Food and Agriculture Organization, 103
- Uraninite, 281
- Uranium. *See also* Nuclear fission
  - commercial ores, 282
  - in crust, 280
  - enrichment of, 280, 283–284
  - environmental costs of, 282–283

- extraction of, 261–263
- fissile uranium, 283–284
- in groundwater, 281–283
- half-lives of, 261–263, 283–284
- isotopes of, 261–263, 266, 283–284
- nuclear fission of uranium-238, 278f13.8
- in oceans, 283, 333–335
- reserves of, 5, 332, 333
- in seawater, 283, 333–335
- in sedimentary basins, 281–282
- tailings, 282–283, 302–303
- waste disposal, 302–303
- water, use of in mining, 244
- yellowcake, 282
- U.S. Geological Survey
  - on aquifers, 255
  - on coal, 149, 150–151
  - on continuous accumulations of fossil fuels, 190
  - on hydraulic fracturing, 206
  - on natural gas, 244
  - on oil, 160–161, 205
  - on oil sand, 225, 234
  - on phosphorus, 109–111
  - on potassium, 112
  - on soil, 84
- Vacuum distillation, 257
- Vegetable oils, 98–100
- Vehicles powered by solar energy, 49–50
- Venezuela, oil sand in, 224–225
- Vertical drilling, 196
- Viscosity of oil, 219–220
- Volcanoes
  - formation of, 18
  - geothermal energy from, 269–270
- Wairakei Power Station, 272–274, 275
- Waples, Douglas, 224
- Waste disposal
  - brine, 287
  - carbon sequestration (*See* Carbon sequestration)
  - nuclear waste (*See* Nuclear waste disposal)
  - overview, 9–12, 287–288, 310–311
  - saline water, 287
- Water
  - agriculture, use in, 251
  - amount of, 25–26
  - aquifers (*See* Aquifers)
  - biofuels, use in, 243f12.3, 245
  - chemical properties of, 240
  - coal mining, use in, 244
  - desalination (*See* Desalination)
  - distribution of, 239f12.1
  - earthquakes caused by injection of, 275f13.6, 288–291
  - energy production, use in, 238–239, 242–245
  - energy used to extract, 256–257
  - extraction of, 256–257
  - food production, use in, 238
  - fossil fuels, use in, 243f12.3
  - freshwater, scarcity of, 238
  - geology, effect on, 25–26
  - geothermal energy, injection of water for, 275–276
  - groundwater (*See* Groundwater)
  - hydraulic fracturing, use in, 244
  - hydroelectric energy (*See* Hydroelectric energy)
  - hydrogen bonding in, 240
  - hydrologic cycle, 245–248
  - induced seismicity, 275f13.6, 288–291
  - lakes (*See* Lakes)
  - molecular properties of, 240
  - in mudstone, 192
  - nuclear fission, use in, 243f12.3, 244
  - oceans (*See* Oceans)
  - oil sand, use in, 244
  - overview, 258–259
  - rivers (*See* Rivers)
  - seawater, abundance of, 237–238
  - secondary oil recovery, use in, 245
  - solar energy, use in, 242
  - as solvent, 242
  - special nature of, 240–242
  - structure of, 241f12.2
  - switchgrass, need for water, 251
  - synthetic fuel, use in, 244
  - uranium mining, use in, 244
  - wind energy, use in, 242
- Water heating
  - natural gas, use of, 51–52
  - solar energy, use of, 51–52
- Water vapor
  - condensation, latent heat from, 69–71
  - evaporation, 68–69

- Wave energy
  - capacity to meet energy demands, 335
  - coastlines, effect of, 76
  - movement of waves, 75
  - overview, 58, 78–79
  - size of waves, 75
  - water movement and, 76f4.8
  - wind-driven waves and, 76
- Waxy oils, 219–220
- Wildcat wells, 181
- Williston Basin, 204–205
- Wind energy
  - capacity to meet energy demands, 337
  - convective air masses and, 60–61
  - cratons and, 64–65
  - environmental costs of, 346
  - in high plateaus, 67
  - jet streams and, 62
  - in mountain ranges, 65–67
  - natural concentration and, 343
  - offshore wind energy, 67–68
  - overview, 57–58, 78–79
  - planetary boundary layer and, 63, 64
  - planetary perspective, 59–62
  - surface winds and, 62–64
  - technology, impact of, 345
  - tilt of Earth’s axis, effect of, 59–60
  - topography and, 64–67
  - trade winds and, 61–62
  - turbulence and, 62–64
  - water, use of, 242
  - wind flow patterns, 61f4.2
- Wind River Basin, 210
- Wind River Mountains, 203
- Wind turbines, effect of turbulence, 64
- Wyodak coal, 149–150
- Yangtze River, 71, 87, 88, 105
- Yeast, role in biofuels, 96
- Yellowcake, 282
- Yellow River, 87, 88, 105
- Yellowstone National Park, 203, 268, 270
- Yucca Mountain, 10–12, 305–307, 306f14.8
- Zagros Mountains, oil in, 87–88, 179, 180
- Zoback, Mark, 208–209