

## Index

- Abragam magnetometer, *see* Overhauser magnetometer  
 absolute error, 393  
 absorption cross-section, 31  
 AC Stark effect, 19, 27, 113, 118  
 acousto-optic modulator (AOM), 107  
 adiabatic fast passage (AFP), 360  
 adsorption, 208  
 AFM, *see* atomic force microscopy  
 AFP, *see* adiabatic fast passage  
 airborne magnetometer, 319  
 aliasing, 320  
 alignment, 14, 253  
 alignment-to-orientation conversion (AOC), 114  
 alkali-helium magnetometer, 73  
 alkene coating, 206  
 Allan variance, 17, 122  
 AM NMOR, 105, *see also* nonlinear magneto-optical rotation  
 AMOR, 105, *see also* nonlinear magneto-optical rotation  
 angular momentum  
   electronic, 6  
   orbital, 6  
 annealing, 232  
 anti-submarine warfare, 403  
 antirelaxation coating, 105, 127, 205  
   preparation techniques, 213  
 AOC, *see* alignment-to-orientation conversion  
 AOM, *see* acousto-optic modulator  
 atomic force microscopy (AFM), 219  
 atomic shot noise, 4, 29, 32, 41, 126  
 axial vector, 15, 341  
 axion, 354  
  
 back-action, 27  
   evading, 33, 42, 50  
   noise, 42  
 balanced modification, 74  
 bandwidth, 180, 388, 392  
   chip-scale atomic magnetometer, 136  
    $M_x$  magnetometer, 67  
   NMOR magnetometer, 121  
  
 NV diamond magnetometer, 154, 155  
 SERF magnetometer, 85  
   spatial, 181  
 Barkhausen effect, 234  
 baryogenesis, 342  
 Bell-Bloom magnetometer, 11, 104  
 bias field nulling (BFN) technique, 199  
 bias instability, 373  
 binary collisions, 374  
 biomagnetic field, 303  
   plant, 308  
 birefringence, 106, 109  
 Bloch equations, 60, 62, 91, 92  
 Bloch sphere, 61  
 Bohr magneton, 6, 25  
 Bohr radius, 6  
 Born-Oppenheimer approximation, 278  
 Bose-Einstein condensate (BEC), 176  
   antiferromagnetic, 182  
   ferromagnetic, 182  
   polar, 182  
   spinor, 177, 182  
 breakdown  
   electric, 347  
 Breit-Rabi diagram, 7  
 Breit-Rabi formula, 117, 253  
 bright state, 104  
 buffer gas, 97  
   optimal pressure, 128  
  
 calibration, 19, 399  
 cell  
   microfabricated, 133  
 charge conjugation, 340  
 chemical shift, 265  
 chip-scale  
   atomic clocks, 131  
   magnetometers, 125, 136  
 Christoffel connection, 354  
 circuit  
   magnetic, 226  
 circular birefringence, 27, 106  
 clock-comparison test, 361  
 CO-NETIC, 232

- coating  
 alkane, 205  
 alkene, 206  
 antirelaxation, 105, 127, 205, 213  
 octadecyltrichlorosilane (OTS), 207  
 paraffin, 205, 208  
 polydimethylsiloxane (PDMS), 217  
 silane, 205  
 Surfasil, 220
- coherent spin states (CSS), 41
- cold atoms, 167
- collective spin, 40
- collisional quenching, 97
- collisional shifts, 20
- collisions  
 binary, 374  
 helium discharge, 195  
 spin-destruction, 32, 87  
 spin-exchange, 15, 86, 87, 90, 374  
 velocity-changing, 258  
 wall, 205, 208  
 weak, 210
- color center in diamond, 145
- comagnetometer, 350, 358, 381
- commercialization, 388
- compensation temperature, 339
- Compton wavelength, 353
- CP* violation, 340, 342
- CPT* symmetry, 341, 361
- CPT* theorem, 361
- Curie temperature, 239
- dark energy, 339, 354
- dark matter, 339
- dark state, 104
- dead zones, 20, 67, 68, 113, 288, 395
- degaussing, 233
- Dehmelt oscillator, 63
- demagnetizing, 233
- density matrix, 13, 86  
 refractive index, 170
- diamagnetic rotation, 171
- diamagnetism  
 perfect, 242
- diamond  
 nitrogen-vacancy (NV) center, 142
- dichroic atomic vapor laser lock (DAVLL), 252
- dichroism, 106, 109
- diffusion, 377
- digital frequency synthesizer (DFS), 69
- dipole-dipole interaction, 268, 353
- discrete symmetries, 340
- double radio-optical resonance magnetometer, 60  
 Allan variance, 17
- drift, 393
- dual-cell magnetometer, 288
- dynamic range, 136, 286, 397
- dynamo, 256, 285
- earthquake studies, 329
- ECG, *see* electrocardiography
- eddy current, 240
- EDM, *see* electric dipole moment
- EEG, *see* electroencephalography
- Einstein-Podolsky-Rosen entanglement, *see* entanglement
- electric dipole moment (EDM), 341  
 electron, 344  
 enhancement factor, 346  
 neutron, 349  
 polar molecules, 346  
 solid state, 349
- electric-dipole transition, 9  
 selection rules, 15
- electro-optic modulator (EOM), 252
- electrocardiography (ECG), 303
- electroencephalography (EEG), 303
- electron spin resonance (ESR), 145
- ensemble, 13
- entanglement, 43, 50  
 EPR, 43  
 lifetime, 46
- entanglement-assisted magnetometer, 54
- EOM, *see* electro-optic modulator
- ESR, *see* electron spin resonance
- evanescent wave, 220
- Fairweather-Usher scheme, 328
- Faraday geometry, 106
- Faraday rotation, 40  
 cold atoms, 170, 172  
 diamagnetic, 171  
 nonlinear, 105, 173  
 paramagnetic, 26, 171
- Fermi's golden rule, 9
- ferrite shield, 238
- ferromagnet  
 soft, 232
- Feshbach resonance, 168, 177
- fine structure constant, 6
- fluctuation-dissipation theorem, 30, 235, 240
- fluorescent marker, 146
- flux  
 conservation, 242  
 magnetic, 232  
 shunting, 226  
 transformer, 242, 266, 269, 273
- fluxgate magnetometer, 287, 321, 398
- FM NMOR, 105, *see also* nonlinear magneto-optical rotation, 175
- Fourier transform, 180
- frequency matching, 272
- g*-factor, *see also* gyromagnetic ratio  
 electron, 6  
 nuclear, 253
- GDM, *see* gravitational dipole moment
- general relativity, 339, 354

- geodynamo, *see* dynamo  
 geometric phase, 348, 377  
 geophysical field, 116, 256, 291, 319  
 giant magnetoresistive (GMR) sensor, 143, 266  
 Global Positioning System (GPS), 322  
 GMR sensor, *see* giant magnetoresistive sensor  
 gradient tolerance, 394  
 gradiometer, 16, 323  
 gravitational dipole moment (GDM), 355  
 Gross–Pitaevskii equation, 184  
 gyro-compass effect, 357  
 gyromagnetic ratio, 44, 91  
   cesium, 44  
   electron, 6  
   nuclear, 265, 371  
   NV diamond, 143  
   proton, 268, 394  
   rubidium, 268  
 gyroscope, 369  
   sensitivity, 372  
 gyroscopic shifts, 20
- Hall effect, 143  
 heading error, 20, 118, 288, 395  
   nonlinear Zeeman effect, 397  
   phase, 396  
   striping, 396  
 healing length, 177  
 Heisenberg uncertainty principle, 25, 40, 175  
   Stokes operators, 41  
 helicity, 9  
 heliopause, 285  
 helium magnetometer, 190, 293, 402  
 helium-4, 192  
   metastable state, 192  
 homodyne detection, 51  
 Hughes–Drever experiment, 361  
 hybrid optical pumping, 99  
 hyperfine structure, 107  
 hyperfine transition, 63  
 hyperpolarization, 266  
 hysteresis, 232
- image field, 244  
 interplanetary magnetic field, 286, 291  
 ionic currents  
   nerve and muscle tissue, 303  
 ionosphere, 285
- $J$ -coupling, 138, 268, 275  
   nonzero field effects, 281  
 Johnson–Nyquist thermal currents, 235  
 Josephson junction, 399
- $\Lambda$ -transition, 65, 171  
 lamp  
   RF electrodeless discharge, 190  
 Landé  $g$ -factor, *see*  $g$ -factor  
 Larmor frequency, 3  
 Larmor precession, 10  
 Larmor’s theorem, 60  
 laser guide star (LGS), 257  
 leakage currents, 351  
 LGS, *see* laser guide star  
 LIAD, *see* light-induced atomic desorption  
 light-induced atomic desorption (LIAD), 217  
 light narrowing, 92  
 light shifts, 19, 27, 113, 118, 195, 379  
 linear dichroism, 106  
 Liouville’s theorem, 87  
 LLI, *see* local Lorentz invariance  
 local Lorentz invariance (LLI), 341, 361  
 local sensitivity, 181  
 long-term stability, 18
- magic angle, 376  
 magnetic-anomaly detection (MAD), 403  
 magnetic circuit, 226  
 magnetic-dipole transition  
   selection rules, 149  
 magnetic domains  
   thermal fluctuation, 235  
 magnetic imaging  
   nanoscale, 142  
   scanning probe, 142  
   wide-field array, 157  
 magnetic moment, 6, 60  
 magnetic resonance, 61  
   gyroscope, 370  
   spectra, 159  
 magnetic resonance force microscope (MRFM), 142  
 magnetic resonance imaging (MRI), 265  
 magnetic shield, *see* shield  
 magnetic source imaging (MSI), 308  
 magnetically-driven spin precession (MSP), 197  
 magnetically shielded room (MSR), 237  
 magnetocardiogram (MCG), 303, 310  
   fetal, 308, 312  
 magnetoencephalogram (MEG), 303, 313  
 magnetometer  
   airborne, 319  
   alkali–helium, 73  
   Allan variance, 18  
   all-optical, 251  
   Bell–Bloom, 11, 104  
   cesium, 77, 401  
   combined scalar/vector, 201  
   commercial, 387  
   dual-cell, 288  
   dual-isotope, 356, 379  
   entanglement-assisted, 54  
   fluxgate, 287, 321, 398  
   GMR, 143  
   helium, 190, 293, 402  
   HFS, 65, 74  
   microfabricated, 125, 136  
    $M_x$ , 62, 63  
    $M_x$ – $M_R$ -tandem, 80  
    $M_x$ – $M_z$ -tandem, 72, 79  
 magneto-optical trap (MOT), 168

- $M_z$ , 62, 63, 197  
 nanoscale, 152  
 NMOR, 106  
 NV diamond, 142  
 NV-ensemble, 158  
 OPQM, 60  
 optical, 4, 8  
 optical lattice, 179  
 Overhauser, 287, 394, 400  
 passive mode, 118  
 potassium, 77, 401  
 proton-precession, 287, 394, 399  
 radiofrequency, 43, 266  
 remote detection, 252  
 rubidium, 108, 401  
 scalar, 20  
 search-coil, 287  
 self-oscillating, 68, 75, 119, 291  
 SERF, 16, 85  
 space, 285  
 spatial resolution, 142, 154  
 spinor condensate, 179  
 SQUID, 99, 143, 399  
 vector, 20, 199  
 zero-field, 8  
 Magsat, 292  
 Markovian spin relaxation, 37  
 matter–antimatter asymmetry, 339  
 MCG, *see* magnetocardiogram  
 MEG, *see* magnetoencephalogram  
 mesospheric sodium layer, 257, 258  
 Michelson–Morley experiment, 362  
 microfluidic channel, 138, 270  
 minimal detectable field, 45, 70, 143  
 monopole–dipole interaction, 353  
 MOT, *see* magneto-optical trap  
 motional averaging, 167  
 motional narrowing, 209, 211  
 MRFM, *see* magnetic resonance force microscope  
 MRI, *see* magnetic resonance imaging  
 MSI, *see* magnetic source imaging  
 multipass cell, 106  
 multipole moment, *see* polarization moment  
 mumetal, 232  
 $M_x$  magnetometer, 60, 62, 63  
 $M_z$  magnetometer, 62, 63, 197  
  
 nanodiamonds, 142  
 nitrogen-vacancy (NV) center, 142, 146  
   dipolar coupling, 150  
   fabrication, 151  
   ground-state structure, 148  
   magnetometer bandwidth, 155  
   magnetometer sensitivity, 157  
   spin relaxation, 150  
 noise  
    $1/f$ , 42, 240, 241  
   AC Stark shift, 5, 28  
   atomic shot, 4, 26, 29, 41, 126  
   back-action, 33, 42  
   biomagnetic, 235  
   correlation time, 28  
   cut-off frequency, 236  
   ferromagnetic shield, 235  
   frequency spectrum, 17  
   geomagnetic, 130, 225  
   Johnson, 16  
   magnetic field, 16  
   photon shot, 5, 27, 41  
   quasistatic approximation, 236  
   specification, 388  
   spin-projection, 26  
   technical, 42  
   thermal magnetic, 240  
   white, 28, 42  
 nonlinear magneto-optical rotation (NMOR),  
   105, 173  
   AM, 105, 175  
   cold atoms, 174  
   FM, 105, 175  
   high-field resonance, 111  
   high-order polarization moments, 114  
   magnetic field resonance, 108, 111  
   polarization modulation, 113  
   transit effect, 112  
   zero-field resonance, 110  
 nonlinear Zeeman effect, 6, 115, 116, 397  
 NQR, *see* nuclear quadrupole resonance  
 nuclear magnetic resonance (NMR), 265  
   Hamiltonian, 267  
   low-field, 138  
   zero-field, 269, 275  
 nuclear magnetic resonance gyroscope (NMRG), 370  
 nuclear quadrupole interaction, 267  
 nuclear quadrupole resonance (NQR), 274  
 nuclear slowing-down factor, 93  
 nuclear spin, 6  
 null point, 286  
 number operator, 41  
 nutation frequency, 61  
 NV center, *see* nitrogen-vacancy center  
 Nyquist plot, 70  
 Nyquist theorem, 236  
  
 observatories, 324  
 octadecyltrichlorosilane (OTS) coating, 207  
 ODT, *see* optical dipole trap  
 OPQM, *see* optically pumped quantum magnetometer  
 optical dipole trap (ODT), 168  
 optical lattice, 179  
 optical magnetometer, 4, 8, 251  
   pulsed regime, 34  
 optical polarization eigenmodes, 15  
 optical pumping, 3, 10, 15, 87  
   helium, 190, 193, 194  
   hybrid, 99  
   NV diamond, 145, 146  
   pi, 198  
   rate, 9  
   sigma, 198

- optical pumping (*cont.*)
  - spin-exchange, 372, 374
  - synchronous, 8, 104, 107, 251
- optical rotation, 16, 26
  - cold atom diagnostics, 173
- optically detected magnetic resonance (ODMR), 144
- optically driven spin precession, 8, 104
- optically pumped quantum magnetometer (OPQM), 60, *see also*  $M_x$  magnetometer and  $M_z$  magnetometer, 326
- Orbiting Geophysical Observatory (OGO), 291
- orientation, 14, 253
- Ornstein–Uhlenbeck process, 29
- Overhauser effect, 268
- Overhauser magnetometer, 287, 394, 400
  
- para-photons, 354
- paraffin coating, 205, 208
  - deuterated, 209
  - dotriacontane, 209
  - eicosane, 209
  - melting point, 206
  - polyethylene, 209
- parahydrogen-induced polarization (PHIP), 278
- paramagnetic rotation, 171
- parametric resonance, 199
- parity, 340
- parity violation, 340
- passive mode, 118
- permalloy, 232
- permeability, 232, 238
  - anhysteretic, 233
- phase-contrast technique, 177
- phase drift, 70
- phase-locked loop (PLL), 69, 389
- phase shifts
  - temperature-dependent, 70
- pi-pumping, 198
- pickup coil, 265, 273
- piercing solenoid, 269
- PLL, *see* phase-locked loop
- polar vector, 341
- polarimeter, 96
  - balanced, 106
- polarizability, 47
- polarization
  - atomic, 14
  - circular, 9
  - dynamic nuclear, 266
  - eigenmodes, 15
  - linear, 16
  - longitudinal, 14
  - parahydrogen-induced, 266, 278
  - transverse, 14
- polarization moment, 108
  - dipole, 109
  - hexadecapole, 14, 110, 114
  - monopole, 14, 110
  - octopole, 14, 110
  - quadrupole, 14, 110
  - symmetry, 108
  - triakontadipole, 110
- power spectral density, 30
- precession, 369
- precursor (magnetic to earthquakes), 329
- prepolarization, 266
- proton-precession magnetometer, 287, 394, 399
  
- QND measurement, *see* quantum nondemolition measurement
- quadrupolar shift, 357, 375
- quadrupole interaction, 267
- quadrupole moment, 14
  - electric, 345
  - nuclear, 371
- quality ( $Q$ ) factor, 70
  - absorption dependence, 71
  - optimization, 71
- quantization errors, 391
- quantum back-action, 27
  - evading, 33, 42
  - noise, 42
- quantum beats, 8
- quantum computer, 146
- quantum efficiency, 30
- quantum field theory, 352
- quantum nondemolition (QND) measurement, 31, 35, 42
  - spin squeezing, 48
- quenching, 97
  
- Rabi frequency, 9
- radiation trapping, 97
- Raman spectroscopy, 169
- random walk, 29
- reaction field, 244
- reflection effect, 236
- refractive index, 170
- relaxation
  - alkene coating, 207
  - magnetic gradients, 377
  - metastable state, 195
  - NV center spin, 150
  - paraffin coating, 208
  - reservoir effect, 210
  - spin-destruction collisions, 88, 127
  - spin-exchange collisions, 71, 127
  - transit effect, 127, 168
  - wall collisions, 71, 88, 208, 377
  - weak collisions, 210
- reluctance, 226
- remote detection, 137, 252, 268
- reservoir effect, 210
- resolution, 391
- retroreflector, 256
- rotating frame, 60
- rotation-induced frequency shift, 369
- rotational invariant, 341
- Rowland's law, 226

- sample rate, 392
- saturation
  - magnetic, 232
- saturation parameter, 9
- scalar magnetometer, 20
- scalar polarizability, 47
- scalar spin–spin coupling, 268, 275
- Schiff’s theorem, 344
- search-coil magnetometer, 287
- self-field, 378
- self-oscillating magnetometer, 68, 75, 119, 291
- self-shielding effect, 236
- sensitivity, 391
  - cell-volume scaling, 127, 128
  - chip-scale atomic magnetometer, 135
  - cold/thermal atom comparison, 185
  - frequency dependence, 17, 33
  - fundamental limit, 35, 37
  - gyroscope, 372
  - local, 181
  - magnetometer comparison, 143
  - measurement, 389
  - optimum, 5, 33, 260
  - short measurement time, 36, 46
  - shot-noise-limited, 4, 5, 32, 41, 45, 52, 126
  - shot-noise-projected, 18, 19
  - temperature dependence, 143
  - time dependence, 17
  - variational, 16
- SERF magnetometer,
  - see* spin-exchange-relaxation-free (SERF) magnetometer
- shaking (mechanical), 234
- shaking field, 233, 234
- shield
  - effect of openings, 231
  - efficiency, 228
  - fabrication, 239, 243
  - ferrite, 236, 238
  - ferromagnetic, 225
  - geometry, 228
  - multilayer, 227, 237
  - permeability, 232, 238
  - shaking and tapping, 234
  - shell separation, 229
  - superconducting, 241
  - thermal radiation, 235
- shielding ratio, 226
- shot noise
  - atomic, 4, 26, 29, 32, 41, 126
  - frequency spectrum, 34
  - photon, 5, 27, 41, 160
- sigma-pumping, 198
- signal-to-noise ratio (SNR), 53
- silane coating, 205
- skin effect, 226
- SME, *see* Standard Model Extension
- sodium layer mesosphere, 257, 258
- solar wind, 285
- solenoid
  - piercing, 269
- spatial inversion, 340
- spatial resolution, 142, 154, 167, 177, 180, 257
  - BEC magnetometer, 183
- spin echo, 151, 154, 273
- spin generator, 68
- spin-dependent forces (anomalous), 352
- spin-destruction collisions, 32, 87
- spin-exchange collisions, 15, 86, 87, 90, 374
- spin-exchange frequency shift, 375
- spin-exchange optical pumping, 372, 374
- spin-exchange-relaxation-free (SERF) magnetometer,
  - 85
  - antirelaxation coating, 98
  - bandwidth, 85, 100
  - biomagnetism measurements, 306
  - buffer gas, 97
  - comagnetometer, 358, 381
  - experimental setup, 95
  - fundamental sensitivity, 101
  - noise spectrum, 16
  - optimum sensitivity, 32, 96
  - oven, 97
  - unshielded environment, 100
- spin–orbit interaction, 209
- spin–projection noise, 4, 26, 32, 41, 126
  - correlation time, 28, 30
- spin-squeezed states (SSS), 42
- spin squeezing, 36
  - conditional, 48
  - QND measurement, 48
- spin-temperature distribution, 87
- spinor BEC, 177, 182
- SQL, *see* standard quantum limit
- SQUID, *see* superconducting quantum interference device
- stability
  - long-term, 18, 71, 82
  - short-term, 373
- Standard Model, 339
- Standard Model Extension (SME), 362
- standard quantum limit (SQL), 26
- Stark effect, *see* AC Stark effect
- stochastic differential equations, 28
- Stokes parameters, 41
- stretched state, 40
- super-Heisenberg limit, 175
- superconducting magnet, 265
- superconducting quantum interference device (SQUID), 99, 399
  - spatial resolution, 142
- superconducting shield, 241
- Surfasil, 220
- surveying
  - magnetic, 257
- susceptometry, 308
- swap and squeezing interaction, 50, 56
- symmetry
  - CPT, 341, 361
  - discrete, 340

412

synchronous optical pumping, 8, 104, 107, 251  
 systematic errors, 19

 $T_1$ , 62, 150 $T_2$ , 62, 150

technical noise, 42

tensor polarizability, 47, 49

thermal velocity, 374

 $\theta_{\text{QCD}}$ , 342

Thomas–Fermi regime, 176

time-reversal symmetry, 340

torque

electric dipole moment, 344

magnetic, 3, 60

reaction field, 245

torsion, 354

transition

D1, 63, 257

D2, 63, 257

electric dipole, 9

four-photon, 65, 80

hyperfine, 63, 74

magnetic dipole, 149

Zeeman, 63

turbulence

atmospheric, 262

ultra-cold neutrons (UCNs), 349

unexploded ordnance (UXO), 321, 331,  
  403

unparticles, 354

*Index*

Van Allen belts, 285

van der Waals molecules, 374

vapor cell

microfabricated, 133

vapor density

optimal, 130

VCSEL, *see* vertical-cavity surface emitting laser

vector

axial, 15, 341

polar, 341

vector magnetometer, 20, 199

vector magnetometer-variometer (VMV), 326

vector polarizability, 47

velocity-changing collision, 258

Verdet constant, 172

*vermix caseosa*, 308

vertical-cavity surface emitting laser (VCSEL), 131

voltage-controlled oscillator (VCO), 69

voxel, 307

white noise, 28, 42

Wigner's  $d$  matrix, 26

Wigner–Eckart theorem, 341

World Magnetic Survey, 291

Yukawa potential, 353

Zeeman shift, 5

near-zero field NMR, 282

nonlinear, 6, 115, 116

Zeeman transition, 63