

## Index

- ?*Acoelodus*, 49  
 ?*Acoelohyrax*, 43  
 ?*Paginula*, 49  
 “*Megaceroides cretensis*”, 160  
 “*Pseudostylops subquadratus*”, 47  
 % terrigenous, 200, 215
- Aboriginal tooth size, 147  
 aboriginals, 330, 341  
*Abothrix*, 60  
*Acacia-savanna*, 209  
*Acaena magellanica*, 308  
*Acantholippia*, 316  
 acid-insoluble residue, 98, 132  
 acid-insoluble residue in fecal material (AIRf), 122,  
 126, 150, 326, 329  
 acid-insoluble residue in pasture grasses (AIRp),  
 318  
*Acoelohyrax*, 43  
*Acropithecus*, 27, 270  
*Acropithecus rigidus*, 271  
 Adelaide, 147  
 Adiantidae, 52  
*Adinotherium*, 23–24  
 Adobe Photoshop (v5.0), 293  
 aerial top-dressing, 89  
 aerosol dust composition, 134–135  
 aerosol optical depth (AOD), 140  
 Afar Basin, 231  
 Afar Plateau, 332  
 Afrotheria, 52  
 age mark birth cohorts, 87  
*Agrostis*, 179  
*Agrostis magellanica*, 180  
 AIRf. *See* acid-insoluble residue  
*Akodon*, 60  
*Akodon azarae*, 67  
 Akodontini, 60, 63  
 Alaska, 338  
 Alaska Peninsula, 209  
 Albertine Graben, 207  
*Albertogaudrya*, 50  
 Albertogaudryidae, 50  
 Alcelaphinae, 155  
*Alcideorbignya*, 51, 52  
 Alfredton, 97  
 Allia Bay, 214  
 alligator. *See* Alligatoridae  
 Alligatoridae, 248  
*Alouatta palliata*, 145  
 Alpine–Himalayan volcanic belt, 257  
 altiplano, 61, 66, 154, 280, 283, 313, 317  
 altiplano and puna plateaus, 209  
 alveolar bone, 297–298  
 Amazonian Peru, 284  
 Amblypoda, 52  
 Ameghino, Carlos, 2  
 Ameghino, Florentino, 2, 51  
 Amsterdam Island, 308  
*Ancylocoelus*, 271  
 Andean batholith complex, 78  
 Andean mountain building, 70  
 Andes, 57, 61, 77, 241, 262, 280, 283, 297, 313,  
 315  
 andesite lava, 179  
 Andesite Line, 145, 165, 257, 330, 341  
 andesitic volcanism, 77, 146, 165, 308  
*Andinodus*, 52  
 andisol, 60, 71, 76, 153, 176, 209, 255, 257, 280  
 andisol erodibility, 257  
 Andreis, Renato, 6  
 Andrews, Charles W., 156  
 animalivory, 62  
*Anisotemnus*, 42, 272  
 annual amplitude of mean monthly temperature, 73  
 annual frequency of dust storms, 303  
 annual tooth wear, 114–115  
 Antarctic Circumpolar Current, 242–244  
 Antarctic Peninsula, 243  
 Antarctica, 40, 237, 342  
*Antepithecus brachystephanus*, 46  
*Antepithecus innexus*, 46  
*Anthracomys majori*, 158  
*Antilocapra*, 1  
 Antofagasta de la Sierra, 313, 316  
 Anzac rains, 85, 113  
 AOD. *See* aerosol optical depth (AOD)  
 Aorangi Mountains, 92

- Apodemus*, 160  
 Arabian Sea, 193, 198, 234, 332, 338  
 Archaeohyracidae, 27, 36, 39, 41, 44, 236, 284  
*Archaeohyrax*, 27, 34, 44  
*Archaeohyrax patagonicus*, 44  
 Archaeolaginae, 311  
*Archaeophylus patrius*, 46  
 Archaeopithecidae, 271  
*Archaeotypotherium*, 27, 41, 44  
*Archaeotypotherium propheticus*, 44  
 Arctocyonina, 52  
 Arctostylopidae, 52  
*Ardipithecus*, 193  
*Ardipithecus ramidus*, 198, 219  
 Arequipa Department, Peru, 66  
 Argentina, 13, 257  
 Argentine Basin, 277, 338  
*Argyrohippus*, 271, 299  
*Argyrohippus fraterculus*, 27, 47  
 Argyrolagidae, 13, 286, 323  
 Argyrologoidea, 18, 38, 236  
 arid-adapted plants, 252  
 aridisols, 61  
 aridlands, 82, 284  
 armadillo(s), 272, 286, 298, 312  
 Arnold, G.W., 123  
 Artiodactyla, 53, 154  
*Asmodeus*, 271  
 Asteraceae, 180  
*Astraponotus*, 50, 271  
*Astraponotus* beds. *See* Mustersan SALMA  
 Astrapotheria, 37, 51–52, 236  
   Astrapotheriidae, 50  
   Astrapotheriidae, 37, 50, 236, 271  
*Astrapotherium*, 50  
*Astrapotherium? ruderarium*, 37  
 Atacama Desert, 316  
*Ateles*, 145  
 atmospheric paleotemperatures, 248  
 Auckland, New Zealand, 260  
*Auricularia*, 177  
 Austral Basin, 241  
 Australia, 120, 133, 141, 146, 234, 258, 284, 301, 328, 338–339  
   desert and grasslands, 120  
   driest, lowest, flattest, 120  
   Dust Storm Index, 133  
   kangaroos and wallabies (Macropodidae), 120  
   modern humans  
     high-wear environments, 145  
     in Oceania, 145–147  
     tooth size, 144  
     tooth size variation, 147  
     tooth wear gradients, 148  
   southeast dust path  
     dry climate processes, 138  
     dust composition, 134  
     ENSO drought conditions, 135  
     environmental variables, 136  
     fluvial-eolian interaction, 142  
     time series analysis, 137  
     wet climate processes, 141  
   studies of sheep tooth wear, 121  
     dust flux and soil ingestion, 132  
     fecal silica, 124  
     methods, 124  
     phytolith counts, 124  
     questions unanswered, 130  
     scientific impact, 122  
     study site, 124  
     tooth wear, 124  
 Australian aboriginals, 145  
 australopithecine(s), 193, 334  
*Australopithecus*, 193, 197–198, 233  
*Australopithecus (=Paranthropus) boisei*, 193, 219  
*Australopithecus aethiopicus*, 193  
*Australopithecus afarensis*, 193, 198  
*Australopithecus anamensis*, 198  
*Avena*, 58  
*Avena sativa*, 132  
 Awash Valley, 228  
  
 B-Tulu Bor Tuff, 207  
 Bajo Barreal Formation, 256  
 Baker, George, 122, 131  
 Bale Mountains, 209  
 Balearic archipelago, 154  
 Balearic Promontory, 157  
 Baluchistan, 210  
 bamboos, 264  
 Bare Island, 305  
 Baringo Basin, 207  
 Barnicoat, C.R., 86  
 Barrancan. *See* Barrancan SALMA  
 Barrancan SALMA, 7, 277, 313  
 Barreda, Viviana, 5  
 Barytheria, 52  
 Bay of Plenty, 114, 307  
 Beadle, Noel, 131  
 beaver. *See* *Castor canadensis*  
 benchmarks of eruption and onset of wear, 173  
 Berry, Edward W., 5  
 Bertoldi de Pomar, Hety, 6, 263  
 BEW. *See* benchmark of eruption and onset of wear  
  
*Bifidipes aeolis* ichnospecies, 157  
 binning the data, 227  
 Black Pumice tuff, 207  
 Black-tailed jackrabbits. *See* *Lepus californicus*  
*Blechnum*, 177  
 body size, 226–227  
 Bolivia, 252, 257, 280  
*Bolomys*, 60

- Bolomys obscurus*, 67  
*Bos*, 288  
*Bos indicus*, 302  
 Bosque Petrificado, 61  
 Bougainville, 146  
 bovid. *See* Bovidae  
 Bovidae, 154, 156, 158, 298  
 Bowman, Isaiah, 66  
 brachiolite, 264  
*Brachylagus idahoensis*, 321  
 Brandt, Johann Friedrich von, 1  
 Braun, Janet K., 59  
 Brazil, 266  
 Brazil Current, 240–241  
 Brioli, Ferdinand, 4  
 Broadbeach, 151  
 Broken Hill, 136  
 Bruere, A. Neil, 90  
 Brule Formation, 310  
 Buenos Aires, 57  
 Buenos Aires Province, 67, 266  
 bulliform phytoliths, 264  
 Burdekin river, 302  
 Burrinjuck Reservoir, 302  
 Buxaceae, 157  
*Buxus balearica*, 157
- C<sub>23</sub>–C<sub>33</sub> *n*-alkanes MAR, 228  
 C<sub>3</sub> woodland, 229  
 C<sub>30</sub> *n*-alkanoic acid, 227  
 C<sub>4</sub> diet, 233  
 C<sub>4</sub> feeding, 228  
 caatingas, 266  
 Cabeza Blanca, 40, 48–49  
 Cailloma, 66  
*Caiman*, 248  
*Caiman jacare*, 248  
*Caiman latirostris*, 249  
*Calomys*, 63  
*Calomys laucha*, 67  
*Calomys musculus*, 67  
 Camargo Formation, 283  
 Camarones, 277  
 Camelidae, 19, 154, 315, 323  
*Campanorco*, 45  
 Campbell Island, 166, 171, 180, 186, 189–190  
 Campbell Plateau, 247  
 Cañadon Blanco, 45, 48, 277  
 Cañadon Hondo, 39  
 Cañadon Vaca, 34, 41, 49  
 Canary Islands, 163, 257, 258  
 Canberra, 123, 303, 329  
*Candiacervis*, 160  
 cangagua aeolica, 61  
 canonical community ordination (CANOCO),  
 73–74  
 CCA biplot, 74–76  
 forward selection, 77  
 ranked interset correlations, 76  
 Cape Gargano, 154  
 Cape Verde Islands, 163  
*Capra aegagrus*, 308  
*Capra hircus*, 164, 331  
 Capraia Islands, 158  
 Caprinae, 154  
 Carnac Island, 306  
 carnivory, 62  
*Carodnia*, 52  
*Carolozittelia*, 52  
 Carterton, 91  
*Carumbium*, 179  
 Casamayoran SALMA, 4, 43  
 Cascade range, 209  
*Castor canadensis*, 7, 42, 289, 314  
 Castoridae, 57  
 Catamarca Province, Argentina, 315  
 cattle, 50, 57, 89, 302, 308. *See* *Bos*  
*Cavia aperea*, 313  
 caviid. *See* Caviidae  
 Caviidae, 18  
 Caviomorpha, 13, 40, 57, 236, 284, 314  
 ceja, 66  
 cementum, 296–297  
 Centinela Formation, 278  
 Central Andean Volcanic Zone, 61, 79, 209, 315  
 Central Andes, 13, 19, 27, 284, 313  
 central Arabia, 202  
 Central Volcanic Plateau, 91, 100  
 Cephalomyidae, 13  
*Cephalomys*, 13  
 Cerdas, 313  
 Cerling, Thure E., 203  
 cerrado savannas, 263  
 Cerro Barcino Formation, 256  
 Cerro Galan, 320  
 Cervidae, 159, 330  
*Cervus*, 160  
 Chaco Province, 249  
 Chadron Formation, 310  
 Chadronian. *See* Chadronian NALMA  
 Chadronian NALMA, 310  
*Chamaerops humilis*, 250  
 Chari Tuff, 207  
 Chatham Islands, 250  
*Chelemys*, 60  
 Chemeron Formation, 207  
 Chiguata, 66  
 Chile, 64, 250, 252, 257, 283  
 China, 260  
*Chinchilla laniger*, 297  
 chinchillid. *See* Chinchillidae  
 Chinchillidae, 13  
*Chinchilulla*, 63  
*Chionochloa*, 189

- Chionochloa antarctica*, 180, 189  
*Chionochloa rubra*, 189  
 Chivay, 66  
*Chloris barbata*, 305  
*Chrysobactron rossi*, 189  
 Chubut Group, 256  
 Chubut Province, Argentina, 278  
 Cifelli, Richard L., 25  
 Cingulata, 13, 323  
 circadian incremental lines, 294  
 circadian structures in dentine, 289–291  
 circadian structures in enamel, 291–294  
 CLAMP3 dataset, 252  
 climate intimacy, 238–242  
 clover, 86  
 CMMT. *See* coldest month mean temperature (CMMT)  
 cobalt deficiency, 144  
*Cochilius*, 271  
*Cochilius fumensis*, 46  
 Cohuna, 147  
 coldest month mean temperature (CMMT), 73  
 Coley's Quarry, 50  
 Colhue-Huapi Member, 244–245, 252, 258, 265.  
     *See* Sarmiento Formation  
 Colhuehuapian. *See* Colhuehuapian SALMA  
 Colhuehuapian SALMA, 278, 299, 313  
 Collon-Cura Formation, 19  
 Colloncuran. *See* Colloncuran SALMA  
 Colloncuran SALMA, 23, 313  
 Colombia, 79, 257, 293  
 Colorado state, 7, 145  
*Colpodon*, 271  
 Columbia Plateau, 209  
 Commonwealth Scientific and Industrial Research (CSIRO), 123  
 Comodoro Rivadavia, 240  
 comparable stages of wear and eruption, 172–173  
 comparable wear stages, 173–174  
 Condobolin, 136  
 Condylarthra, 52  
 consequences of elodonty, 299  
 Contour Plot command. *See* JMP v3.1  
 Cook glacier, 302  
 Coorong, 147  
*Coprinisphaera* ichnofacies, 265  
 Córdoba Province, Argentina, 250, 317  
*Coriaria arborea*, 177  
 Coromandel volcanic center, 114  
 Corsica, 158  
 cortaderales, 58  
*Cortaderia argentea*, 58  
 Coryphodontidae, 52  
 Costin, Alec, 131  
 Cova de Ca Na Reia, 160  
 Cowra, 136  
 Cretaceous, 256  
 Crete, 154, 159–160, 258  
 Cricetidae, 160  
 crocodilians, 244  
 Croft, Darin, 27  
 cross-striations, 291  
 crown lagomorphs, 309  
 crown simplification, 296  
 Ctenomyidae, 19  
*Ctenomys*, 313  
 culling, 93  
 Cumberland, Kenneth Brailey, 85, 113  
 Cumbria, 118  
*Cuniculus*, 1  
 Cuvier, Georges, 2  
 Cuzco Department, Peru, 66  
 Cyclone Bola, 112–113  
*Cynodon*, 58  
*Cyperus*, 306  
*Cyperus ustulatus*, 177  
  
*Daouitherium*, 52  
 Darling River, 138  
 Darwin, Charles, 2  
 Dasypodidae, 272, 286, 312  
 Dasypodoidea, 13  
 Dasyproctidae, 13  
 De Salle, Robert, 66  
 decadal variation, 108–111  
 deep time climate variability, 244  
 deer. *See* Cervidae  
 deFinetti diagram, 66  
 DEM. *See* Digital Elevation Model (DEM)  
 DeMenocal website, 212  
 DeMenocal, Peter B., 201  
 Department of Scientific and Industrial Research, 90, 171  
 Deseadan SALMA, 23, 278, 284, 299, 312  
 Deseado stage. *See* Deseadan SALMA  
 desert, 120  
 Desmarest, Anselme Gaëtan, 1  
 Desmostylia, 52  
 Desmostyliformes, 52  
 Dickson Experimental Station, Canberra, Australian Capital Territory, 123, 329, 338  
 Didolodontidae, 51  
 diet, xiii, 18, 63, 70, 194  
     aboriginal, 147  
     *Australopithecus*, 193  
     C<sub>4</sub> grass, 195  
     dung beetle, 265  
     feral goat and sheep, 168  
     grass, 297  
     hard objects, 235  
     hypsodonty, 70, 73  
     large teeth, 144  
     Maori, 146  
     *Myotragus*, 157

- diet (cont.)  
 surface processes, 145  
*Theropithecus*, 196  
*Vicugna*, 315
- diet classification, 59–60, 62–64, 324  
 in Argentina, 67  
 in Chile, 64–66  
 in Peru, 66
- diet gradient, 70
- diet quality, 54, 298
- dietary intake, 115
- dietary pressure, 306
- Digital Elevation Model (DEM), 149
- Digitaria pruriens*, 177
- Dikika, 214
- Dinocerata, 52
- Distichlis*, 319
- domestic sheep, 324, 326
- Drake Passage, 237, 241–242, 256
- driest continent, 120
- dry climate processes, 138–141
- dry country grasslands, 120
- Dryolestida, 13, 323
- DSDP Site 231, 193, 198, 229
- DSDP Site 277, 245
- DSDP Site 511, 245, 276
- DSDP Site 512, 277
- DSDP Site 513, 277
- DSI. *See* Dust Storm Index
- dung-beetle brood balls, 265
- Dusen, Per, 5
- Dust Bowl, 321
- Dust Bowl drought, 321
- dust storm, 82, 120, 133, 138, 148, 194  
 conditions, 136, 138, 266, 329  
 source area, 144, 320
- dust storm frequency, 79, 82, 129, 267, 315, 321, 325
- Dust Storm Index (DSI), 133–134
- dwarf ngaio, 179
- earlier-erupting teeth that are shed, 120
- early interest, 85–89
- earth surface processes, 91–92
- East Africa, 332, 340
- East African (or Somali or Findlater) low-level jet, 205
- East African Plio-Pleistocene  
 body size evolution, 226  
 erosion rates, 211  
 evolutionary rates, 213  
 fluvial-eolian interaction, 231  
 grass and grasslands, 228  
 source to sink sediment cascade, 198  
 lithogenic flux, 204  
 spatial (geographic) complexity, 202  
 surface winds, 204  
 temporal complexity, 201
- terigenous sediment, 200  
 volcanism and surface processes, 209
- temporal resolution, 227
- terrestrial fossil record  
 Australopithecinae, 197–198  
*Australopithecus*, 197  
 Suidae, 195  
*Theropithecus*, 195–196
- time series analysis, 216  
*Australopithecus*, 219  
*Metridiochoerus*, 216  
*Nyanzachoerus-Notochoerus*, 216  
*Theropithecus*, 219
- East African rift system, 192
- East African volcanic highlands, 198
- Echimyidae, 63
- Ecuador, 79, 257
- Eduardo Abaroa, 61
- Egmont (Taranaki), 114
- Eivissa. *See* Ibiza
- El Maitán Belt, 256
- El Niño events, 107
- El Niño Southern Oscillation (ENSO), 101
- El Nuevo, 49
- elephants. *See* Proboscidea
- Elephas*, 228
- Ellis, Barbara, 67
- elodonty, 1, 294–295
- Ei Rosado, 50, 265, 276, 282
- Elymus*, 306
- Embrithopoda, 52
- Emile Baudot Seamount, 157
- endemic excess tooth wear, 100
- ENSO, 107, 119, 135, 339. *See* El Niño Southern Oscillation
- ENSO erosion, 111–112
- ENSO in New South Wales, 135
- Entre Rios Province, Argentina, 250
- Eoastrapostylops*, 51–52
- Eocaiman*, 248
- Eocaiman cavernensis*, 248
- Eocardiidae, 18
- Eocene, 4
- Eocene–Oligocene Transition (EOT), 28–29, 243
- Eohyrax*, 27, 38, 40, 44
- Eohyrax rusticus*, 29, 36, 39
- Eolian archipelagos, 158
- Eomorphippus*, 39, 42
- Eomorphippus obscurus*, 27, 34, 39, 47–48
- Eomorphippus pascuali*, 39, 46
- Eopachyrucos*, 27, 34, 39–40
- Eopachyrucos pliciferus*, 34, 41
- Eopachyrucos pliciformis*, 27
- EOT. *See* Eocene–Oligocene Transition
- Eparctocoyona, 52
- Epica Dome C ice core, 267
- Epiklohnia verticalis*, 38

- Equidae, 1, 4, 7, 25, 228, 379, 397  
*Equidé*. *See* Equidae  
*Erica* shrub-dominated vegetation, 210  
erosion of the Sarmiento Formation, 257–258  
erosion rates, 211–212  
eruption frequency, 274–276  
especially coarse grasses, 58  
espinal, 266  
esteros del Iberá, 248  
*Etayoia*, 52  
Ethiopia, 192, 231, 257, 332  
Ethiopian plateau, 210  
Ethiopian Rift, 193, 228  
Ethiopian Rift System, 198  
*Eumaiocoherus*, 158  
Eumegamyinae, 312  
Europe, 310  
European arrival, 304  
European perennial pasture grass, 88  
European settlement, 302  
Europeans, 251  
*Eurystomus stehlini*, 48  
Euston, 148  
ever-growing teeth, 285–288  
  alveolar bone, 297  
  cementum, 297  
  circadian structures in dentine, 289  
  circadian structures in enamel, 294  
  consequences of elodonty, 299  
  crown simplification, 296  
  engines of erosion?, 321  
  environmental impact in South America, 313–315  
  fossil record of rabbits, 309  
  measurement of crown height, 288  
  periodontal ligaments, 295  
  persistent enamel-forming organ, 295  
  rabbit introductions and eradications, 299  
    in Australia, 301  
    in New Zealand, 304  
    on Carnac Island, 307  
    on Ile Saint-Paul, 308  
    on Kerguelen Islands, 308  
    on Macquarie Island, 309  
    on Phillip Island, 306  
    on Round Island, 168  
    on Whale Island (Moutohora), 307  
  rabbit-like notoungulates, 312  
*Vicugna*, 315  
  field protocol, 318  
  Laguna Blanca dust sources, 316  
  Laguna Blanca Reserve, 316  
  mineral particle consumption, 317  
  why elodonty?, 298  
evolutionary rates, 213–214  
excess tooth wear, 86, 117  
excess tooth wear in New Zealand  
  early interest, 86  
  earth surface processes, 92  
  ENSO erosion, 112  
  geographic patterns, 93  
  endemic area, 100  
  regional survey, 101  
  six farms, 98  
  Te Awa versus Feilding, 93  
  Wallaceville versus the Wairarapa, 97  
  soil ingestion, 90  
  temporal patterns, 101  
    decadal timescales, 108  
    interannual variation, 104  
    seasonal variation, 102  
  volcanic ash and erosion, 114  
  Wairarapa syndrome, 91  
  wet climate erosion, 112  
extrinsic (or exogenous or adventitious) abrasives.  
  *See* soil  
Eyles, Garth O., 113  
  
*Fabiana densa*, 316  
*Fabiana* spp., 316  
Falkner, Thomas, 1, 8  
fan-shaped phytoliths, 264  
faunal hypsodonty, 29, 38–39  
February 2004 rainstorm event, 94  
Feilding, 93  
feral goats and sheep on islands, 164–166  
fern, 189  
fern-scrubland, 304  
Feruglio, Egidio, 47  
*Ferugliotherium*, 55  
*Festuca*, 316  
*Festuca rubra*, 180  
field protocol, 155–320  
Fiji, 306  
Fischer von Waldheim, Gotthelf, 1  
flood basalt, 208  
fluvial-eolian interaction, 142, 231–233  
Foggia Province, Italy, 160  
folivory, 63  
foregut-fermenting, 50  
forest, 260  
forest versus grassland, 262–263  
formation of ice, 243–244  
Formosa Province, Argentina, 73  
Fortelius, Mikael, 54  
fraction of absorbed photosynthetically active  
  radiation (fAPAR), 261  
Fremantle, 306  
French Southern Territories, 307  
Frenguelli, Joaquin, 6  
Freudenberg, Wilhelm, 157  
  
Gaiman, 278  
Galapagos Archipelago, 165  
*Galea*, 313

- Gargano, 160–161  
 Gaudry, Albert, 2  
 gazelles, 156  
 GBV-3 El Rosado, 14, 43, 47, 49, 156, 272  
 GBV-4 La Cancha. *See* La Cancha  
 GBV-60 El Nuevo. *See* El Nuevo  
 gelada baboon, 195, 233  
 Gele Tuff, 207  
 Geoffroy Saint Hilaire, Étienne, 1  
 geographic area, 277–278  
 geographic patterns, 93  
 geometry and history, 242–243  
 Geomyidae, 57  
 geophagia, 144  
*Geoxus*, 60  
 giraffid, 158  
 Giribilidae, 160  
 glacial erosion, 78  
 Glade, Thomas, 113  
 glass shards, 202  
 glirid, 330  
 Gliridae, 157, 160  
 Glyptodontidae, 312  
 Glyptodontoidea, 13  
 glyptodonts (Glyptodontidae), 312  
 goat. *See* *Capra*  
*Gobiolagus*, 310  
 Goin, Francisco J., 39  
 Golfe du Morbihan, 308  
 Gondwanatheria, 323  
 Goodradigbee River, 302  
 Gramineae, 330  
 Gran Barranca, 29, 237, 283, 335  
 Gran Barranca Member, 244, 265. *See* Sarmiento  
 Formation  
 Gran Hondonada, 272  
 Grant, Peter Raymond and Rosemary, 331  
 GraphClick v3.0, 135  
 grass and grasslands, 228–229  
 grass phytoliths, 263–264  
 grass-dominated ecosystems, 262  
 grasslands, 82, 262  
 grazers, 324  
 grazing, 63  
 grazing morphology, 270–273  
 Great American Biotic Interchange (GABI), 19,  
 323  
 Great Australian Bight, 270  
 Great Barrier Reef, 302  
 Great Basin, 144  
 Great Dividing Range, Australia, 82  
 Great Plains, 320–321  
*Groeberia*, 285  
 Groeberiidae, 286, 323  
 Grossetto Province, Italy, 158  
 ground sloths, 312  
 guanaco, 57  
*Guilielmoscottia*, 39  
*Guilielmoscottia plicifera*, 46  
 guinea pig. *See* Caviidae  
 Gulf of Aden, 192, 198, 207  
 Gulf of Alaska, 234  
 Gulf of San Jorge, 3  
 gulley erosion, 112  
 Guthrie-Smith, William Herbert, 85, 112  
 Gymnesic Islands, 156  
 Hacienda Pairumani, 66  
 Hadar, 200, 207  
 Hadar Formation, 195  
 Haszard Formation, 179  
*Hattomys*, 160  
 Hawaii, 165  
 Hawke's Bay, 92  
 Hawke's Bay Flood, 85, 113  
 Healy, W. Bernard, 90, 190, 341  
 Hebrides Islands, 166  
 Hegetotheriidae, 13, 36, 40, 284–285  
*Hegetotherium*, 27  
 Henricosborniidae, 51  
 herbivore clades, 58  
 herbivore dung, 265  
 herbivore fauna, 53  
 herbivore reproduction, 101  
 herbivores, 1, 28, 53, 80, 324  
 dust, 228  
 East Africa, 192  
 elodonty, 284, 312  
 erosion, 314  
 hypsodonty, 268  
 marsupial(s), 120, 153  
 Mediterranean, 155  
 mountain, 71  
 South America, 236  
 tooth shape, 300  
 tooth wear, 122  
 herbivorous diet, 70, 79  
 herbivory, 43, 63, 115  
 hypsodonty, 70  
 phytoliths, 121  
 soil ingestion, 92, 118, 192  
 volcanic ash, 71  
 Hershkovitz, Philip, 63  
 Hertwig's root sheath, 91  
 Hertwig's solution, 65  
 Heteromyidae, 57  
 Hickey, F., 93  
 high montane dwarf forests, 266  
 high-wear environments, 145  
 Hillston, 136  
 hindgut-fermenting, 50  
 Hitz, Ralph, 27  
 Holocene, 321  
 Homalodotheria, 52

- Homalostylops*, 39  
*Homalostylops parvus*, 271  
*Homo*, 193  
*Homo erectus*, 147  
*Homo habilis*, 198  
*Homo sapiens*, 145, 198  
 Honda Group, 293  
 Hoplitomericidae, 160  
*Hoplitomeryx*, 160  
*Hordeum*, 58  
 Horn of Africa, 192  
 horse. *See* Equidae  
 horse latitudes, 120, 328  
 Huajara, 61  
 Huayquerian SALMA, 19, 45  
*Huerzelerimys oreopitheci*, 158  
 Huila Department, Colombia, 293  
 human tooth size, 144–145  
 humid pampas, 266  
 Hünicken, Mario Alfredo, 5  
 Hutt River Valley, 98  
 Huxley, Thomas Henry, 57  
 Hydrochoerinae, 312  
*Hydrochoerus*, 285  
*Hyophorbe*, 306  
 Hyopsodontidae, 51–52  
*Hyopsodus*, 41  
*Hyperoxotodon*, 24  
*Hypnomys*, 157  
*Hypolagus*, 311  
 hypsodont, 2  
 hypsodonty  
   dust storm frequency, 268  
 Hypsodonty Event #1, 274  
 Hypsodonty Event #2, 274  
 hypsodonty index (HI), 28–29  
 Hyraces. *See* Hyracoidea  
 Hyracoidea, 52  
 hyracoids. *See* Hyracoidea
- Iberian Peninsula, 160  
 Ibiza, 154, 160  
*Ignigena*, 40  
 Ihering, Hermann von, 2  
 Ile Guillou, 308  
 Île Saint-Paul. *See* Saint Paul Island  
 Ile Verte, 308  
*Imperata aundinacea*, 177  
*Incamys*, 13  
 Indian Ocean, 245, 307  
 Indian Ocean dipole, 210  
 Indo-Australian Plate, 146  
 insect trace fossils, 262  
 insectivory, 62  
 interannual variation, 103–108  
 Interatheriidae, 27, 34, 39, 45, 236, 270, 285  
 Interatheriinae, 27, 45–46, 298
- Inter-decadal Pacific Oscillation (IPO), 101, 108  
 intrinsic (or endogenous) abrasives. *See* phytoliths  
 introductions and eradications, 299–301  
 Iran, 202  
 island evolution, 154  
   feral goats and sheep, 164  
     Campbell Island, 180, 189  
     Macaulay Island, 179, 184  
     Raoul Island, 175, 184  
 Mediterranean islands, 154  
   convergent evolution, 155  
   Crete, 159  
   eolian processes, 162  
   Gargano, 160  
   Mallorca, 156  
   Maremma region, 158  
   Mediterranean volcanism, 161  
   Sardinia, 159  
 Isotemnidae, 43, 272  
 Itaborai, 51  
 Itaboraian SALMA, 45  
 Italy, 257
- jackrabbit, 320–321  
 Janis, Christine, 53, 120  
 JMP v3.1, 77  
 JMP v5.0.1.2, 77, 80  
*Johnbell*, 40  
*Jubaea*, 250  
*Jubaea chilensis*, 250  
 Juli, 66  
*Juniper–Podocarpus*-dominated forest, 210
- Kaharoa Tephra, 147  
 Kaitoke, 97  
 Kale Tuff, 207  
 Kanapoi, 213–214  
 kangaroos (Macropodidae), 53–54, 120, 328  
 Kanjera Tuff, 207  
 Kansas state, 289  
 Kapthurin Formation Bedded Tuff complex, 207  
 Karl von Linne, 1  
 Karpathos, 159  
 Katmai Peninsula, 338  
 Kaurite, 145  
 Kayampanga Tuff, 207  
 KBS Tuff, 207  
 Kedong–Olorgesailie, 207  
 Kenya, 145, 192, 207, 257  
 Kerguelen archipelago, 308  
 Kerguelen Island, 166  
 Kerguelen Plateau, 243  
 Kermadec Archipelago, 114, 165–166  
*Kibenikhoria*, 39, 49  
 Kikuyu, 145  
 Kiwitea, 94  
 Koken, Ernst, 4



- Kokiselei Tuff, 207  
 Kollue-Kaikie Formation, 256  
 Konso, 214  
 Konso basin, 202  
 Koobi Fora, 213–214  
 Koobi Fora Formation, 207  
 Kovalevsky, Vladimir Onufrievich, 57  
 Kow Swamp. *See* Cohuna  
 kumara, 146  
*Kunzea*, 307
- La Cancha, 29  
 La Cancha level, 258  
 La Cantera, 29  
 La Flecha, 40  
 La Niña events, 107  
 La Pampa Province, Argentina, 266  
 La Rioja Province, Argentina, 317  
 La Venta, 280  
 La Victoria Formation, 293  
 Lachlan River, 136  
 Lack, David Lambert, 331  
 Laetoli, 214  
 Lago Puelo, 61  
 Lagomorpha, 53  
*Lagostomus maximus*, 313  
 Laguna Blanca dust sources, 316–317  
 Laguna Blanca Reserve, 315–316  
 Lake Bungunna, 149  
 Lake Burley Griffin, 124  
 Lake Cargelligo, 136  
 Lake Colhue-Huapi, 256  
 Lake District, United Kingdom, 118  
 Lake Eyre Basin, 134, 138, 144, 301, 303  
 Lake Malawi, 207  
 Lake Nicaragua, 145  
 Lake Taupo, 101  
 Lake Titicaca, 66  
 Lake Turkana, 207  
 Lake Tutira, 111, 113, 304, 338  
 land degradation, 299  
 Landcare Research (Lincoln), 169  
 land-slipping, 94  
 Lanin, 61  
 larger later-erupting teeth, 120  
 Las Flores Formation, 256  
 Last Glacial Maximum (LGM), 149, 194  
*Latania*, 306  
 later-erupting teeth migrate forward, 120  
 Laventan SALMA, 313  
 Laysan Island, 305  
 Leaf Area Index (LAI), 260  
 leaf morphology, 252–253  
 Leakey, Meave G., 196  
*Leontinia*, 271  
 Leontiniidae, 271  
 Leporidae, 54, 57, 160, 309  
 Leporinae, 311  
*Leptictis*, 52  
 Leptocheniinae, 57  
*Lepus*, 321  
*Lepus americanus*, 321  
*Lepus californicus*, 321  
*Lepus europaeus*, 314  
*Lepus townsendii*, 321  
 Letrero Formation, 280  
 linear sedimentation rates (LSR), 203, 215  
 lithogenic flux, 200, 203–204, 215  
 Litopterna, 51–52  
 llanos, 266  
 Llanos de la Rioja, 316–317  
 Loess Plateau of China, 205, 258  
 Lokocho Tuff, 207  
*Lolium*, 58  
*Lolium rigidum*, 132  
 Lomogol Tuff, 207  
 long cell phytoliths, 264  
 Los Alerces, 61  
 Los Arrayanes, 61  
 Los Glaciares, 61  
 Lothagam, 213  
 Lower Hutt, 90  
 Lower Puesto Almendra Member, 244, 251.  
     *See* Sarmiento Formation  
 lowest and flattest continent, 120  
*Loxodonta*, 228  
 Ludwig, T.G., 90  
 Lumbra Formation, 313  
*Lushilagus*, 310  
 luxurious forest, 176
- Macauley Island, 166, 170–171, 179–180, 184–189,  
 331  
 MacFadden, Bruce J., 57  
*Machlydotherium*, 13  
 Machupicchu, 66  
 Mackenzie country, 305  
 Macquarie Island, 300, 305, 308  
 Macrauchenidae, 52, 55  
 Macropodidae, 80, 328  
 Macropodidae tooth replacement, 120  
 macrotephra, 202  
 Madden, Richard H., 26  
 Madeira Islands, 257  
 Magdalena River, 293  
 Mahoe, 177  
 Main Ethiopian Rift, 200, 202  
 Makran coast, 210  
 Malbe Tuff, 207  
 Mallee, 138, 147  
 Mallorca, 154, 156–157  
 Malvinas Current, 240  
 Malvinas Plateau, 241, 248, 276, 338  
 Manawatu district, North Island, New Zealand, 86

- Manawatu-Wanganui, North Island, New Zealand, 99, 338
- Maori, 146
- Mar Chiquita, 317
- Maralinga, 133
- Maremma, 154, 158
- Maremmia*, 1, 155, 285
- Maremmia haupti*, 158
- Maremmia lorenzi*, 158
- marine paleotemperatures, 245–248
- marine productivity, 266–270, 276–277
- Marmota flaviventris*, 321
- Marsh, Othniel Charles, 42
- marsupial. *See* Marsupialia
- Marsupialia, 13, 39, 323
- mass accumulation rate (MAR), 203
- Massey Agricultural College, 86
- Masterton, 91, 97
- masticatory muscle mass, 55
- MAT. *See* mean annual temperature (MAT)
- matorral, 266
- Matthew, William Diller, 7
- Maud Rise, 245
- Mauriceville, 97
- Mauritius, 305
- Maxschlosseria*, 49
- Maxschlosseria consumata*, 49
- Mayoan. *See* Mayoan SALMA
- Mayoan SALMA, 313
- Mazzoni, Mario Martin, 6, 263
- McHenry, Henry M., 197
- mean annual precipitation (MAP), 73, 251
- mean annual temperature (MAT), 73, 250
- measurement of crown height, 288–289
- Medicago sativa*, 132
- Medieval Climate Anomaly, 321
- Medistylus dorsatus*, 36
- Mediterranean, 163, 257, 324, 340
- Mediterranean climate, 161
- Mediterranean eolian processes, 162–163
- Mediterranean Islands, 154–156, 161
- Mediterranean Sea, 154
- Mediterranean volcanism, 161–162
- Megaceroides cretensis*, 160
- mega-droughts, 321
- Megalagus*, 310
- Megaloceros cazioti*, 159
- Megaloceros sardus*, 159
- Megatherium americanum*, 1
- MEI. *See* Multivariate ENSO Index
- Melanesian Borderlands, 146
- Meliclytus ramiflorus*, 177
- Mendoza, Pedro de, 57
- Menindee Lakes, 147
- Meniscotherium*, 52
- Merbein, 136
- Mericoidodontidae, 57
- Meridiungulata, 52
- Mesaxonia, 52
- Meserve, Peter, 64
- Mesotheriidae, 13, 36, 40, 284–285
- mesowear, 189
- Messinien Salinity Crisis, 157
- Metatheria, 236
- Metridiochoerus*, 195, 213, 216, 221
- Metrosideros*, 307
- Metrosideros kermadecensis*. *See* Pohutukawa
- Metrosideros polymorpha*. *See* Pohutukawa
- Mexico, valley of, 209
- Microcavia*, 313
- Microlaena stipoides*, 190
- microspherules, 132
- microtephra, 202
- Middle Awash, 200, 214
- Middle Awash Valley, 207
- middle Cenozoic of Patagonia, 236–238
- Middle Eocene Climate Optimum, 244–245
- Mikrotia*, 160
- Mildura, 136, 147
- mineral composition, 203
- mineral particle consumption, 317–318
- Mioclaenidae, 51
- Misiones Province, 249
- Mississippi River, 8
- Mitchum, Gerald D., 90
- moas, 146
- Moiti Tuff, 207
- Molina, Juan Ignacio, Fr., 1
- montane shrubland, 266
- Monte León Formation, 278
- Monte León marine transgression, 19
- monte seco, 266
- Montehermosan SALMA, 19
- Moquegua Department, Peru, 66
- Motukai, 99
- Mount Ainslie, 124
- Mount Kosiusko, 134
- Mount Majura, 124
- mouse, 289
- Moutohora, 307
- Moyogalpa, plain of, 145
- Mt. Kulal, 205
- Mt. Nyiru Range, 205
- multichambered stomach, 50
- multiple-occurrence regional landslide event (MORLE), 338
- Multivariate ENSO Index (MEI), 107
- Muridae, 63, 160, 300
- Murray River, 147–148, 330, 338
- Murray–Darling, 131
- Murray–Darling basin, 124, 144
- Murray–Darling system, 302
- Murrumbidgee basin, 131
- Murrumbidgee River, 124, 138, 302–303, 338

- Mus*, 288  
 Museum of New Zealand Te Papa Tongarewa (Wellington), 169  
 Mustersan. *See* Mustersan SALMA  
 Mustersan SALMA, 25, 251, 277  
*Myoporum*, 179  
*Myotragus*, 1, 154, 285, 330  
*Myotragus balearicus*, 156  
*Mytonolagus*, 310  
*Myxoma*, 302, 306, 308–309
- Nabon Basin, 280  
 Nachukui, 213  
 Nachukui Formation, 207  
 Ñahuel Huapi, 61  
 Namidgi National Park, 124  
 Napier region, 100  
 native grass, 88  
 natural grassland, 179  
 Navidad Formation, 252  
 NCEAS, 80  
 Neanderthals, 147  
*Neotoma lepida*, 321  
 Neotropical loess, 315  
*Nesodon*, 23  
*Nesogoral*, 159  
 Neuquen Province, Argentina, 278  
 Nevada state, 145  
 New Britain, 146  
 New Guinea, 145–146  
 New Hebrides, 146  
 New Mexico state, 8  
 New South Wales, 121, 134, 301–302, 329  
 New World rats and mice. *See* Sigmodontinae (Muridae)  
 New Zealand, 248, 250, 257, 285, 339  
 New Zealand alpine glaciers, 303  
 New Zealand alps, 302  
 New Zealand Stock Station Agents Association, 88  
 Ngauruhoe, 114  
 Ngorongoro, 145  
 Nicaragua, 257  
 NIH Image (v1.62/3D), 293  
 Ñirihuau Formation, 262  
 NLLJ. *See* nocturnal low-level jets  
 nocturnal low-level jets, 205  
 Norfolk Island, 306  
 normalized difference vegetation index (NDVI), 261  
 North American Dust Bowl, 320–322  
 North Andean Volcanic Zone, 61, 78  
 North Island of New Zealand, 260, 317, 326  
 North Pacific Decadal Oscillation Index (PDO), 109  
 North Patagonian High Plateau, 242  
*Nothofagus*, 64, 260, 262  
*Nothofagus* forests, 73  
*Notochoerus*, 195  
*Notochoerus scotti*, 227  
 Notostylopidae, 3, 5, 25, 27, 34, 46, 236, 271, 299  
*Notohippus*, 299  
 Notopithecinae, 45, 298  
*Notopithecus*, 270  
*Notopithecus adapinus*, 46  
 Notostylopidae, 38–39, 49, 236, 271  
*Notostylops*, 49, 270  
*Notostylops* beds. *See* Casamayoran SALMA  
*Notostylops murinus*, 49, 271  
*Notostylops pendens*, 49  
*Notostylops* sp., 50  
 Notoungulata, 13, 25, 236  
   evolving lineages, 41–50  
   hypsodonty in Toxodontidae, 22–25  
   notoungulate evolution, 19–22  
   single-chambered stomach, 50–51  
     functional and ecological morphology, 53–54  
     phylogenetic affinity, 51–53  
 notoungulates. *See* Notoungulata  
 Numidotheriidae, 52  
 NW Indian Ocean monsoon, 201  
*Nyanzachoerus*, 195  
*Nyanzachoerus syrticus*, 227  
*Nyanzachoerus syrticus*–*Notochoerus scotti*, 227  
*Nyanzachoerus*–*Notochoerus*, 195, 216–218, 221, 333  
*Nyanzachoerus*–*Notochoerus scotti* lineage, 213, 216
- ocean chlorophyll concentrations, 267  
 Oceania, 145, 330  
*Ocepeia*, 52  
 Ochotonidae, 160, 309  
 Octodontidae, 19  
 octodontids. *See* Octodontidae  
 ODP Site 1090, 228, 245, 267–268  
 ODP Site 1094, 267  
 ODP Site 1128, 270  
 ODP Site 689, 268, 276  
 ODP Site 722, 216  
 ODP Site 748, 270, 277  
 ODP Sites 689 and 690, 245  
 ODP Sites 721 and 722, 198  
 ODP Sites 721/722, 193  
 ODP Sites 744 and 738, 243  
 Oi-1, 245, 258, 276  
*Oldfieldthomasia*, 27, 49  
*Oldfieldthomasia debilitata*, 49  
 Oldfieldthomasiidae, 49  
 Olduvai, 207, 214, 231  
 Olduvai Tuff 1, 207  
 Olduvai Tuff 1B, 207  
 Olfers, Ignaz von, 1

- Oligocene, 4  
*Oligoryzomys flavescens*, 67  
 Ologesailie Formation, 195  
 Oman, 210  
 omnivory, 63  
 Omo Basin, 214  
 Omo Group, 211  
 Omo River, 210, 232  
 Omo River Delta, 211  
 Omotepe Island, Nicaragua, 145  
 open-habitat chloridoid grasses, 264  
 open-habitat grasses, 262  
 orbital timescale, 215  
 Oregon state, 145, 257  
 Orellan. *See* Orellan NALMA  
 Orellan NALMA, 310  
*Oreopithecus–Maremmia* fauna, 158  
 Orkney Islands, 166  
 Ortiz-Jaureguizar, Edgardo, 8  
*Oryctolagus cuniculus*, 301, 305, 308–309, 314  
 Oryzomyini, 63  
 Oschiri fauna, 159  
 Osorno Province, Chile, 64  
 Otago, South Island, New Zealand, 305  
*Ovis*, 156, 288  
*Ovis aires*, 164, 173, 331  
*Ovis musimon*, 308  
 Owen Ridge, 198  
 Owen, Sir Richard, 2, 57
- Pachygazella*, 159  
 Pacific “Ring of Fire”, 257  
 Pacific Decadal Oscillation (PDO), 108, 327  
 Pacific Plate, 146  
 Paenungulata, 52  
 pajonales, 58  
 Pakistan, 202  
*Palaeolagus*, 309  
 Palazzesi, Luis, 5  
 paleo-Omo river, 203  
 paleoprecipitation, 251  
 paleosol oxides, 252  
 paleosols and trace fossil associations, 264–265  
 Paleostylopidae, 52  
 Palmerston North, 86, 93, 103  
 palms, 245, 248, 262, 264  
 Palouse, 258  
*Palyeiodon obtusum*, 23  
 Pampa de las Salinas, 317  
 Pampa Formation, 58  
*Pampahippus*, 27  
 Pampas, 58, 250  
 Pampas of Argentina, 57  
*Pandanus*, 306  
*Panicum chloroleucum*, 316, 319  
 Pantodonta, 52  
 papionins. *See* *Theropithecus*  
 paramo, 266  
*Paranthropus*, 193  
*Paranthropus boisei*, 197  
*Paranthropus robustus*, 194  
*Parastrapotherium*, 271  
 Parkes, John P., 177  
 Parkin, Don M., 204  
 parna, 130, 138  
 Parque Nacional Vicente Pérez Rosales, 64  
 Pascual, Rosendo, 5  
 pasto agrio, 58  
 pasto blando, 58  
 pastos altos y pajonales, 58  
 pastos tiernos, 58  
*Patagonhippus canterensis*, 48  
*Patagonhippus dukei*, 46  
 Patagonia, 4, 237, 324  
 Patagonian Hinge, 39  
 Patagoniidae, 13, 286, 323  
 Payne wear stage, 174  
 PC. *See* phytolith counts (PCs)  
 Pearson, Oliver Payne, 66  
 peccary, 51  
 Pedregoso Formation, 19  
 peladares, 316  
 Pergamino, 67  
*Pericotaxodon platignathus*, 293  
 perikymata, 293  
 periodontal ligaments, 295  
*Periphragnis*, 42–43, 272  
 Periptychidae, 52  
 periradicular bands, 289  
 Perissodactyla, 52–53, 160  
 Perito Moreno, 61, 78  
 Persian Gulf, 202  
 persistent enamel-forming organ, 295–296  
 Peru, 66, 257  
*Pezosiren*, 52  
*Phalaris*, 126, 330  
*Phalaris aquatica*, 124, 144  
*Phalaris stagers*, 144  
 Phenacodonta, 52  
 Phenacodontidae, 52  
*Phenacodus*, 52  
 Phillip Island, 300, 306  
*Phosphatherium*, 52  
*Phyllica nitida*, 308  
 Phyllotini, 60, 63, 313  
 phytolith abundance, 7  
 phytolith concentrations, 102, 122, 124, 126, 130, 165, 180, 189, 319, 326  
 phytolith consumption, 318  
 phytolith counts (PCs), 126  
 phytolith hardness, 132  
 phytolith morphology, 264  
 phytolith record, 237, 262–263, 335  
 phytolith-based reconstructions, 260

- phytoliths, xii, 6, 54, 118, 121, 263  
   soil, 67  
   tooth wear, 124  
 pig. *See* Suidae  
 Pilcaniyeu belt, 256  
 Pinturas Formation, 19  
 Pizzimenti, John, 66  
*Plagiarthrus clivus*, 46  
*Pleurostylodon*, 43, 270, 272  
*Plexotemnus*, 27, 43  
 Plinian, 161  
 Pliny the Younger, 161  
*Poa*, 58, 179  
*Poa litorosa*, 180, 189  
 Poaceae, 5, 264, 304  
 Pohangina, 91, 99  
 Pohangina River, 92  
 Pohutukawa, 177  
 Polar Front, 241, 316  
 Poleslide Member, 310  
 polyhedral phytoliths, 264  
 Polynesian arrival, 304  
 Polynesians, 251  
*Polypogon*, 179  
*Polystichum vestitum*, 180  
 Potoco Formation, 283  
 precocious hypsodonty  
   grasses, 5–6  
   grasses as sediment traps, 7–8  
   in Metatheria, 37–38  
   mountain-uplift and volcanism, 8–9  
   phytoliths, 6–7  
   tangled history, 2–5  
 precocious hypsodonty in Patagonia, 236  
   atmospheric paleotemperatures, 248  
     southern limit of Alligatoridae, 248  
     southern limit of palms, 250  
   climate intimacy, 238  
   Drake Passage  
     deep time climate variability, 244  
     formation of ice, 243  
     geometry and history, 242  
   erosion of the Sarmiento Formation, 258  
   marine paleotemperatures, 245  
   paleoprecipitation, 251  
   Sarmiento Formation  
     forest versus grassland, 262  
     geographic area, 277  
     grass phytoliths, 263  
     grazing morphology, 270  
     paleosols and trace fossils, 264  
     sedimentation rates, 276  
     shrublands, 265  
     temperature and precipitation, 273  
     tephric loessites, 258  
     vegetation and surface processes, 261  
     volcanic activity, 255  
     volcanic eruption frequency, 274  
     wind and marine productivity, 267  
 premature dental senescence, 93  
 prevalence of hypsodonty, 9  
   globally, 80  
     dust storm frequency, 82  
     zonal distribution, 81  
   in South America, 59  
     diet, 70  
     dust storm frequency, 79  
     environmental correlates, 59  
     in mountain environments, 71  
     moisture conditions, 76  
     volcanism, 72  
 prismaticite, 264  
*Proadinothorium*, 23, 40  
*Proadinothorium leptognathum*, 23, 36, 271  
*Proadinothorium muensteri*, 23, 271  
*Proargyrohyrax*, 34, 41  
 Proboscidea, 52, 160  
*Procaprolagus*, 310  
*Progaleopithecus toumoueri*, 46  
*Prohegetotherium sculptum*, 36, 45  
*Prolagus*, 160  
*Propachyrucos smithwoodwardi*, 36  
*Prorastomus*, 52  
*Prosopis*, 73  
*Prosotherium garzoni*, 36  
*Protarchaeohyrax*, 27, 39, 41, 44  
*Protarchaeohyrax gracilis*, 45  
*Protarchaeohyrax intermedium*, 45  
*Protarchaeohyrax minor*, 45  
 Proterotheriidae, 52, 55  
 Protlipternidae, 52  
 Protungulata, 52  
*Protungulatum*, 52  
*Pseudhyrax*, 39, 41, 44  
*Pseudhyrax eutrachytheroides*, 45  
*Pseudoglyptodon*, 13  
*Pseudohyrax*, 27  
*Pseudostylops subquadratus*, 47  
*Puelia*, 27, 35, 39–40, 271  
*Puelia coarctatus*, 39  
*Puelia plicata*, 39  
 Puerto Aysen, 240  
 Pukekaikoiere, 114  
 Puna, 313  
*Punapithecus*, 41  
 Puno Department, Peru, 66  
*Punomys*, 63  
 pyroclastic volcanism, 70  
 Pyrotheria, 51–52  
*Pyrotherium*, 271  
*Pyrotherium* beds. *See* Deseadan SALMA  
  
 Queensland, Australia, 136, 302  
 Quehua-Achiri, 280  
 questions unanswered, 130–132

- Rabaul, 146
- rabbit, 336
- calicivirus, 302
  - eradication, 299
  - fossil record, 309–311
  - hemorrhagic disease, 302
  - in Australia, 301–304
  - in New Zealand, 304–305
  - introductions, 299
  - on Carnac Island, 306–307
  - on Ile Saint-Paul, 307–308
  - on Kerguelen Islands, 308
  - on Macquarie Island, 308–309
  - on Phillip Island, 306
  - on Round Island, 305–306
  - on Whale Island, 307
- rabbit-like notoungulates, 312–313
- rabbits, 284, *See* Leporidae
- Raetihi, 91
- rainstorm-induced land-sliding, 94
- Rajasthan, 202
- Rangitikei River, 99
- Ranui, 99
- Raoul Island, 169, 175–177, 184, 331
- Rapid Assessment Program, 62
- rats. *See* Muridae
- Rattus rattus*, 308
- Red Sea, 202, 257
- red-clay mantle. *See* parna
- Refugio La Picada, 64
- regolith landslides, 112
- Reguero, Marcelo, 7, 27
- Reig, Osvaldo Alfredo, 60
- reindeer, 166
- Reithrodon*, 314
- Reithrodonomys megalotis*, 321
- relative wear rate, 174
- Denmark, 147
- research method, 124
- Reunion Island, 308
- rhinos (Rhinocerotidae), 53
- Rhopalostylis baueri*. *See* Raoul Island
- Rhopalostylis sapida*, 250
- Rhynchippus equinus*, 48–49, 271
- Rhynchippus pumilus*, 46, 48
- Rhyphodon*, 42, 272
- Rift System, 332
- Rimutaka Range, 189
- Rio Chico, 51
- Rio Chico del Chubut, 277
- Rio Chico Group, 256
- Rio Deseado, 278
- Rio Loro, 51
- Rio Negro Province, Argentina, 278
- Rio Pinturas, 278
- Rio Salado, 57
- Rio Turbio, 5, 262
- Rio Zeballos Group, 19
- Riverside, 99
- Rodentia, 236
- rodents, 285, *See* Rodentia
- Romero, E.J., 5
- Rosado Member, 252, 258, 265, 270. *See* Sarmiento Formation
- Roth, Santiago, 3
- Rotorua area, 260
- Round Island, 305
- Royal Cabinet in Madrid, 2
- Ruahine Range, 91, 304
- Ruamahanga River valley, 99
- Ruapehu, 114
- Rudge, Mike R., 171, 187, 190, 341
- Rumble Islands, 114
- ruminants, 53
- Rupricaprinae, 154
- ryegrass, 86
- saddle “chloridoid” phytoliths, 264
- Sahara, 163, 258
- Sahel, 163, 258
- Saint Helena Island, 165
- Saint Paul Island, 307
- Salar de Antofalla, 317
- Salar de Arizaro, 316–317
- Salinas Grandes, 316
- Salla, 40, 280
- Salla fauna, 283
- Salta Province, Argentina, 61, 250
- San Jorge Basin, 241, 276, 278
- San Juan Province, Argentina, 317
- San Julián Formation, 278
- San Luis Province, Argentina, 250, 266
- Sandy Bay Tephra, 179
- Sanson, Gordon Drummon, 120
- Santa Cruz Formation, 19
- Santa Cruz Province, Argentina, 278
- Santa Cruz stage*. *See* Santacrucian SALMA
- Santa Fe Province, Argentina, 250
- Santa Rosa, 66, 284
- Santacrucian SALMA, 299
- Santiagorothia*, 27, 34, 41–42
- Sardinia, 154, 158–159, 257
- Sardomeryx oschirensis*, 159
- Sarmiento, 240
- Sarmiento Formation, 29, 238, 244, 250, 255, 258, 267, 284, 338
- SAS Institute, 70
- Saskatchewan, 310
- savanna biome, 262
- savannas, 262
- Savelli, Carlo, 162
- Scarabaeinae, 265
- Scarritt Pocket, 46, 48, 277
- Scarrittia*, 271
- scattering coefficient, 140
- Schlosser, Max, 4

- scientific impact, 122–123  
 Sciuridae, 314  
*Scotamys*, 13  
 Scotia Archipelago, 165  
 Scotland, 166  
 Scott, William Berryman, 2, 4  
 SE Atlantic Ocean, 237  
 SE dust path, 147–148  
 seasonal variation, 102–103  
 seasonally dry forests, 266  
 SeaWiFS, 267  
 sedimentation rate, 215, 274–276  
 sedimentology, 251–252  
*Seggeurius*, 52  
 semiarid steppes, 238  
 Ses Fontanelles fauna, 160  
 Shamal winds, 202  
*Shamolagus*, 310  
 sheep. *See Ovis*  
 Shockey, Bruce, 27  
 short-grass prairie, 58  
 shrub savanna, 266  
 shrub steppe, 263, 316  
 shrubland, 180, 260, 265–266  
 shrubland-steppe, 266  
 Shungura Formation, 195, 207  
 Sicily, 257  
 Sidi Hakoma Tuff, 208  
 Sierra de la Huerta, 317  
 Sierra de San Bernardo, 242  
 Sierra Pie de Palo, 317  
 Sigmodontinae, 19, 28, 59, 63, 73, 75, 273, 314, 323  
 Sigmodontinae (Muridae), 21, 63, 323  
 Silbo Tuff, 207  
*Silvilagus*, 1  
 Simpson, George Gaylord, 42  
 Simpson's Y Tuff, 6, 29  
 Sinai, 258  
 single-chamber stomach, 50  
*Sinolagomys*, 309  
 Sirenia, 52  
 six farms, 98–100  
 sloths, 53, 312  
 Smithsonian Volcano Inventory, 66  
 smoothing splines, 80, 130, 214–216  
 Snowy Mountains, 138, 140  
 Soay sheep, 166  
 soil, 55, 70–71, 157, 238  
   bare ground. *See peladares*  
   oceanic islands, 164  
   organic peat, 166, 189, 308  
   volcanic ash. *See andisol*  
 soil accesion, 131, 134, 138, 260, 264, 320  
 soil carbonate, 124, 229, 264  
 soil disturbance, 147, 231  
 soil erodibility, 205  
 soil erosion, 85, 87, 93, 101, 162, 192, 222, 301  
   rainfall-induced, 94  
   susceptibility, 97–98  
 soil erosion and tooth wear, 92  
 soil erosion scars, 114  
 soil ingestion, 7, 54, 90–91, 98, 117, 119, 147, 168,  
   318  
   tooth wear, 92, 102  
 soil inputs, 90  
 soil intake, 89  
 soil load, 86, 92, 100, 115, 140, 256, 318–319  
 soil loss, 143, 205, 280, 305–306  
 soil mineral abrasives, 192  
 soil mineral particle flux, 115, 140, 234  
 soil mineral transport, 79  
 soil moisture, 67, 92, 134, 136, 140, 257, 320  
 soil organic matter, 228  
 soil parent material, 61, 67, 71, 94, 108, 114, 138,  
   144, 162, 164, 209, 252, 257, 299, 306  
 soil radiocesium, 133  
 soil surface, 55, 70, 92, 101, 122  
   bare ground, 265, 305, 319  
 soil temperature, 229  
 soils  
   organic peat, 180  
 Somún Curá plateau, 256  
 source-to-sink sediment cascade, 198–200  
 South America exceptional?, 55–58  
 South Andean Volcanic Zone, 79  
 South Atlantic Ocean, 248  
 South Australia Sand Drift Act, 301  
 South Dakota state, 310  
 South Georgia Island, 166  
 South Pacific Ocean, 237, 248, 331, 338  
 southeast dust path, 124, 330  
 Southern Alps, 305  
 Southern Andean Volcanic Zone, 61, 267  
 Southern Andes, 284, 313  
 southern limit of Alligatoridae, 248–250  
 southern limit of palms, 250  
 Southern Ocean, 166, 237, 243, 245, 338  
 Southern Oscillation Index (SOI), 135  
 southern tablelands, 124  
 southwest Atlantic Ocean, 238  
 Southwest Majorca Volcanic Field, 157  
 Spalletti, Luis, 6  
 Sparotheriodontidae, 52  
 spatial (geographic) complexity, 202  
 St Kilda archipelago, 166  
 stable carbon isotopes, 254  
 Stanway, 91  
 station data, 62  
 Statview, 70  
 stereotyped grazing morphology, 270  
*Stertomys*, 160  
*Stipa*, 58, 316  
*Stipa ichu*, 66  
 Stürton, Reuben Arthur, 7, 42

- stocking rate, 89, 117  
 stratocladistics, 42  
*Strenulagus*, 310  
 striae of Retzius, 291  
 Strömberg, Caroline A.E., 7  
 Stromboli, 161  
 Stromer von Reichenbach, Ernst Freiherr, 51  
 study site, 123–124  
 Stylinodontidae, 55  
 sub-Andean megafans, 315  
 Sub-Saharan Africa, 144  
*Sudamerica*, 55  
 Sudamericaeidae, 13  
 Sudan, 205  
 Suidae, 195, 226, 330, 333  
 suids. *See* Suidae  
 Suina, 51  
 Suinae, 195  
 surface winds, 204–208  
 Surinam, 63  
 survey by New Zealand Stock and Station Agents Association, 100–101  
*Sus sondaari*, 159  
 suspended sediment yield (SSY), 107, 115  
 Suteijun Tuff, 208  
 SW Asian monsoon, 201  
 Swanport, 147–148  
 Swift Current Creek fauna, 310  
 Sydney, 306  
*Sylvilagus*, 314, 321
- Tacna Department, Peru, 66  
 Taeniodonta, 55  
 Taihape, 86, 91, 100  
 Tangimoana, 99  
 Tanzania, 145, 207, 231, 257  
 Tarata, 66  
 Tarawera, 114  
 Tardigrada, 13, 323  
 Tasman glacier, 302  
 Tasman Sea, 134, 149, 268, 338  
 Tasmanian Gateway, 242  
 Taupo eruption, 304  
 Taupo volcanic center, 114  
 Tauweru River, 97  
 Te Awa, 86  
 Te Awa Experimental Station, 118  
 Te Awa vs Feilding, 93–96  
 temperature and precipitation, 273–274  
 temporal complexity, 201–202  
 temporal fossa, 54  
 temporal patterns, 101–102  
 temporal resolution, 227–228  
 temporalis muscle, 54  
 tephric loess, 96, 107, 114  
 tephric loessites, 258–260
- terrigenous dust flux, 201  
 terrigenous sediments, 200–201  
 Teruggi, Mario, 6  
 Tethytheria, 52  
 Tetraconodontinae, 195  
*Theropithecus*, 195–196, 219, 233  
*Theropithecus brumpti*, 195, 213, 219  
*Theropithecus gelada*, 196  
*Theropithecus oswaldi*, 195, 213, 218, 221, 225, 233  
*Theropithecus oswaldi darti*, 218  
*Theropithecus oswaldi leakeyi*, 195, 213  
*Theropithecus oswaldi* lineage, 195  
*Theropithecus oswaldi oswaldi*, 195, 213  
*Thomashuxleya*, 42–43, 270, 272  
 Thomasomyini, 63  
 threshold of erosion intensity, 219  
 Thurley, D.C., 91  
 Thurley, T.G., 97  
 Tibet, 258  
 tierra cocida, 58  
 Tierra del Fuego, 314  
 Tillodontia, 52, 55  
 time series analysis, 215–216  
 time series data, 216  
 Tinguiririca, 34, 45  
 Tinguirirican SALMA, 277  
 Tiupampa, 51  
 Toba eruption, 207  
 Tola shrub, 66  
 Tongariro, 114  
 Tongariro National Park, 189  
 tooth wear, 91, 124–126  
   dust storm frequency, 268  
 tooth wear gradient, 148–150  
 Torata, 66  
 Tournouër, Andrés, 3  
*Toxodon*, 2  
 Toxodontia, 51–52  
 Toxodontidae, 23, 26, 36, 40, 236, 271, 285, 291, 296  
 Toxodontinae, 298  
*Trachytherus*, 36, 40, 45  
*Transpithecus obtentus*, 46  
 Trauth, Martin H., 200  
 tree sloths, 312  
 Trelew Formation, 19  
 Tremembé, 284  
 trichome (aculeolita) phytoliths, 264  
*Trifolium subterraneum*, 124  
 Trigonostylopidae, 50  
*Trigonostylops*, 270  
*Trithrinax*, 250  
 Trogosinae, 55  
 trophic pyramid, 62  
*Tsamnichoria*, 49  
*Tsamnichoria cabrerai*, 49



- Tubulidentata, 52  
 Tucuman Province, Argentina, 250  
 Tukituki River, 100  
 Turkana, 145  
 Turkana Basin, 193, 198, 202, 210, 228, 231, 332, 338  
 Turkana Channel jet, 205  
 Turkana low-level jet, 232, 332  
 Turkana nocturnal low-level jet, 232, 332  
 Turkish Angora goats, 173  
 Tuscan archipelago, 158  
 Tuscan Magmatic Province, 158  
 Tuscany, 155  
*Typha angustifolia*, 177  
 Typhotheria, 5, 51, 55, 286  
 Tyrrhenian Sea, 158  
*Tyrrhenotragus*, 160
- Uetatus*, 13  
 UG90–1 Tuff, 207  
 Uganda, 207  
 Uintamorpha, 52  
 Uintan. *See* Uintan NALMA  
 Uintan NALMA, 310  
 Uintatheriidae, 52  
 U<sup>K</sup><sub>37</sub> SST, 248  
*Ultrapithecus*, 49  
*Ultrapithecus rutilans*, 49  
 Ungulata, 52  
 unilateral hypsodonty, 46  
 University of Melbourne, 132  
 University of Padova, 47  
 Upper Hutt, 97  
 Upper Puesto Almendra Member, 258  
 Uquian SALMA, 57  
 Uruguay, 250  
 Utah state, 145
- Vacan SALMA, 277  
 Van Roosmalen, M.G.M., 63  
 Vanhof cooling event, 245  
 vega, 316  
 vegetation and surface processes, 260–262  
 vegetation change, 299  
 VEI. *See* Volcanic Explosivity Index (VEI)  
 Vera Member, 244–245, 252, 258, 265, 270  
*Vermilingua*, 1, 323  
 Vesuvius, 161  
 Victoria, 136  
*Vicugna*, 1, 19, 154, 285, 315–316, 337  
 Vietnam, 260  
 Virrenato del Rio de La Plata, 1  
 Volcán Calbuco, 64  
 Volcán Chaitén, 255  
 Volcán Concepción, 145  
 Volcán El Misti, 66  
 Volcán Hudson, 255  
 Volcán Osorno, 64  
 Volcán Puyehue-Cordón Caulle, 255  
 Volcán Ubina, 66  
 volcanic activity, 255–257  
 volcanic ash, 114  
 volcanic ash and erosion, 114  
 volcanic ash shard count, 215, 223  
 volcanic ash shards, 202  
 volcanic ash soil(s), 71, 94, 114, 153, 209  
 volcanic Cascade Range, 145  
 volcanic East African Rift System, 145  
 volcanic eruptions, 78  
 Volcanic Explosivity Index (VEI), 145  
 volcanism and surface processes, 208–211  
 Vombatidae, 80  
 Vostok ice core, 267  
 Vulcano, 161  
 Vulture volcano, 161
- Waddell Sea, 243  
 Wagga Wagga, 134  
 Waipaoa River, 304  
 Waipawa basin, 100  
 Waipawa River, 304  
 Waipukurau, 98  
 Wairarapa, 338  
 Wairarapa fault, 94  
 Wairarapa region, North Island, New Zealand, 90–91  
 Wairarapa Syndrome, 90–91  
 Wallaceville Animal Research Center, 97  
 Wallaceville versus the Wairarapa, 98  
 Wargolo Tuff, 207  
 warmest month mean temperature, 248  
 Washington state, 145, 257  
 Waterhouse, George Robert, 1  
 wear stage, 173–175  
 Wellington, 92  
 Wellington fault, 94  
 Wellington, J., 90  
 West African savanna, 205  
 West Turkana, 214  
 West Wind Drift, 242, 338  
 western Andean margin, 325  
 Western Rift of Kenya, 207  
 wet climate erosion, 112–113  
 wet climate processes, 141  
 wet deposition, 141  
 Whale Island, 114, 307  
 Whanganui, 338  
 White Island, 114  
 White River beds, 7  
 White River Group, 310  
 Whitneyan. *See* Whitneyan NALMA  
 Whitneyan NALMA, 310  
 Williams, Coley S., 47

- |   |   |
|---|---|
| <p>WMMT. <i>See</i> warmest month mean temperature (WMMT)</p> <p>wombat (Vombatidae), 120, 285</p> <p>woodland, 260</p> <p>woody dicots, 262</p> <p>Wrangell–St Elias, 209</p> <p>Wyoming state, 8, 145</p><br><p>Xenarthra, 13, 296</p> <p>xenarthrans. <i>See</i> Xenarthra</p> <p>Xenungulata, 52</p> <p>xerophilous steppe, 316</p> | <p>Xotodontinae, 13, 24</p><br><p>Yass River, 302</p><br><p>Zajicek, Gershorn, 294</p> <p>Zajicek's proliferon, 294</p> <p><i>Zalambdalestes</i>, 52</p> <p>Zhelestidae, 52</p> <p>Zittel, Karl Alfred von, 2, 51</p> <p>Zucol, Alejandro, 6</p><br><p><math>\delta^{13}\text{C}</math> in pedogenic carbonate, 228</p> |
|---|---|