

Index

- ($\sim_{\mathcal{M}}, \sim_{\mathcal{M}'}\mathcal{M}$)-subset property, 279
 - and quasi-invertibility of mappings, 279
- n -modularity, 302, 303, 306
- Acyclic dependencies, 49
 - weakly, 50
- Annotated certain answer, *see* Closed–open certain answer
- Anomalies
 - of the standard semantics, 97
 - of the universal solutions semantics, 101
- Automaton
 - strongly connected component (SCC), 169–171, 173, 174, 177
 - tree, 28, 139, 140, 152, 157, 159, 160, 168–174, 221, 222, 232, 233, 245, 263, 315
 - emptiness, 28, 140, 153, 221
 - universality, 28, 233, 264
 - word, 27, 140, 153, 168
 - emptiness, 27
 - horizontal, 140, 152, 168, 171, 173
 - universality, 27
- Axis, 143, 147, 194, 231
 - child, 143, 145, 147, 148, 183, 187, 188, 194, 195, 198, 205, 222, 232, 233, 240, 243, 247, 268, 315–318
 - descendant, 143, 145, 147, 148, 165, 171, 173, 175, 178, 183, 184, 187, 189, 190, 194, 195, 203, 205, 222, 232–234, 237, 240, 261, 262, 264, 267, 315, 317
 - following sibling, 143–145, 147–149, 167, 173, 175, 178, 183, 184, 188, 221, 222, 232, 233, 240, 262, 264, 267, 315–317
 - next sibling, 143, 145, 147, 149, 167, 173, 175, 178, 183, 184, 187–189, 221, 222, 232–234, 237, 240, 246, 261, 262, 264, 267, 315, 317
- Blocks method, 72
- Cartesian product, 16
- Certain answer, 8, 41, 221, 222, 318
 - annotated, 122
 - clopen, 122
 - computation for
 - conjunctive queries, 77
 - conjunctive queries with inequalities, 79
 - conjunctive tree queries, 318
 - conjunctive tree queries with inequality, 188
 - Datalog programs with constant inequalities, 85
 - FO queries, 76
 - FO queries with negation, 82
 - relational calculus queries, 76
 - unions of conjunctive queries, 77, 182
 - unions of conjunctive tree queries, 182, 184–192, 222
 - XML-to-XML queries, 201–205
- computation under the universal solutions semantics, 99
- CWA, 108
 - under target dependencies, 118
 - for XML-to-XML queries, 196–205, 221
 - definition of, 199
 - universal, 98
 - via naïve evaluation, 77
 - vs CWA certain answer, 111
- Chase, 46
 - α -chase, 113
 - and canonical universal solution, 65
 - and weak acyclicity, 49
 - beyond weak acyclicity, 126
 - result, 48
 - sequence, 47
 - failing, 48
 - successful, 48
 - with egds, 67, 127
- Clause, 186, 246
- Closed–open certain answer, 122
 - computation of, 123, 130
- Closed-world assumption (CWA), 103
- Closure
 - under isomorphisms, 300
 - under target homomorphisms, 301, 303, 305, 306
 - under target intersection, 306
 - under union, 305
- Complexity, 201, 221, 230, 231, 242, 250, 264
 - combined, 26, 150, 156–158, 178, 179

- data, 26, 150, 156–158, 161, 184, 195, 238, 251, 252, 262, 264
- mismatch in XML data exchange, 207
- space, 21
- time, 21
- Complexity class
 - AC^0 , 22
 - LOGSPACE, 22, 150, 157, 222, 252
 - PTIME, 22, 150, 157, 161, 166, 195, 201, 205, 222, 238, 247, 252, 315, 318
 - NP, 22, 151, 153, 161, 185, 200, 245, 251–253, 316
 - CONP, 22, 186–188, 200, 222, 245, 247, 318
 - Π_2^S , 22, 157, 222, 239, 245, 316
 - Π_4^P , 245, 246
 - PSPACE, 22, 178, 237, 238, 245, 263, 315
 - EXPTIME, 22, 201, 203, 222, 232, 233, 238, 262, 264, 317
 - NEXPTIME, 238
 - NEXPTIME, 22, 179, 222, 237, 242, 245, 316
 - Π_2^{EXP} , 242, 243, 316
 - EXPSPACE, 178, 240, 242
 - complete problems, 23
- Composition, 10, 228, 229
 - definition of, 249
 - relational, 316
 - closure under, 249–261, 313
 - complexity, 251–252, 313
 - XML, 231, 317
 - closure under, 261–271, 314
 - complexity, 251, 261–265, 317
- Conditional database, 131
- Configuration, 179–181, 235, 315
- Consistency, *see* Problem
- Constant, *see* Value
- Context, 163, 164, 166, 168–172, 174–179
 - multicontext, 163, 164, 168–170, 174
- Core, 199, 200
 - as universal solution, 69
 - computation of, 70, 200
 - definition of, 69
 - vs canonical universal solution, 127, 129
- CWA certain answer, 108
 - computation, 109
 - computation for FO queries, 110
 - under target dependencies, 118, 130
 - vs certain answer, 111
- CWA solution, 103
 - and the core, 115
 - existence under target dependencies, 117
 - presolution, 105, 106
 - under target dependencies, 113
 - under target dependencies, 114
- Data integration, 11
- Data-exchange equivalence, 278
- Dependency
 - dependency graph, 49
 - equality-free second-order tuple-generating, 316, 317
 - equality-generating, 37
 - full tuple-generating, 38
 - functional, 13, 38
 - key, 38
 - second-order tuple-generating (SO tgd), 253–257, 259–261, 264–267, 313, 314, 316
 - source-to-target tuple-generating (st-tgd), 37, 154, 158, 187, 189, 230, 249–251, 259–261
 - st-tgds extended with disjunction in the target, 291, 293
 - tuple-generating (tgd), 37
 - weakly acyclic set of, 50
- Difference, 16
- DTD, 138, 140, 155, 156, 230, 267
 - disjunction-free, 315
 - nested-relational, 139, 156, 162–166, 186, 187, 189–192, 203, 208, 221, 222, 230, 231, 237, 238, 267, 315, 316
- Extended recovery, 294
 - definition of, 296
- Forest, 163–165, 167–179, 193, 195
 - subforest, 176, 177, 203
- Formula
 - quantifier rank, 185
 - tautology, 246
- Homomorphic
 - equivalence, 199, 200
 - extension of a mapping, 295
 - and maximum recovery, 296
 - image, 200
- Homomorphism, 17, 19, 148–152, 160, 165, 176, 189, 199, 201, 203, 205, 221, 257, 258, 268, 301, 318, 319
 - and universal solutions, 57
- Inlining, 208, 209
 - of DTDs, 210
 - of mappings, 216
 - of patterns, 214
 - of queries, 215
 - of XML documents, 212
- Instance, 29
 - annotated, 122
 - Codd, 18
 - complete, 19
 - domain of, 13
 - ground, 195, 223
 - homomorphically equivalent, 200
 - isomorphic, 192, 199
 - naïve, 18
 - size of, 13
 - source, 30
 - subinstance of, 13
- Instance-completeness, 131
- Integrity constraint, *see* Dependency

- Interpretation, 254
- Inverse, 228, 229, 272
 characterization of existence for mappings that are total and closed-down on the left, 276
 characterization of existence for mappings specified by st-tgds, 275
 complexity of testing invertibility, 276
 complexity of testing whether a mapping is an inverse, 277
 computation, 290
 computation for mappings specified by full st-gds, 292
 existence of noninvertible mappings, 274
 language needed to express the, 293
 relation with maximum recovery, 286
 relation with quasi-inverse, 279
 unique-solutions property, 273
- Isomorphism
 closure under, 300
- Justification, 104
 with target dependencies, 113
- Kind
 \mathcal{A} -kind, 169–179, 222, 240–242, 245
 D -kind, 164–166, 222
- Locality, 91, 129
 and rewriting, 92
- Logic
 first-order (FO), 14, 185, 251, 252
 second-order (SO), 253
- Mapping, 3, 6, 30
 n -modular, 302, 303, 306
 admitting universal solutions, 301, 303, 305, 306
 annotated, 121
 as binary relation, 300
 bounded-depth, 245–247
 closed under isomorphisms, 300
 closed under target homomorphisms, 301, 303, 305, 306
 closed under target intersection, 306
 closed under union, 305
 closed-down on the left, 273
 definable in a logic, 251, 252, 301
 definition of, 154
 global-as-view (GAV), 38
 inlining of, 216
 inverse, 272
 local-as-view (LAV), 38
 reflecting source homomorphisms, 301, 303, 305, 306
 relational, 36, 153
 semantics of, 31, 154
 simplification, 300, 307
 subset property, 275
 total, 273
 unique-solutions property, 273
 XML, 154
- Max-description, 197–203, 205
 ground, 223
- Maximum extended recovery, 294
 definition of, 296
 existence in the presence of nulls in source instances, 298
 relation with maximum recovery, 296
- Maximum recovery, 280
 and nulls in source instances, 294
 characterization, 281
 characterization of existence, 285
 computation, 288
 computation for mappings specified by full st-tgds, 291
 existence for mappings specified by st-tgds, 285
 existence for the homomorphic extension of a mapping, 296
 language needed to express the, 293
 relation with inverse, 286
 relation with maximum extended recovery, 296
 relation with quasi-inverse, 287
 testing whether a mapping is a maximum recovery, 287
- Metadata management, 227, 228
 composition, 228, 229, 249–271
 inverse, 228, 229
 model management, 228
- Navigation, 147
 horizontal, 188, 189, 221, 231, 237
 vertical, 203, 231, 237, 267
- Nesting depth, 185
- NFA, *see* Automaton
- Null, *see* Value
- Path, 136, 139, 170, 171, 173, 176–178, 204
- Pattern
 child-only, 190, 198, 199, 221
 compatible with DTD, 213
 inlining of, 214
 subpattern, 148, 190, 204
 tree, 9, 143–153, 155, 158, 182, 183, 190, 193, 195, 199, 201, 213, 221
- Port, 163–179, 245
- Prefix closed, 136
- Problem
 absolute consistency, 227, 230, 231, 238–248, 313, 316
 composition, 251–253, 261–265, 313, 316, 317
 CONP-complete, 24
 consistency, 10, 227, 230–238, 313, 315, 316
 emptiness of automata, 140, 153, 221, 233, 263
 GAV-equivalence, 307, 308
 LAV-equivalence, 309
 LOGSPACE-complete, 25
 NEXPTIME-complete, 25
 NP-complete, 24
 PSPACE-complete, 25

- undecidable, 25
- universality of automata, 233, 264
- validity of Π_2 quantified Boolean formulae, 157, 222
- Production, 138, 139, 163, 164, 190, 191, 204, 266, 267, 315
- Projection, 16
- Quasi-inverse, 278
 - characterization of existence for mappings specified by st-tgds, 279
 - computation, 290
 - computation for mappings specified by full st-gds, 292
 - existence of non-quasi-invertible mappings, 279
 - language needed to express the, 293
 - relation with inverse, 279
 - relation with maximum recovery, 287
 - testing whether a mapping is a quasi-inverse, 279
- Query
 - answer, 11, 183, 193
 - correctness in XML data exchange, 217
 - certain answer, 20, 31, 183, 184, 193, 196, 199–201, 203, 205, 221, 318
 - compatible with DTD, 215
 - conjunctive, 17, 143, 146, 148, 150, 154, 155, 182, 183, 197, 221, 268
 - conjunctive with inequalities, 128, 129, 182, 183
 - core-certain answer, 200, 205
 - existential FO, 100
 - forest, 193–195
 - inlining of, 215
 - locally source-dependent, 92
 - naïve evaluation of, 20, 127
 - rewriting, 32, 89, 287
 - safe, 146, 154, 158, 182
 - subquery, 193, 195
 - union of conjunctive, 17, 182–186, 189, 190
- Recovery, 280
 - testing whether a mapping is a recovery, 287
- Regular expression, 138–140, 232
- Regular language, 27
- Relational
 - algebra, 15
 - calculus, 14
- Rewriting, 32, 89
 - and locality, 92
 - core vs canonical universal solution, 91
 - non-rewritability, 92
- Safe extension, 175–177
- Schema, 249
 - relational, 12, 155, 228, 229, 250, 253, 260, 316
 - source, *see* Source
 - target, *see* Target
 - XML, 8, 138–140, 155, 158–160, 168, 185, 197, 227, 245
- Schema evolution, 229
- Schema mapping, *see* Mapping
- Selection, 16
- Semantics
 - closed–open world assumption, 122
 - closed–world assumption (CWA), 108
 - CWA under target dependencies, 118
 - universal solutions, 98
- Solution, 30, 155, 158–181, 183, 196, 221, 227, 240
 - annotated, 122
 - canonical universal, 41, 66, 126
 - closed–open, 122
 - core, 41, 69
 - CWA, 103
 - under target dependencies, 114
 - definition of, 154
 - existence of, 39, 43, 178–181, 222, 227, 231, 316
 - strong witness, 275
 - universal, 40, 58, 189–192, 203, 205, 318, 319
 - witness, 284
- Source
 - instance, 154, 183, 189, 196, 227
 - query rewriting, 287
 - and computation of the inverse, 290
 - and computation of the maximum recovery, 288
 - and computation of the quasi-inverse, 290
 - computation, 288
 - schema, 3, 29, 36, 154, 158, 186, 228, 229, 245, 249
- Source homomorphism
 - mapping reflecting, 301, 303, 305, 306
- Source-to-target dependencies, 29, 36
 - first-order (st-tgd), 154, 158, 187, 189, 230, 249–251, 259–261
 - second-order (SO st-tgd), 253–257, 259–261, 264–267
- Strong witness, 275
 - relation with witness, 284
- Strong witness solution, 275
 - and invertibility of mappings, 276
 - and universal solutions, 275
- Subset property, 275
 - and invertibility of mappings, 275
- Tableau, 17
 - and query containment, 18
- Target
 - dependencies, 36, 208, 230, 314
 - acyclic, 210
 - weakly acyclic, 314
 - instance, 154, 196
 - instance materialization, 10, 141, 158–181
 - nonuniqueness of, 141, 183
 - schema, 3, 29, 36, 154, 156, 158, 186, 245, 249
- Target homomorphism
 - closure under, 301, 303, 305, 306
- Tree, 135, 138–140, 143, 150, 160, 193, 198, 199
 - branching, 160, 166, 170–172, 174, 175, 178, 179

- depth, 235, 236, 245, 246
- ground, 195, 223
- height, 160, 171, 172, 174, 175, 178, 179, 222, 245
- leaf, 138–140
- ranked, 136, 139, 233, 264
- root, 135–138, 145, 149, 198, 199
- subtree, 137, 152, 160
- unranked, 136, 137, 139, 140, 221, 232
- Two-register machine, 234, 235, 237, 261, 315
- Union, 16
- Unique-solutions property, 273
 - and invertibility of mappings, 273, 274
- Universal certain answer, 98
 - computation, 99
 - computation for
 - existential FO queries, 100
- Universal solution, 189–192, 205, 318, 319
 - and chase, 65
 - definition of, 190
 - existence of, 59, 192, 203
 - mapping admitting, 301, 303, 305, 306
 - semantics, 98
- Value, 135, 137, 143, 149, 154, 161, 189, 195, 198, 254, 260
 - constant, 18, 29, 154, 189, 192, 194, 195, 197–199, 201, 221, 223, 235, 254, 268
 - null, 18, 29, 154, 161, 165, 172, 189, 192, 195, 197, 223, 241, 254, 314, 318
- Variable
 - bound, 315
 - free, 183, 185, 195
- Wildcard, 143, 147, 148, 187, 189, 194, 204, 267
- Witness, 284
 - relation with strong witness, 284
- Witness solution, 284
 - and existence of maximum recoveries, 285
 - and universal solutions, 284
- XML shredding, 206, 207