

INDEX

References to figures are indicated with f.; references to tables are indicated with t.

- accretion, 527, 541, 542–543
accretion (coagulation), 92
adiabatic heating/cooling, 49, 95, 97, 100, 242, 393, 434
adiabatic lapse rate, 148, 551
aeolian processes, 221–222, 296, 317
aerobraking, 9, 23, 25, 26, 27, 29, 34, 42, 44, 45, 46, 54, 218, 260, 435, 439, 453, 454
aerosols. *See* dust particles, CO₂ ice particles, water ice particles
airglow, 61, 97, 110, 143, 418, 421, 435, 436, 451, 452, 456
 definition of, 446
 models of, 449
 observations of, 447
albedo
 planetary albedo, 547, 552, 554
 single scattering albedo, 30, 124, 125, 133, 136, 305
 definition, 110
 surface albedo, 235, 305
 changes in, 3, 4, 13, 26, 313
Amazonian, 12, 338, 504, 506, 515, 518, 533, 535, 536, 544, 545, 557
 definition, 526
aphelion. *See* orbit properties
aphelion cloud belt. *See* clouds
arcuate ridges, 500
areocentric longitude, 7
atmospheric composition, 16t. 2.2., 57–65
atmospheric escape
 ion escape processes, 483–485
 modeling approaches, 467–468
 neutral escape processes, 482–484
 observations, 465–467
 on early Mars, 545–546
 reservoirs for, 481–482
 source and loss processes, 480–481
 total loss, 485–488
atmospheric collapse, 395, 499–500
atmospheric parameters, 16t. 2.3.
atmospheric retrievals, 43–46, 50–53, 65, 153–157
atmospheric tides. *See* thermal tides
aurorae, 29, 446–451, 477–479

band models, 122
baroclinic eddies
 basic theory, 268
 fundamental aspects, 267–268
 modeling, 272–277
 observations, 269–272
 structure, 272–274
baroclinic instability, 204, 205, 268, 276
bore waves, 22, 212, 219
boundary layer. *See* planetary boundary layer

bow shock, 147, 466–473
brines, 183, 352, 365, 516
Brunt-Väisälä frequency, 16, 174, 204
Burns formation, 533

Cameron bands, 436, 447–451
carbonates, 12, 33, 64, 377, 394, 531
Chapman layer, 442
Chasma Australe, 507
Chasma Boreale, 348f. 11.8., 507, 514
clathrates, 394, 424
clouds
 CO₂ ice clouds, 26, 76, 87, 99–100
 in the atmosphere, 97
 implications for early Mars, 100, 552–554
 observations, 97–99
 dust scavenging, 13, 215, 304, 328, 346, 367
 microphysical processes, 92
 perihelion cloud trails, 77, 78
 physical properties, 90
 precipitation, 11, 88–89, 183–184, 510–511, 530–531, 552, 554, 555
 radiative properties, 90–91
 water ice clouds
 aphelion cloud belt, 82–84
 global distribution, 82–87
 high altitude hazes, 85–87
 interannual variability, 87–88
 polar hoods, 84–85
 radiative effects, 96–97
 within the boundary layer, 88–89
 wave clouds, 77–82
CO₂ frost point, 49, 50, 65, 219, 239, 374, 386
CO₂ ice albedo and emissivity, 377–378
condensation enrichment, 57–59, 383–384, 408
condensation flow. *See* winds
condensation nuclei, 13, 87, 378, 389, 395
Conrath parameter, 148, 259, 298
convection, 551
convective available potential energy (CAPE) 385–387
core formation, 542–543
Coriolis parameter, 173, 189, 241, 242, 255
coronal mass ejection (CME) 147, 475
correlated-k technique, 122–124
crater circulation, 216
cross-equatorial transport, 7, 250, 360, 364
crustal magnetic fields, 10, 147, 443–446, 451
cryptic region, 352, 377, 380, 391–393
Curiosity rover, 11, 15, 33, 244, 258, 269, 341, 405, 413, 422, 569

- D/H ratio, 64–65, 539–541
- data assimilation, 160, 223, 233, 252, 272
- deliquescing salts, 338, 354, 366
- Doppler wind measurements, 159, 230, 243
- dust deposition theory, 320–321
- dust devils, 306–307
- formation, 318–319
- dust haze, 4, 8, 15, 76, 302, 313, 314, 325, 326, 328
- dust lifting
- by convective vortices, 318–319
- by electrical and thermal effects, 319–320
- by wind stress
- creep, 316
- physics of particle movement, 316–317
- saltation, 178, 295, 316, 317–318
- suspension, 318
- theory, 316
- dust particles
- composition, 304
- radiative properties, 305
- sizes, 304–305
- dust reservoirs
- finite, 327–328
- infinite, 323–327
- dust storms
- global storms, 311–314
- local storms, 307–310
- mechanisms for global storms, 314
- regional storms, 310–311
- dust streaks, 9, 216, 221–222, 244, 281
- elevated dust layers, 215, 300, 303–304, 322, 328
- dust transport theory, 321–322
- dynamic threshold, 317
- early Mars climate models, 547–556
- eccentricity. *See* orbit properties
- eddy diffusion, 209, 433, 445
- effective radius (r_{eff}) 88, 125, 304, 383
- effective variance (v_{eff}) 125, 304
- electron density, 439–451, 479–482
- electron impact dissociation, 62, 419, 441, 443, 445
- energy balance
- global, 106
- polar regions, 374–375
- upper atmosphere, 434–437
- exosphere, 433, 464, 468
- definition, 481
- F10.17 index, 437f. 14.3., 447–452
- faint young sun paradox, 526, 547, 551–556
- Ferrel cell, 252
- fluid threshold, 317
- fogs, 28, 32, 78, 88, 89, 97, 196
- foreshock, 468, 473
- Gale Crater, 11, 24, 33, 79, 182, 216, 217–219, 258, 302, 307, 424
- geostrophic wind. *See* winds
- glaciers
- CO₂ ice glaciers, 377, 500
- cold-based glaciers, 500
- debris-covered glaciers, 497, 506
- glacial processes, 504
- in eastern Hellas, 510
- mid-latitude glaciers, 510
- tropical mountain glaciers, 506, 510
- global circulation models, 232–233
- gradient wind. *See* winds
- gravitational sedimentation, 321
- gravity waves, 240
- greenhouse gases, 544, 549, 554, 559
- greenhouse warming, 152, 519, 552–556
- gullies, 338, 383, 504, 517–518
- Gusev Crater, 31–32, 140, 195, 222f. 8.7., 307, 527, 531
- gyroradius, 469
- H₂O frost point, 184, 515
- Hadley cell, 23f. 3.2., 49, 94, 95, 242, 246, 249, 252, 254, 286, 299, 302, 304, 310, 315, 316, 326, 327, 328, 339, 360, 362, 363, 367, 419, 503
- Hadley circulation. *See* mean circulation
- hazes, 2, 3
- heating/cooling rate, 106, 111, 113, 145, 148, 149, 157, 175, 177, 235, 238, 239, 244, 286, 434, 437, 452, 454
- Hellas
- atmospheric temperatures, 45, 281, 282
- atmospheric water vapor, 29, 345, 359, 361
- clouds, 76, 81, 98
- dust or dust storms, 220, 306, 311, 312, 315, 325, 326, 393
- impact event, 527
- ozone, 61
- stationary waves, 98, 283, 374, 382, 510
- surface ice, 351, 391, 510
- surface wind stress, 323
- topography, 235
- hemispheric dichotomy, 8
- Hesperian, 507
- defined, 526
- homopause, 42, 433, 455, 481–482
- Hubble Space Telescope, 2, 8, 23
- hydrodynamic escape, 543
- hydrostatic equilibrium, 45, 207, 208, 217, 453
- hydrostatic pressure, 208, 250
- ice annulus, 344, 351, 360–361
- induced magnetosphere, 464, 468–469
- infrared radiation, 5, 54, 97, 152, 176, 192, 235, 236, 239, 379, 510, 549, 552
- interplanetary magnetic field (IMF) 464, 473
- ionopause, 466, 470–471, 474
- ionosphere, 147, 433
- definition, 481–482
- structure and variability, 439–440
- iron oxides (hematite) 32, 61, 527, 534
- isotopes
- evidence for escape, 535–542
- in radiative transfer, 143, 144, 145, 157
- isotopic ratios, 63–65
- Jeans escape, 482, 483, 488, 546
- jet streams, 5, 10, 242, 268
- Kolmogorov constant, 175
- Kolmogorov dissipation scale, 175, 176, 186, 195
- Kolmogorov law, 175, 356
- Lagrangian circulation, 252
- Laplace tidal equation, 255
- latent heating, 2, 5, 14, 100, 220, 233, 234, 239, 314, 385

572 Index

- line-by-line technique, 122
lobate debris aprons, 347, 353, 505–510
 L_s . *See* areocentric longitude
- magnetic pressure, 476–480, 488
magnetosphere, 147, 464–478, 488
magnetosheath, 469–473, 477, 479, 486, 488
magnetotail, 472–474, 488
Mars climate database, 67–69
Mars year, 7
Martian solar day, 7
mean circulation
 basic theory, 241–242
 fundamental aspects, 241
 modeling, 244–254
 observations, 242
Meinel bands, 416
mesopause, 14, 50, 433, 435, 481
meteoric dust, 87, 305
microphysics. *See* clouds
Milankovitch cycles, 12, 84, 339, 497, *see also* “orbit properties”
MOLA topography, 191, 234f. 9.3., 277, 347, 507–508
Monin-Obukhov similarity theory, 174, 175, 187, 239
Monte Carlo models, 116, 450, 485
mountain torque, 240
- Noachian, 527
 defined, 526
noble gases, 22, 64, 388, 536–539, 542, 543
- obliquity. *See* orbit properties
orbit properties
 present values, 15
 variations of, 497–498
overturning circulation. *See* mean circulation
- pedestal craters, 506
perchlorates, 33, 352, 366, 422, 516, 535
perihelion. *See* orbit properties
permafrost, 349, 352–353, 365, 512–513
photochemistry
 catalytic cycles, 24, 82, 405, 415, 424
 HO_x chemistry, 405–412, 415, 425
 oxygen chemistry, 412, 555
 nitrogen chemistry, 62, 419–421
 sulfur/chlorine chemistry, 421, 533, 554
 heterogeneous chemistry, 97, 412, 422, 425
 N₂ 16t. 2.2., 33, 382, 406t. 13.1.
 CO 60, 406412t. 13.1., 436–449
 O₂ 30, 61, 406419t. 13.1., 442
 role of water vapor, 61, 97, 407–408, 426–429
 ozone (O₃) 406t. 13.1., 426–429
 hydrogen peroxide (H₂O₂) 61, 409–413, 427
 methane (CH₄) 24, 62–63, 422–424, 569
 ion chemistry, 440–446, 452
 photolysis, 60–61, 405–422, 555
 O₂ singlet delta, 24, 417–419
photoelectrons, 443, 445, 446, 450, 451
photoionization, 419, 434, 443, 471
phyllosilicates (clays) 352, 366, 526
pickup ions, 468, 472, 473, 483–485
planetary boundary layer, 5, 15, 47, 52
 definition, 172
 effect on weather and climate, 179
 large eddy simulations, 190–195
 modeling, 187–195
 orbital observations, 184–185
 surface observations, 179–184
plasma, 433, 441, 454, 464–477
plate tectonics, 1, 546
polar caps
 advance and retreat, 239, 375
 buried reservoir, 395–396
 circulation, 4, 217, 241, 308, 323
 Clausius-Clapeyron relation, 364, 499
 composition, 4, 20, 22, 97, 374, 375, 380
 constraints on density, 28, 387–388
 CO₂ snowfall, 98, 378–379, 385–395
 discovery, 3, 374
 effects on surface pressure, 6, 57, 375
 ice cap spiders, fans, ice cap jets, 392–393
 imaging observations, 380–382
 layering, 12
 models, 375
 neutron observations, 382
 permanent caps, 249, 269, 347, 354, 518–519
 puzzling nature, 8, 12
 radar observations, 382
 radio and gravity science, 382
 recession curves, 388
 swiss cheese terrain, 13, 380
 temperatures, 239, 241
 water inventory, 347
polar hoods. *See* clouds
polar layered deposit (PLD, also SPLD and NPLD) 347–349, 393–396, 506–514
polar vortex, 26, 59, 61, 96, 97, 98, 244, 357, 361, 362, 364, 384, 415, 416, 417
polar warming, 50, 210, 240, 243, 249, 252, 253, 435, 454
pore ice, 511
pre-Noachian, 527
primitive equations, 205, 207, 208, 233, 255, 452, 453, 455
- radiative heating/cooling, 148, 175, 177, 187, 192, 229, 234, 235–239
radiative transfer
 blackbody, 107f. 6.2., 141, 547
 Planck function, 110, 154, 549–551
 gaseous absorption/scattering, 117–124
 aerosol absorption/scattering, 124–141
 radiative transfer equation, 106, 110–117
 scattering properties
 Single scattering albedo (ω_0) 129, 133, 136–139
 parameter (g) 125, 134, 136–139
 extinction efficiency coefficient (Q_{ext}) 124–125
 phase functions
 Single scattering phase function, 90, 110, 112f. 6.3., 124, 131
 Henyey-Greenstein phase function, 132, 134
 Lorenz-Mie phase function, 127–136
 polarization, 4, 90, 111
 plane-parallel approximation, 111–114
 bidirectional reflection, 111
 optical depth, 31, 32, 82–86, 112–113, 140–141, 148–152, 298, 304, 312, 313
 Beer-Lambert-Bouguer Law, 112, 155
 two-stream approximation, 113
 two-stream codes, 114, 238
 discrete-ordinate method (DISORT) 114

- spherical harmonics method (SHDOM) 114, 116–117
 Chapman function, 114
 modified gamma distribution, 90, 126, 133, 136–138
 HITRAN, 121, 124, 238
 GEISA, 121
 Raman scattering, 119
 T-matrix method, 128
 droxtal, 90, 135–136
 local thermodynamic equilibrium (LTE) 142
 non-local thermodynamic equilibrium (non-LTE or NLTE) 142, 157, 455–456
- radiatively active clouds, 254, 279, 554
 Rayleigh distillation, 540–541
 reference atmospheres, 65–69
 residual caps. *See* polar caps
 Richardson number, 174, 175, 189, 205, 239
 rock abundance, 240, 305, 503
 Rossby Number, 205
 Rossby radius of deformation, 16, 204, 205, 213, 221
- saltation. *See* dust lifting by wind stress
 seasonal ice cap, 57, 89, 96, 97, 344, 350f. 11.11
 seasons. *See* areocentric longitude
 slope winds. *See* winds
 SNC meteorites, 24, 63, 536, 537, 543, 544, 545
 sol. *See* Martian solar day
 solar cycle, 142, 147, 434–439, 452–453
 solar energetic particles (SEP) 147, 382, 475
 solar radiation, 5, 91, 111, 134, 142, 148, 151, 158, 175, 187, 229, 235, 238, 241, 259, 377, 379, 433, 497, 510, 511, 556
 solar storms, 475–476, 488
 solar wind, 433, 464–471, 473–481
 solstitial pause, 252
 spacecraft instruments
 Compact Reconnaissance Imaging Spectrometer for Mars (CRISM), 30, 58, 60, 76, 87, 99, 116, 139, 140, 155, 298, 303, 339, 341, 343, 348, 351, 381, 390, 391, 409, 416, 534, 554
 Context Camera (CTX), 30, 306, 380
 Gamma Ray Spectrometer (GRS), 28, 59, 339, 379, 382, 384, 388, 510, 512, 545
 High Energy Neutron Detector (HEND), 382
 High Resolution Imaging Science Experiment (HiRISE), 30, 306, 380, 394
 High Resolution Stereo Camera (HRSC), 28, 76, 99, 306, 380
 Infrared Interferometer Spectrometer (IRIS), 20, 26, 43, 44, 53, 64, 76, 130, 156, 243, 244, 281, 297, 339
 Infrared Radiometer (IRR), 380
 Infrared Spectroscopy (IRS), 297, 382
 Infrared Thermal Mapper (IRTM), 22, 76, 232, 259, 339
 Mars Advanced Radar for Subsurface and Ionospheric Sounding (MARSIS), 347, 349
 Mars Atmospheric Water Detector (MAWD), 22, 76, 139, 338, 340, 341, 346, 354, 357, 364
 Mars Climate Sounder (MCS), 30, 45, 51, 53, 65, 77, 82, 85, 86, 97, 98, 132, 140, 150, 210, 223, 232, 243, 254, 261, 282, 298, 303, 328, 380, 384, 385
 Mars Color Imager (MARCI), 29, 30, 61, 77, 82, 111, 136, 155, 275, 298, 306, 380, 417
 Mars Horizon Sensor Assembly (MHSA), 45
 Mars Orbiter Camera (MOC), 25, 76, 82, 84, 98, 192, 275, 278, 298, 303, 306, 313, 351, 379, 380, 383, 390
 Mars Orbiter Laser Altimeter (MOLA), 25
 Mini-TES, 31–32, 47, 156, 180, 183, 304, 341
 Neutron spectrometer, *see* Gamma Ray Spectrometer
 Observatoire pour la Minéralogie, l'Eau, les Glaces et l'Activité (OMEGA), 28–29, 58, 60, 76, 96, 97, 99, 139, 141, 157, 185, 217, 298, 303, 314, 339, 341, 347, 348, 349, 351, 352, 378, 381, 390, 392, 393, 418, 427, 446, 554
 Phoenix LIDAR, 33, 77, 78, 88–89, 183–184, 302
 Planetary Fourier Spectrometer (PFS), 29, 45, 58, 62, 141, 147, 157, 298, 341, 346, 381, 384, 422
 Radiation Assessment Detector (RADS), 147
 Rover Environmental Monitoring Station (REMS), 33, 182, 216, 258, 307
 Sample Analysis at Mars (SAM), 24, 33, 58, 62, 64, 65, 413, 419
 Shallow Radar (SHARAD), 30, 347
 Spectroscopy for the Investigation of the Characteristics of the Atmosphere of Mars (SPICAM), 29, 298, 303, 341, 346, 381, 383, 415, 417, 418, 419, 426, 427, 435, 447–449, 466
 Thermal Emission Imaging System (THEMIS), 28, 45, 55, 76, 82, 99, 139, 140, 232, 298, 306, 422
 Thermal Emission Spectrometer (TES), 25, 26, 29, 30, 44, 46, 51, 53, 55, 65, 76, 82, 87, 94, 98, 133, 139, 140, 154, 156, 191, 223, 233, 243, 252, 269, 272, 276, 298, 310, 312, 338, 339, 341, 343, 379, 380, 390, 392, 415
- spacecraft missions, 230
 Mariner 4, 20
 Mariner 9, 20
 Mars 96, 24
 Mars Atmosphere and Volatile Evolution (MAVEN), 30–31
 Mars Climate Orbiter (MCO), 9, 24, 29, 30
 Mars Exploration Rovers (MER), 31–32
 Mars Express (MEX), 28–29
 Mars Global Surveyor (MGS), 25–28
 Mars Observer, 1, 2, 9, 24, 30, 145
 Mars Odyssey, 28
 Mars Orbiter Mission (MOM), 2
 Mars Pathfinder, 31
 Mars Polar Lander, 48, 118, 122
 Mars Reconnaissance Orbiter (MRO), 29–30
 Mars Science Laboratory (MSL), 33
 Nozomi, 24
 Phobos 2, 23
 Phoenix, 32–33
 Viking, 20–23
- standard mean ocean water (SMOW) 65, 539–541
 stationary eddies
 basic theory, 280–281
 fundamental aspects, 279–280
 modeling, 283–285
 observations, 281–283
 storm zones, 274–275
 stream function, 252
 sublimation, 12, 88, 92, 96, 343, 350
 sulfates (gypsum, jarosite) 11, 354, 526, 533
 superrotation, 249
 surface frost, 32, 183, 344, 391
 surface heat flux, 173, 186, 194, 324
 surface pressure measurements
 MSL, 33, 57, 231, 244, 307
 from orbit, 20, 28, 185
 Pathfinder, 57
 Phoenix, 57
 telescopic, 4, 20, 57, 60
 Viking Landers, 6, 23, 57, 231, 244
 surface properties, 234–235
 surface roughness length, 173, 185, 239, 240, 316, 356, 503

574 *Index*

- surface/subsurface ice, 338–339, 352–354
 surface stress, 173, 240, 316
 surface temperatures, 52, 98, 175, 185, 190, 212, 215f. 8.4., 235–238
- tail current sheet, 469t. 15.2., 472, 475
- Tharsis, 8
 - atmospheric temperatures, 45, 281
 - clouds, 22, 26, 76, 85, 214, 219, 343
 - CO₂ ice, 386
 - convective boundary layer, 185
 - dust or dust storms, 312, 315, 323, 325
 - formation, 527
 - glaciers, 93, 506, 509
 - outgassing, 533, 537, 545, 555
 - slope winds, 213, 214, 278
 - stationary waves, 283
 - surface temperatures, 52
 - tidal perturbations, 96
 - topography, 235, 251
 - volcanoes, 79
 - water vapor, 29, 95, 345, 358
- thermal escape. *See* Jeans escape
- thermal inertia
 - correlation with water vapor, 345
 - defined, 305
 - effect on the CO₂ cycle, 379, 389
 - effect on thermal tides, 54
 - and particle size, 366
 - spatial patterns, 235, 358
 - and surface temperature, 52, 185, 379, 499
- thermal tides
 - fundamental aspects, 254–255
 - migrating tides, 256
 - modeling, 262–267
 - non-migrating tides, 256–257
 - observations, 257–262
 - theory, 255–257
- thermal wind. *See* winds
- thermosphere, 14, 42, 50
 - definition, 433
- tidal wind. *See* winds
- topography
 - control of clouds, 87, 97
 - effect on thermal tides, 54–55
 - from laser altimetry, 10, 88
- Transformed Eulerian Mean circulation, 252
- transient liquid water, 12, 338, 515–518, 557
- troposphere, 42, 91, 147, 218, 551
- triple point, 4, 12, 338, 346, 515, 515f. 16.16.
- turbulence
 - buoyancy generated, 173
 - closure models, 187–190
 - dissipation rate, 175
 - energy cascade, 175, 206
 - and gravity waves, 240
 - intensity of, 173, 175
 - mechanically generated, 172, 173, 318
 - mixing length theory, 187
 - parameters for Mars and Earth, 177
 - production mechanisms, 239
 - production mechanisms and theory, 172–175
 - and suspended dust, 316, 322
 - and the Reynolds number, 175
 - and the Richardson number, 174, 175, 176, 205, 239
 - time scales, 174
 - validation of scaling laws, 186
 - within the boundary layer, 176–177
- Valles Marineris, 8
 - clouds or fogs, 30, 78, 81, 84, 88, 343
 - dust storms, 314
 - light toned layered deposits, 533
 - methane, 422
 - slope winds, 214
- valley networks, 8, 10, 527, 528, 530, 547, 549, 556, 557
- ventilation timescale, 250
- Victoria Crater, 533
- Viking Landers. *See* spacecraft missions
- Viking Orbiters. *See* spacecraft missions
- water vapor
 - column abundance, 4, 27f. 3.4., 339–347
 - precipitable micrometers (pr- μm) 4
 - profiles (vertical distribution) 341–347, 407–409
 - transport, 89, 92, 249, 357362f. 11.15.
 - saturation, 29, 84, 346, 407
 - supersaturation, 29, 51, 88–92, 407
 - temporal variations, 76, 342–344
 - spatial variations, 344–346
 - ground based observations, 20, 339–341
 - spacecraft observations, 22, 26, 339–341
 - hygropause, 77, 84, 363–364, 407
 - hemispheric asymmetry, 344–345, 363–364
 - in the regolith, 352–354, 364–366
 - infrared absorption, 117
 - latent heat effects (see latent heating)
- wave of darkening, 3
- weathering, 366, 527, 531, 533, 534, 557
- Weibull distribution, 222
- western boundary currents, 251–252
- winds
 - condensation flow, 230, 250–251
 - geostrophic wind, 241
 - gradient wind, 242
 - katabatic winds, 203, 212, 348, 379
 - observed winds
 - from cloud tacking, 243
 - from earth-based observations, 230
 - from lander measurements, 230
 - inferred from temperature data, 232
 - slope winds, 216
 - thermal wind, 241
 - tidal winds, 264–267
 - topographic winds, 212–217, 238, 251, 264, 309, 379
- yellow clouds, 295, 297
- zonal mean circulation. *See* mean circulation