

Index

- Abraham Ortelius, 5
 Abyssal plains, xi, 1, 19, 23, 34–38, 52, 60, 76, 78, 89–90, 96, 109–110, 112, 121–122, 137, 172, 192–195, 197, 213, 220–221, 224–225, 234, 239, 242–243, 245, 247, 249, 255, 271, 282
 Abyssal–hadal transition zone, 264, 322
Abyssobrotula galatheae, 221, 225–226
Abyssorchemene, 101–102
 Acariformes, 169–170, 215, 258, 263
 Halacaridae, 215
 Accretion, 8, 35, 38–40
 Acorn worms. *See* Enteropneusta
 Actinopterygii
 Species list, 320
 Adaptation to hydrostatic pressure, 98, 103
 Homeoviscous adaptation, 104
 Adiabatic temperature gradient, 81
 Age of the trenches, 33–34
 Aleutian Trench, 12, 23–25, 32–33, 55, 62, 77–78, 85, 111, 121, 135, 139, 144, 146, 156, 158–159, 162, 176, 199, 224, 247–248
 Alfred Wegener, 6
 Amirante Trench, 31
 Amphipoda, 14–15, 17, 57–61, 64, 87, 93, 100–103, 105, 108, 117, 120, 122–123, 127, 131, 169–170, 175, 188, 191, 193–195, 197–198, 200–201, 204, 206–208, 210, 213, 215, 243–244, 250–253, 257, 268, 276–277, 322
Abyssorchomene, 198, 250–252
 Adaptations, 203
Alicella, 59, 61, 169–170, 195–196, 268
Alicellidae, 189–190, 194, 197–198
 Community structure, 249
 Diversity, 188–189, 250–251
Eurytheneidae, 189–190
Hirondellea, 58, 64, 102, 120, 123, 127, 131, 193–194, 202, 204–208, 243, 250–251, 253
Hirondellidae, 189
Hyperlopsidae, 189–190, 202
Lanceolidae, 189–190, 202
 Life history, 207, 209
 Locomotion, 199
Lysianassidae, 188, 190, 198–199
Lysianassoidae, 188
Mass occurrences, 202
Orchomenella, 198, 251
Pardaliscidae, 87, 189–190, 199–200, 202
 Population genetics, 243
Princaxelia, 17, 87, 189, 199–201, 250
 Reproduction, 207
Scopelocheiridae, 189–190, 198
Scopelocheirus, 64, 198–199, 205, 208, 251
Species list, 315
Stephonyx, 86
Supergiant, 59, 61, 169–170, 195–197, 268, 276–277
Uristidae, 189–190, 198
 Anatolii Evseevich Kriss, 92
 Andes, 33
 Andrew Lawson, 1
 Annelida, 140, 258, 322
 Species list, 291
 Anoxic events, 241–242
 Antarctica, 32, 75, 77, 111, 128, 198, 220, 248, 280, 282
 Anthozoa, 125, 217–220, 258, 263
 Octocorallia, 218
 Species list, 290
 Antiquity, 241
Apollo 13, 268
 Archaea, 16, 93, 280
 Arctic, 4, 245–246, 282
 Area and depth relationships, 258
 Area of the trenches, 23, 34–35
 Aristotle, 4
 Arrow worms. *See* Chaetognatha
 Arthropoda
 Species list, 309
 Ascidiacea
 Species list, 320
 Ascidiidae, 167
 Asteroidea, 11, 125, 156–157, 159–160, 258, 263
 Caymanostellidae, 157, 159
 Diversity, 159
 Freyellidae, 157, 159
 Goniastidae, 159
 Porcellansteridae, 157, 159

- Asteroidea (cont.)
Pterasteridae, 157, 159
Species list, 298
 Astrobiology, 279
 Atacama Trench, 28, 33, 41 *See* Peru–Chile Trench
 Atlantic Deep Water (NEADW), 76
 Atlantic Ocean, 11, 14–15, 26, 69, 75, 84, 159, 165, 177, 195, 221, 225, 235
 Autonomous Underwater Vehicles (AUV), 16, 64, 67
- Bacteria, xiii, 15, 56, 92–94, 100, 102, 105, 110, 115, 120, 125, 127–131, 154, 206, 259, 268, 272, 282
Actinobacteria, 131
Alphaproteobacteria, 131
Alteromonadales, 132
Bacteroidetes, 132
Betaproteobacteria, 132
Burkholderiales, 132
Caulobacterales, 131
Chromatiales, 132
Colwellia, 127–128
Deltaproteobacteria, 132
Escherichia, 102
Gammaproteobacteria, 127–128, 130, 132
Legionellales, 132
Moritella, 105, 127–129
Oceanospirillales, 132
Planctomycetes, 132
Psychrobacter, 129
Psychromonas, 105, 127–128
Rhizobiales, 131
Rhodobacterales, 131
Rhodospirillales, 131
Rickettsiales, 131
Shewanella, 105, 127–128, 130
Sphingomonadales, 131
Strain CNPT3, 105
Strain CNPT-3, 93
Strain DB21MT-2, 130
Strain DB21MT-5, 130
Strain DSS12, 130
Strain K41G, 129
Strain KT99, 131
Strain MT41, 127
Strain MT-41, 102
Strain Y223GT, 127
Thermococcus, 103
Xanthomonadales, 132
- Banda Trench, 12, 23, 25, 29, 32, 81, 84–85, 111–112, 120, 142, 154, 166, 182, 217, 247–248
- Bathyscaphe. *See* Manned submersibles
 Biogeographic provinces, 19, 31–32, 264
 Biogeographical provinces, 111
 Bioluminescence, 88
 Bioprospecting, 281
 Bioregional classification, 19
 Biotechnology, xi, 240, 278, 281
 Biozones, 20, 22
 Bivalvia, xii, 101, 103, 108, 121, 125, 141, 148, 150–151, 153–154, 161, 214, 248–249, 258, 263
Diversity, 153
Ledellidae, 150, 153
Mass occurrences, 154
Pholadidae, 150, 154
Species list, 305
Teredinidae, 150, 154
Thyrsiridae, 154
Vesicomiyidae, 150, 154
- Black Sea, 269
 Bottom currents, 77–80, 121
 Bougainville Trench, 12, 25, 32, 54, 88, 138, 155–156, 158–160, 162, 165, 171, 173, 176, 199, 217–218, 247–248
 Brachiopoda, 167
 Bristle worms. *See* Polychaeta
 British National Committee on Ocean Bottom Features, 31
 Brittle stars. *See* Ophiuroidea
 Brownson Deep, 29
 Bryozoa, 125, 167, 258
Species list, 309
- Carbonate compensation depth (CCD), 66, 73, 89, 97–98, 136, 153
 CAREX project, 279–280
 Caroline Islands, 4
 Carrion-falls, 116–117, 122, 265
Distribution, 116
Jelly-falls, 119
Macrocarrion, 116
Megacarrion, 116
Mesocarrion, 116
- Cayman Trench, 81, 84–85, 120, 146, 151, 155, 159, 226
 Census of Marine Life, 143, 282
 Cephalopoda, 87
 Cetaceans, 118
 Chaetognatha, 146
Species list, 309
 Chagos Trench, 31
 Challenger Deep, 9, 322
 Charles Wyville-Thomson, 4, 11
 Chemosynthesis, 15, 115, 120, 125, 153–154, 159, 239, 264
 Chernobyl nuclear accident, 269
 Chondrichthyes, 107, 222, 238
 Chordata
Species list, 320
 Chronobiology, 80
 Circumpolar Current, 76

- Cirripedia, 169–170, 172, 258, 263
Species list, 310
- Claude E. ZoBell, 92
- Climate change, 240, 269, 271, 284
- Cnidaria, xi, 119, 125, 217–220, 258
Diversity, 218
Hydrozoa, 217
Hydrozoa, 217–219, 258, 263
Scyphozoa, 119, 217–219, 258, 263
Species list, 289
- Cold seeps, 109, 121, 128, 264, 279–280, 282
- Colonisation of the trenches, 242
- Community structure, 249
- Conservation, 266–269, 272, 282
Disposal of waste, 267, 269
- Continental margins, 20, 35, 282
- Continental slopes, 19, 35, 89, 122, 234–235, 247, 280
- Copepoda, 169–171, 253–254, 258, 263
Ameiridae, 172
Argesidae, 172
Cerviniidae, 171
Cletodidae, 172
Diversity, 171
Ectinosomatidae, 172
Harpacticoida, 171
Idyanthidae, 172
Lucicutiidae, 171
Metridinidae, 171
Neobryidae, 172
Pseudotachidiidae, 172
Scolecitrichidae, 171
Species list, 309
Spinocalanidae, 171
Zosimeidae, 172
- Coral reefs, 282
- Crinoidea, 88, 125, 156, 158, 258, 263
Bathyrinidae, 158
Crinoid meadows, 125, 158
- Cronus (Greek Mythology), 19
- Crustacea, 14, 87, 101, 104, 125, 161, 169–171, 176, 180, 215
Diversity, 170
Species list, 309
- Cumacea, 170, 176, 258, 263
Species list, 311
- Current perspectives, 239, 266
- Cusk-eels, 117, 226
- Decapoda, 16–17, 60, 69, 80, 100, 106, 108, 117, 126, 169–170, 188, 197, 200, 210–215, 238, 257–258, 263
Acanthephyra, 213
Behaviour, 60
Benthescimidae, 213
Benthescymidae, 117
Benthescymus, 188, 212–213
- Body size*, 213
Feeding, 213
Heterogenys, 212–213
Hymenopenaeus, 17, 213
Locomotion, 214
Nematocarcinus, 212
Parapagurus, 212
Plesiopeneus, 212
Solenoceridae, 213
- Deep-water masses, 75–77
- Deep western-boundary current, 77
- Deep-biosphere, 279
- Deepest place on Earth, xi, 3, 5, 9–10, 15, 92, 120, 272, 278–279
- Deeps, 264
- Deepsea Challenger*. *See* Manned submersibles
- Definition
Abyssal zone, 19–20
Abyssal–hadal transition zone, 19
Bathyal zone, 19–20
Deeps, 29, 31
Hadal zone, 19–21
Littoral zone, 19
Trench, 23
Trench systems, 28
Trench fault, 23
Trough, 23
- Demospongiae
Species list, 288
- Depths of the trenches, 23, 25, 30
- Diamantina Trough, 24, 26
- Don Walsh, 15, 68, 221
- Earthquakes, 240, 266, 273
Cauquenes earthquake (Chile), 1, 41
Christchurch, New Zealand, 41
Effects on planet, 275
Human consequences, 274
Human interactions, 272
Indian Ocean earthquake (SE Asia), 2
Sanriku-Oki Earthquake (Japan), 41
Sedimentation, 41
Tōhoku-Oki earthquake (Japan), 1, 41–42, 115, 269, 272–276
Tsunamis, xiii, 2, 22, 266, 272, 274
- Echinodermata, xi, 125, 148, 156–157, 249, 258
Diversity, 157
Species list, 297
- Echinoidea, 125, 156–157, 166–167, 258, 263
Diversity, 166
Echinothuroidea, 167
Holasteridae, 157, 166
Spatangoida, 167
Species list, 297
Urechinidae, 157, 167
- Echiura, 145, 258

- Echiuroidae
Species list, 296
- Echiuroidea, 11, 258, 263
- Echonoidea
Pourtalesiidae, 157, 166
- Echuiria
Species list, 296
- Ecology, 239–240
- Edward Forbes, 1
- El Niño, 271
- Elasmobranchs, 106
- Elevational gradients, 259, 261
- Emperor Seamounts, 77
- Endemism, 143, 149, 243, 246–249
 Hado-pelagic zone, 44
- Energetics, 86
- Energy storage, 122
- Enteropneusta, 145–146
Species list, 320
- Environmental conditions, 73, 75, 95
Heterogeneity, 121
Hydrostatic pressure, 92
Light, 88
Substrata, 89
- Eukaryotes, 93, 98, 132, 137
- European Science Foundation (ESF), 279
- EURYDICE expedition, 14
- Eurythenes*, 17, 101–102, 123, 189, 191–192, 196, 204, 206, 233, 243–244, 250–252
- Exclusive Economic Zones (EEZ), 20, 269–270
- Exobiology, 279
- Exploitation, 267
- Extinctions, 241–243, 268
- Extraterrestrial life, 280
- Extreme environments, 278–280
- Extremophiles, 93, 131, 279, 281
- Fatty acids, 103–105, 110, 116, 122–123, 127–128, 130, 271, 282
- Fish, xiii, 11, 13, 16, 45, 53, 58–61, 69, 80, 87–88, 98, 100, 106–109, 116, 118–119, 125, 151, 156, 161, 184, 186, 195, 197, 200, 202–203, 210, 212–213, 215, 220–223, 225–228, 230–233, 235–236, 238, 242, 257, 276–277
Bathylagidae, 223
Bathysauridae, 99
Bathysaurus, 99
Behaviour, 87
Carapidae, 223–224
Chondrichthyes, 107
Coryphaenoides, 99
Deepest living fish, 221
Depth limitations, 236
Distribution, 234
Diversity, 220, 223
Erroneous records, 223
Eurypharyngidae, 223
Liparidae, 87, 106, 117, 184, 221–224, 227–231, 233–234, 236, 242
Macrouridae, 99, 151, 187, 213, 223–225, 227, 234–235, 242
Notoliparis, 13, 59, 87, 106, 184, 196, 221, 223, 227, 229–230, 232, 238
Ophidiidae, 151, 221–227, 234–235, 242
Ophiidae, 117
Osteichthyes (Bony fish), 106
Pseudoliparis, 221, 223, 227, 230–232
Species list, 320
Tail-beat frequency, 60
Zoarcidae, 242
- Flat worms. *See* Turbellaria
- Food industry, 282
- Food supply, 109, 263–264
Adaptation to low food availability, 122
Carrion-falls, 116, 118, 192, 203
Changes to, 271
Chemosynthesis, 120
Effects of internal tides, 116
Jelly-falls, 119
Particulate organic matter (POM), 38, 109
Phytodetritus, 110, 114–115, 136, 214, 268–269
Plant and wood debris, 119, 152, 154–155
POC flux, 42, 111–113, 269
Seasonality, 110, 120
Trench resource accumulation depth, 112
Wood and plant debris, 120
- Foraminifera, 11, 15, 56, 89, 98, 125, 132–137, 155, 186, 258
Allogromiids, 135–136
Chitinosiphon, 135
Conicotheca, 136
Dendrophyra, 137
Diversity, 133
Edgertonia, 137
Hormosina, 135–136
Hormosinella, 135
Komokiacea, 137
Lagenammia, 135–136
Leptohalysis, 135
Monothalamous, 135–136
Nodellum, 134–135
Normania, 137
Occultammia, 138
Psammosphaerids, 135
Reophax, 135
Resigella, 134–135
Reticulum, 137
Rhabdammina, 135–136
Saccamminids, 135
Species list, 285
Stannophyllum, 138
Stannophyllum, 138
Xenophyphorea, 137
Xenothekella, 134

- Fracture zones, 23
 French Navy, 68–69
 Fukushima Dai-ichi nuclear disaster, 43, 269
 Fungi, 131
 Future challenges, 282
- Galathea* (Danish expedition), xi, 3, 11–12, 14, 18, 47–48, 52–54, 92, 120, 137–138, 141–142, 144, 146, 149, 151, 155, 159, 161–162, 167, 176, 178–181, 184, 186, 199, 212, 220–221, 232, 243, 247, 249
- Gastropoda, 101, 103, 108, 119, 125, 148–151, 153, 161, 248–249, 258, 263
Behaviour, 151
Buccinidae, 149–150, 152–153
Cocculinidae, 149–150
Cocculiniforms, 151
Diversity, 149
Species list, 302
Turridae, 149–150
- Gastrotricha, 146
Species list, 291
- Genetics, 105, 193, 195, 197, 243–245
- Geographic location, 22
- Geography, 22
- Geology, 22
- George W. Bush, 269
- Georges Houot, 69
- Gigantism, 170, 181, 197
- Gilliss Deep, 29
- Global warming. *See* Climate change
- Google Trends, 275
- Great ocean conveyer belt, 75
- Grenadiers. *See* Fish, Macrouridae
- Gulf of Mexico, 83
- Guyots, 192, 244–245
- Gymnolaemata
Species list, 309
- Habitat heterogeneity, 121, 264
- Hadal community, 125
- Hadal-Lander, 60–62, 90, 165, 173, 175, 178, 184, 186, 191–192, 195, 199, 203, 213, 225, 236
- HADEEP project, xii, xiv, 16–18, 57–58, 60–61, 64, 79, 82, 84, 90, 97, 142, 144, 153, 160, 162, 175–176, 178, 184, 186, 188, 190, 192–194, 198–199, 203, 206, 208, 212–213, 217, 222–224, 226–227, 230, 232, 236, 243, 250–251, 255, 259
- Hades* (Greek Mythology), xi
 HADES project, 18, 62, 67
- Hado-pelagic fauna, 246
- Hado-pelagic zone, 43, 88, 131
- Haeckel Deep, 29
- Hairy back worms. *See* Gastrotricha
- Halohermal, 241
- Hawai'i Mapping Research Group (HMRG), 11
- Hemichordata
Species list, 320
- Henry Trench, 31
- Hexactinellida
Species list, 288
- History
 Hadal exploration, 3
 Hadal sampling, 11
 Hadal science, 3
- HMRG Deep. *See* Sirena Deep
- Holothuroidea, 13, 87, 101, 103, 108, 125, 156–157, 161–163, 165–166, 222, 248–249, 257–258, 263, 268
Diversity, 161
Elpidia, 13, 87, 162–165, 245–246
Elpidiidae, 87, 157, 161–162, 164–165, 257
Locomotion, 165–166
Mass occurrences, 163–164
Myriotrochidae, 157, 161–162, 257
Population estimates, 164
Population genetics, 245–246
Species list, 299
Trawl catch rates, 162
- Homeoviscous adaptation, 104–105
- Horizon Deep, 5, 11, 29
- Human evolution, 34
- Human-occupied vehicle (HOV). *See* Manned submersibles
- Hydrostatic pressure, 73, 96, 121
Adaptations, 98
CCD, 97
Conversion, 92
Le Chatelier's principle, 99
Perturbing effects of, 99–100, 102
Piezolytes, 106
Relationship with depth, 94
Relationship with temperature, 99
Tolerance of, 100, 102
Vertical migration, 94
- Hydrothermal vents, 86, 109, 282–283
- Hydrozoa
Species list, 289
- Hypersaline pools, 281
- Indian Ocean, 12, 26, 31, 272
- INDOPAC expedition, 9, 14
- Institute of Marine Engineering, Science, and Technology (IMarEST), 281
- Internal tides, 116
- Isopoda, 11, 16, 69, 101, 103, 119, 169–170, 180–182, 184, 186, 188, 248–249, 257–258, 263
Asellota, 170, 184
Body size, 181, 183
Diversity, 180–181
Eurycope, 181, 186
Feeding, 186

- Isopoda (cont.)
Haplomiscidae, 181, 257
In situ observations, 184
Ichnomedidae, 181
Locomotion, 186–188
Macrostylidae, 181
Mass occurrences, 181
Munnopsidae, 87, 181, 184–186
Rectisura, 87, 181, 186–188
Species list, 313
Storthingura, 181–182, 186, 242
- Izu-Bonin Trench, 5, 12, 15–17, 23–25, 29, 32, 41, 58, 69, 77–78, 81–84, 87, 97, 111, 116, 127–128, 131, 138, 144, 156, 158–159, 162, 167, 171–173, 189, 193–194, 199, 208–209, 215, 226, 243, 245, 247–248, 274
- Izu-Ogasawara. *See* Izu-Bonin Trench
- Jacques Cousteau, 15
 Jacques Piccard, 15, 68, 221
 James Cameron, xiv, 69–70, 276–278
 James Clark Ross, Sir, 4
 JAMSTEC, xiv, 3, 9, 16, 56, 65, 70, 135, 164–165
 Japan Trench, 5, 11–12, 15–17, 33, 40–42, 61, 77–78, 84, 87, 115, 121, 127, 129, 131–132, 135, 138, 152–155, 163, 169, 176, 181, 186–187, 190–191, 194, 199, 213–214, 216–217, 221, 224, 227, 230–233, 235, 269, 272–273, 275–277
- Java Trench, 2, 12, 23–24, 29, 85, 111, 120, 155, 162–163, 167, 176, 198, 221, 226, 248, 272, 275
- J.M. Pérès, 16, 69, 146, 173, 222, 225, 228–229, 233
- Joe MacInnis, 266
 John F. Kennedy, 266
 John Murray, Sir, 4
 John Ross, Sir, 4
 Johns Hopkins University, 65
- Kaikō*. *See* Remotely operated vehicles (ROV)
- Kermadec Trench, 4, 10, 12–13, 15–18, 24–25, 28–29, 32–35, 41, 54, 59, 61–62, 64, 67, 77–79, 81–85, 87–88, 90, 96–97, 106, 111, 120, 127–128, 131, 142, 144–145, 151, 156, 158–163, 167, 170–174, 176, 178, 184, 186, 190–191, 193–195, 197–199, 201, 206, 208, 211, 213–214, 217, 219–221, 223–224, 227, 230–233, 235, 238, 243, 245–253, 257, 259–262, 276–277
- Komokiacea, 135, 137
 Krümmel Deep, 29
 Kurile–Kamchatka Trench, 4, 24–25, 32, 41, 69, 88, 90, 111–112, 135–136, 138, 144–146, 154, 159, 162–164, 167, 171, 173, 176, 193–194, 199, 202, 216–217, 219, 223–224, 230, 243, 246–247, 253–255
- Lamp shells. *See* Brachiopoda
 Length of the trenches, 23
 Leptostraca, 169
 Light, 88
 Liparidae, 59, 117
 Lipids, 104, 106, 122–123
 Litter, 267, 272
Debris traps, 267
Deepest found, 267
Mermaids' tears, 267
Microplastics, 267
- Location of the trenches, 23, 26
 Lord Mulgrave, 4
 Lower Circumpolar Deep Water (LCDW), 77
- Macrouridae, 117
 Madeira Abyssal Plain, 235
 Malacostraca
Species list, 311
- Manned submersibles
Archimède, 16, 68–69, 173, 222, 228
Deepsea Challenger, 67–70, 266
 DSV *Alvin*, 71
Jiaolong, 68, 71
Shinkai 6500, 68, 70
Trieste, 10, 15–16, 67–69, 221–222
- Manned submersibles, 67
 Mapping the ocean, 4
 Mariana Basin, 77
 Mariana Hollow, 9
 Mariana Islands, 4, 269
 Mariana Trench, xi, 4–5, 7–8, 10, 12, 14–15, 18, 23–24, 28–29, 33, 41, 54, 58, 62, 64–65, 67–68, 71, 77–79, 81, 84–85, 88, 92–93, 101–102, 105, 111, 115, 120, 127, 130–131, 134–136, 149, 153, 180, 185, 193–194, 207, 213, 219, 225, 227, 235, 257, 264, 266, 270, 276–278, 282
- Mariana Trench Marine National Monument (MTMNM), 269
 Mediterranean Sea, 35, 69, 83
 Medusae, 217
Anthomedusae, 217–218
Anthomedusidae, 217–218
Leptomedusae, 217–218
Mitroconidae, 217–218
Phopalonematidae, 217
Trachymedusae, 217
- Mercury (Planet), 34
 Mermaids' tears, 267
 Metabolism, 86–87
 Meteor Deep, 29
 Microbes, xi, 125, 127
 Mid-Atlantic Ridge, 31, 76
 Middle America Trench, 5, 24–25, 32, 144
 Mid-domain effects, 260

- Mid-ocean ridges, 8, 20, 23, 33, 89, 282
 Milne-Edwards Deep, 29
 Milne-Edwards Trench, 28. *See* Peru-Chile Trench
 Milwaukee Deep, 29
 Mollusca, 125, 148–151, 155, 258
 Diversity, 150
 Species list, 302
 Monoplacophora, 149–150, 155, 258, 263
 Species list, 305
 Mount Everest, 272
 Mysidacea, 169–170, 173–176, 258, 263
 Diversity, 173
 Species list, 311
- Nansei-Shoto Trench, 29
 Nares Deep, 29
 NASA, 279
 National Geographic Society, 69, 278–279
 National Museum of the US Navy, 69
 National Science Foundation (NSF), 279
 Natural History Museum of Denmark, 13
 Nazca Ridge. *See* Peru–Chile Trench
 Nematoda, 138, 140, 258
 Chromadoridae, 139–140
 Comesomatidae, 140
 Cyatholaimidae, 140
 Desmodoridae, 140
 Desmoscolecidae, 139
 Diversity, 139
 Microalaimidae, 139–140
 Monhysteridae, 140
 Oxystominidae, 139–140
 Siphonolaimidae, 139
 Sphaerolaimidae, 139
 Xyalidae, 139–140
 Nemera, 145
 Nemerea, 146
 Nero Deep, 30
 New Britain Trench, 14, 25, 32, 63, 70, 111,
 119–120, 138, 146, 159, 162, 165–167, 173,
 176, 178, 217–219
 New Hebrides Trench, 12, 14, 18, 24–26, 32, 111,
 119, 138, 144–145, 147, 155–156, 158–159,
 161–162, 164, 166–167, 173, 176, 178, 184,
 217–219, 247–248
 New Zealand, xii, xiv, 3, 5, 18, 41, 97, 227
 NIWA, New Zealand, xiv, 18
 North American Trough, 29
 North Atlantic Deep Water (NADW), 76
 North Pacific Deep Water (NPDW), 77
- Ocean Biogeographic Information System (OBIS),
 283
 Oligochaeta
 Species list, 296
 Oligochaetes, 146
 Ophiidiidae, 117
 Ophiuroidea, 11, 156–157, 160, 258, 263
 Diversity, 160
 Ophiacanthidae, 157, 160–161
 Ophiodermatidae, 157, 160
 Ophioleucidae, 157, 160
 Ophiuridae, 157, 160
 Ophuroidea
 Species list, 297
 Origins of hadal fauna, 241
 Osmolytes, 103, 106–108, 236, 238
 Ostracoda, 169–170, 172, 257–258, 263
 Halocyprida, 172
 Podocopida, 172
 Species list, 310
 Oxygen, 85, 131, 245
 Oxygen in the trenches, 85
 Oxygen minimum zones, 85, 281
- Pacific Ocean, 4–5, 9, 12, 26, 29, 33, 35, 40, 60,
 68–71, 75–78, 81, 83, 85, 89, 98, 102, 115–116,
 119, 121, 136–138, 156, 158–159, 162–163,
 165, 167, 171, 177, 194–196, 202, 215–216,
 221, 224, 233, 248, 250, 271
 Pacific Rim, xi, 27, 224, 234, 275
 Palau Trench, 12, 14, 23, 25–26, 29, 32, 85,
 111, 119, 138, 145, 155–156, 158–160, 162,
 164, 166, 173, 176, 184, 193, 217, 243,
 247–248
 Pangaea, 6
 Panspermia, 280
 Pantopoda, xi, 169–170, 216, 258, 263
 Austrodecidae, 216
 Nymphonidae, 216
 Species list, 320
 PAP-TUA expedition, 14
Paralicella, 101–102, 194, 204, 206, 250–252
 Particulate organic matter (POM), 122
 Peanut worms. *See* Sipuncula
 Peru–Chile Trench, 1, 5, 14–15, 17, 28–29, 32–33,
 38, 81–82, 84, 87, 97, 111–112, 114–115, 118,
 123, 135, 140, 144, 146, 151–152, 156,
 158–160, 165, 167, 172–173, 175, 184, 186,
 190–192, 194, 198–199, 208, 212–213,
 216–217, 219, 223–228, 232–233, 235,
 243–245, 247–248, 250, 252–253, 272
 Pharmaceutical waste, 266–267
 Philippine Trench, 5–6, 10, 12, 14, 37–38, 54–55,
 79, 85, 92, 101, 120, 123, 142, 145, 148, 159,
 178, 201, 206–207, 209, 219
 Photic zone, 88, 120
 Physiological adaptations, 73
 Locomotion, 87
 Metabolic rate, 87
 Visual Interactions Hypothesis, 87
 Piccard, 10, 15, 68, 221
 Pierre Willm, 69
 Piezolytes, 45, 106

- Piezophily, 15, 19, 92–94, 99, 102, 105, 127–131, 281
Terminology, 93
- Plant and wood debris, 264
- Plate tectonics, 31
Continental drift, 1, 5, 7
Convergence zones, 5, 8, 23, 27, 31, 33–34, 39–40
Divergent zones, 31–32
Expanding Earth theory, 6, 8
Lithosphere, 31, 34
Plate boundaries, 31
Plate tectonic theory, 1
 ‘*Ring of Fire*’, 27
Seafloor spreading, 7–8, 31
Theory, 5, 8
Transform faults, 8
Transforming zones, 31
- Plate tectonics, 5
- Platyhelminthes
Species list, 291
- Polychaeta, 101, 103, 140–142, 144, 161, 248–249, 258, 263
Ampharetidae, 143
Diversity, 141
Maldanidae, 141, 143
Onuphidae, 143
Pogonophora, 144, 242
Polynoidae, 141–144
Siboglinidae, 141, 144, 242, 249
Species list, 291
Vestimentifera, 145
- Polyplacophora, 149–150, 155, 258, 263
Species list, 305
- Polythalamia
Species list, 285
- Porcupine Abyssal Plain, 235
- Porifera, xi, 125, 148–149, 258
Cladorhizidae, 148
Demospongiae, 148–149, 258, 263
Diversity, 149
Hexactinella, 148
Hexactinellida, 149, 258, 263
Species list, 288
- Poseidon (Greek Mythology), xi, 19
- PROA expedition, 14, 60, 138, 144, 147–148, 167, 184, 218
- Project Nekton, 68
- Projected area of the trenches, 24
- Prokaryotes, 93, 279–280
- Promare, xiv, 63–64
- Protists, 125, 127, 137
- Psychrophily, 93, 105, 127–131
- Public perception, 275
- Puerto-Rico Trench, 11, 62, 69, 84, 119, 140, 145, 219, 221, 225–226
- Puyseger Trench, 31
- Pycnogonida
Species list, 320
- Radioactive waste, 266, 268
- Radioisotope thermoelectric generator (RTG), 268
- Ramapo Deep, 29
- Red Sea, 83
- Remotely operated vehicles (ROV), 3, 9–10, 15–16, 18, 51, 54, 56–57, 64–67, 119, 125, 156, 158, 164–165, 278
Ik, 64
ABISMO, 16, 51, 65–66
HROV Nereus (Hybrid AUV), 10, 16, 51, 65, 67, 158, 267, 278
Kaikō, 10, 51, 65–66, 158, 278
UROV7K, 66
- Rhea (Greek Mythology), 19
- Ribbon worms. *See* Nemerea
- Richards Deep, 29
- Rising particle hypothesis, 268
- Roberto Mantovani, 6
- Romanche Trough (Trench), 14–15, 23, 25, 32, 76, 84, 145, 155, 159, 167–168, 247
- Roundworms. *See* Nematoda
- Royal Navy, British, 4
- Royal Society of London, 8
- Ryukyu Trench, 12, 25, 29, 32, 111, 159, 171–173, 224, 247–248, 253–254, 256, 267, 274
- Sagittoidea
Species list, 309
- Salinity, 83–84, 121, 245
- Samoan Passage, 77
- Samuel Carey, 7
- San Andreas Fault, 32
- San Cristobal Trench, 29
- Sargasso Sea, 119, 195, 234
- Scaphopoda, 149–151, 155, 258, 263
Costentalina, 155
Diversity, 155
Entalinidae, 155
Species list, 302
Striopulsellum, 155
- Scripps Institute of Oceanography, xii, xii, xii, xii, xii, 9
- Scyphozoa, 257
Species list, 289
- Sea cucumbers. *See* Holothuroidea
- Sea lilies. *See* Crinoidea
- Sea squirts. *See* Ascidiacea
- Sea stars. *See* Asteroidea
- Seagrass, 119–120, 153
- Seamounts, 20, 22, 89–90, 122, 245, 279–280, 282–283
- Sediment slides, 35, 41
- Sedimentation, 38, 40–41, 89, 115
Accumulation, 90
- Seismic activity, 18, 32, 35, 38, 41, 43, 73, 89, 115, 120, 122, 131, 144, 239
- Seismic moment magnitude scale (MMS), 41

- Sipuncula, 146
Species list, 308
 Sipunculidea, 125
Species list, 308
 Sirena Deep, 11, 30, 62
 Slope of the trenches, 36–37
 Snailfish, 17, 59, 117, 184, 196, 206, 221, 223–224, 230, 232, 277–278
 Somniosidae, 117
 Sounding the trenches, 4
 South Sandwich Trench, 14, 29, 32, 81, 85, 146, 155, 158, 160, 162, 216, 230, 248
 South Shetland Trench, 31
 South Solomon Trench, 14
 Southern Ocean, 26, 31, 123
 SOUTHTOW expedition, 14
 Spatial heterogeneity, 122
 Speciation, 192, 239, 242–245, 253
 Species–area relationship, 259
 Species diversity, 249, 258–259, 262
 Sponges. *See* Porifera
 Spoon worms. *See* Echiura
 Subduction, 8, 20, 23, 32–35, 38, 40–42, 89, 111–112, 121, 242, 261, 266, 272–273, 275
 Submarine canyons, 22, 35
 Substratum, 89
 Sunda Trench. *See* Java Trench
 Sustainability, 266, 282
 Synphobranchidae, 117
- Tanaidacea, 119, 170, 176–178, 180, 248–249, 258, 263
Akanthophoreidae, 176
Apseudidae, 177–178
Body size, 178, 180
Diversity, 176–177
Gigantapseudidae, 178
Leptognathiidae, 176–178
Neotanaiidae, 177, 179
Species list, 311
Trawl catch rates, 176
- Technology
Agassiz trawl, 52
Auto corer, 55
Baillie rod, 4, 9
Baited cameras, 14, 18, 49, 56, 60, 170
Baited traps, 14–15, 18, 49, 56–58, 60, 63–64, 101, 125–126, 151, 153, 171, 173, 176, 186, 188, 193–195, 202, 206, 208, 210, 215, 250–251, 259
Beam trawl, 53
Box corers, 55
Buoyancy, 49–52, 61, 68–69, 238
Challenges, 2, 8, 45–46, 60, 284
CTD, 15, 60–61, 64
Current meter, 15, 64, 77–79
Deep-sea clam, 4
DOVE landers, 62
Echo-sounders, 2, 5, 9, 52
Free-fall systems, 14, 17, 49, 63
General, 45
Hydra Rod, 4
Hydrostatic pressure, 2, 50–51
Hyperbaric traps, 15, 57, 59, 101
Landers, 51, 57, 60–62, 64–65, 90, 119, 160, 165, 173, 176, 184, 197, 199, 226
Latis (Baited trap), 57–59, 106, 176, 195, 213, 227, 232, 238
Lowering systems, 46
Magnetometers, 8
Multi-beam sonar, 10
Multicorer, 55
Otter trawl, 53
Photography, 14–15, 17, 59, 144, 150, 214, 223, 285
ROV push cores, 56
Sediment coring, 15, 52, 54, 63–64, 135
Swath-bathymetry, 8
Towing systems, 46
Trawl monitors (Pingers), 53
Trawling, 46, 48, 52
Vertical trawl, 53
Wire-deployed systems, 46–48
- Temperature, 80, 121, 245
Relationship with pressure, 99
 Temperature adaptation, 86
 Temperature of the trenches, 81–82
Adiabatic heating, 81
Potential temperature, 83
 Temperature profiles, 82
 Terminology, 18
Abyssal–hadal transition zone, 19
Hadal, 19
Hadal zone, 18, 21
Hado-pelagic, 18
Trench floor fauna, 18
Ultra-abyssal zone, 18
- Thaliacea, 119
 Thermohaline, 75–76, 79, 83, 241
 Thomson Reuters ‘Web of Knowledge’, 282
 Tidal cycles, 15, 75, 79, 97, 121
 Titans (Greek Mythology), 19
 Tonga Trench, 5, 10–12, 17, 29, 32–34, 62, 77, 82, 84–85, 137, 139, 148–149, 190, 199–200, 207–208, 217, 245, 268, 272
 Trench Connection Symposium, 18
 Trench formation, 31
 Trench morphology, 34, 37–38
 Trench resource accumulation depth (TRAD), 112, 121, 263
 Trench topography, 35
 Trieste ‘flat fish’, 45, 69, 221
 Trimethylamine N-oxide (TMAO), 104, 106–108, 215, 237–238

- Tsunamis. *See* Earthquakes
 Turbellaris, 145
 Turbellaria, 146
 Species list, 291
 Turbidity currents, 35, 38, 40–41, 114, 120, 122
 Tuscarora Deep, 4
- US Navy Space and Naval Warfare Systems Center
 San Diego, 65
 UNESCO, 19, 21, 23, 31–32, 247
 United States Navy, 68
 University of Aberdeen, UK, xii, xiv, xiv, 16, 76,
 205, 225, 282
 University of Tokyo, Japan, 16, 18
 Urchins. *See* Echinoidea
- Venus (Planet), 34
 Vertical zonation, 255, 261
 Vesicomid clams, 121, 154
- Vessels
 Akademik Kurchatov, 48
 Emden, 5
 Erebus, 4
 HMS *Challenger*, 4, 9–11
 HMS *Hydra*, 4
 HMS *Penguin*, 4
 HMS *Porcupine*, 11
 MV *Spencer F. Baird*, 9–10, 14, 60, 85
 Planet, 5
 Princess-Alice, 11, 194, 221
 RV *Albatross*, 11
 RV *Hakuho-Maru*, 10
 RV *Horizon*, 5
 RV *Iselin*, 14
 RV *James M. Gilliss*, 14
 RV *Kaharoa*, 232
 RV *Kairei*, 9–10, 66
 RV *Takuyo*, 10
 RV *Thomas Washington*, 14, 53
 RV *Vitjaz*, 11–12, 48, 52, 85, 139, 141, 146, 158,
 160, 162, 165, 168, 171, 173, 176, 181, 183,
 212, 217, 220–221, 243, 278
 Terror, 4
 Thomas Washington, 10
 USNS *Bartlett*, 14
 USS *Cape Johnson*, 5
 USS *Ramapo*, 5
 USS *Tuscarora*, 4
 USS *Wandank*, 68
 Willebord Snellius, 5
 Visual Interactions Hypothesis, 87
 Vityaz, 12, 25, 32
 Volcano Trench, 12, 29, 111
 Volume of the trenches, 43
- Weber Basin, 29
 West Caroline Trench, 29
 Wikipedia, 277
 Woods Hole Oceanographic Institute, xiv, 16, 65, 71
 World Register of Marine Species (WORMS), 133
 World War II, 5, 8
 Worms, 127
- Xenophyophorea, 137–138
- Yap Trench, 12, 23, 25, 29, 32, 111, 145, 159, 162,
 173, 193, 199, 243, 247–248
 Yava Trench. *See* Java Trench
 Yavan Trench. *See* Java Trench
- Zeleniy Mys Trough, 11
 Zeus (Greek Mythology), xi, 19
 Zonation, 100
 Zooplankton, 110, 119, 271