

Index

- absence of boundaries, 2
 absolute continuity, 370
 Agmon's inequality, 36, 45, 260
 analyticity, 156
 approximation to the identity, 371
 Arzelà–Ascoli Theorem, 23
 Aubin–Lions Lemma, **103**
 full version, 107
 simple version, 91, 104

 Banach algebra, 36
 Banach–Alaoglu Theorem, 376
 Beale–Kato–Majda criterion, 228
 Biot–Savart Law
 global version
 derivation, 227
 estimating u given ω , 227
 local version
 derivation, 231
 estimating u given ω , 233
 blowup rate
 for a simple ODE, 218
 in H^1 , 139
 in L^p , 218
 BMO⁻¹, 203
 Bochner integral, definition, 39
 Bochner spaces, **38**
 box-counting dimension
 and Lebesgue measure, 166
 bounds the Hausdorff dimension,
 166
 definition (coverings), 162
 definition (disjoint balls), 162
 of singular times \mathcal{T} , 166
 of space–time singular set S , 302
 the Burgers equation, 10, 11

 C^0 , 22
 $C^{0,\gamma}$, 22
 C_c^∞ , 22
 C^k , 22
 $C^{k,\gamma}$, 22
 Calderón–Zygmund decompositions, 378
 Calderón–Zygmund Theorem, 380
 alternative form (condition on $|\nabla K|$), 383
 centred parabolic cylinder Q_r^* , 240
 Chebyshev inequality (generalised), 373
 CKN, 279
 compatibility conditions, 154
 continuation of strong solutions, 229
 continuous and differentiable functions, 22–23
 critical spaces, 8, 192, 203, *see also* BMO⁻¹,
 $H^{1/2}$, and L^3
 curl, 20
 integration by parts, 225, 237

 δ_{ij} , 21
 dimension
 based on parabolic cylinders, 314
 box-counting, *see* box-counting dimension
 Hausdorff, *see* Hausdorff dimension
 Minkowski, 162, 359n3, 368
 Dirichlet boundary condition, 2, 19
 divergence, 20
 divergence-free flows, 3
 are volume preserving, 342
 \mathcal{D}_σ , 70
 $\tilde{\mathcal{D}}_\sigma$, 79
 $\partial_t u$ for weak solutions
 $\in L^{4/3}(0, T; H^{-1}(\mathbb{T}^3))$, 97
 $\in L^{4/3}(0, T; V^*)$, 76
 $\in L^{4/3}(\varepsilon, T; L^{6/5}(\mathbb{T}^3))$, 118
 $\in L^q(0, T; L^r(\Omega))$, 123

- dual space, **37**
 - of H_0^k , 37
 - of L^p , 37
 - of $L^p(0, T; X)$, 41
- duality argument, 380
- Duhamel principle, 146
- dynamic viscosity, 5
- $e^{\Delta t}$, 196
- Einstein summation convention, 4
- embeddings
 - for $H^{5/2}$ (borderline), 349, 366
 - $H^s \subset C^0$, $s > 3/2$, 36
 - $H^s \subset L^{6/(3-2s)}$, $0 \leq s < 3/2$, 36
 - $L^{6/(3+2s)} \subset H^{-s}$, $s \geq 0$, 38
 - $W^{1,p} \subset C^{0,1-3/p}$, $p > 3$, 29
 - $W^{1,p} \subset L^{3p/(3-p)}$, $1 \leq p < 3$, 28
- energy equality, 9
 - for strong solutions, 131
- energy inequality, *see* strong energy inequality
- epochs of regularity
 - bounded domains, 167
 - whole space, 175
- ϵ_{ijk} (Levi–Civita tensor), 20
- Euler equations, 2, 189, 228, 229
- Fourier series, **26**
 - square sums converge in L^p , 27
- Fourier transform, 32
- Friedrich’s inequality, 109
- Fundamental Theorem of Calculus, 370
- $G(\mathbb{R}^3)$, 51
- $G(\mathbb{T}^3)$, 49
- $G(\Omega)$, 55
- G_q , 64
- Gagliardo–Nirenberg inequality, 157
- Galerkin
 - approximations, 90
 - convergence for strong solutions, 184
 - equation, 90
 - method, **89**
- Gevrey regularity, 156
- global existence for small data
 - in ‘fake’ $H^{1/2}(\mathbb{R}^3)$, 141
 - in $\dot{H}^{1/2}(\mathbb{T}^3)$, 200, 202
 - in H^1 (bounded domains), 140
 - in L^3 , 213, 218
- Gronwall Lemmas, 377
- $H(\mathbb{R}^3)$, 51
- $H(\mathbb{T}^3)$, 48
- $H(\Omega)$, 52
- $\dot{H}^{1/2}$
 - global existence for small data, 200
 - is critical, 195
- $\dot{H}^s(\mathbb{R}^3)$, 33
- $\dot{H}^s(\mathbb{T}^3)$, 31
- $H^s(\mathbb{R}^3)$, 33
- H^s , $s > 3/2$, is a Banach algebra, 36
- H_q , 63
- Hahn–Banach Theorem, 375
- harmonic functions, 387
 - mean value theorems, 387
- Hausdorff dimension
 - bounded by box-counting dimension, 166
 - definition, 165
 - of singular times \mathcal{T} , 168
 - of space–time singular set S , 326
- Hausdorff measure
 - definition, 165
 - parabolic variant, 326
- heat equation
 - backwards uniqueness, 333
 - estimates in terms of forcing f , 397, 399
 - estimates in terms of initial data, 395
 - explicit solution, 394
 - local regularity results, **400**
 - maximal regularity, 117, 126, 403, 405
 - solutions continuous at $t = 0$, 395
 - unique continuation, 333
 - uniqueness, 393
- Helmholtz–Weyl decomposition
 - of $\dot{L}^2(\mathbb{T}^3)$, 49
 - of $L^2(\Omega)$, 55
 - of $L^2(\mathbb{T}^3)$, 51
 - of L^q , 64
 - of $\mathcal{S}(\mathbb{R}^3)$, 116, 125
- Hölder’s inequality, 24
 - three-term version, 25
- incompressibility, 3
- interpolation inequality
 - for CKN, 304
 - in L^p , 26
 - in Sobolev spaces, 34, 35, 45, 194
- Kato’s inequality, 155

- $\dot{L}^2(\mathbb{T}^3)$, 31
 L^3
 global existence for small data, 213
 is critical, 206
 local existence, 209, 213
 L^p , 23
 interpolation inequality, 26
 nested on bounded domains, 25
 $L^p(0, T; X)$
 completeness, 39
 definition, 39
 dense subspaces, 40
 dual space, 41
 $L^{p,\infty}$ (weak L^p space), 373
 $L_t^r L_x^s$, 39
 $L_t^\infty L_x^3$ implies local regularity, 242, 329
 Ladyzhenskaya inequality, 85, 88
 Lagrangian flow map
 construction, 354
 definition, 352
 is volume preserving, 357
 Lagrangian trajectories, 4, 340
 for classical solutions, **342**
 for suitable weak solutions, **358**
 are unique a.e., 362
 avoid the space–time singular set, 361
 for $u_0 \in \dot{H}^{1/2}$, **344**
 existence, 346
 uniqueness, 349
 for weak solutions, **352**
 integral equation, 344
 Λ^s (fractional derivative), 32
 Laplace operator/Laplacian, 388
 Lebesgue Differentiation Theorem, 369
 Lebesgue measurable, 23
 Lebesgue space, *see* L^p
 Leibniz formula, 21
 Leray projector
 bounded on L^p , 64, 125
 on $\mathbb{T}^3/\mathbb{R}^3$
 commutes with derivatives, 52
 definition, 51
 on Ω , 56
 Leray–Hopf weak solutions
 are eventually strong, 159
 are smooth on $\mathcal{R} \times \Omega$, 161
 definition, 101
 Hölder regularity in time, 260
 Levi–Civita tensor, 20
 Liouville’s formula, 343, 368
 local energy inequality
 alternate form, 272
 formal derivation, 264
 on bounded domains, 277
 proof on \mathbb{T}^3 , 268
 local existence
 in BMO^{-1} , 203
 in H^1 (bounded domains), 134
 in $H^1(\mathbb{R}^3)$, 144
 in $\dot{H}^{1/2}(\mathbb{T}^3)$, 196, 200
 in L^3 , 209, 213
 local regularity theorem
 in terms of ∇u , 321
 in terms of $|u|^3 + |p|^{3/2}$, 300
 under Serrin’s condition, 241
 local weak solutions, 238
 Marcinkiewicz Interpolation Theorem, 374
 maximal regularity
 heat equation, 117, 126, 403, 405
 Stokes equations, 122
 maximum principle
 for viscous Burgers equation, 12
 measurable selection theorem, 355, 407
 Mihlin/Hörmander multiplier theorem, 404
 mild solutions, 146
 Millennium Problem, 3
 Minkowski dimension, 162, 359n3, 368
 Minkowski’s inequality, 369
 mollification, 372
 momentum conservation, 3
 Morrey’s Theorem, 29
 multi-index notation, 21
 multi-valued function, 407
 Navier–Stokes equations
 derivation, **3**
 distributional formulation, 115, 120, 124
 in 2D
 global strong solutions, 143, 231
 uniqueness of weak solutions, 85
 Leray regularisation, 263, 265
 energy tail estimates, 274
 existence of solutions, 266
 strong solutions, *see* strong solutions
 vorticity formulation, *see* vorticity equation
 weak formulation
 alternative form, 82
 primary definition, 73

- nonlinear term $(u \cdot \nabla)u$, 10
 estimate in $\dot{H}^{3/2}$, 363
 estimate in H^k , 148
 $\in L^{4/3}(0, T; L^{6/5})$, 74
 Kato estimate, 155
 orthogonality relation, 71
- P_n (projection onto eigenfunctions)
 definition, 89
 is bounded on H^s , 108
 is symmetric, 90
- parabolic cylinder Q_r , 280
 centred Q_r^* , 240
- parabolic Hausdorff measure, 326
- particle trajectories, *see* Lagrangian trajectories
- periodic boundary conditions, 2, 20
- Pettis's Theorem, 39
- Poincaré inequality, 29
- Poisson equation, 388
- pressure
 in terms of velocity, 111
 local estimates, 308, 334
 physical meaning, 5
 space estimates (no boundaries), 112
 space–time estimates (bounded domain), 122
 space–time estimates (no boundaries), 113
- Q_r (parabolic cylinder), 280
 Q_r^* (centred parabolic cylinder), 240
- \mathcal{R} (regular times), 160
- regular points (of a weak solution), 281
- regular times \mathcal{T} , 160
- Rellich–Kondrachov Theorem, 29
- rescaling, 7
 and critical spaces, 8, 192
 effect on time of regularity, 8
 to change viscosity, 7
- Riesz transforms, 384
- \mathcal{S} (Schwartz functions), 22
 \mathcal{S}' (tempered distributions), 23
- Schwartz functions \mathcal{S} , 22
- Serrin's condition, **170**
 implies local smoothness, 241
 implies smoothness, 173, 329
 implies uniqueness, 174
- Serrin's example, 87, 239
- singular points S (of a weak solution), 281
- singular times \mathcal{T} , 160
 and the space–time singular set S , 327
 are compact, 160
 $\dim_{\mathbb{B}}(\mathcal{T}) \leq 1/2$, 166
 $\mathcal{F}^{1/2}(\mathcal{T} = 0)$, 177, 178
 $\mathcal{H}^{1/2}(\mathcal{T}) = 0$, 168
- small data
 in 'fake $H^{1/2}(\mathbb{R}^3)$ ', 141
 in $\dot{H}^{1/2}(\mathbb{T}^3)$, 200, 202
 in $H^1(\mathbb{T}^3)$, 140
 in L^3 , 213, 218
- Sobolev embeddings, 28, 36
- Sobolev spaces
 extension theorem, 34
 H^s , **29**
 interpolation inequality, 34, 35, 45, 194
 on \mathbb{R}^3 , **32**
 on \mathbb{T}^3 , **30**
 on Ω , 34
 $W^{k,p}$, **28**
- space–time singular set S
 and the set of singular times \mathcal{T} , 327
 box-counting dimension, 302
 has zero Lebesgue measure, 304
 Hausdorff dimension, 326
 is bounded, 301
- splitting method for local existence, 197, 209
- Stokes equations, 58, 69
 maximal regularity, 122
- Stokes operator, **57**
 and the Laplacian, 58
 eigenfunctions, 60, 69
 eigenvalues, 69
 fractional powers, 62–63
 regularity estimates, 59
- stress tensor, 4
- strong energy inequality
 on bounded domains, 98
 on \mathbb{R}^3 , 273
- strong solutions
 are smooth in space, 151
 are smooth in space–time, 154
 as test functions, 132
 continuation, 229
 definition, 127
 Galerkin approximations converge, 184
 global existence for small data, 140, 141
 global existence in 2D, 143
 local existence (bounded domains), 134
 local existence (\mathbb{R}^3), 144

- no blowup if $\nabla u \in L^1(0, T; L^\infty)$, 155, 157
 no blowup if $\omega \in L^1(0, T; L^\infty)$, 229
 rate of blowup, 139
 robustness under perturbation, **180**
 satisfy the energy equation, 131
 satisfy the equation in $L^2(0, T; L^2)$, 130
 uniqueness in class of weak solutions,
 137
 with $u_0 \in H^k$, 149
 strongly measurable, 38
 sublinear, 374
 suitable weak solutions, 281
 first local regularity theorem, 300
 second local regularity theorem, 321
 summation convention, 4
- T (singular times), *see* singular times
 $T_{jk} = \partial_j \partial_k (-\Delta)^{-1}$, 385
 bounded from L^p to L^p , 385
 tempered distributions \mathcal{S}' , 23
 test functions, 70, 79
- $(u \cdot \nabla)$, 4
 $u \otimes u$, 115
- V , definition, 57
 variation of constants formula, 146
 vector identities, 21, 68, 224, 227,
 237
 viscosity
 changed by rescaling, 7
 dynamic, 5
 experimental measurement, 5f
 kinematic, 2, 7
 Vitali Covering Lemma, 337
 volume-preserving flows
 alternative formulation, 357
 arise from divergence-free vector fields,
 342
 avoid certain sets, 360
 vortex stretching, 230
 vorticity, 224, *see also* Biot–Savart Law
 in two dimensions, 230
 vorticity equation, 225
 and weak solutions, 225
 in two dimensions, 230
- $W^{1,p}$, 28
 $W_0^{1,p}$, 28
 $W^{k,p}$, 28
 weak compactness, 376
 weak convergence, 375
 weak derivative, 28
 weak L^p spaces, 373
 weak (p, q) , 374
 weak solutions
 and initial data, 100
 and the vorticity equation, 225
 as distributional solutions, 115, 120, 124
 concatenation, 110
 continuous into V^* , 76
 definition, 73
 existence on \mathbb{R}^3 , 102
 existence on bounded domains, 92
 Leray–Hopf, *see* Leray–Hopf weak
 solutions
 local definition, 238
 of Leray regularisation, 266
 strong energy inequality, 98, 273
 suitable, 281
 $u \in L^1(0, T; L^\infty)$, 169
 $u \in L^{2/3}(0, T; D(A))$, 169
 $u \in L^r(0, T; L^s)$, $2/r + 3/s \leq 3/2$, 74
 unique in 2D, 84
 weakly continuous into L^2 , 78
 weak-* convergence, 376
 weak time derivative
 definition and properties, 41
 embedding results, 43, 259
 weak–strong uniqueness, 137
 weakly divergence-free functions, 48
 trace theorem, 53
 weakly measurable, 38
 Weyl’s Lemma, 388
- Young’s inequality, 24
 Young’s inequality for convolutions, 371
 using weak spaces, 374