

Index

- π orbitals, 99
 σ orbitals, 99
- Abrikosov–Suhl resonance, *see* Kondo resonance
 AgCrO₂, 83, 175
 AlV₂O₄, 224, 385, 421
 anapole moment, *see* toroidal moment
 Anderson criterion, 256
 Anderson localization, 382–383
 Anderson model, 435–438, 440
 Anderson transitions, 382–383, 428
 anisotropy, 72, 142–156
 easy-axis, 143, 155, 173
 easy-plane, 143
 exchange, 144, 200
 single-site, 144, 152, 159, 200, 434
 antisymmetric exchange, 146–155
 Arrott plot, 466, 467
 Aurivillius phases, 272, 291
- Ba_{1-x}Sr_xMnO₃, 291
 Ba_{1.2}V₈O₁₆, 399
 Baber’s law, 332
 BaBiO₃, 259, 263
 BaCoO₃, 81, 86, 88, 133
 BaCuSi₂O₈, 163
 BaFe₂As₂, 351
 band insulators, 428
 BaTiO₃, 83, 269, 271, 276–279, 281, 290
 Bean–Rodbell mechanism, 156, 466
 Bethe notation, 38, 151
 Bi₂Sr₂CaCu₂O₈, 330, 350
 Bi₄Ti₃O₁₂, 291
 Bi₅FeTi₃O₁₅, 291
 BiCoO₃, 173, 276, 291
 BiFeO₃, 90, 150, 272, 276, 286, 288, 289, 291, 296, 305, 412
 (BiLu)₃(FeGa)₅O₁₂, 304
 BiMnO₃, 276, 291
- bipartite lattices, 164, 175, 240, 312
 bipolarons, 396
 Bi_xV₂O₁₆, 399
 Bloch domain walls, 192, 303
 Bloembergen–Rowland mechanism, 442
 bond valence sum, 241
 Born effective charges, 270–272
 Brinkman–Rice method, 405–406
 brownmillerite, 173
- C₆H₆, 180
 Ca₂RuO₄, 117
 Ca₃CoMnO₆, 275, 292, 297, 298, 302
 Ca₃Ru₂O₇, 117
 CaF₂, 86
 CaFeO₃, 107, 260, 264
 CaMn₇O₁₂, 297
 CaMnO₃, 291
 canted state, 20, 139–141, 200, 314–315
 CaTiO₃, 83
 CaV₄O₉, 224
 Cd₂Nb₂O₇, 281
 CdCl₂-type structure, 83
 CdCr₂O₄, 129, 172, 187
 CdCr₂S₄, 134, 172
 CdI₂, 82
 CdV₂O₄, 388, 422, 423
 CE-ordering, 243, 244, 248, 322
 CeB₆, 343
 CeCoIn₅, 357
 CeCu₂Si₂, 446
 CeIn₃, 349
 CeNi₃, 357
 CePd₂Si₂, 349, 357
 CeRh₂Si₂, 357
 charge density waves (CDW), 244, 253–255, 266, 312, 381
 charge disproportionation, *see* spontaneous charge disproportionation

- charge ordering, 238–265, 398
 charge-transfer energy, 96, 118
 charge-transfer insulators, 94–105, 118, 120, 123, 415–420
 chirality, 184, 186, 301, 302
 colossal magnetoresistance manganites, 99, 138, 219, 319–324, 362
 common enemies, 172
 compass model, 225, 235
 confinement, 18, 24
 CoO, 77, 157, 158
 cooperative Jahn–Teller effect, *see* Jahn–Teller effect, cooperative
 corundum structure, 84
 Cr₂O₃, 84, 164, 282, 285
 CrCl₂, 164
 CrO₂, 107, 113, 340
 crystal field splitting, 37–57, 91
 Cs₂Au₂Cl₆, 108, 261
 Cs₂C₆₀, 357
 CsAuCl₃, 108
 CsCuCl₃, 134
 CsNiCl₃, 81, 82, 84, 86, 88
 Cu₂OSeO₃, 194
 CuCrO₂, 83
 CuFeO₂, 83, 175, 293, 296
 CuIr₂S₄, 343, 421
 CuO, 293
 cylindrical magnetic domains (CMD), 192
- dangling bonds, *see* lone pairs
 delafossite structure, 83, 175
 domain walls, 16, 191–192, 202, 303–304, 309
 Bloch and Néel, 192, 303
 double exchange, 99, 136–141, 199, 339, 360–361
d–*p* model, 95, 436
 Drude theory, 331
 Dy₂Ti₂O₇, 186
 DyMnO₃, 166
 dynamical mean-field theory (DMFT), 406–408
 DyVO₄, 435
 Dzyaloshinskii–Moriya interaction, 147–155, 165, 201, 294, 305
- electromagnons, 301, 309
 electron reconstruction, 367, 376
 Eu₃S₄, 259
 EuO, 323, 403
- f*-electron systems, 433–447
 Fe₂O₃, 84, 150, 164, 285
 Fe₂OBO₃, 255
 Fe₃O₄, 171, 255–259, 267, 276, 385, 399, 447
 FeAs superconductors, *see* high-*T_c* superconductors (iron-based)
 FeBO₃, 412
 FeO, 158
- Fermi arcs, 334–336, 372
 ferrimagnetism, 171
 ferroaxial materials, 296
 ferroelectricity, 269–282, 307, 341
 in frustrated systems, 300
 ferrons, 20, 139, 361
 FeS₂, 86
 FeSe, 351
 FeTiO₃, 86, 88
 films, 304, 363–370, 376
 free electron approximation, 3
 Fröhlich conductivity, 254
 frustration, 115, 167, 170, 173–191, 201, 225–227, 255–259, 267, 282, 295, 298
 fullerenes, 414
- g*-factor, 33, 74, 145
 gadolinium gallium garnet (GGG) lattices, 185
 GdFeO₃, 276, 412
 GdFeO₃-type distortions, 87, 89, 152, 164, 260
 Glazer classification, 89
 Goldstone theorem, 154
 Goodenough–Kanamori–Anderson (GKA) rules, 120–136, 167, 171, 198–199, 214, 243
 Gutzwiller method, 405
- halogenides, 86
 Haldane gap, 224
 Hall effect coefficient, 336, 372
 Ham reduction factor, 61
 heavy fermion state, 442–447, 450
 Heitler–London state, 9, 13, 23
 hematite, 150
 HgCr₂Se₄, 134, 172
 high-spin states, 57, 65–71, 91, 194–198, 324, 343–347, 410–413
 high-*T_c* superconductors, 20, 108, 316, 350–357, 374
 cuprates, 115, 219, 325–330, 334, 349–351, 353–356
 heavy fermion systems, 446, 450
 iron-based, 351–353, 355
 hollandites, 399
 holons, 16, 183, 202, 356
 Hubbard I approximation, 338
 Hubbard model, 5–12, 22, 311–319, 357–360, 438
 Hubbard subbands, 10–11, 317–319, 333, 337, 407, 416–419
 Hund’s exchange, 30
 Hund’s rules, 28–31, 33, 35, 36, 57, 65, 72, 73, 91, 93, 129
 Hund–Mulliken state, *see* MO LCAO state
 hyperkagome lattices, 185
- ice XI, 272
 ilmenites, 86, 88
 induced magnetism, *see* singlet magnetism

- insulator–metal transitions, *see* metal–insulator transitions
 interfaces, 363–370, 376
 intermediate-spin states, 68, 194, 324, 343–347
 intermediate valence state, *see* mixed valence state
 ionic bonding, 78
 iron-based superconductors, *see* high- T_c superconductors, iron-based
- Jahn–Teller effect, 57–65, 71, 76–78, 92, 94, 157, 188, 278–279, 456
 cooperative, 59, 92, 164, 204–231, 234, 435
 magnetic, 187–188
 Jahn–Teller theorem, 58, 92, 204
jj coupling scheme, 32, 36, 40, 434
- $K_2Cr_8O_{16}$, 399
 K_2CuF_4 , 64, 217, 327, 366
 K_2NiF_4 -type structure, 327
 $K_2V_8O_{16}$, 399
 Kagome lattice, 183–185
 $KCoF_3$, 157
 $KCuF_3$, 216, 220
 KH_2PO_4 , 272
 kinetic exchange, *see* superexchange
 $KNbO_3$, 276, 277
 Kondo effect, 438–442, 449
 Kondo insulators, 101, 119, 418, 446, 450
 Kondo resonance, 440, 445, 450
 $KTaO_3$, 276, 279
 Kugel–Khomskii model, 213–216, 235
- $La_{0.5}Ca_{0.5}MnO_3$, 240, 241
 $La_{0.5}Sr_{1.5}MnO_4$, 240
 $La_{1-x}Ca_xMnO_3$, 88, 100, 244, 251, 322, 339, 362, 365, 403
 $La_{1-x}Sr_xCoO_3$, 107, 116, 324, 343, 413
 $La_{1-x}Sr_xMnO_3$, 100, 137, 320, 339
 $La_{2-2x}Sr_{1+2x}Mn_2O_7$, 323
 $La_{2-x}Sr_xCoO_3$, 196
 $La_{2-x}Sr_xCoO_4$, 115
 $La_{2-x}Sr_xCuO_4$, 100, 107, 108, 111, 251, 326, 337
 $La_{2-x}Sr_xMnO_4$, 324
 $La_{2-x}Sr_xNiO_4$, 251
 $La_{2/3}Sr_{1/3}FeO_3$, 260
 La_2CuO_4 , 59, 94, 107, 109, 111, 114, 150, 153, 217
 $La_4Ru_2O_{10}$, 223, 385
 $LaAlO_3$, 368
 $LaCoO_3$, 66, 68, 73, 90, 107, 114, 194, 196, 343
 $LaMnO_3$, 59, 83, 86, 88, 89, 94, 124, 137, 164, 219, 220, 276, 320, 342, 366
 Landé factor, *see* *g*-factor
 $LaNiO_3$, 88, 365, 417
 lanthanoid contraction, 27, 79, 88
 $LaTiO_3$, 231, 232, 398, 410
 $LiCrO_2$, 296
 $LiCu_2O_2$, 293
- $LiFeAs$, 351
 ligand field splitting, *see* crystal field splitting
 $(LiNa)CrO_2$, 293
 $LiNiO_2$, 83, 175, 225, 231–233
 LiV_2O_4 , 447
 $LiVO_2$, 83, 175, 224, 423
 $LiVS_2$, 224, 385, 423
 Li_xCoO_2 , 83, 398
 lone pairs, 272, 291
 low-spin states, 65–71, 91, 159, 194–198, 324, 343–347, 411–413
LS coupling scheme, 32, 36, 40, 434
 $LuFe_2O_4$, 275, 292
 Luttinger theorem, 336, 372
- Madelung energy, 90, 93
 Magnéli phases, 239, 384, 394–398
 magnetic monopoles, 186
 magnetic polarons, 20, 361
 magnetization plateaux, 176, 231
 magnetoelastic coupling, 155, 200
 magnetoelectric effect, 155, 165, 201, 282–288, 309
 magnetostriction, 75, 77, 133, 155–157, 200, 281
 magnons, 154, 163, 203, 301, 305, 309
 metal–insulator transitions, 11, 23, 171, 255, 267, 378–432
 Anderson, 382–383, 428
 band-filling-controlled, 379, 409
 bandwidth-controlled, 409
 interaction-controlled, 412, 413
 Mott, 11, 23, 222, 383–384, 426–428
 orbital-selective, 413–415
- $MgAl_2O_4$, 86
 $MgTi_2O_4$, 134, 221, 342, 343, 385, 397, 421
 $Mg_2V_2O_4$, 388
 MgV_2O_4 , 422
 mixed valence state, 445, 450
 Mn_3O_4 , 172, 225, 239
 MnF_2 , 164
 MnO , 166, 168
 MnO_2 , 164
 $MnSi$, 150, 193, 349
 $Mn_2V_2O_4$, 388
 $MnWO_4$, 293
 MO LCAO state, 8, 23, 111
 mobility edge, 382, 429
 Mott transitions, 11, 23, 222, 383–384, 426–428
 orbital-selective, 413–415
 Mott’s minimum metallic conductivity, 331, 371
 Mott–Hubbard insulators, 8, 10–22, 100–101, 104–105, 118, 120, 415–420, 452–456
- Mulliken notation, 38
 multiferroics, 83, 133, 149, 155, 156, 166, 171, 288–305, 307
 collinear, 297–300
 composite, 290
 proper and improper, 289

spiral, 293–297
 type I, 289–292, 307
 type II, 289, 292–302, 307

Na_2IrO_3 , 226
 $\text{Na}_4\text{Ir}_3\text{O}_8$, 185
 NaCl-type structure, 82, 86, 166, 175, 402
 NaCoO_2 , 175
 NaCrO_2 , 296
 $\text{NaFeSi}_2\text{O}_6$, 293
 Nagaoka ferromagnetism, 19, 139, 313
 NaNiO_2 , 225, 233
 NaNO_2 , 270, 272
 $\text{NaTiSi}_2\text{O}_6$, 223
 Na_xCoO_2 , 83, 398, 417
 NbSe_2 , 82, 253, 255, 381
 $\text{Nd}_{1-x}\text{Sr}_x\text{MnO}_3$, 323, 342
 $\text{Nd}_{2-x}\text{Ce}_x\text{CuO}_4$, 327
 $\text{NdBaCo}_2\text{O}_{5.5}$, 195
 NdNiO_3 , 88, 399
 Néel domain walls, 192, 303, 309
 Néel state, 179, 191
 negative charge-transfer gap, 44, 105–109, 116, 118, 262, 268, 328
 negative- U Hubbard model, 263
 nesting, 19, 253, 266, 312, 373
 $\text{Ni}_3\text{B}_7\text{O}_{13}\text{I}$, 288, 290
 $\text{Ni}_3\text{V}_2\text{O}_6$, 293
 $\text{NiCl}_2-4\text{SC}(\text{NH}_2)_2$, 161
 NiF_2 , 153, 164
 NiO , 82, 94, 166, 168, 364
 NiS , 400
 NiS_2 , 86, 402
 $\text{NiS}_{2-x}\text{Se}_x$, 402
 NiSe_2 , 402
 NiTe_2 , 82
 non-Fermi-liquid state, 348

orbital ordering, 59, 204, 234
 orbitons, 227–228, 236
 orthochromates, 279

“partial” Mott transitions, 421, 432
 $\text{PbFe}_{1/2}\text{Nb}_{1/2}\text{O}_3$, 290
 $\text{PbFe}_{2/3}\text{W}_{1/3}\text{O}_3$, 290
Pbnm structure, 87, 132, 149, 151
 PbTiO_3 , 276
 PbVO_3 , 276, 291
 $\text{Pb}(\text{ZrTi})\text{O}_3$, 269, 290
 Peierls transition, 222, 231, 390, 425, 456–458
 perovskites, 83, 89, 149, 151–152, 165, 290
 phase separation, 141, 248, 316, 357–363, 375
 polarization catastrophe, 366, 376
 $\text{Pr}_{1-x}\text{Ca}_x\text{MnO}_3$, 244, 323, 362, 403
 $\text{Pr}_{1/2}\text{Ca}_{1/2}\text{MnO}_3$, 275
 Pr_3In , 162
 Pr_3Tl , 162, 163

PrMnO_3 , 88
 PrNiO_3 , 88, 350, 399
 Prussian blue, 66, 196
 pseudo-Jahn–Teller effect, 279
 pseudogap phase, 329
 pyrite, 86
 pyrochlores, 170, 185–187, 281
 pyroelectric groups, 301
 pyroelectrics, 270, 276, 291
 PZT, *see* $\text{Pb}(\text{ZrTi})\text{O}_3$

quadrupolar ordering, 435
 quantum critical point (QCP), 348–350, 356, 372

$\text{RbFe}(\text{MoO}_4)_3$, 296
 resonating valence bonds (RVB), 178–183, 202, 243, 396
 Ruderman–Kittel–Kasuya–Yosida (RKKY) interaction, 136, 199, 442–446, 449
 Russel–Saunders coupling scheme, *see* *LS* coupling scheme
 rutiles, 84, 164

$\text{SbNaBe}_4\text{O}_7$, 86
 second quantization, 459–461
 self-doping, 106, 119
 semicovalent exchange, 121
 singlet magnetism, 75, 159–163, 203
 skyrmions, 150, 192, 202, 305
 SmB_6 , 446
 SmS , 446
 spectral weight transfer, 11, 317
 spectrochemical series, 45
 spin blockade, 343–347, 374
 spin density waves (SDW), 19, 143, 253, 293, 312, 381
 spin gap, 155, 375
 spin-glass state, 137, 199, 227, 320, 442
 spin Hamiltonian, 73
 spin ice, 186, 435
 spin liquid, 178, 202
 spin–charge separation, 16, 183, 202
 spin–orbit interaction, 31–34, 71–78, 92, 142–156, 200, 229–231, 236
 spin-current mechanism, 293
 spin-flop transition, 295
 spin-Peierls transition, 179, 231, 424
 spin-Peierls–Peierls transition, 424–425
 spin-reorientation transitions, 143
 spin-state transitions, 194–198, 202
 spinels, 86, 127, 169–172, 281
 spinons, 16, 182, 202, 356
 spintronics, 282
 spiral structure, 20, 107, 143, 188–191, 293–297, 314, 340
 cycloidal, 150, 294, 295, 304, 305
 helical, 143, 294

- spontaneous charge disproportionation, 107, 259–264, 267, 275, 298, 399
- Sr_2IrO_4 , 72
- Sr_2RuO_4 , 356
- $\text{SrBi}_2\text{Ta}_2\text{O}_9$, 273
- SrCoO_3 , 107
- $\text{SrCu}(\text{BO}_3)_2$, 163
- SrFeO_3 , 107, 260, 417
- SrTiO_3 , 86, 278, 368
- stepwise Mott transitions, *see* “partial” Mott transitions
- Stoner criterion, 340, 373
- stripes, 242, 245, 250–252, 267
- superexchange, 14, 23, 120
- surface effects, 363–370
- swedenborgite, 86
- Tanabe–Sugano diagrams, 69
- TaS_2 , 82, 253, 255, 381
- TbMn_2O_5 , 275, 289, 292
- TbMnO_3 , 166, 280, 281, 289, 292–294
- TbSb , 162
- TbVO_4 , 162
- tellurides, 86
- thiospinels, 127, 134
- three-band model, 95
- Ti_2O_3 , 385, 394
- Ti_4O_7 , 394, 396, 399
- tight-binding approximation, 4, 6
- TiI_2 , 224, 423
- “tin plague”, 380
- $\text{Ti}_n\text{O}_{2n-1}$, 385, 394–398
- TiOCl , 223, 424
- t – J model, 112, 358
- $\text{Ti}_2\text{Ru}_2\text{O}_7$, 224
- TiCuCl_3 , 163
- $\text{TiSr}_2\text{CoO}_5$, 195
- TmMnO_3 , 280
- TmVO_3 , 435
- tolerance factor, 87, 90, 165
- toroidal moment, 286, 309
- tunnel compounds, 399
- UGe_2 , 349, 357
- UPt_3 , 446
- URhGe , 357
- URu_2Si_2 , 343
- $\text{V}_{2-x}\text{Cr}_x\text{O}_3$, 385
- V_2O_3 , 84, 173, 319, 343, 384–389, 394, 401, 410
- V_4O_7 , 385, 396, 399
- V_7O_{13} , 396
- valence bond (VB) state, 179
- Van Vleck paramagnetism, 161
- Verwey transition, 171, 255–259, 267, 276
- vibronic states, 61, 92
- $\text{V}_n\text{O}_{2n-1}$, *see* Magnéli phases
- VO_2 , 222–223, 343, 384, 389–394
- vortices, 192, 202, 304
- Wigner crystal, 241, 259, 265
- Wigner liquid, 259
- Yafet–Kittel structure, 171
- $\text{YBa}_2\text{Cu}_3\text{O}_7$, 326, 330, 350, 365
- $\text{YBaCo}_2\text{O}_{5.5}$, 162
- YBaCo_4O_7 , 86
- YMnO_3 , 273, 289
- YNiO_3 , 261, 264, 298
- Yoffe–Regel limit, 331, 371
- YTiO_3 , 409
- YVO_3 , 153, 231, 232
- Zaanen–Sawatzky–Allen (ZSA) scheme, 100, 118, 415
- Zener polarons, 243, 275
- Zhang–Rice singlets, 108–115, 119, 251, 328, 414, 419
- $\text{Zn}_2\text{V}_2\text{O}_4$, 388
- ZnV_2O_4 , 134, 224, 342, 422