

Contents

	<i>Preface</i>	<i>page xi</i>
	<i>Acknowledgements</i>	xvi
	<i>Glossary of terms</i>	xvii
1	Introduction to waveform generation	1
	1.1 Preliminaries	3
	1.1.1 Outline chapter content	3
	1.1.2 Digital signal processing	5
	1.1.3 Periodic and aperiodic waveforms	6
	1.1.4 Introducing the sine wave – properties and parameters	9
	1.1.5 Instantaneous phase and frequency	10
	1.1.6 From phase to amplitude – the waveform function	12
	1.1.7 Signal definition – waveform or spectrum?	14
	1.1.8 Signal specification – time or frequency domain?	15
	1.1.9 A brief history of digital waveform generation	17
	1.2 A taxonomy of electronic waveform generation	19
	1.2.1 Background	19
	1.2.2 Analogue waveform generation	19
	1.2.3 Hybrid waveform generation	23
	1.2.4 Digital waveform generation	24
	1.2.5 Arbitrary waveform generation	25
	1.3 Analogue waveform generation	31
	1.3.1 Analogue waveform generation in test instrumentation	31
	1.3.2 The Wien bridge oscillator	32
	1.3.3 The state variable oscillator	34
	1.3.4 The voltage-controlled switched integration oscillator	36
	1.3.5 The charge-balancing voltage to frequency convertor	38
	1.3.6 The shortcomings of analogue waveform generation	38
	1.4 Applications of arbitrary waveform generation	41
	1.4.1 Test and diagnostic applications	41
	1.4.2 Signal emulation applications	42
	1.4.3 Bespoke embedded applications	43
	1.4.4 RF up-conversion applications	43

1.4.5	Unique DDS AWG attributes	45
1.4.6	A simple example – testing a PLL	45
1.5	Summary	47
1.6	References	48
2	The foundations of digital waveform generation	49
2.1	Mathematical preliminaries	49
2.1.1	Continuous- and discrete-time signals	49
2.1.2	The phase–frequency relationship of a discrete-time sinusoid	52
2.1.3	Analogue reconstruction and alias image rejection	54
2.1.4	Quantisation and digital to analogue conversion	54
2.2	A fundamental concept – sampling a tabulated signal	55
2.2.1	Tabulating a signal – introducing the wavetable	55
2.2.2	Regenerating a tabulated signal	56
2.2.3	A sample rate conversion view	57
2.2.4	Frequency control resolution and wavetable length	58
2.3	Tabulating a waveform function	59
2.3.1	The wavetable revisited	59
2.3.2	Tabulating the sine function	60
2.3.3	Time domain arbitrary waveform specification	62
2.3.4	Frequency domain arbitrary waveform specification	63
2.4	The foundations of direct digital synthesis (DDS)	64
2.4.1	Phase accumulation frequency synthesis	64
2.4.2	Phase–amplitude mapping	67
2.4.3	Phase continuity	68
2.4.4	Phase–amplitude mapping and fractional addressing	70
2.4.5	The aliasing problem	73
2.5	Control parameters and their characteristics	74
2.5.1	Desirable control characteristics	75
2.5.2	Frequency control	76
2.5.3	Phase offset control	78
2.5.4	Amplitude control	79
2.5.5	Waveshape control	79
2.5.6	Spectrum control	81
2.6	Performance metrics	83
2.6.1	Phase truncation noise	83
2.6.2	The amplitude error spectrum	85
2.6.3	Waveshape error	85
2.6.4	Phase noise	86
2.6.5	Arithmetic processing requirements	88
2.7	Summary	89
2.8	References	89

3	Recursive sine wave oscillators	90
	3.1 Mathematical preliminaries	91
	3.2 The direct-form	93
	3.3 The coupled-form	99
	3.4 The modified coupled-form	101
	3.5 The waveguide-form	101
	3.6 Implementation considerations	102
	3.6.1 Initial conditions	102
	3.6.2 Arithmetic quantisation effects	104
	3.6.3 Frequency control	106
	3.7 Summary	107
	3.8 References	108
4	DDS sine wave generation	109
	4.1 Phase accumulation, truncation and arithmetic processing	109
	4.1.1 Ideal sinusoidal DDS	110
	4.1.2 Optimal phase–amplitude mapping	112
	4.1.3 Phase truncation and fractional wavetable addressing	114
	4.1.4 Linear phase interpolation	122
	4.1.5 Static and dynamic phase offset	124
	4.1.6 Quadrature sine wave generation	125
	4.1.7 Introducing phase domain processing	127
	4.2 Theoretical analysis of DDS phase truncation errors	128
	4.2.1 The DDS error model	128
	4.2.2 Phase truncation errors	129
	4.2.3 Wavetable sample quantisation errors	132
	4.3 Sinusoidal phase–amplitude mapping	134
	4.3.1 SNR and oversampling	134
	4.3.2 Phase truncated wavetable indexing	135
	4.3.3 Phase dithered wavetable indexing and noise shaping	138
	4.3.4 Linear phase interpolated wavetable indexing	144
	4.3.5 Trigonometric identity phase interpolation	148
	4.3.6 Sinusoidal wavetable compression	152
	4.3.7 Direct computation phase–amplitude mapping – the CORDIC algorithm	155
	4.4 Summary	159
	4.5 References	161
5	DDS arbitrary waveform generation	162
	5.1 From sinusoidal to arbitrary waveforms	162
	5.1.1 Phase truncation and the need for interpolation	163
	5.1.2 Introducing Lagrange polynomial interpolation	165

5.1.3	The harmonic aliasing problem	170
5.1.4	Time domain specification of an arbitrary waveform	172
5.1.5	Frequency domain specification of an arbitrary waveform	178
5.1.6	Defining DDS AWG simulation parameters	181
5.1.7	Optimal phase–amplitude mapping	184
5.2	Interpolated phase–amplitude mapping	186
5.2.1	Phase truncated wavetable indexing	186
5.2.2	Phase dithered wavetable indexing	187
5.2.3	Linear phase interpolated wavetable indexing	192
5.2.4	Lagrange polynomial phase interpolated wavetable indexing	195
5.3	Analogue waveshaping	203
5.3.1	The phase accumulator as a digital frequency synthesiser	205
5.3.2	Analogue waveshaping principles and some fundamental problems	207
5.3.3	Triangle waveform shaping	211
5.4	DDS clock generation	213
5.4.1	Hard-limited sinusoidal DDS	214
5.4.2	Reconstruction filter bandwidth	216
5.5	Variable sample frequency AWG	217
5.5.1	Basic architecture and implementation limitations	217
5.5.2	Harmonic aliasing and reconstruction filter considerations	218
5.6	Computer music and audio test applications of DDS AWG	219
5.6.1	Harmonics and partials	220
5.6.2	Frequency control, musical pitch and tuning	221
5.6.3	Audio measurement – harmonic and intermodulation distortion	222
5.7	Summary	225
5.8	References	227
6	Dynamic waveshape and spectrum control	228
6.1	Paged wavetable memory – piecewise stepped waveshaping	229
6.1.1	Page indexing a group of wavetables	229
6.1.2	Specifying a group of wavetables	231
6.1.3	Paged wavetable interpolation – piecewise continuous waveshaping	233
6.1.4	Frequency domain behaviour	235
6.2	Linear combination of multiple wavetables	236
6.2.1	Single phase accumulator case – harmonic signal synthesis	237
6.2.2	The IDFT as a limiting case	239
6.2.3	Multiple phase accumulator case – band-pass signal synthesis	241
6.3	Modulation	242
6.3.1	Frequency, phase and amplitude modulation	243
6.3.2	FSK and PSK modulation	244
6.3.3	Frequency sweep and chirp generation	246

	6.4 Summary	247
	6.5 References	248
7	Phase domain processing – DDS and the IDFT	249
	7.1 Fundamental concepts	249
	7.1.1 The inverse discrete Fourier transform (IDFT)	250
	7.1.2 Weighted phase sequence summation	252
	7.1.3 Dynamic spectrum control and the metaparameter	254
	7.1.4 Aliasing control and the mitigation of Gibbs phenomenon	256
	7.1.5 Time division multiplexing (TDM)	257
	7.2 Contiguous harmonic phase generation and the IDFT	258
	7.2.1 Harmonic phase accumulation	258
	7.2.2 Harmonic phase offset	260
	7.2.3 Amplitude accumulation	261
	7.3 Non-contiguous harmonic phase generation	262
	7.3.1 Phase multiplication	263
	7.3.2 Modulo integer multiplication	263
	7.4 Summary	264
	7.5 References	265
8	Hardware implementation architectures	266
	8.1 Processing techniques and design considerations	267
	8.1.1 Pipelined and parallel processing	267
	8.1.2 Sample and block pipelining	268
	8.1.3 Time division multiplexing	272
	8.1.4 Arithmetic and modulo accumulation	273
	8.1.5 High speed binary addition	274
	8.1.6 Wavetable memory architectures	275
	8.1.7 Vector memory	277
	8.2 Partitioned phase accumulation	280
	8.3 Sinusoidal phase–amplitude mapping	283
	8.3.1 Linear phase interpolation	284
	8.3.2 Trigonometric identity phase interpolation	286
	8.4 Interpolated vector memory	289
	8.4.1 Linear interpolation architecture	289
	8.4.2 Cubic interpolation architecture	289
	8.4.3 Interpolated vector memory design considerations	293
	8.4.4 A paged wavetable interpolation memory	296
	8.5 Waveform generation by direct computation	296
	8.5.1 A contiguous harmonic IDFT waveform synthesiser	299
	8.5.2 An arbitrary harmonic IDFT waveform synthesiser	302
	8.5.3 A band-pass spectrum waveform synthesiser	302

8.6	Summary	304
8.7	References	306
9	Digital to analogue conversion	307
9.1	Error mechanisms	311
9.1.1	Offset error	313
9.1.2	Gain error	315
9.1.3	Settling time	315
9.1.4	Transition or ‘glitch’ errors	317
9.1.5	Linearity errors	317
9.1.6	DAC quantisation noise	318
9.2	DAC dynamic specification considerations	319
9.2.1	Harmonic and intermodulation distortion	319
9.2.2	Spurious-free dynamic range (SFDR)	321
9.2.3	Signal-to-noise ratio (SNR)	321
9.3	The reconstruction filter	322
9.3.1	Frequency and phase response	323
9.3.2	Filter implementation – passive or active?	325
9.3.3	Signal distortion pitfalls – maintaining SFDR	327
9.3.4	Reconstruction filter design considerations – hints and tips	328
9.4	Supplementary analogue design considerations	330
9.4.1	The DAC reference voltage and output amplifier	330
9.4.2	Switched attenuation and output level control	332
9.4.3	DC offset and output dynamic range considerations	335
9.4.4	The output drive amplifier	336
9.4.5	Square and pulse waveforms	337
9.5	Summary	338
9.6	References	340
	<i>Index</i>	341