

Index

- abdominal pain 235, 243–6, 248, 250, 255
 aortic problems 171–4, 189–92, 200, 204–5
 cardiac pseudotumors 4
 vein problems 295, 299, 308–9
- abscess, cerebral 141
- active extravasation of contrast 197
- acute aortic syndrome
 differential diagnosis 176–7, 179, 186, 189–92
 intramural hematoma 189, 197
 non-contrast CT scanning 193
- acute coronary syndrome 41
- acute myocardial infarction 41
- acute onset hypotension 131
- acute pancreatitis 239
- adenopathy 281, 312
- AEF (aortoenteric fistula) 204–5, 231–2
- air, presence of, post-aortic surgery 231–2
- ALCAPA (anomalous left coronary artery from the pulmonary artery) 117, 119
- aliasing MRI artifacts 159
- amyloidosis, cardiac 38–40
- anatomic variants
 bicuspid aortic valve 84
 cor triatriatum sinister 69
 partial anomalous pulmonary venous return 74–7
 patent ductus arteriosus 81
 patent foramen ovale 67
 pseudocoarctation from kinking of aorta 87
 superior mesenteric artery 260
 unroofed coronary sinus 78
see also congenital disorders
- anatomy, vascular 260, 281, 308, 312
- Anderson-Fabry disease 38–40
- aneurysms
 coronary artery 117, 120, 124, 127
 splenic artery 241–2
see also aortic aneurysm; cardiac aneurysm; pseudoaneurysms
- angiography. *see* catheter angiography; CT angiography; MR angiography
- angiosarcoma, cardiac 30
- anomalous coronary arteries 113, 117, 119
- anorexia nervosa 250
- aorta, kinking of 87, 224. *see also* acute aortic syndrome
- aortic aneurysm
 arterial enhancement timing pitfalls 171
 CT indicators of instability 200
 ductus diverticulum mimics 181
 inflammatory soft tissue thickening 206
 tortuosity, aortic 210
- aortic calcifications 189–92
- aortic pseudoaneurysm 203, 213
- aortic pseudodissection 179, 224
- aortic surgery
 air in abdominal aorta 231–2
 elephant trunk prosthesis 221
 endoleaks 216, 218
 perigraft fluid collections 227
- aortic valves 84
- aortoduodenal fistula 231
- aortoenteric fistula (AEF) 204–5, 231–2
- apical ballooning syndrome 41
- arc of Buhler, superior mesenteric artery 258
- arrhythmia, cardiac 4, 285
- arterial anatomy 260. *see also specific arteries*
- arterial enhancement timing pitfalls 171
- arterioportal shunts, hepatic 236
- arteriovenous fistula, lower extremity 272
- arteriovenous malformations (AVM) 141, 308, 312
- artifacts, image. *see* imaging artifacts
- atherosclerotic ulcer, penetrating 179, 197
- athlete's heart 38
- atrial ablation procedures 54
- atrial defects, differential diagnosis 67, 74
- atrial diverticula 54–6
- atrial fibrillation 20
- atrial septal aneurysms (ASA) 60–3
- atrial septal hypermetabolism 4–7
- AVM. *see* arteriovenous malformations
- banding artifacts 168–9
- beam hardening artifacts 96, 107, 134
- beta blockers 90, 99, 102
- bicuspid aortic valves 84
- bile duct, pseudostenosis 234
- biomarkers of disease, ventricular 50–3
- bland thrombus 288. *see also* pseudothrombus
- Bland-Garland-White syndrome 117
- blood pool 30–3
 aneurysms 58–60
 and cardiac angiosarcoma 30
 Gibbs ringing artifacts 154
 hypertrophic cardiomyopathy mimics 38–40
- blooming artifacts 107
- bolus tracking technique
 Maki artifacts 168–9
 Fontan shunt for congenital heart disease 137
 peripheral arterial disease 269, 272–3
 pulmonary embolism 131, 134
- bowel ischemia 245
- bowel malrotation 255
- breathing artifacts 90, 102–4, 131, 134,
- bronchogenic cyst 22
- Budd–Chiari syndrome 292
- bulimia nervosa 250
- CABG (coronary artery bypass grafting) 127
- calcified plaque/calcification
 coronary artery stenosis 93
 differential diagnosis 96, 124
 endoleaks following stent placement 216
 intimal calcifications 189–92
 mitral annular 8, 124
- calf muscle claudication 266–7
- cancer. *see* malignancy; tumors
- carcinomatosis, mimics 305. *see also* tumors
- cardiac amyloidosis 38–40
- cardiac aneurysm
 atrial septal 60–3
 congenital 50
 differential diagnosis 50–3
 membranous ventricular septum 57–9
 sinus of Valsalva 57–9, 64
 ventricular 47
- cardiac angiosarcoma 30
- cardiac arrhythmias 4, 285
- cardiac gating artifacts 90
- cardiac lipomas 4
- cardiac magnetic resonance (CMR). *see* MRI
- cardiac masses, differential diagnosis 57, 64. *see also* thrombus; tumors
- cardiac tamponade 120, 285
- cardiomyopathy
 differential diagnosis 34
 inappropriate inversion time selection 146–9
 non-compaction 34
 stress cardiomyopathy 41, 47
see also myocardial diseases
- catheter angiography 45, 93, 109, 141–2, 162, 186
- catheters and stents
 coronary artery 107
 endoleaks following placement 216–18
 malpositioning 285–7
 pseudostenosis on CPR images 105
 thrombus 295
- CBD (common bile duct), pseudostenosis 234
- CCTA. *see* coronary CT angiography
- CECT. *see* contrast-enhanced CT
- celiac artery stenosis 243
- celiac axis variations 260
- cerebral abscess 141
- CHA (common hepatic artery) 260
- CHD (common hepatic duct), pseudostenosis 234
- chest pain
 acute aortic syndrome 176
 congenital partial absence of the pericardium 72
 epipericardial fat necrosis 45
 hypoattenuating myocardium 129
 penetrating atherosclerotic ulcers 179
 pulmonary embolism 131
- Chinese ring sword sign 197
- cine imaging 81–3
- circumflex coronary artery aneurysm mimics 124
- cirrhosis, liver 236, 278
- clefts, ventricular 50
- clinical findings
 aneurysms/pseudoaneurysms, general 81, 124, 127, 239
 aorta 84, 87, 179, 186, 204, 216, 218, 227, 231
 aortic aneurysms 171, 200, 206
 cardiac aneurysms 57, 60, 64
 catheter complications 285, 295
 congenital disorders 69, 72, 78, 137
 coronary artery 96, 99, 102, 105, 107, 113, 124
 diverticula 50–3
 fat necrosis 45
 hypertrophic cardiomyopathy 11, 38
 imaging artifacts 146, 168

Index

- clinical findings (cont.)
 mesenteric vascular 236–8, 243, 248, 250, 255, 258, 278
 non-contrast CT scanning 193
 peripheral vascular 269, 272, 275
 pseudolymphadenopathy 22
 pseudostenosis 165–7
 pseudothrombus 16, 20, 288
 pulmonary arteries 74, 131, 134, 141, 143
 stress cardiomyopathy 41
 tumors/pseudotumors 1, 4, 8, 34, 67, 109
 valvular masses 26
 veins 127, 281, 292, 299, 302, 305, 308, 312
- CMR (cardiac magnetic resonance). *see* MRI
- Color Doppler sonography 266–7
- common hepatic artery (CHA) 260
- common hepatic duct (CHD), pseudostenosis 234
- compression
 iliac vein 302
 left renal vein 299
 median arcuate ligament 243
- computed tomography. *see* CT
- congenital disorders
 aneurysms 50, 57
 arteriovenous malformations 141, 308, 312
 Fontan shunt 137
 partial absence of the pericardium 72
 ventricular myocardium, non-compaction 34
see also anatomic variants; genetic diseases
- contrast-enhanced CT (CECT)
 acute aortic syndrome mimics 176–7
 malrotation of bowel structures 255–7
 superior vena cava obstruction 292
see also CT scans
- contrast-enhanced CT or MR angiography 250–1.
see also MR angiography
- contrast, vascular, pulmonary embolism imaging 131
- cor triatriatum 69
- coronary artery
 acute coronary syndrome 41
 aneurysms 117, 120, 124, 127
 anomalous 113, 117, 119
 coronary stent visualization 107
 fistulas 117
 hypoattenuating myocardium 129–30
 myocardial bridging 109
 pseudostenosis 96, 99, 102–4, 105
 respiratory and cardiac gating CT artifacts 90
 stenosis due to calcified plaque 93
- coronary artery bypass grafting (CABG) 127
- coronary CT angiography (CCTA) 26, 102–3.
see also CT angiography
- CPR. *see* curved planar reformatted imaging
- crista terminalis 1
- Crockett syndrome 302
- cryptogenic stroke 67
- crypts, ventricular 50
- CT (computed tomographic) angiography (CTA)
 arc of Buhler 258–9
 coronary 26, 93, 102–3
 median arcuate ligament compression 243–4
 non-contrast scanning 193
 non-occlusive mesenteric ischemia 245–7
 peripheral arterial disease 266–7, 269, 272–3
 pericardial recess 186–7
 persistent sciatic artery 275–7
- pseudostenosis 102–3, 162–4
- renal fibromuscular dysplasia 252–4
- segmental arterial mediolysis 248–9
- superficial femoral artery occlusions 263–5
- valvular masses 26
- CT (computed tomography) scans 22–5
 acute aortic syndrome mimics 176–7
 aneurysms 47–9, 60–6
 angiosarcoma 30–3
 aortic. *see below*
 bicuspid aortic valve 84–6
 catheter complications 286–7, 295–8
 congenital partial absence of the pericardium 72–3
 cor triatriatum sinister 69–71
 coronary arteries. *see below*
 diverticula 50–6
 epipericardial fat necrosis 45
 mesenteric 241
 partial anomalous pulmonary venous return 74–7
 patent ductus arteriosus 81–3
 patent foramen ovale 67–8
 pseudolymphadenopathy 22–5
 pseudostenosis 99–101
 pseudothrombus 20–1, 288–91
 pseudotumors 1–8
 pulmonary artery. *see below*
 stress cardiomyopathy 41–3
 unroofed coronary sinus 78–80
 valvular masses 26–9
 veins 278–81, 286–91, 295–9, 302–4. *see also* CT angiography
- venous malformations/anomalies 305–13
see also contrast-enhanced CT; maximum intensity projection imaging; multiplanar reformatted images; multiple detector computed tomography; non-contrast CT scanning
- CT scans, aortic
 air in abdominal aorta 232
 aneurysm 171–4, 206–7, 210–12
 aortoenteric fistula 204–5
 calcifications 189–92
 ductus diverticulum mimics 181–3
 elephant trunk prosthesis 221
 endoleaks following stent placement 216–20
 felt pledget mimicking aortic pseudoaneurysm 214–15
 indicators of aneurysm instability 200
 intramural hematoma 197–8
 misdiagnosis of acute aortic syndrome 176–7
 non-contrast CT scanning 193
 pericardial recess 186–7
 perigraft fluid collections 227–9
 pseudocoarctation 87–8
 pseudodissection 225–6
see also CT angiography
- CT scans, coronary artery
 anomalous coronary arteries 114–15, 118–19
 giant coronary artery aneurysms 120–3
 hypoattenuating myocardium 129–30
 mitral annulus calcification 124
 myocardial bridging 111
 pseudostenosis 96–101
 respiratory and cardiac gating artifacts 90
- vein graft aneurysms 127–8
see also CT angiography
- CT scans, pulmonary artery
 arteriovenous malformations 141
 embolism/embolism mimics 131, 134
 Fontan shunt 137
 sarcoma 143–5
see also CT angiography
- curved planar reformatted (CPR) imaging 105, 107–8, 110
- cystic mediastinal mass, differential diagnosis 22
- deep vein thrombosis 302
- delayed enhancement (DE) imaging 146. *see also* late gadolinium enhancement
- digital subtraction angiography (DSA) 181–3
- dilated cardiomyopathy 34, 146–9
- displaced intimal calcifications 189–92
- dissection, aortic 171, 179
- distal embolization, valvular masses 26
- diverticula
 ductus diverticulum mimics 181
 hypertrophic cardiomyopathy 50–3
 left atrial 54–6
 ventricular 50
- DSA (digital subtraction angiography) 181–3
- double density sign, vein graft aneurysms 127–8
- draped aorta sign 203
- ductus arteriosus aneurysm mimics 181
- ductus diverticulum (DD) mimics 181
- echocardiography
 acute aortic syndrome mimics 176–7
 bicuspid aortic valve 84
 cor triatriatum sinister 69
 coronary artery pseudostenosis 99–101
 hypertrophic cardiomyopathy 11
 lipomatous hypertrophy of the interatrial septum 4–7
 partial anomalous pulmonary venous return 74
 pseudothrombus in the left atrial appendage 20
 pulmonary artery sarcoma 143–5
 valvular masses 26–9
 ventricular myocardium, non-compaction 34–7
- edema, left leg 302
- elephant trunk prosthesis 221
- embolism
 pulmonary 131, 134, 137, 143
 valvular masses 26
- embryogenesis, inferior vena cava 308
- endocarditis, infective 26
- endoleaks following stent placement 216, 218
- endoscopic retrograde cholangiopancreatography (ERCP) 234
- endovascular treatments, aortic aneurysm 206
- epigastric bruit 243
- epipericardial fat necrosis 45
- false aneurysms. *see* pseudoaneurysms
- fat collection, intrahepatic inferior vena cava 278–80
- fat necrosis, epipericardial 45
- felt pledgets, aortic pseudoaneurysm mimics 213
- fibroma, differential diagnosis 4, 11
- fibromuscular dysplasia 248
- fish-mouthed openings, bicuspid aortic valve 84

- fistulas
aortoenteric 204–5, 231–2
coronary 117, 120
lower extremity 272
- flow artifacts 134, 288
- focal hypertrophic cardiomyopathy 11
- fetal development, ventricular myocardium 34–7
- Fontan shunt, for congenital heart disease 137
- Fourier series, Gibbs ringing artifact 154
- Framingham Heart Study 8
- gallstones 255
- gastrosplenic trunk 260
- gating artifacts, cardiac CT 90
- genetic diseases
diverticula 50–3
hereditary hemorrhagic telangiectasia 141
hypertrophic cardiomyopathy 11
ventricular myocardium, non-compaction 34
see also congenital disorders
- giant coronary artery aneurysms 120, 171–4
- Gibbs ringing artifact (truncation artifact) 154–5, 168–9
- glycogen storage diseases 38
- graft anastomotic dehiscence 227
- hematuria 299
- hemorrhagic necrosis 45
- hepatic arterioportal shunts 236
- hepatic duct, pseudostenosis 234
- hepaticomesenteric trunk 260
- hereditary hemorrhagic telangiectasia (HHT) 141
- high-riding superior pericardial recess 22–5
- hip replacements 162
- hot quadrate lobe sign 292
- hyperattenuating sign 193
- hypotension, acute onset 131
- hypertrophic cardiomyopathy (HCM) 11, 34, 38, 50–3
- hypoattenuating myocardium 129–30
- iliac vein compression 302
- imaging artifacts
aliasing 159
banding 168–9
beam hardening 96, 107, 134
blooming 107
breathing 90, 102–4, 131, 134
cardiac gating 90
flow 134, 288
Gibbs ringing 154–5, 168–9
inappropriate inversion time selection 146
Maki artifact 168–9
motion 90, 102–4, 131, 134, 176–7
partial volume averaging 107
pseudostenosis 162, 165
pseudothrombus 150
pulmonary embolism mimics 134
stair-step/stepladder 90, 99
streak 96, 176
susceptibility 162
incidence of disease. *see* prevalence and incidence
- infective endocarditis 26
- inferior vena cava (IVC) 288, 308–9, 312
- inflammatory aortic aneurysm 206
- in-stent restenosis, differential diagnosis 107–8
- interarterial coronary arteries 113
- interatrial septum, lipomatous hypertrophy 4
- intermittent claudication 266
- International Registry of Acute Aortic Dissection 176
- interrupted contrast enhancement (flow artifacts) 134, 288
- intimal calcifications 189–92
- intramural crescent 200
- intramural hematoma (IMH) 189, 197
- inversion time (TI) MRI artifacts 146
- ischemia
bowel 245
Gibbs ringing artifact 154
peripheral arterial disease 266–7, 275
- Kawasaki disease 120
- Kirk's arcade 258
- Klippel-Trenaunay-Weber syndrome 305–7
- knee replacements, susceptibility artifacts 162
- Ladd's bands 255
- late gadolinium enhancement (LGE)
giant coronary artery aneurysms 120
inappropriate inversion time selection 146
stress cardiomyopathy 41
ventricular diverticula, clefts, and crypts 50–2
- left atrial diverticula 54–6
- left atrial septal pouch 67
- left gastric artery (LGA) 260
- left renal vein 299
- left ventricle, ventricular myocardium 34
- left-to-right shunts
differential diagnosis 74, 78
patent ductus arteriosus 81
unroofed coronary sinus 78
- lipomatous hypertrophy of the interatrial septum (LHIS) 4
- liposarcoma, differential diagnosis 4, 45
- liver disease
cirrhosis 236, 278
fat collection 278
mimics 292
- lower extremity arteriovenous fistula 272. *see also* peripheral arterial disease
- lung nodules, differential diagnosis 141
- lymphadenopathy 22–5, 281, 312
- lymphoma 11, 30, 109
- magnetic resonance. *see* MR
- Maki artifact/effect 168–9
- malignancy
angiosarcoma 30
differential diagnosis 45
hypertrophic cardiomyopathy mimics 38
see also lymphoma; tumors
- malignant thrombus 288. *see also* pseudothrombus
- malrotation, bowel structures 255
- Marfan syndrome 169
- masses. *see* cardiac masses; thrombus; tumors
- maximum intensity projection (MIP) imaging
anomalous coronary arteries 118–19
non-occlusive mesenteric ischemia 245–6
partial anomalous pulmonary venous return 75–7
- segmental arterial mediolysis 248–9
- shunts due to superior vena cava obstruction 292
- superficial femoral artery occlusions 263–5
- susceptibility artifacts 162
vein graft aneurysms 127–8
- May-Thurner syndrome 302
- MDCT. *see* multiple detector computed tomography
- median arcuate ligament (MAL), compression 243
- mediastinal abscess, post-operative 227
- mediastinal adenopathy 312
- mediastinal mass, differential diagnosis 22–5
- melanoma metastasis, differential diagnosis 4
- membranous ventricular septum, aneurysms 57–9
- mesenteric artery 250, 260
- mesenteric carcinomatosis mimics 305
- mesenteric collateral pathway, arc of Buhler 258
- mesenteric ischemia, non-occlusive 245
- metastases, differential diagnosis 4, 11, 30, 305–7.
see also malignancy; tumors
- microvascular obstruction (MO) 4, 16
- midgut volvulus 255
- MIP. *see* maximum intensity projection imaging
- mitral annular calcification (MAC) 8, 124
- mixing artifacts 134, 288
- mortality
acute aortic rupture 200
acute aortic syndrome mimics 176
aneurysms, pancreatic 239
anomalous coronary arteries 113
aortic aneurysm 206
aortoenteric fistula 204, 231–2
coronary artery fistulas 117
non-occlusive mesenteric ischemia 245
pulmonary embolism 131
segmental arterial mediolysis 248
- motion artifacts 90, 102–4, 131, 134, 176–7
- MPRs. *see* multiplanar reformatted images
- MR (magnetic resonance) angiography
aortic aneurysm 206–7
ductus diverticulum mimics 181–3
giant coronary artery aneurysms 120–3
peripheral arterial disease 266–7
post-aortic surgery 228
pseudocoarctation from kinking of aorta 87–9
renal fibromuscular dysplasia 252–4
superior mesenteric artery syndrome 250–1
susceptibility artifact 162
time-of-flight 165
- MRCP (magnetic resonance cholangiopancreatography) 234–5
- MRI (magnetic resonance imaging)
angiosarcoma 30–3
artifacts. *see* imaging artifacts
bicuspid aortic valve 84–6
cardiac aneurysms 47–9, 58–60, 64–5
congenital partial absence of the pericardium 72–3
diverticula 50–3
giant coronary artery aneurysms 120–3
hypertrophic cardiomyopathy 11–12, 38–40
partial anomalous pulmonary venous return 74–7
patent ductus arteriosus 81–3
peripheral arterial disease 266–7
pseudocoarctation 87–8
pseudothrombus 16–19
pseudotumors 1–10
stress cardiomyopathy 41–3
valvular masses 26–9
ventricular myocardium, non-compaction 34–7

Index

- Multi-Ethnic Study of Atherosclerosis 8
 multiplanar reformatted (MPR) images
 aortic aneurysm 210–12
 aortic pseudodissection 179–80
 coronary artery stenosis due to calcified plaque 95
 elephant trunk prosthesis 221
 myocardial bridging 112
 pseudoaneurysms, pancreatic 239–40
 pseudocoarctation from kinking of aorta 87–8
 pulmonary arteriovenous malformations 141–2
 respiratory and cardiac gating artifacts 90
 segmental arterial mediolysis 248
 splenic artery aneurysm 241
 multiple detector computed tomography (MDCT)
 scanning
 coronary artery pseudostenosis 102–3
 Fontan shunt for congenital heart disease 137
 hypoattenuating myocardium 129–30
 lipomatous hypertrophy of the interatrial septum 4–7
 pancreatic pseudoaneurysms 239–40
 pericardial recess 186–7
 pulmonary arteriovenous malformations 141–2
 sinus of vasalva aneurysm 64–5
 mural thrombus 189–92
 mycotic pseudoaneurysm 203
 myocardial diseases
 acute myocardial infarction 41
 aneurysms 47
 hypoattenuating myocardium 129–30
 myocardial amyloidosis 146
 myocardial bridging 109
 see also cardiomyopathy
 myxoma 1, 4, 8, 60
- necrosis, epipericardial fat 45
 neointimal calcifications 189–92
 neuroendocrine tumors, mimics 239, 241–2
 neurologic complications, valvular masses 26
 non-compaction cardiomyopathy 34
 non-contrast CT scanning 193, 305–7, 312
 non-occlusive mesenteric ischemia (NOMI) 245
 nutcracker phenomenon 299
- ovarian vein thrombosis 295
- PAD. *see* peripheral arterial disease
 pancreatic neuroendocrine tumors (PNETs) 239, 241–2
 pancreatitis 239, 255
 papillary fibroelastoma 26
 partial anomalous pulmonary venous return (PAPVR) 74–7
 partial volume averaging artifacts 107
 patent ductus arteriosus (PDA) 81
 patent foramen ovale 67
 penetrating atherosclerotic ulcers (PAUs) 179, 197
 periaortic hematoma mimics 186–8
 pericardial cyst, differential diagnosis 22
 pericardial effusion 186
 pericardial recess 22–5, 186
 pericardial tamponade 120, 285
 pericardium, congenital partial absence 72
 pericaval fat collection 278–80
 perigraft fluid collections, aortic surgery 227
 perigraft infection 204
 peripheral arterial disease (PAD)
 arteriovenous fistula 272
 persistent sciatic artery 275
 popliteal artery entrapment 266
 suboptimal bolus timing 269
 superficial femoral artery occlusions 263
 persistent sciatic artery 275
 PET (positron emission tomography),
 lipomatous hypertrophy of the interatrial septum 4–7
 phase-contrast cardiac MRI, aliasing artifact 159
 plaque, calcified. *see* calcified plaque
 pledget, surgical 213
 PNETs. *see* pancreatic neuroendocrine tumors
 popliteal artery entrapment 266
 positron emission tomography. *see* PET
 post-operative aorta. *see* aortic surgery
 post-traumatic pseudoaneurysm 181–5
 pre-ablation mapping 20
 prevalence and incidence 299
 acute aortic syndrome 176
 aneurysms 60
 anomalous coronary arteries 113
 bicuspid aortic valve 84
 catheter complications 285
 congenital partial absence of the pericardium 72
 cor triatriatum sinister 69
 coronary artery fistulas 117
 diverticula 54
 endoleaks following stent placement 216, 218
 fat collection adjacent to the intrahepatic inferior 278
 giant coronary artery aneurysms 120
 hypertrophic cardiomyopathy 11, 38
 inferior vena cava anomalies 308
 lipomatous hypertrophy of the interatrial septum 4
 mitral annulus calcification 124
 myocardial bridging 109
 partial anomalous pulmonary venous return 74
 patent ductus arteriosus 81
 patent foramen ovale 67
 pseudoaneurysms, pancreatic 239
 pseudostenosis of bile duct 234
 pulmonary arteriovenous malformations 141
 pulmonary artery sarcoma 143
 splenic artery aneurysm 241
 stress cardiomyopathy 41
 superficial femoral artery occlusions 263
 unroofed coronary sinus 78
 valvular masses 26
 ventricular myocardium, non-compaction 34
 prominent trabeculations, differential diagnosis 34
 pseudoaneurysms
 aortic 203, 213
 differential diagnosis 54, 57, 203
 left ventricular 47
 pancreatic mass mimics 239
 post-traumatic 181–5
 see also aneurysms
 pseudocoarctation from kinking of aorta 87
 pseudodissection, aortic 179, 224
 pseudolesions 236
 pseudolymphadenopathy 22
 pseudomasses, from varicose veins 281–4. *see also*
 cardiac masses; thrombus; tumors
- pseudostenosis
 bile duct 234
 coronary arteries 96, 99, 102–4, 105
 MR angiography due to susceptibility artifact 162
 subclavian artery 162–4
 time-of-flight magnetic resonance angiography 165
 see also stenosis
 pseudothrombus
 dark blood images, MRI artifacts 150
 Fontan shunt for congenital heart disease 137
 left atrial appendage 20
 left ventricle 16
 pulmonary embolism mimics 134
 veins 288
 see also thrombus
 pseudotumors
 aneurysm of the interatrial septum 60–3
 crista terminalis 1
 hepatic arterioportal shunts 236
 lipomatous hypertrophy of the interatrial septum 4
 mitral annular calcification 8
 see also tumors
 pulmonary artery
 embolism 131, 134, 137, 143
 Fontan shunt for congenital heart disease 137
 malformations 141
 sarcoma 143
 pulmonary nodules, differential diagnosis 141
- radiography, venous malformations/anomalies 312–13
 regions of interest (ROI), pulmonary embolism 131
 renal arteries, pseudostenosis 165–7
 renal fibromuscular dysplasia (FMD) 252
 respiratory motion artifacts 90, 102–4, 131, 134
 retroperitoneal adenopathy 312
 rhabdomyoma, differential diagnosis 4, 11
 right-to-left shunts, pulmonary arteriovenous malformations 141
 ring of hypointensity, MRI artifacts 146–9
 ring artifacts 154–5, 168–9
- salmonella bacteremia, and pseudoaneurysm 203
 sarcoidosis 146–9
 sarcoma, pulmonary arteries 143
 sciatic artery, persistent 275
 secundum atrial septal defects 67
 segmental arterial mediolysis (SAM) 248
 septal aneurysms, atrial 60–3
 septal defects, differential diagnosis 74
 septal pouch, left atrial 67
 SFA (superficial femoral artery) occlusions 263
 shearing, intercostal arteries 197
 shunts
 Fontan 137
 hepatic arterioportal 236
 obstruction of the superior vena cava 292
 see also left-to-right shunts
 sigmoid diverticulitis 295
 sinus of Valsalva aneurysms (SVA) 57–9, 64
 sinus venosus 1
 size measurement, aortic aneurysm 210
 SMA. *see* superior mesenteric artery
 small vein thrombosis 295
 soft tissue thickening, and aortic aneurysm 206

- speed, scanner, pulmonary embolism imaging 131, 134
- splenic artery aneurysm 241–2
- stair-step/stepladder artifacts 90, 99
- steady-state free precession (SSFP) 120
- stenosis
- celiac artery 243
 - coronary artery 93, 99, 102
 - see also* pseudostenosis
- stents. *see* catheters and stents
- streak artifacts 96, 176
- stress cardiomyopathy 41, 47
- stress-induced perfusion defects 154
- string of beads, renal fibromuscular dysplasia 252–4
- stroke, cryptogenic 67
- subclavian artery, pseudostenosis 162–4
- subendocardial dark band artifacts 155
- sudden cardiac death 113, 117. *see also* mortality
- superficial femoral artery (SFA) occlusions 263
- superior mesenteric artery (SMA)
- anatomic variations 260
 - arc of Buhler 258
 - malpositioning of bowel structures 255
 - syndrome 250
- superior vena cava (SVC) 292, 312
- surgical pledget mimicking aortic pseudoaneurysm 213
- susceptibility artifacts, MR angiography 162
- SVA (sinus of Valsalva aneurysms) 57–9, 64
- syncope, pulmonary embolism 131
- Syndrome X 154
- Takayasu's arteritis 164
- Takotsubo cardiomyopathy 41, 47
- tamponade, cardiac 120, 285
- teaching points
- abdominal arterial anatomy 260
 - aneurysms/pseudoaneurysms, general 64, 120, 127, 171, 206, 210, 239
 - angiosarcoma 30
 - aorta 84, 171, 189–92, 204–6, 210
 - aortic surgery 218, 221, 224, 227, 231
 - arc of Buhler 258
 - cardiac aneurysms 47, 57, 60
 - catheter complications 285–6, 295
 - congenital disorders 67, 69, 72, 74, 78, 81, 87, 137
 - coronary artery 93, 96, 99, 102, 105, 107, 109, 113, 117, 120, 124, 129–30
 - diverticula 50, 54–6
 - ductus diverticulum mimics 181
 - endoleaks following stent placement 216
 - fat collection adjacent to the intrahepatic inferior 278
 - fat necrosis 45
 - hypertrophic cardiomyopathy 11
 - imaging artifacts 90, 146, 150, 155, 165, 168, 177
 - mesenteric vascular 234, 236, 243, 245, 248, 250, 252, 255
 - non-contrast CT scanning 193
 - penetrating atherosclerotic ulcers 179
 - pericardial recess 186
 - peripheral vascular 263, 266, 269, 272, 275
 - pseudolymphadenopathy 22
 - pseudothrombus 16, 20, 150, 288
 - pseudotumors 1, 4, 8
 - pulmonary artery 141, 143
 - pulmonary embolism 131, 134
 - stress cardiomyopathy 41
 - valvular masses 26
 - veins 127, 292, 305, 309, 312
 - ventricular myocardium, non-compaction 34
- teratomas, differential diagnosis 4, 45
- thromboembolism, pulmonary artery 143
- thrombus
- aneurysms 47, 57
 - catheter-related 295
 - differential diagnosis 64–6, 168, 278, 281
 - mimics 16–21, 20. *see also* pseudothrombus and pseudotumors 1
 - pulmonary embolism mimics 134
- thymolipomas, differential diagnosis 45
- TI scout sequences 146
- time-of-flight (ToF) MR angiography 165
- tortuosity
- aortic 210
 - varicose veins 281
- total anomalous pulmonary venous return 69
- trabeculations, prominent 34
- traumatic aortic injury mimics 186
- traumatic aortic transections 181–5
- tricuspid valve mimics 84
- truncation artifact (Gibbs ringing artifact) 154–5, 168–9
- tumors
- cardiac 8, 60, 109, 120
 - differential diagnosis 141, 278
 - see also* malignancy; pseudotumors
- ultrasound, aortic aneurysm 206–7
- underfilling of the left atrial appendage 20
- unroofed coronary sinus 78
- valvular masses 26
- varicose veins, pseudomass from 281–4
- vascular
- anatomy 260, 281, 308, 312
 - contrast, pulmonary embolism imaging 131
 - non-contrast CT scanning 193
 - obstruction 4, 16
 - see also* CT angiography; MR angiography
- veins
- catheter complications 281, 295
 - graft aneurysms 127
 - May–Thurner syndrome 302
 - mesenteric carcinomatosis mimics 305
 - nutcracker phenomenon 299
 - pseudomass 281–4
 - pseudothrombus 288
 - see also specific veins*
- vena cava
- fat collection adjacent to the intrahepatic inferior 278–80
 - malformations 308–9, 312
 - obstruction 4, 281, 292
 - pseudothrombus 288
- ventricular aneurysms, true and false 47
- ventricular ballooning, stress cardiomyopathy 41–3
- ventricular diverticula 50
- ventricular myocardium, non-compaction 34
- ventricular septum 57–9, 74
- vessel tracking, curved planar reformatted images 105
- volvulus, midgut 255
- whirlpool patterns, malrotation of bowel structures 255–7