

Contents

<i>Tables</i>	<i>page</i> xvii
<i>Preface</i>	xxi
<i>Nomenclature</i>	xxiii
<i>Technology Warning</i>	xxvii
1 Prolegomena	1
1.1 Performance Parameters	2
1.2 Flight Optimisation	4
1.3 Certificate of Airworthiness	4
1.4 The Need for Upgrading	6
1.5 Military Aircraft Requirements	7
1.6 Review of Comprehensive Performance Programs	9
1.7 The Scope of This Book	10
1.8 Comprehensive Programs in This Book	13
Bibliography	14
2 Aircraft Models	16
2.1 Model for Transport Aircraft	16
2.2 Wire-Frame Definitions	20
2.2.1 Stochastic Method for Reference Areas	21
2.3 Wing Sections	23
2.4 Wetted Areas	24
2.4.1 Lifting Surfaces	24
2.4.2 Fuselage	25
2.4.3 Nacelles and Pylons	28
2.4.4 Winglets	29
2.4.5 Flaps, Slats and Other Control Surfaces	30
2.4.6 Model Verification: Cross-Sectional Area	30
2.5 Aircraft Volumes	31
2.5.1 Case Study: Do Aircraft Sink or Float on Water?	32
2.5.2 Wing Fuel Tanks	33
2.6 Mean Aerodynamic Chord	34

2.7	Geometry Model Verification	35
2.7.1	Case Study: Wetted Areas of Transport Aircraft	36
2.8	Reference Systems	37
2.8.1	Angular Relationships	40
2.8.2	Definition of the Aircraft State	41
	Summary	41
	Bibliography	42
	Nomenclature for Chapter 2	42
3	Weight and Balance Performance	45
3.1	A Question of Size	45
3.2	Design and Operational Weights	47
3.3	Weight Management	51
3.4	Determination of Operational Limits	52
3.5	Centre of Gravity Envelopes	53
3.5.1	CG Travel during Refuelling	54
3.5.2	CG Travel in Flight	55
3.5.3	Design Limits on CG Position	57
3.5.4	Determination of the Zero-Fuel CG Limit	59
3.5.5	Influence of CG Position on Performance	59
3.6	Operational Moments	60
3.7	Use of Wing Tanks	61
3.8	Mass and Structural Properties	62
3.8.1	Mass Distribution	64
3.8.2	Centre of Gravity	68
3.8.3	Moments of Inertia	68
3.8.4	Case Study: Moments of Inertia	73
	Summary	75
	Bibliography	75
	Nomenclature for Chapter 3	76
4	Aerodynamic Performance	78
4.1	Aircraft Lift	78
4.1.1	Calculation of Wing Lift	79
4.1.2	Wing Lift during a Ground Run	79
4.1.3	Lift Augmentation	81
4.1.4	Maximum Lift Coefficient	84
4.2	Aircraft Drag	85
4.2.1	Lift-Induced Drag	85
4.2.2	Profile Drag	87
4.2.3	Wave Drag	93
4.2.4	Interference Drag	94
4.2.5	Drag of the Control Surfaces	95
4.2.6	Landing-Gear Drag	96
4.2.7	Environmental Effects	100
4.2.8	Other Drag Components	102

Contents

ix

4.2.9	Case Study: Aerodynamics of the F4 Wind-Tunnel Model	102
4.2.10	Case Study: Drag Analysis of Transport Aircraft	103
4.2.11	Case Study: Drag Analysis of the ATR72-500	104
4.2.12	Case Study: Drag Analysis of the Airbus A380-861	104
4.3	Transonic Airfoil Model	105
4.4	Aircraft Drag at Transonic and Supersonic Speeds	108
4.4.1	Drag of Bodies of Revolution	110
4.5	Buffet Boundaries	113
4.6	Aerodynamic Derivatives	114
4.7	Float-Plane's Hull Resistance in Water	115
4.8	Vortex Wakes	116
	Summary	118
	Bibliography	118
	Nomenclature for Chapter 4	121
5	Engine Performance	126
5.1	Gas Turbine Engines	126
5.2	Thrust and Power Ratings	128
5.2.1	Engine Derating	129
5.2.2	Transient Response	130
5.3	Turbofan Engine Model	130
5.3.1	Aero-Thermodynamic Model	132
5.3.2	Determination of Design Point	133
5.3.3	Case Study: General Electric CF6-80C2	134
5.3.4	Rubber Engines	137
5.3.5	Effects of Contamination	138
5.3.6	Performance Deterioration	139
5.3.7	Data Handling	140
5.4	Turboprop Engines	141
5.4.1	Case Study: Turboprop PW127M	143
5.5	Turbojet with After-Burning	143
5.6	Generalised Engine Performance	145
5.7	Auxiliary Power Unit	147
5.7.1	Case Study: Honeywell RE-220 APU	149
	Summary	149
	Bibliography	150
	Nomenclature for Chapter 5	150
6	Propeller Performance	152
6.1	Propeller Definitions	152
6.1.1	Propeller Limitations	156
6.2	Propulsion Models	156
6.2.1	Axial Momentum Theory	157
6.2.2	The Blade Element Method	160
6.2.3	Propeller in Non-Axial Flight	163
6.2.4	Case Study: Hamilton-Sundstrand F568 Propeller	165

6.3	Flight Mechanics Integration	168
6.3.1	Propeller's Rotational Speed	171
6.4	Propeller Installation Effects	173
6.4.1	Gearbox Effects	175
	Summary	175
	Bibliography	176
	Nomenclature for Chapter 6	176
7	Airplane Trim	179
7.1	Longitudinal Trim at Cruise Conditions	179
7.1.1	Trim Drag	183
7.1.2	Solution of the Static Longitudinal Trim	183
7.1.3	Stick-Free Longitudinal Trim	184
7.2	Airplane Control under Thrust Asymmetry	186
7.2.1	Dihedral Effect	186
	Summary	192
	Bibliography	192
	Nomenclature for Chapter 7	192
8	Flight Envelopes	195
8.1	The Atmosphere	195
8.1.1	International Standard Atmosphere	195
8.1.2	Other Atmosphere Models	198
8.2	Operating Speeds	203
8.3	Design Speeds	206
8.4	Optimum Level Flight Speeds	208
8.5	Ceiling Performance	210
8.5.1	Pressure Effects on Human Body	210
8.5.2	Cabin Pressurisation	211
8.6	Flight Envelopes	211
8.6.1	Calculation of Flight Envelopes	213
8.6.2	Case Study: Flight Envelopes of the A320 and G550	215
8.7	Supersonic Flight	216
8.7.1	Supersonic Dash	216
8.7.2	Supersonic Acceleration	217
8.7.3	Supersonic Flight Envelopes	218
	Summary	220
	Bibliography	220
	Nomenclature for Chapter 8	221
9	Take-Off and Field Performance	224
9.1	Take-Off of Transport-Type Airplane	224
9.2	Take-Off Equations: Jet Airplane	228
9.2.1	Ground Run	229
9.2.2	Rolling Coefficients	231

Contents

xi

9.3	Solution of the Take-Off Equations	232
9.3.1	Case Study: Normal Take-Off of an Airbus A300-600 Model	234
9.3.2	Effect of the CG Position on Take-Off	236
9.3.3	Effect of Shock Absorbers	236
9.4	Take-Off with One Engine Inoperative	238
9.4.1	Decelerate-Stop	239
9.4.2	Accelerate-Stop	240
9.5	Take-Off of Propeller Aircraft	242
9.6	Minimum Control Speed	245
9.7	Aircraft Braking Concepts	248
9.8	Performance on Contaminated Runways	250
9.8.1	Contamination Drag	251
9.8.2	Impingement Drag	253
9.9	Closed-Form Solutions for Take-Off	254
9.9.1	Jet Aircraft	255
9.9.2	Propeller Aircraft	259
9.10	Ground Operations	260
9.10.1	Ground Manoeuvring	261
9.10.2	Bird Strike	262
	Summary	264
	Bibliography	264
	Nomenclature for Chapter 9	265
10	Climb Performance	269
10.1	Introduction	269
10.2	Closed-Form Solutions	270
10.2.1	Steady Climb of Jet Airplane	270
10.2.2	Steady Climb of Propeller Airplane	271
10.2.3	Climb at Maximum Angle of Climb	272
10.3	Climb to Altitude of a Commercial Airplane	273
10.3.1	Climb Profiles	273
10.3.2	OEI Take-Off and Go-Around	277
10.3.3	Governing Equations	277
10.3.4	Boundary-Value Problem	278
10.3.5	Numerical Issues	281
10.3.6	Initial Climb with One Engine Inoperative	282
10.4	Climb of Commercial Propeller Aircraft	282
10.5	Energy Methods	285
10.5.1	Total-Energy Model	286
10.5.2	Specific Excess Power Charts	288
10.5.3	Differential Excess Power Charts	290
10.6	Minimum Problems with the Energy Method	291
10.6.1	Minimum Time to Climb and Steepest Climb	291
10.6.2	Minimum Fuel to Climb	292
10.6.3	Polar Chart for the Climb Rate	292

10.6.4	Case Study: Climb to Specified Mach Number	293
10.6.5	Minimum Flight Paths	295
	Summary	296
	Bibliography	296
	Nomenclature for Chapter 10	297
11	Descent and Landing Performance	300
11.1	En-Route Descent	300
11.2	Final Approach	303
11.3	Continuous Descent Approach	307
11.4	Steep Descent	308
11.5	Unpowered Descent	311
11.5.1	Minimum Sinking Speed	311
11.5.2	Minimum Glide Angle	312
11.5.3	General Gliding Flight	313
11.5.4	Maximum Glide Range with the Energy Method	314
11.6	Holding Procedures	315
11.7	Landing Performance	316
11.7.1	Airborne Phase	317
11.7.2	Landing Run	318
11.7.3	Crab Landing	320
11.8	Go-Around Performance	323
	Summary	324
	Bibliography	325
	Nomenclature for Chapter 11	325
12	Cruise Performance	328
12.1	Introduction	328
12.2	Point Performance	329
12.2.1	Specific Air Range at Subsonic Speed	330
12.2.2	Figure of Merit	331
12.2.3	Weight-Altitude Relationship	332
12.3	Numerical Solution of the Specific Air Range	332
12.3.1	Case Study: Gulfstream G550	335
12.3.2	Case Study: ATR72-500	338
12.3.3	Effects of Atmospheric Winds on SAR	338
12.4	The Range Equation	339
12.4.1	Endurance	341
12.5	Subsonic Cruise of Jet Aircraft	341
12.5.1	Cruise at Constant Altitude and Mach Number	342
12.5.2	Cruise at Constant Altitude and Lift Coefficient	343
12.5.3	Cruise at Constant Mach and Lift Coefficient	343
12.5.4	Comparison among Cruise Programs	344
12.5.5	Fuel Burn for Given Range	345

Contents

xiii

12.6	Cruise Range of Propeller Aircraft	346
12.7	Cruise Altitude Selection	347
12.8	Cruise Performance Deterioration	349
12.9	Cost Index and Economic Mach Number	350
12.10	Centre of Gravity Position	352
12.11	Supersonic Cruise	353
12.11.1	Cruise at Constant Altitude and Mach Number	354
12.11.2	Cruise at Constant Mach Number and Lift Coefficient	355
	Summary	355
	Bibliography	356
	Nomenclature for Chapter 12	357
13	Manoeuvre Performance	360
13.1	Introduction	360
13.2	Powered Turns	361
13.2.1	Banked Turn at Constant Thrust	362
13.2.2	Turn Power and High-Speed Manoeuvre	363
13.2.3	Turn Rates and Corner Speed	365
13.2.4	Minimum-Fuel Turn	367
13.3	Unpowered Turns	369
13.4	Manoeuvre Envelope: V - n Diagram	370
13.4.1	Sustainable g -Loads	374
13.5	Roll Performance	374
13.5.1	Mach Number Effects	378
13.6	Pull-Up Manoeuvre	379
13.7	Flight in a Downburst	380
13.7.1	Aircraft Manoeuvre in a Downburst	383
13.7.2	Case Study: Flight in a Downburst	386
	Summary	387
	Bibliography	387
	Nomenclature for Chapter 13	389
14	Thermo-Structural Performance	392
14.1	Cold-Weather Operations	392
14.1.1	Aircraft Icing	394
14.2	Aviation Fuels	397
14.3	Fuel Temperature in Flight	400
14.4	Fuel-Temperature Model	402
14.4.1	Fuel-Vapour Model	404
14.4.2	Heat-Transfer Model	404
14.4.3	Numerical Solution	405
14.4.4	Numerical Solution and Verification	407
14.5	Tyre-Heating Model	409
14.5.1	Numerical Simulations	416
14.6	Jet Blast	418

Summary	419
Bibliography	419
Nomenclature for Chapter 14	420
15 Mission Analysis	423
15.1 Mission Profiles	423
15.1.1 Operational Parameters	425
15.2 Range-Payload Chart	426
15.2.1 Case Study: Range Sensitivity Analysis	429
15.2.2 Case Study: Payload-Range of the ATR72-500	430
15.2.3 Calculation of the Payload-Range Chart	430
15.3 Mission Analysis	432
15.3.1 Mission Range for Given Fuel and Payload	434
15.4 Mission Fuel for Given Range and Payload	435
15.4.1 Mission-Fuel Prediction	435
15.4.2 Mission-Fuel Iterations	436
15.5 Reserve Fuel	438
15.5.1 Redispatch Procedure	441
15.6 Take-Off Weight Limited by MLW	442
15.7 Mission Problems	443
15.7.1 Cruise with Intermediate Stop	443
15.7.2 Fuel Tankering	444
15.7.3 Equal-Time Point and Point-of-No-Return	446
15.8 Direct Operating Costs	448
15.9 Case Study: Aircraft and Route Selection	453
15.10 Case Study: Fuel Planning for Specified Range, B777-300	455
15.11 Case Study: Payload-Range Analysis of Float-Plane	460
15.11.1 Estimation of Floats Drag from Payload-Range Chart	460
15.12 Risk Analysis in Aircraft Performance	463
Summary	465
Bibliography	466
Nomenclature for Chapter 15	467
16 Aircraft Noise: Noise Sources	470
16.1 Introduction	470
16.2 Definition of Sound and Noise	471
16.2.1 Integral Metrics: Effective Perceived Noise	472
16.2.2 Integral Metrics: Sound Exposure Level	475
16.3 Aircraft Noise Model	475
16.3.1 Polar-Emission Angle	477
16.4 Propulsive Noise	478
16.4.1 Noise-Propulsion System Interface	478
16.4.2 Fan and Compressor Noise	479
16.4.3 Combustor Noise	483
16.4.4 Turbine Noise	484
16.4.5 Single-Jet Noise	489

Contents

xv

16.4.6	Co-Axial Jet Noise	491
16.4.7	Far-Field Noise from a Subsonic Circular Jet	493
16.4.8	Stone Jet Noise Model	494
16.4.9	Jet-Noise Shielding	501
16.5	APU Noise	508
16.6	Airframe Noise	509
16.6.1	Wing Noise	510
16.6.2	Landing-Gear Noise	512
16.7	Propeller Noise	516
16.7.1	Propeller's Harmonic Noise	517
16.7.2	Propeller's Broadband Noise	521
	Summary	523
	Bibliography	524
	Nomenclature for Chapter 16	527
17	Aircraft Noise: Propagation	533
17.1	Airframe Noise Shielding	533
17.2	Atmospheric Absorption of Noise	535
17.3	Ground Reflection	538
17.3.1	Ground Properties	541
17.3.2	Turbulence Effects	542
17.4	Wind and Temperature Gradient Effects	543
17.4.1	Numerical Solution	545
	Summary	548
	Bibliography	549
	Nomenclature for Chapter 17	550
18	Aircraft Noise: Flight Trajectories	553
18.1	Aircraft Noise Certification	553
18.2	Noise-Abatement Procedures	560
18.2.1	Cumulative Noise Index	561
18.2.2	Noise-Program Flowchart	562
18.3	Flight-Mechanics Integration	564
18.3.1	Noise Data Handling	565
18.4	Noise Sensitivity Analysis	566
18.5	Case Study: Noise Trajectories of Jet Aircraft	568
18.6	Case Study: Noise Trajectories of Propeller Aircraft	570
18.7	Further Parametric Analysis of Noise Performance	572
18.8	Verification of the Aircraft-Noise Model	574
18.9	Noise Footprint	578
18.9.1	Noise Maps Refinement	580
18.10	Noise from Multiple Aircraft Movements	581
18.10.1	Noise Reduction and Its Limitations	584
	Summary	584
	Bibliography	585
	Nomenclature for Chapter 18	586

19 Environmental Performance	589
19.1 Aircraft Contrails	589
19.1.1 Cirrus Clouds	591
19.1.2 Cruise Altitude Flexibility	593
19.1.3 The Contrail Factor	595
19.1.4 Effects of Propulsive Efficiency	596
19.1.5 Heat Released in High Atmosphere	599
19.2 Radiative Forcing of Exhaust Emissions	599
19.3 Landing and Take-Off Emissions	600
19.4 Case Study: Carbon-Dioxide Emissions	604
19.5 The Perfect Flight	606
19.6 Emissions Trading	608
19.7 Other Aspects of Emissions	609
Summary	610
Bibliography	611
Nomenclature for Chapter 19	612
20 Epilogue	614
Appendix A: Gulfstream G-550	617
Appendix B: Certified Aircraft Noise Data	622
Appendix C: Options for the FLIGHT Program	624
<i>Index</i>	627

Tables

2.1	Cross-sectional areas of selected supercritical wing sections	<i>page</i> 23
2.2	Volume breakdown of selected aircraft; all volumes in [m ³]	33
2.3	Calculations of MAC for the Airbus A320-200 aircraft; graphs on the same scale	35
2.4	Analysis of the geometry of the F4 aircraft model	37
2.5	Wetted-area breakdown for the selected aircraft (calculated). All areas are in [m ²]; (*) data are approximate	38
3.1	Payload data for very large aircraft; X is the range at maximum payload	47
3.2	Standard passenger weights (rounded to full kg)	52
3.3	Fuel tanks of some Airbus airplanes. ACT = Additional Central Tanks; Jet-A1 density at 15 °C = 0.804 kg/l	63
3.4	Weight breakdown of Airbus airplanes; mass in [kg]	73
3.5	Airplane mass properties at take-off-empty (no fuel) configuration (calculated)	73
3.6	Coefficients of Equation 3.44	74
4.1	Profile drag sensitivity for the Airbus A380-861 resulting from $\Delta A_{wet} = 2\%$. All drag coefficients are given as drag counts	105
4.2	Aircraft separation following ICAO rules	118
5.1	Power ratings for PW127 turboprop engine variants, sea level; maximum temperatures as indicated	129
5.2	Turbofan-engine parameters used for flight and aircraft-noise calculations	133
5.3	Selected engine data for the CF6-80C2A3; data with an asterisk * are estimated	135
5.4	Typical APU fuel flow [kg/s], depending on load type and atmospheric conditions	148
5.5	Estimated APU power and emission database	148
6.1	Design limitations of the Dowty propeller R391; Ψ_w is the wind direction	156
6.2	Some notable propellers and their applications	157
7.1	Stability derivatives for calculation of airplane response to asymmetric thrust; model Boeing B747-100	190

8.1	Sea-level data of the International Standard Atmosphere	196
8.2	Recognised international symbols for design air speeds and Mach numbers	208
9.1	International symbols for take-off of a transport airplane	225
9.2	Delay in response time after activation for selected systems	240
9.3	Average rolling coefficient for some runway conditions	255
9.4	Estimated fuel burn during a taxi-out	261
10.1	Approximate limit speeds for selected commercial aircraft	275
10.2	Key events in the OEI take-off and go-around procedure	278
10.3	Climb report for the Airbus A320-200 with CFM56-5C4P turbofan engines and 331-9 APU; standard day, no wind	280
10.4	Climb report for the case shown in Figure 10.6	285
10.5	Climb time and fuel for the flight paths shown in Figure 10.15	295
11.1	Flap and slat settings for the Airbus A320-200	305
11.2	Descent report for the A320-200, conventional descent	308
11.3	Descent report for the A320-200, continuous descent approach	308
11.4	Definition of landing speeds	318
11.5	Limit crosswind speeds coupled with runway conditions	321
12.1	Summary of subsonic cruise conditions, jet aircraft	345
12.2	SAR penalty due to non-optimal cruise altitude for some Airbus airplanes	349
14.1	Characteristics of aviation fuels, at 15 °C; data are averages	398
14.2	Characteristics of turbine fuels Jet-A and Jet-A1	398
15.1	Fuel use for mixed long- and short-range service of the Boeing B777-300 (calculated)	444
15.2	Summary of parameters for DOC model	452
15.3	Calculated payload fuel efficiency for long-haul commercial flight	453
15.4	Operational data for mission analysis in case study	456
15.5	Summary of flight-planning analysis	457
15.6	Taxi-out report of fuel/weight-planning analysis	458
15.7	Take-off report of fuel/weight-planning analysis	458
15.8	Cruise report of fuel/weight-planning analysis	459
15.9	Basic performance data of model float-plane	460
15.10	Estimated floats' dimensions	460
16.1	Summary of integral noise metrics	472
16.2	Polar directivity levels	485
16.3	Empirical constants for turbine acoustic power	486
16.4	Spectrum function for broadband noise	487
17.1	Numerical coefficients for Equation 17.7	537
17.2	Typical values for flow resistivity and inverse effective depth	542
18.1	Microphone positions for aircraft-noise measurements at London Heathrow	557
18.2	Noise sensitivity matrix for a Boeing 777-300 for ± 2 dB on take-off and landing trajectories (simulated data)	567
18.3	ATR72-500 noise trajectories; All noise levels are in dB	572

Tables

xix

18.4	Calculated noise metrics (in dB) over a conventional and steep landing trajectory at a FAR/ICAO landing point and point 1,000 m upstream	573
19.1	ICAO flight modes, times and thrust rating as % of maximum thrust	602
19.2	LTO emissions summary for Airbus A320-200 with CFM56 engines	603
19.3	Analysis of a perfect flight with an Airbus A320-200 model	608
A.1	Weights and capacities of the G-550	618
A.2	Basic dimensions of the G-550	618
A.3	Operational limits of the G550	619
A.4	Selected data of the Rolls-Royce BR710 C4-11 gas-turbine engine	619
A.5	Landing gear of the G550	620
B.1	Certified noise levels for commercial aircraft	622
B.2	Certified noise levels for commercial aircraft (part 2)	623