

## Index

- achievable, 9
- adjacency matrix, 160
- adoption percentage, 139
- Aloha, 433
- alternating projection, 85
- Amazon, 62, 361
- anchor foreign agent, 447
- Android, 1
- AP: Access Point, 409
- Apple, 239, 361
- AppNexus, 40
- ARP: Address Resolution Protocol, 450
- ARPANET, 279
- Arrow's impossibility theorem, 116
- associative mixing, 182
- AT&T, 236
- ATM: Asynchronous Transmission Mode, 312
- attraction region, 140
- auction, 26
  - ascending price, 27
  - descending price, 27
  - first price, 28
  - generalized second price, 28
  - independent valuation, 29
  - private valuation, 29
  - sealed envelope, 27
  - second price, 28
  - valuation, 26
  - Vickrey–Clarke–Groves, 28
- autonomous system, 284
- axiom, 116, 456
- bargaining, 121, 466
- base station, 1
- baseline predictor, 69
- basic reproduction number, 171
- Bass model, 148
- Bayesian, 96, 98, 136, 420
- belief network, 109
- Bellman equation, 289
- Bellman–Ford algorithm, 288
- best effort, 280
- bidirectional link, 160
- binary exponential backoff, 416
- bit rate, 388
- BitTorrent, 337
- boosting, 104, 429
  - Ada boost, 104
- Braess' paradox, 256
- bridge, 308
- broadcast, 449
- BSS: Basic Service Set, 411
- butterfly network, 380
- capture, 413
  - double, 413
- carrier sensing, 415
- CDMA2000, 436
- CDMA: Code Division Multiple Access, 3
- cellular, 236
  - 3G, 436
  - 4G, 436
  - architecture, 3
  - cells, 1
  - eNB, 445
  - MSC: Mobile Switching Center, 445
  - network, 1
- centrality, 161
  - betweenness, 162
  - closeness, 162
  - eigenvector, 162
  - information, 192
- channel gain, 6
- CIDR: Classless InterDomain Routing, 286
- Cinematch, 65
- circuit-switched, 278
- Cisco, 219, 239
- clickthrough rate, 26
- client–server, 340
- Clos network, 367
- cloud, 361
  - advantages, 364
  - disadvantages, 363
  - provider, 362
  - service provider, 362
  - user, 362
- co-visitation count, 130

- collaborative filtering, 62
- Comcast, 384
- community detection, 185
- complementary slackness, 330
- compression, 388
  - lossless, 388
  - lossy, 388
  - MP3, 389
  - MPEG1, 389
  - MPEG2, 389
  - MPEG4, 389
- conductance, 180
- congestion control, 311
  - congestion avoidance, 313
  - congestion window, 312
  - slow start, 313
- connected triple, 197
- connection-oriented, 311
- content distribution network, 400
- content-based filtering, 62
- contention window, 416
- contraction mapping, 147
- control channel, 439
- convergence, 5, 50, 85, 180, 298, 321
- convex function, 72
- convex optimization, 72
- convex set, 72
- coordination, 12
- cosine coefficient, 75
- coupled oscillators, 144
- cross validation, 83
- CSMA: Carrier Sensing Multiple Access, 415
- cube network, 380
- cut, 185, 371
- data applications, 1
- data center, 361, 370
- data channel, 439
- data plan, 236
- DCF: Distributed Coordination Function, 415
- decomposition, 320
- degree, 161
- DeGroot model, 178
- delay sensitivity, 259
- demand elasticity, 243
- demand function, 243
- DHCP: Dynamic Host Configuration Protocol, 286
- diameter, 162
- difference principle, 467
- diffusion models, 132
- diminishing marginal returns, 244
- directed acyclic graph, 109
- disagreement point, 121
- distributed algorithm, 5
- distributed power control, 5
- diversity gain, 419
- diversity indices, 456
- domain, 284
- downlink, 4
- duality
  - dual decomposition, 327
  - duality gap, 329
  - Lagrange dual function, 328
  - Lagrange dual problem, 327, 352
  - Lagrange multiplier, 327
  - Lagrangian, 327
  - strong duality, 329
  - weak duality, 329
- Dunbar's number, 161
- dynamic programming, 288
- eBay, 33
- economy of scale, 364
- egalitarianism, 467
- eigenvalue
  - largest, 19
  - second largest, 52, 179
- emperor's new clothes effect, 137
- EPC: Evolvable Packet Core, 445
- epidemic, 172
- equilibrium
  - algorithmic, 8
  - game, 12
  - Nash, 12
  - stable, 140
  - unstable, 140
- Erdos–Renyi model, 197
- Erlang formula, 304
- Ethernet, 412
- Eulerian cycle, 213
- externality, 129
  - negative, 4, 31, 120, 245, 428
- Facebook, 158
- fading, 437
- fairness function, 457
- fairness, 243
  - $\alpha$ -fair, 243
  - $\alpha$ -fair utility function, 243
  - cake-cutting, 466
  - max-min, 244
  - proportional, 244
- fat tree, 368
- FDMA: Frequency Division Multiple Access, 3
- feedback, 5, 260
  - implicit, 68
  - negative, 416
  - positive, 139
- flashy whitespace, 260
- flexible logistic growth, 151
- Ford–Fulkerson algorithm, 306
- foreign agent, 447

- frame, 283
- frequency reuse factor, 3
- Gale–Shapley algorithm, 357
- game, 10
  - best response strategy, 11
  - BitTorrent, 358
  - cooperative game theory, 121
  - cost function, 11
  - dominant strategy, 11
  - game theory, 10
  - mixed strategy, 13
  - payoff function, 11
  - players, 11
  - private torrent, 359
  - strategy space, 11
  - ultimate, 466
  - zero-sum, 24
- Garg–Konemann, 354
- generalized processor sharing, 405
- generalized Watts–Strogatz model, 208
- generative model, 194
- geometric programming, 88
- Google, 25, 44, 361
  - matrix, 50
- Google+, 161
- graph, 160
  - $k$ -clique, 181
  - $k$ -club, 181
  - $k$ -component, 181
  - bipartite, 32
  - bisection, 185, 367
  - bisection bandwidth, 366
  - Cayley, 380
  - clique, 181
  - closed, 178
  - cluster, 167
  - clustering coefficient, 196
  - coloring, 235
  - component, 181
  - connected component, 181
  - diameter, 197
  - directed, 160
  - full mesh, 181
  - hyperedge, 192
  - hypergraph, 192
  - modularity, 182
  - partition, 185
  - random, 197
  - regular, 198
  - strongly connected component, 181
  - subgraph, 180
  - transitivity, 195
  - undirected, 160
- greedy social search, 202
- group of pictures, 390
  - B frame, 390
  - I frame, 390
  - P frame, 390
- Groupon, 131
- H.323, 392
- hard state, 449
- HBO, 62
- header, 283
- herd immunity, 177
- Hessian, 73
- hidden node, 417
- hierarchical clustering, 188
- highly optimized tolerance, 230
- home agent, 446
- home location register, 447
- homogeneous network, 216
- homophily, 196
- Hulu, 62, 383
- IEEE 802.11, 410
- IGMP: Internet Group Management Protocol, 391
- imitation factor, 148
- importance score, 46
- in-degree, 45
- incidence matrix, 160
- incoming links, 45
- independence of irrelevant alternatives, 117
  - intensity, 118
- indirect forwarding, 447
- influence function, 139
- information cascade, 132
- inhomogeneous network, 216
- inner-loop power control, 21
- interconnection network, 366
- interference, 4
- Internet, 1, 278
- intrinsic factor, 148
- IP address, 285
- iPhone, 1
- IPTV, 386
- isoelastic, 244
- ISP, 238, 257
  - customer–provider, 284
  - peering, 284
  - tier-1, 284
- iterative algorithm, 5, 47, 320, 353
- Juniper, 219
- Kernighan–Lin algorithm, 185
- Kleinberg model, 202
- LAN: Local Area Network, 308
- layered protocol stack, 281
- leaky bucket, 400
- least squares, 68
  - overfitting, 71
  - regularized, 82
- lightpath, 234

- linear programming, 10
- linear regression, 68
- linear stationary iteration, 54
- link betweenness, 166
- log-normal distribution, 232
- logistic growth, 170
- long-tail distribution, 216
- LTE: Long Term Evolution, 436
- majorization, 458
- Markov chain, 49
- matching, 37
- max-flow min-cut, 373
- mechanism design, 24
- Medici, 159
- medium access control, 414
- message, 283
- Metcalfe's law, 338
- Microsoft, 361
- MIMO: Multiple Input Multiple Output, 429
- mobile station, 1
- mobility, 446
- modularization, 281
- MPLS: MultiProtocol Label Switching, 286
- multi-stage switched network, 366
- multicast, 385
- multicommodity flow problem, 298
- multiplexing gain, 430
- Nagle's algorithm, 444
- Nash bargaining solution, 124
- NAT: Network Address Translation, 286
- near-far problem, 4
- negative externality, 28
- net utility maximization, 243
- Netflix, 61, 429
- Netflix prize, 64
- network architecture, 282
- network effect, 132, 148
  - negative, 111, 244
  - positive, 244
- network security, 454
- network utility maximization, 319, 463
- non-blocking, 367
  - rearrangeably, 367
- non-negative matrix, 19
- non-orthogonal allocation, 3
- NSFNET, 279
- OFDM: Orthogonal Frequency Division
  - Multiplexing, 410, 429
- optical networks, 234
- optimizability, 301
- optimization, 9
  - constraint, 8
  - feasible solution, 9
  - infeasible, 9
  - objective, 8
  - optimal, 10
- orthogonal allocation, 3
- orthogonal codes, 4
- outer-loop power control, 21
- outgoing links, 45
- overlay network, 341
- oversubscription ratio, 365
- Overture, 25
- P2P, 337, 370
  - capacity, 352
  - multicast, 339
  - super node, 339
- P2P law, 338
- package bidding, 43
- packet, 283
- packet-switched, 278
- PageRank, 50
- Pandora, 62
- Pareto distribution, 217
- Pareto dominate, 461
- Pareto optimal, 9
- path loss, 437
- payload, 283
- PCF: Point Coordination Function, 415
- percolation, 175
- Perron–Frobenius theory, 19
- pixel, 388
- positive feedback, 5
- positive semidefinite matrix, 73
- power method, 21
- power of crowds, 131
- power-law distribution, 215
- preferential attachment, 222
- prefix, 285
- pricing, 38
  - congestion, 321
  - congestion-dependent, 260
  - flat-rate, 236
  - Paris metro, 270
  - smart data, 257
  - time-dependent, 258
  - two-sided, 272
  - usage-based, 236
- prisoner's dilemma, 11, 120
- propagation delay, 316
- protocol, 281
- PSTN, 278
- public key cryptography, 454
- pulse coupling, 144
- Qualcomm, 4
- query flooding, 355
- queueing delay, 316
- random walk on graphs, 49
- rank-1 matrix, 48
- rate–distortion, 388
- rating, 89
- Rawl's theory of justice, 467

- recommendation, 62
  - collaborative filtering, 67
  - content-based filtering, 67
  - latent factor model, 68
  - neighborhood model, 67
- regularization, 71
- relevance score, 46
- resource pooling, 280
  - anti, 272, 428
- respondent driven sampling, 157
- return function, 145
- reverse engineering, 322
- review, 89
- root mean squared error, 63, 94
- round trip time, 314
- routing
  - BGP: Border Gateway Protocol, 287
  - DAR: Dynamic Alternate Routing, 306
  - distance vector, 287
  - linked state, 287
  - multicast, 302, 341
  - OSPF: Open Shortest Path First, 287
  - RIP: Routing Information Protocol, 287
- RTCP: RTP Control Protocol, 393
- RTP: Real-time Transport Protocol, 393
- RTS/CTS: Request To Send/Clear To Send, 417
- RTSP: Real Time Streaming Protocol, 391
- rule of succession, 97
- scale-free network, 216
- Schur concave, 459
- search ads, 25
- search engine optimization, 56
- searchability, 203
- segment, 283
- self-organized criticality, 230
- sequential decision making, 134
- shadowing, 437
- shortest path problem, 288
- SI model, 169
- similarity metric, 68, 75
- simultaneous ascending auction, 43
- SIP: Session Initiation Protocol, 392
- SIR model, 171
- SIR: Signal-to-Interference Ratio, 5
- SIS model, 170
- six degrees of separation, 194
- Skype, 337
- small world, 194
- SNMP: Simple Network Management Protocol, 439
- social choice theory, 114
- social distance, 194
- social search, 195
- social welfare maximization, 242
- socially optimal, 12
- soft state, 449
- spectral efficiency, 436
- spectrum, 2
- spread spectrum, 4
- spreading code, 4
- SSH: Secure SHell, 454
- stability, 331
- stable marriage matching, 357
- station, 412
- statistical multiplexing, 219, 260, 280
- stepsize, 321
- supply, 254
- switch, 308
- synchronization, 132
- TCP
  - CUBIC, 315
  - FAST, 315
  - Reno, 315
  - Tahoe, 312
  - Vegas, 315
- TCP/IP, 279
- TDMA: Time Division Multiple Access, 3
- tipping, 132
- tit-for-tat, 61, 343
- traffic engineering, 298
- tragedy of the commons, 244
- transitivity, 117
- transmit power control, 5
- tree, 340
  - minimum spanning, 308
  - multi-tree, 346
  - smallest-price, 354
  - spanning, 308
  - Steiner, 308, 351
- triad closure, 195
- truthful bidding, 26
- Twitter, 158
- UDP: User Datagram Protocol, 392
- UMTS: Universal Mobile Telecommunications System, 436
- uni-directional link, 160
- unicast, 278
- unlicensed spectrum, 410
- uplink, 4
- useful throughput, 437
- user surplus, 245
- utilitarianism, 468
- utility function, 242
- Verizon, 236
- video over Internet, 386
- virtual machine, 375
- visitor location register, 447
- VoIP, 338
- voting, 114
  - Borda count, 115
  - Condorcet voting, 115

decisive voter, 119  
Kemeny rule, 114  
plurality voting, 114  
positional voting, 115  
preference profile, 114  
voting outcome, 114  
waiting function, 261  
Watts–Dodds–Newman model, 203  
Watts–Strogatz model, 200  
wavelength assignment, 234  
WCDMA: Wideband CDMA, 436  
weak link, 166  
welfare function, 461  
Wikipedia, 111  
wisdom of crowds, 91  
YouTube, 62, 129