

Index

- adder
 - binary, 215
 - Compound adder, 222
 - Conditional sum adder, 220
 - Ripple carry adder, 217
 - sequential, 296
 - two's complement adder, 238
 - two's complement subtractor, 239
- addition, 215
 - 3-bit carry, 14
 - signed, 228
- arbitration, 250
- arc, 38
- arithmetic logic unit (ALU), 326
- arithmetic series, 19
- arity, 68
- assembler, 310
- assembly language, 312
- asymptotic behavior, 94

- balanced partition, 174
- balanced tree, 175
- Big Endian, 104
- binary operation, 15
 - idempotent, 116
- binary representation, 52
- binary string, 9, 53
- bit, 9, 13, 53
 - carry bit, 216, 218
 - least significant (LSB), 54
 - most significant (MSB), 54
 - weight, 55
- Boolean formula, 68, 69
 - atoms, 71, 92
 - contradiction, 93
 - logically equivalent, 73
 - normal forms, 109
 - satisfiable, 73
 - subformula, 70
- bus, 184

- byte, 57

- Cartesian product, 4, 5
- Central Processing Unit (CPU), 57
- circuit, 153
 - behavior, 165
 - functionality, 165
 - synchronous, *see* synchronous circuits
- clock, 247
- closure, 71
- combinational circuit, 154
 - delay, 164
 - delay analysis, 156
 - depth, 164
 - simulation, 156
- combinational gate, 146
- compiler, 310
- conjunctive normal form (CNF), 113
- connective
 - binary connectives, 68
 - complete set of connectives, 83
 - equivalence, 78, 134
 - implication, 77
 - unary connective, 68
- constant, 68
- contraposition, 7
- counter, 299
- critical segment, 249

- D-latch, 258
- DAG, 40
 - longest path, 44
- De Morgan's dual, 88
- De Morgan's laws, 9, 21, 88, 89
- decoder, 186, 187, 202
- design rules, 133, 166
- digit, 53
- digital abstraction, 133
- digital circuit, 133
- disjunctive normal form (DNF), 109

- division, 52, 186
 - quotient, 52
- electronic devices, 133
- encoder, 192, 193
 - priority encoder, 213
- factorial function, 23
- fan-in, 149
- fan-out, 150
- Fibonacci sequence, 23, 94, 97, 102
- finite state machine, *see* FSM
- flip-flop
 - clock enabled, 260
 - edge triggered, 249
 - edge triggered with reset, 281
- FSM, 272, 282
 - analysis, 289, 294
 - initialization, 298
 - synthesis, 289, 294
- function, 9
 - associative, 15, 168
 - bijection, 24
 - Boolean function, 13
 - commutative, 15
 - composition, 9
 - cone, 176, 180
 - constant function, 12
 - domain, 9
 - identity function, 11, 14
 - injection, 24
 - majority, 14
 - one-to-one, 24
 - onto, 24
 - parity function, 14
 - range, 9
 - restriction, 10
 - surjection, 24
- functional equivalence, 197
- Galois field, 115
- gate
 - AND, 154
 - inverter, 154
 - NAND, 154
 - NOR, 154
 - OR, 154
 - XOR, 154
- Gauss elimination, 116
- giga-bit, 57
- giga-byte, 57
- golden ratio, 23
- graph
 - acyclic, 38
 - cycle, 39
 - directed acyclic graph, 40
 - directed edge, 38
 - directed graph, 38
 - reversed DAG, 41, 51
- Gray code, 129, 131
- Hamming distance, 193
- heuristic, 120
- hexadecimal
 - representation, 63
- immediate constant, 313
- implicant, 121
 - essential prime, 123, 124
 - prime implicant, 122
- induction
 - complete induction, 20
 - induction basis, 20
 - induction hypothesis, 20
 - induction step, 20
- instruction set architecture (ISA), 309
- Karnaugh Maps, xix, 129, 131
- kilo-byte, 57
- leading zeros, 55
- least significant bit first, 104
- literal, 79, 109
- Little Endian, 105
- logical value, 136
- LSB, *see* bit
- maxterm, 113
- mega-bit, 57
- mega-byte, 57
- memory, 312
 - dual port RAM, 271
 - controller, 323
 - effective address, 314
 - microprocessor, 311
 - RAM, 267, 302
 - ROM, 270
- microprocessor
 - control, 323, 331
 - datapath, 323
 - execution cycle, 330
- minimum depth tree, 172
- minterm, 110
- mnemonic, 313
- modulo, 52
 - remainder, 52
- monomial, 118
- most significant bit first, 104
- MSB, *see* bit
- multiplexer, 201
- multiplication table, 11
- negation, 68
- negation normal form, 89
- net, 150
- netlist, 153

Index

347

- node, 38
- noise, 136, 138
 - additive noise, 140
 - bounded-noise model, 140
- one's complement, 228
- order of growth rates, 94
- ordered pair, 4
- overflow, 236
- Pólya, 21
- parallel edges, 154
- parse tree, 69
- path, 39
 - closed, 39
 - critical, 165
 - interior vertex, 39
 - open, 39
 - self-loop, 39
 - simple, 39
- permutation, 42
- personal computer, 57
- polynomial, 118
- product of sums (POS), 113
- product term, 110
 - simple, 110
- product of sums, 114
- proof by contradiction, 72, 87
- propagation delay, 147
- propositional logic, 68
- rate of growth, 94
- recurrence, 98
- redundant representation, 225
- register, 265
 - program counter (PC), 329
 - register file, 329
 - shift register, 266
 - architectural, 311
 - instruction register (IR), 328
 - instruction register (PC), 312
 - MAR, 312
 - MDR, 312
 - parallel load register, 266
 - program counter (PC), 312
 - shift register, 301
 - simplified DLX, 326
- register transfer language (RTL), 335
- relation
 - binary, 9
- rooted trees, 47, 48
 - depth, 49, 172
 - height, 49
 - interior vertices, 49
 - leaves, 49
 - parent, 49
 - perfect, 173
 - subtree hanging, 49
- segmentation fault, 314
- self-loop, 39, 40, 153
- semantics, 165
- sequences, 29
 - arithmetic sequence, 30
 - finite sequence, 29
 - geometric sequence, 30
 - growth, 94
 - harmonic sequence, 30
- series, 31
 - arithmetic, 31
 - geometric, 32
- sets
 - axiomatic set theory, 5
 - cardinality, 7
 - complement, 4
 - difference, 4
 - disjoint, 6
 - element, 3
 - empty set, 4
 - intersection, 4
 - pairwise-disjoint, 6
 - power set, 4
 - Russell's paradox, 5
 - strict containment, 10
 - subset, 4
 - union, 4
 - universal set, 3
- shifter
 - arithmetic shifter, 211
 - barrel shifter, 205
 - cyclic, 205
 - environment, 327
 - logical shifter, 209
- sign bit, 233
- sign extension, 233
- sign-magnitude representation, 228
- signal
 - analog, 136
 - digital, 136
 - logical, 143
 - stable, 143
- simulation
 - combinational circuit, 156
 - synchronous circuit, 288
- static transfer function, 138
- strings
 - concatenation, 53, 193
 - zero based, 54
- substitution, 80
- subtree, 48
- sum of products (SOP), 109, 111
- sum term, 113
- symmetric difference, 126
- synchronous circuit, 273
 - canonic form, 274
 - initialization, 279
 - min clock period, 285

348

synchronous circuit (*cont.*)
 simulation, 288
 timing, 255
 timing analysis, 275, 283
 zero delay, 264
syntax, 166

tautology, 73

term

 simple, 113

terminals, 153

topological ordering, 38, 41

Index

transistors, 133

truth assignment, 73

truth table, 13

two's complement, 228

 negation, 231

variable, 68

Venn diagrams, 7

vertex, 38

walk, 39

word, 57