

## Index

---

- 2SD rule, *see* outliers
- 3-dimension surface plot, 79
- 3Rs, Replacement, Reduction and Refinement, 1
  - reduction, 1, 49, 65, 95, 97, 203
- acceptance criteria, *see* dose-response analysis
- actual change from baseline, 208–9, 209–11
- additivity, *see* parametric assumptions
- age effects, 8, 30, 32, 79–81, 83, 201–2, *see also* effects
- all pairwise tests, 218, 220–1, 228, 244, 245, 254,
  - see also* multiple comparison procedure
- alternative hypothesis, 24, 95, 164, 232–3,
  - see also* hypothesis
- analysis of covariance, 199–211, *see also* parametric analysis
  - assumptions, 204–7
  - best-fit lines, 201, 205, 246
  - covariate interaction, 205–6
  - predicted lines, 201, 202–4
- analysis of variance, 97, 133, 151, 168–9, 225–7
  - one-way ANOVA, 152, 169–70, 176, 179
  - two-way ANOVA, 152, 174, 176–7
- ANCOVA, *see* analysis of covariance
- animal effect, 108, *see also* effect
- Animal factor, 39, 40–1, 43, 59, 90, 91, 93, 99, 102, 118,
  - 251, *see also* factor
- animal model, 1, 4–5, 6, 9, 28, 30, 47,
  - 68–70, 78–81
- ANOVA, *see* analysis of variance
- a-priori* hypothesis, *see* hypotheses
- arcsine transformation, *see* transformation
- area under the curve, *see* summary measure
- ARRIVE guidelines, 15

- assays, 12, 46, 103, 276–7, 278–9, 281  
   quality control (QC), 278–9, 280
- AUC, *see* area under the curve
- autoregressive covariance structure, *see* repeated  
   measures mixed-model approach
- balanced incomplete block design (BIBD), 55–6, 136,  
   198–9, *see also* block design
- Bartlett's test, 155
- baseline response, 2–3, 34, 42, 141, 200, 201–2,  
   207–11, 245
- behavioural tests, 12, 30, 41, 186
- Behrens–Fisher all pairwise tests, 260–2
- Benjamini–Hochberg procedure, 218–20, 224, 244, 258,  
   *see also* multiple comparison procedure
- best guess approach, 69
- between-animal variability, *see* variability
- bias, 1, 6, 10, 31–2, 51, 58, 122–3, 209–11  
   attrition bias, 123  
   detection bias, 9  
   performance bias, 123  
   publication bias, 13–14  
   selection bias, 9  
   systematic bias, 14, 122
- binary response, *see* response
- biological effects, 7, 12, 18, 25, 32, 93, 95,  
   *see also* effects
- biologically relevant effect, 7, 12, 94, 95–6, 96–7,  
   *see also* power analysis
- blinding, 9, 10, 14, 122, 124
- block design, 30, 46–7, 49–52, 54, 126, 127, 249–51  
   block by animal, 47, 49, 59, 127, 168, 198–9  
   blocking factor, 47, 49–51, 53, 54, 55–7, 94, 96–7, 123,  
   125, 127, 149, 165, 249–50  
   randomisation (of block designs), 53, 55, 56, 58,  
   127–8, 250
- bodyweight, 21, 42, 51, 52–3, 56, 59, 99, 112, 120, 125,  
   127, 164, 201, 204, 206–8, 210, 212
- Bonferroni procedure, 219, 244, *see also* multiple  
   comparison procedure
- boundary, 12, 153, 153, 157, 230, 235
- box-plot, 142–3, 261
- brain region, 12, 28–9, 110–12, 114–6, 193, 214–5,  
   *see also* effects and repeated measures analysis
- Brown–Forsythe test, 155
- cage, 9, 37, 41, 56, 99–101, 118, 124, 129–30,  
   *see also* effects
- carry-over effect, *see* crossover trial
- categorical factor, *see* factor
- categorised case profiles plot, 144–5, 181–2, 195,  
   209, 255
- categorised scatterplot, 201, 205, 209, 245, 246,  
   254, 274
- censored data, *see* survival analysis
- change from baseline, *see* actual and percentage  
   change from baseline
- chi-squared distribution, *see* distribution
- chi-squared test, 232, 232–3, 237, 282–5
- coefficient of variation, 139, 279, 282
- comparative control, 36
- comparisons back to control, 54–5, 60, 215, 244, 261
- complete block design, 53–4, *see also* block design
- compound symmetric covariance structure,  
   *see* repeated measures mixed-model analysis
- confidence interval, 139, 197–8, 199, 242, 245, 253, 255,  
   269, 274, 281, 290
- confirmatory analysis, 28–29, 213, 215
- confounding, 6, 31, 51, 53, 108
- constraints, 12, 19, 45, 81, 99, 153, 230
- contingency table, 233, 283, 284
- continuous factor, *see* factor
- continuous response, *see* response
- control group, 6, 35, 87–90, 221–3
- correlation, 3, 127, 129, 142, 191
- count response, *see* response
- covariance, 191, 236
- covariance structure, 191–3, 196, 252, 272,  
   *see also* repeated measures mixed-model  
   approach
- covariate, 200–1, 243, 245–8, 252, 272, *see also* analysis  
   of covariance
- critical value, 26, 139, 220–2, 231
- crossed factors, 43–5, 47, 51, 63, 81, 110–12, 114, 119,  
   126, 248
- crossover design, 8, 46, 59–63, 116, 119, 128,  
   *see also* block design  
   balanced crossover design, 62–3  
   complete crossover design, 59, 61  
   incomplete crossover design, 60–1  
   multi-factor crossover design, 62, 119

- randomisation (of crossover designs), 59, 128–29  
 repeated measures crossover design, 59, 116  
 cross-over trial, 59, 251–2  
 carry-over effect, 62–3
- data trawling, 10, 28  
 day effects, 5, 12, 19, 30, 45, 47, 51, 54, 112, 163, 240,  
 249, *see also* effects  
 degrees of freedom, 22–3, 165, 171–2, 174, 175, 178, 191  
 density distribution, *see* distribution  
 diagnostic plot, 245, 255, 270, 274, *see also* predicted  
 vs. residuals plot and normal probability plot  
 discrete response, *see* response  
 distribution, 143, 151, 159  
 chi-squared distribution, 22, 233, 237  
 density distribution, 20  
*F*-distribution, 23, 173  
 frequency distribution, 20  
 log-normal distribution, 85, 137, 155, 157–8  
 normal distribution, 21–2, 153, 154  
 probability distribution, 19–20, 21  
 skewed distribution, 235  
 standard-normal distribution, 22, 154  
*t*-distribution, 22–3, 25–6, 139, 165, 216  
 distributional curve, 21  
 dose-escalation design, 46, 48, 116, 127–9, 272  
 repeated measures dose-escalation design,  
 117–19, 189  
 dose-response analysis, 84–5, 277–9  
 acceptance criteria, 279–80, 281  
 adding an offset to the doses, 88–90, 278, 280  
 change from control response, 87–8  
 dual statistical model, 88  
 Gauss-Newton algorithm, 278  
 dose-response design, 47, 84, 85–7  
 anchor point, 86  
 dose-response relationship, 42, 85, 87–8, 277,  
*see also* logistic curve  
 double-repeated measures design, 114–16,  
*see also* repeated measures design  
 drug combination study, 81–2  
 drug discovery study, 10  
 drug synergies, 81, *see also* drug combination study  
 Duncan's multiple range procedure, 223,  
*see also* multiple comparison procedure
- Dunnett procedure, 221–3, 244, *see also* multiple  
 comparison procedure  
 Dunn-Šidák procedure, 219–20, *see also* multiple  
 comparison procedure
- effects, 37–9  
 effects of interest, 29, 37, *see also* effects and factor (of  
 interest)  
 efficiency (of block designs), 52, 53, 55, 56, 58  
 error bars, 145–51, 195, 197, *see also* means with  
 standard errors plot  
 estimation approach, 29, 84  
 ethical constraints, 5, 12, 59, 62, 93, 230  
 experimental unit, 36, 41, 46, 48, 61, 103, 108–9, 112,  
 116, 118  
 exploratory analysis, 28–9, 213, 215  
 exponential curve, 155, 187, 235, 277, *see also* non-  
 linear relationship  
 external validity, 9  
 externally Studentised residuals, 162–3, 245, 270,  
*see also* outliers
- factor, 37–45  
 between-animal factor, 46, 118, 190, 253, 272  
 categorical factor, 42, 63, 64, 83  
 continuous factor, 42, 77–8, 81, 83–4, 86  
 factor of interest, 7, 40, 47, 66, 126, 248  
 within-animal factor, 46, 118, 167, 168  
 factor level, 39, 45, 64, 69, 74, 129, 178  
 factor label, 91, 99–100, 129  
 factorial design, 6, 47, 64, 126  
 hidden replication, 70–2, 177  
 incomplete factorial design, 67  
 large factorial design, 47, 63–4, 68–72, 248  
 randomisation (of factorial designs), 64, 126  
 small factorial design, 47, 63, 66–8, 248–9  
 false discovery rate, 213, 228, *see also* multiplicity  
 false negative, 27, 212, 215  
 false positive, 10, 13–14, 27, 94, 165, 212–14, 225  
 false replication, 11, *see also* independence  
 family of tests, 212, 214, *see also* multiple comparison  
 procedure  
 family-wise error rate, 212–13, 228, *see also* multiplicity  
*F*-distribution, *see* distribution  
 FDR, *see* false discovery rate

- Fisher's exact test, 232–4, 233–4, 282–5  
 Fisher's protected test, 224–5, *see also* multiple comparison procedure  
 fixed factor, 39–40, 41–2, 64, *see also* factor  
 fractional factorial design, 72–4, 178, *see also* factorial design  
 frequency distribution, *see* distribution  
 frequency histogram, 20  
 full statistical model, 248–9  
 full-factorial design, 64, 67, 68, 81, *see also* factorial design  
 fully crossed, 43, 126, 195, *see also* crossed factors  
*F*-value, 172  
 FWE, *see* family-wise error rate
- gateway ANOVA, 169, 224–7, *see also* multiple comparison procedure  
 General Linear Model, 132, *see also* parametric analysis  
 geometric mean, *see* mean  
 geometric standard deviation, 279  
 geometric standard error, 198, *see also* geometric standard deviation  
 GLM, *see* General Linear Model  
 global test, 169, 225, 227, *see also* gateway ANOVA  
 grand mean, 41, 170  
 Greenhouse–Geisser adjustment, *see* repeated measures ANOVA-based approach
- half-life, *see* summary measure  
 Hill equation, 84, *see also* logistic curve  
 histogram, 20–1, 143–4, 153, 262  
 Hochberg procedure, 224, 228, 244, 258, *see also* multiple comparison procedure  
 Holm procedure, 223–4, 228, 244, 258, *see also* multiple comparison procedure  
 Hommel procedure, 224, 228, 244, 258, *see also* multiple comparison procedure  
 homogeneity of variance, *see* parametric assumptions  
 housing effects, 39–40, 56, 58, *see also* effects  
 husbandry activities, 31, 62, 124  
 Huydt–Feldt adjustment, *see* repeated measures ANOVA-based approach  
 hypothesis, 23, 95, 106  
 hypothesis testing framework, 29, 84, *see also* null hypothesis and alternative hypothesis
- inbred strain, 19, 95  
 incomplete block design, 54–5, *see also* block design  
 independence, 12, 106, 127, 158, *see also* parametric assumptions  
 indicator variable, 54, 56, 58  
 interaction, 64–5, 67, 75, 77, 126, 129, 174, 177–8, 248–9, 252  
   moderate interaction, 65–6  
   no interaction, 65, 70  
   strong interaction, 66  
 intercept, 41  
 internal validity, 9, 14, 123  
 interquartile range, 140, 142, 261  
 isogenic strain, 5
- Kaplan–Meier survival function, *see* survival analysis  
 Kaplan–Meier survival plot, *see* survival analysis  
 Kolmogorov–Smirnov test, 154  
 Kruskal–Wallis test, 260, 261
- Latin square, 57–9, 60  
 Latin square block design, 57–9  
 Least Significant Difference (LSD) test, 213, 216–18  
 least square (predicted) means, 133–5, 196–7, 218, 244, 253, 269, 274  
 Levene's test, 155  
 leverage, 162–3  
 linear model, 132, 163, *see also* General Linear Model and parametric analysis  
 linear predictor, 200–1, 211–12  
 linear regression, 84, 200–1, 211–12  
 linear trend, 47  
 litter, 51, 52, 119–20, *see also* experimental unit  
 log transformation, *see* transformation  
 logistic curve, 47, 84–5, 87, 188–9, 278  
   assymetry parameter, 85  
   D50, 85, 87, 188, 278  
   five-parameter logistic curve, 85  
   four-parameter logistic curve, 84, 86–7, 277  
 log-normal distribution, *see* distribution  
 log-rank test, *see* survival analysis  
 lower boundary, 157, *see also* boundary  
 lower quartile, 140, 142, *see also* interquartile range  
 LSD test, *see* Least Significant Difference (LSD) test

- Mann-Whitney test, 230–31, 260, 262
- maximal effect ( $C_{\max}$ ), *see* summary measure
- mean
- geometric mean, 137, 197–8
  - observed mean, 133, 136, 142, 145, 160, 217
  - predicted mean, 133, 137–8, 196–7, 198–9, 203, 206–8, *see also* least square (predicted) means
  - sample mean, 136, 138, 139
  - true mean, 135–6, 139
- mean squares, 172
- means with standard errors plot, 145–51, 174, 195, 197, 262
- measures of location, 135–8, 139–40
- measures of spread, 138–40
- median, 139–40, 142, 160, 261, 290
- Microsoft Excel, 130–1, 238
- Microsoft Word, 241
- missing data, 12, 52, 168, 182, 193
- missing completely at random, 12
- mixed design, 41
- modelling (statistical), 3, 78, 83, 88, 132, 133, 153, 162, 248–9, 277
- multiple comparison procedure, 10, 134, 212–228, 258–9
- multiple *t*-tests, 164, 215–16, *see also* multiple comparison procedure
- multiplicity, 13, 28, 214, 245
- naive control, 36
- negative control, 35
- nested design, 11, 47–8, 90–3, 108, 285–9
- higher order nested design, 46, 91–3, 99–106
  - single order nested design, 91, 102, 112, 114
- nested factors, 42–3, 45, 90, 93, 99–101, 112, 120
- nesting structure, 45, 106, *see also* nested design
- Newman-Keuls procedure, 222–3, *see also* multiple comparison procedure
- noise, 18–19, 31, 168, 170
- nominal dose, 82, 86
- nominal response, *see* response
- non-linear relationship, 47, 84, 153, 277–8
- non-parametric, 139–40, 228–4, 235–6, 260–62
- non-random, 10, 12, 46, 116, 124, 128, 129
- non-significance, 12, 98, 225, 248
- normal distribution, *see* distribution
- normal probability plot, 154, 244, 253, 268, 273, *see also* diagnostic plot
- normalising, 2, 208, 210
- normally distributed residuals, *see* parametric assumptions
- nuisance effects, 6, 19, 31–2, 37, 51, 123, *see also* effects
- null hypothesis, 23–4, 27–8, 36, 94, 97–8, 164, 212, 232, 236, *see also* hypothesis
- numerical response, *see* response
- observational unit, 36, 41–2, 43–5, 102, 110, 114
- observed effects, 25, 93, 97–9, 221, *see also* effects
- observed mean, *see* mean
- observed means with standard errors plot, *see* means with standard errors plot
- OFAT approach, *see* one factor at a time approach
- offset, 88–90, 157, 278, 280, *see also* log transformation and dose-response analysis
- one factor at a time approach, 69, 74, 76, 80
- one-sided statistical test, 24, 95, 165, 283
- operators, 32, 49, *see also* effects
- order of testing, 123, 130, *see also* effects
- ordinal response, *see* response
- outbred strain, 19, 95
- outliers, 11, 35, 142, 145, 157, 159–162
- 2SD rule, 160–61
- overall tests of effects, 68, 152, 169, 244, 253, *see also* global test
- oversensitive statistical test, 7, 17, 93, 195
- paired *t*-test, 167–8, 277
- pairwise comparisons, 54–5, 215–18, 220–21, 244, 254
- parametric analysis, 151–2, 243, 252
- parametric assumptions, 152–63
- additivity, 162–3
  - homogeneity of variance, 13, 138, 155–8, 216
  - independence, 106, 158, 167
  - normally distributed residuals, 153–5
- partially crossed, 45
- percentage change from baseline, 208, 209, 210–11
- physical constraint, 153, 155, 230
- pilot study, 29, 31, 63, *see also* factorial design
- Plackett-Burman design, 74
- planned comparisons, 164, 217–18, 228, 248–9, *see also* multiple comparison procedure

- pooled estimate of variability, 149–50, 160–2  
 population, 40, 108–10, 138, 164  
 positive control, 35–6, 173–4, 226–8  
 post-experiment power analysis, 97–9, *see also* power analysis  
*post hoc* tests, 152, 213  
 power analysis, 12, 95–9, 263–7, 285–9  
 power curve, 97, 105, 288–9  
 practical constraints, 19, 45, 153, 230  
 precision, 46, 53, 55, 86, 193  
 predicted mean, *see* mean  
 predicted vs. residuals plot, 156, 162, 245, 255, 270, 274, *see also* diagnostic plot  
 preliminary investigation, 69, 167  
 probability distribution, *see* distribution  
 procedural effects, 122, 200, *see also* effects  
 proportion response, *see* response  
 pseudo-replication, 11–12, 106–10, *see also* nested design  
 publication bias, *see* bias  
*p*-value, 12, 25, 26, 133, 165, 172–3, 213, 218–19, 223–4, 234
- quality control, *see* assays
- R statistical language, 133, 285  
 racks, 7, 56, 58, 130  
 random factor, 39–42, 48, 91–3, 101–2, 103–5, 285–9  
 random numbers, 130–1  
 random sample, 23, 40, 101, 138, 149  
 randomisation, 9–10, 14, 53, 55, 56, 58, 64, 122–31, 159, 168, 179, 192, 208, 250  
 rank transformation, *see* transformation  
 reduced statistical model, 248, 249  
 regression analysis, *see* linear regression  
 rejection region, 26, 27  
 relative error (%RE), 279  
 REML, *see* restricted maximum likelihood  
 repeated measures analysis, 12, 116, 129, 179–81, 189–91, 193, 195  
   subject factor, 168, 252  
 repeated measures ANOVA-based approach, 190, 193  
   Greenhouse-Geisser adjustment, 194  
   Huysdt-Feldt adjustment, 194  
   Wilks-Lambda adjustment, 194  
 repeated measures design, 48, 110–12, 114, 127  
   core design, 110, 112–14, 117  
   nested repeated measures design, 110, 112–14  
   repeated factor, 48, 110–12, 127, 129, 189–91  
 repeated measures format, 239  
 repeated measures mixed-model approach, 190, 191–, 252  
   autoregressive covariance structure, 193, 255  
   compound symmetric covariance structure, 193, 252, 272  
   unstructured covariance structure, 195  
 repeatedly measured response, 48, 59, 112, 127, 190  
 reporting, 1, 13–14, 15, 34, 123  
 reproducibility, 5, 138, 152, 161  
 residual degrees of freedom, 172–3, 216  
 residual mean square, 138, 139, 217  
 residual sums of squares, 171, 173  
 residuals, 153–5, 156–8, 161–2, 170, 229–30, *see also* predicted vs. residuals plot  
 resource equation, 96, *see also* power analysis  
 response  
   binary response, 33–4, 189–90, 233  
   continuous response, 32, 33, 94–5, 152–3  
   count response, 33, 153–4, 158  
   discrete response, 32–3, 78, 153  
   nominal response, 33  
   numerical response, 8, 32, 154, 200, 211–12  
   ordinal response, 33  
   proportion response, 158, 231–4  
   severity score, 33  
 response surface model, 78, 81–2, 83, *see also* factorial design  
 restricted maximum likelihood, 190  
 room effects, 7, 37, 39–40, *see also* effects  
 row-column block design, 56–9, *see also* block design
- safety assessment, 10, 62, 211  
 sample mean, *see* mean  
 sample size, 5–6, 7, 14, 28, 63, 70, 86, 93–7, 147, 263  
 scatterplot, 2, 140–2, 159, 201–2  
 Scheffé procedure, 221, *see also* multiple comparison procedure  
 screening study, 75  
 selected effect, 244, 248–9  
 SEM, *see* standard error of the mean  
 severity scores, *see* response

- sham control, 36
- Shapiro–Wilk test, 154
- signal, 18–19, 31, 164, 168
- signal-to-noise ratio, 19, 31, 32, 172
- significance level, 25–8, 94, 212, 219
- Simpson’s rule, 184–5, *see also* area under the curve
- simultaneous multiple comparison  
procedures, 218–21
- single measure format, 238
- skewed distribution, *see* distribution
- slope, *see* summary measure
- sources of variability, 5, 31, 49, 56, 57, 102, 150, 190
- spatial interrelationships, 112, 116, 127–8, 179, 192–3, 252, 272, *see also* repeated measures analysis
- sphericity, 193–5, *see also* repeated measures analysis
- split-plot design, 46, 48, 117–19  
subplot, 117, 118–19  
subplot treatment, 117  
wholeplot, 117–18  
wholeplot treatment, 117
- square root transformation, *see* transformation
- standard curve, 278–9, 281–2, *see also* assays
- standard deviation, 138, 160, 161, 264, 279
- standard error of the mean, 138, 145–7
- standardised residual, 161, 255, 274, *see also* residuals
- standardised response, 22–3, 25–6, 27
- standard-normal distribution, *see* distribution
- stars, 26
- statistical model, 3, 88, 129, 132, 133, 153, 162–3, 177, 248–9
- statistical power, 7, 12, 13, 27–8, 94, 96, 97–9, 173, 213, 222, *see also* power analysis
- statistically significant, 7, 12, 93, 94, 212, 215, 225, 248
- Steel’s test, 260–2
- strain, 5, 40, 45, 69, 127, 164
- Student’s *t*-test, *see* unpaired *t*-test
- Studentised residuals, 161–2, *see also* residuals and externally Studentised residuals
- summary measure, 103, 145, 181–9  
area under the curve, 183–5  
half-life, 187  
maximal effect ( $C_{\max}$ ), 63, 116, 186  
slope, 186–7  
time to maximum response ( $T_{\max}$ ), 185–6  
 $X_{50}$ , 188–9
- summary statistics, 135, 241–3
- sums of squares, 170, 173, 245
- survival analysis, 234–7, 289–91  
censored data, 235, 289  
Kaplan–Meier survival function, 236  
Kaplan–Meier survival plot, 236, 289  
log-rank test, 236–7, 289  
survival function, 235–6
- synergistic effect, 82
- systematic bias, *see* bias
- t*-distribution, *see* distribution
- test equipment effects, 5, 6, 30, 49, 56, *see also* effects
- test of proportions, 231–4, 282  
Yates’ continuity correction, 233
- test period, 46, 48, 59, 62, 116, 128–9, 251
- time to event, 12, 32, 235, 289
- transformation  
arcsine, 158  
log, 137, 157–8, 160, 163, 197–8  
rank, 230–2  
square root, 33, 158–9
- transgenic strain, 64
- trapezium rule, 184–5
- trend over time, 123, 130, 145
- true effect, 12, 24, 27–7, 29, 97–9
- true mean, *see* mean
- t*-test, 10, 132, 163–8, 215–16, *see also* unpaired *t*-test and paired *t*-test
- Tukey HSD procedure, 220–1, 228, *see also* multiple comparison procedure
- Tukey–Kramer procedure, 221, *see also* multiple comparison procedure
- t*-value, 164, 172
- two-sided statistical test, 24, 26, 95, 139, 283
- Type I error, 27, 94, 95, *see also* false positive
- Type II error, 27–8, 67, 212, *see also* false negative
- Type II sums of squares, 245
- unbiased, 7, 51, 123
- underpowered, 14, 149, *see also* power analysis
- uniformity (of the animals), 95
- unpaired *t*-test, 25, 163–7, 267–72
- unstructured covariance structure, *see* repeated measures mixed-model approach

- upper boundary, 153, 161
- upper quartile, 140, *see also* interquartile range
  
- variability
  - between-animal variability, 37, 102, 118, 127, 191, 208–9
  - within-animal variability, 37, 49, 59, 61, 102, 118, 150, 167, 190, 195
- variables, 32, 201, 211, 238–40
- variance, 14, 49–51, 96, 138, 160, 164, 192, 192, 215–17
  - sample variance, 23, 138, 264
  - true variance, 138
- variance components, 101–5, 288, *see also* nested design
  
- variance-covariance matrix, 192–3
- vehicle control, 35
  
- wash-out period, 59, 62, 63, *see also* crossover trial
- Welch's *t*-test, 164, 267, 272
- whisker, 142–3
- Wilcoxon Rank Sum test, 260
- Wilks–Lambda adjustment, *see* repeated measures ANOVA-based approach
- window of opportunity, 31, 68–9, *see also* factorial design
- within-animal analysis, 116, 190, 272–7
- within-animal measurements, 102, 103, 105, 112, 129
- within-animal variability, *see* variability