

Index

- σ -compact, 455
- accumulation point, **337**, 342
 in a topological space, **354**
- addition, 593
- adherent, **608**
- adjoint, **405**
- adjugate, 599
- algebra, **601**
 graded, **604**
 unital, **601**
- altitude, **542**
- annihilator, **316**
- arc, 470, 471
- Arzelà–Ascoli theorem, ix, 446, 448
 local, 459
- attractor, **452**
- axiom of choice, 609
- azimuth, **542**
- Baire’s category theorem, ix, 381, 420–430
- Banach sequence space, **430**
- Banach space, **395**
- Banach, S., 395
- Banach–Steinhaus theorem, 423
- base for a topology, **348**, **354**
- base of neighbourhoods, **349**, **354**
- basis, **592**
 standard, **593**
- Bernoulli space, **365**
 sequence space, **365**, 370, 436, 443
- between, **323**
 halfway, **323**
- bilinearity, 312
- bivector
 simple, **604**
- Bolzano–Weierstrass theorem, 431, 435,
 452, 609
- boundary, **346**, 349, **354**, 382, 533
- bounded, 306, 439
- in norm, **311**
 locally uniformly, 459
- Cantor set
 fat, 523, 537
- Cantor’s ternary set, 370, 394, 457
- Carlyle, T., 481
- Cauchy sequence, **386**
 uniform, **388**
- Cauchy’s
 inequality, **304**, 312
- Cauchy, A.-L., 304
- Cauchy–Schwarz inequality, **314**, 461, 481
- cell, 513
- central core, **324**
- centre, **324**
- chain, 609
- chain rule, 488, 492, 498, 506, 510,
 543
- change of variables, **471**, 534–543
- chart, **549**, **551**
- checker-board colouring, 476
- choice
 axiom of dependent, 348, 373,
 421
- circle, 467
 unit, **472**
- closed graph theorem, 424
- closed set
 in a metric space, 342–349
 in a topological space, 360
- closure
 in a metric space, 342–347, 349
 in a topological space, **354**, 356
- closure point
 in a metric space, 342–345, 349
 in a topological space, **354**, 359
- coordinate projection, **361**
- column, **593**
- column operation, **596**

- compact
 - countably, 437
 - sequentially, **435**
- compact set
 - in $C(K)$, 445–448
 - in a metric space, 441–445
 - in a topological space, 431–435
- compactification, **454**
 - one-point, **454**
 - two-point, 457
- complete metric space, 386–394
- completely regular, 371
- completion of a metric space, **409–411**
- component
 - path-connected, **474**
- configuration space, **449**
 - n -point, **450**
 - finite, **450**
- conjugate linear, **403**
- conjugation, 313, 320
- connected, 464–470
- constituent cells, 513
- content, 513
- continuity
 - in a metric space, 337–342
 - in a topological space, **354**
 - joint, **362**
 - separate, **362**
 - uniform, 388
- contraction mapping, **412**
- contraction mapping theorem, 412
- convergence
 - absolute
 - in a Banach space, **396**
 - absolutely uniform, **397**
 - coordinate-wise, 331
 - in a topological space, **354**
 - local uniform, **457**
 - of a filter, **607**
 - of mappings between metric spaces, 337–342
 - of sequences in a metric space, 330
 - uniform, 332
 - uniform on compact sets, **457**
- convex, **309**
 - body, 532
 - strictly convex normed space, 326
- countability properties, 375–379
- cover, 431
 - finite, 431
 - open, 431
- Cramer's rule, 599
- cross product, 604–606
- cross-section, **361**, 363
 - mapping, **361**, 363
- curl, **573**, 587–590
- curve, 470, **548**
 - simple, **548**
 - simple closed, **548**
 - steady, **548**
- cylindrical polar coordinates, **542**
- dense, 349
 - in a metric space, 343
 - in a topological space, **354**
- derivative, **486**
 - directional, 496–500, 507
 - higher, 507
 - partial, 496–500, 507
 - second, **504**
- derived set, **342**, 349, **354**
- determinant, **597**
- diameter, **306**
- diffeomorphism, **502**, 545
- differentiable, 486
 - continuously, **487**
- differential manifold, **545**, **546**
- differentiation, 485
 - under the integral sign, 543
- dimension, **593**
- Dini's theorem, 438, 448, 528
- Dirichlet problem, 585
- disc, open, 382
- discontinuity, **338**
- dissection, 513
- distance, **303**, 481
- divergence, **573**
- divergence theorem, 572–582
- dual space, **403**
- dyadic rational number, 325, 373
- edge, **471**
- endomorphism, **595**
- entropy
 - Shannon, **560**
- equicontinuous, **446**
 - uniformly, **448**
- Euclidean metric, 386, 387
- Euclidean space, **317**
- Euler, L., 399
- exterior algebra, 601–604
- F_σ set, **392**
- filter, 357, **607**
 - base, 611
 - free, **611**
- final point, **470**
- finite intersection property, **431**, 609
- finite-dimensional, **592**
- first category, **422**
- first countable, 375, 380, 384
- fixed point, **412**
- frontier, **346**, 349, **354**
- function
 - $C^{(k)}$, **508**
 - convex, **309**

614

Index

- harmonic, **573**, 582–587
 - Lipschitz, 493
- fundamental sequence of compact sets, **456**
- fundamental theorem
 - of calculus
 - vector-valued, 524
- G_δ set, **392**
- general principle of convergence
 - in \mathbf{R} , 386
 - local uniform, 459
 - uniform, 388, 395
- grad, **486**
- gradient, **486**
 - normal, **556**
 - tangential, **556**
- Gram–Schmidt orthonormalization, 317
- graph, **375**
- group
 - alternating, **597**
 - general linear, **418**, 534, **595**
 - orthogonal, 327
 - permutation, 597
- Hahn–Banach theorem, 510
- Hausdorff space, 371, 379, 380, 607
- Heine–Borel theorem, 431, 452
- Hermitian, 313
- Hermitian bilinear form, **313**
- Hilbert cube, **370**, 436, 442
- Hilbert space, **395**
- Hilbert, D., 395
- homeomorphism, **341**, **355**
 - uniform, **389**
- hypersurface, **546**
- image, 594
- immersion, **545**
 - $C^{(k)}$, **545**
 - smooth, **545**
- implicit function theorem
 - differentiable, 502
 - Lipschitz, 413, 503
- inclination angle, **542**
- indicator function, 364
- initial point, **470**
- inner product, **312**
 - usual, 313
- inner-product space, **313**
- inside, **568**
- integral
 - Cauchy principal value, 524
 - elementary, 513
 - improper, 527
 - Lebesgue, 524
 - repeated, 525
 - Riemann
 - of several variables, 517–525
- integral equation, 414
 - Fredholm, 418
 - Volterra, 419
- interior, interior point, 349
 - in a metric space, **345**
 - in a topological space, **354**
- intermediate value theorem, 465
- inverse, **595**
- inverse function theorem
 - Lipschitz, 416, 537
- inverse image, 351
- inverse mapping theorem
 - differentiable, 500
- invertible, 417, 500, **595**
- involution, 320
- isolated point
 - in a metric space, **337**, **342**, 349
 - in a topological space, **354**
- isometry, 319–323
 - linear, 319
- isomorphism
 - linear, **594**
- isomorphism theorem, 424
- Jacobian, 498
- Jordan content, **523**, 530–534
 - inner and outer, **531**
- Jordan measurable, **523**, 530
- Jordan–Brouwer separation theorem, 568
- juxtaposition, **470**
- Lagrange multipliers, **557**
- Lagrange’s identity, 304
- Lagrangian, **562**
- Laplacian, **574**
- lattice, 365, 513
- length, **480**
- limit
 - in a metric space, 337
 - of a filter, **607**
- limit point, **337**, 342, 349
 - in a metric space, 337, 342
 - in a topological space, **354**, 360, 371
- line segment, **470**
- linear functional, **403**
- linear operator, **400**
- linear subspace, **591**
- linearly independent, 317, 592
- linked, **469**
- local coordinates, **549**
- local maximum, **555**
 - constrained, **556**
 - constrained strict, **556**
 - strict, **555**

- local minima, **555**
- local minimum
 - constrained, **556**
 - constrained strict, **556**
 - strict, **555**
- locally compact, **453**
- locally connected, 468
- locally path-connected, 479
- manifold
 - $C^{(k)}$, **546**
 - differential, **545**
 - smooth, **546**
- map, mapping
 - bilinear, 489
 - linear, 309, **594**
 - bounded, **401**
 - Lipschitz, **340**, 389
 - orthogonal, 327
 - restriction, 447
- matrix, 497, **593**
 - diagonal, **596**
 - elementary shear, **596**
 - invertible, **595**
 - orthogonal, 328
 - square, **594**
- maximal
 - connected subset, 468
 - path-connected subset, 474
- maximum
 - strict local, **348**
- Maxwell, J.C., 486
- Mazur–Ulam theorem, ix, 323
- mean-value inequality, 491–496
 - for integrals, 520
- mesh size, 513, 523
- metric, **303**
 - p -adic, **308**
 - arc-length, **308**
 - discrete, 305
 - equivalent, **341**
 - Euclidean, **304**, 305
 - Hamming, **308**
 - Hausdorff, **448**, 450
 - infinite product, **369**
 - Lipschitz equivalent, **341**
 - product, **367**
 - standard, 305
 - subspace, 305, 340
 - uniform, **307**, 332, 345
 - uniform product, **389**, 393
 - uniformly equivalent, **389**
 - usual, **303**
- metric space, **303**
 - congruent, 322
 - similar, 322
- metric subspace, 305
- metric symmetry, 322
- metrizable, **353**
- mirror, 320
- multiplication, 601
 - matrix, 595
- nabla, 486
- neighbourhood
 - in a metric space, **349**
 - closed ϵ -neighbourhood, 350
 - open, **330**
 - punctured ϵ -neighbourhood, **337**
 - in a topological space, **354**, 607
 - punctured, **354**
 - well-behaved, **570**
- net, ϵ -net, **439**
- Neumann series, 417
- Newton–Raphson method, 496
- Niemytzki space, 382
- norm, 309
 - dual, **403**
 - equivalent, **401**
 - Euclidean, **311**
 - operator, 402
 - product, **367**
 - uniform, **311**
- norm bounded, **311**
- normal, 371, 383, 384, 432
- normal space, **549**
- normed space, **309**
 - finite-dimensional, 460
- nowhere dense, **422**
- null-space, 328, **594**
- nullity, **594**
- open ϵ -ball, **345**
- open ϵ -neighbourhood, 345
- open mapping theorem, 423
- open set
 - in a metric space, **345**
 - in a topological space, 353
- open unit ball, **345**
- operator
 - elementary shear, **534**, **596**
 - scaling, **534**, **596**
 - self-adjoint, **546**
- order
 - partial, 365, 513
- ordinary differential equation, 414
- orthogonal, **315**
- orthogonal projection, **318**
- orthonormal
 - basis, **317**
 - sequence, **317**
- oscillation, **306**, 425, 515
- Osgood’s theorem, 381, 385
- outside, **568**

- parallelogram law, **315**
 parametrization, **549**
 path-length, 495
 parametrization, path-length, 482, 495
 normalized, 482
 parity, 476
 odd, even, 476
 partial order, 365, 513
 partition of unity, smooth, **565**
 path, **470**
 circular, **472**
 closed, **470**
 continuously differentiable, 493
 dyadic, **471**
 equivalent, **471**
 Hilbert's, 476–478, 480
 linear, **470**
 piecewise continuously differentiable, 493
 piecewise linear, or polygonal, **471**, 495
 rectifiable, **480**
 rectilinear, **471**
 similar, **471**
 similar closed, **471**
 simple, 471
 simple closed, **472**
 space-filling, 478
 path-connected, **473**
 locally, **474**
 path-connected component, **474**
 Peano, 475
 perfect set
 in a metric space, **342**, 349
 in a topological space, **354**
 point at infinity, **454**
 Poisson kernel, 584
 polarization formula, **315**
 positive definite, 313
 positive semi-definite, **316**
 pre-inner-product space, **316**
 precompact, **439**
 principle of condensation of singularities, 423
 principle of uniform boundedness, 422
 projection
 orthogonal, **406**
 pseudometric, **307**, 311

 quadratic form, **558**
 quotient vector space, 312

 radius, **542**
 rank, 328, **594**
 rank-nullity formula, 328, 594
 refine, 513, **607**

 reflection
 simple, 320
 regular, 371, 380
 removable discontinuity, **349**
 reparametrization, **471**
 reverse, **471**
 Riemann integral, x , 515–517
 right shift, **405**
 Rolle's theorem, 555
 rotation, 320
 elementary, 328
 row, **593**
 row operation, **596**

 saddle point, **559**
 sandwich principle, 339
 scalar, **591**
 scalar multiplication, **591**
 scalar potential, **573**
 scalar triple product, **605**
 Schwarz, H.A., 312
 second category, **422**
 second countable, 375, 384, 442
 self-adjoint, 547
 seminorm, **311**
 separable, **347**, 349, **354**, 375, 380, 384, 442
 separation properties, 370–375
 sesquilinearity, 313
 signature, **597**
 span, **591**
 special linear group, **548**
 sphere, unit, 342, 499, 546
 spherical polar coordinates, **542**
 split, **464**
 splitting, **464**
 splitting point, **469**
 stationary point, **555**
 constrained, **556**
 step function, 514
 subadditive, **309**
 subcover, 431
 submersion, **545**
 $C^{(k)}$, **545**
 smooth, **545**
 Sunyer y Balaguer, F., 426
 symmetric, 316, **324**
 symmetric bilinear form, **313**
 symmetric difference, 308
 symmetry, 313

 T_1 space, 371, 379
 tail sequence, **392**
 tangent, 382
 tangent bundle, **551**
 tangent space, **549**
 tangent vector, **548**

- tend, 330, 337, 354
- test
- Abel's
 - for Banach spaces, 399
 - Cauchy's
 - for Banach spaces, 396
 - D'Alembert's ratio
 - for Banach spaces, 397
 - Dirichlet's
 - for Banach spaces, 398
 - Hardy's
 - for Banach spaces, 398
 - uniform, 398
 - Weierstrass' uniform M , 397, 399
 - for products, 397
- Tietze's extension theorem, 406, 407
- topological space, 353
- subspace, **355**
- topologically complete, **392**
- topology, 349
- Bernoulli, **365**
 - coarser or weaker, **354**
 - cocountable, **355**
 - cofinite, **355**, 379, 433
 - discrete, **355**
 - finer or stronger, **354**
 - indiscrete, **355**
 - metric space, **353**
 - of a metric space, **345**
 - of local uniform convergence, 458
 - of pointwise convergence, **364**
 - one-sided, **355**
 - product, **363**
 - quotient, **355**
 - right half-open interval, **356**
 - subspace, **355**
 - Zariski, **355**
- totally bounded, **439**
- trace, **600**
- track, 473
- translation, 320
- translation-invariant, **309**
- transpose, 546
- triangle inequality, **303**
- Tychonoff's theorem, ix, 607, 610
- ultrafilter, **609**
- ultrametric, **349**
- unit sphere bundle, **552**
- unit vector, **310**
- unit volume element, **604**
- unitary space, **317**
- upper semi-continuous, 360
- Urysohn's lemma, 352, 373, 408
- Urysohn's metrization theorem, 378, 443
- vector, **591**
- vector derivative, 589
 - vector field, **572**
 - conservative, **573**
 - solenoidal, **573**
 - vector space, **591**
 - vector triple product, **606**
- vertex, **471**
- volume, 513
- well-linked, **469**