

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience,
and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

Index

- Abas, Melanie, 545
 abstinence, 381
 Accra, Ghana, 308, 310
 acetylation, histone, 209
 acetylcholine (ACh), orienting, 278, 283
 ACTH (adrenocorticotrophic hormone),
 210, 212, 321
 action observation networks, 150
 action rules, 67
 addiction
 availability and accessibility, 388
 biomedicalization, 376
 biomolecular model, 379
 brain disease model, 378–83
 chronic relapsing brain disease, 375, 379
 conceptual frameworks, 378
 core behavioral components, 385
 disease of denial, 383
DSM-IV, 382
DSM-5, 382
 heroin, 391
 material milieu, 388–90
 NIDA model, 378–83
 physiological vs. psychological, 382
 self-control, 387
 social milieu, 388–90
 stigma, 383
 talk-based therapy, 383
 trajectories, 390–1
 use of term, 378
 ADHD (attention deficit hyperactive
 disorder), 56, 290–1
 dimensions, 187
 genetic variation, 280
 medications, 548
 parenting quality, 276
 rare variants, 192
 adolescents. *See also* children
 African and Caribbean origin populations
 in the U.K., 333–4
 bipolar disorder, 237
 depressive disorders, 244
 diagnostic criteria, 237
 drug users, 386
 eating disorders, 517
 emotional dysregulation, 247
 fMRI, 287
 morbidity and mortality, 244
 prefrontal cortical regions, 244
 risk of affective disorders, 239
 risk for bipolar disorder, 247
 sensitive to rewards, 245
 social withdrawal, 407
 SWYEPT (Southwest Youth and the
 Experience of Psychiatric Treatment),
 136
 television, 522–3
 temporality, 122–4
 Adolphs, Ralph, 476
 adoption studies, bipolar disorder, 237
 adrenal cortex, 210, 321
 adrenal gland weight, 213
 adrenocorticotrophic hormone (ACTH),
 210, 212
 child abuse, 212
 stress response, 321
 adverse effects, diagnosing, 566
 adversity, ten-year study on, 329
 affect, 121
 dysphoric, 128
 schizophrenia, 130, 135
 affective disorders, adolescence and, 239
 developmental trajectory, 238
 functional connectivity, 252–4
*Afflictions: Culture and Mental Illness in
 Indonesia*, 484–6, 505
 Affordable Care Act, 193
 Africa
 epidemics, 613
 incidence of delusions, 471
 interdependence, 310
 NFP-AN (non-fat-phobic anorexia
 nervosa), 520
 space for therapy, 596

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

662 Index

- African Development Bank, 597
 agency, 521
 ataque de nervios, 441, 453–4
 cultural variability, 535
 enactments of, 383
 lacking, 537
 restructuring of symptoms, 171
 shaped by environment, 622
 weight management, 523, 533
 agentic model, 490–1
 Aggarwal, Neil, 470
 aggression, 220, 442–3
 “Air Loom,” 469
 Aka foragers, 288
 Alcaro, imaging meta-analysis, 98
 alcohol-use disorders, 213
 Alcoholics Anonymous (AA), 377, 388
 alcoholism, 377, 379
 alerting, 277–8
 alerting attention, 279–80
 alerting network, 284
 alien experience, explaining, 141
 alienation from the other, 161
 alienism, 45–6
 Allardyce, J., 325
 alpha-2A receptor gene (*ADRA2A*), 280
 alphabetic language, 438–9
 altered perceptions, 452
 alterity, 156, 159–60
 Alzheimer’s disease, 47, 283, 559, 564
 American Family Therapy Academy
 (Kosovo), 586, 616
 American Society of Addiction Medicine,
 375
 Americans, hearing voices, 308–9
 amnesia, 442, 453
 amphetamine challenge, 348
 amygdala, 210, 220, 244
 animal models of hyperactivity, 98–9
 bipolar disorder, 252
 emotional working memory task, 255
 emotionally salient information, 240,
 244–5
 hyperreactivity, 366–7
 resting-state activity, 98
 suspicion and, 475
 urban life, 325
 Anderson-Fye, E. P., 530
 Andreasen, Nancy, 68, 306, 478
 androgen receptor (AR), 258
 anger
 ataque de nervios, 442–3
 fear, 147
 gendered expression, 492
 grief vs., 126–7
 Javanese, 492–3
 “animal magnetism,” 469
 animal models, 98–9, 630
 animosity, 603
 anorexia nervosa (AN), 185–6, 519–22,
 531, 534
 anterior cingulate cortex (ACC)
 animal models of hyperactivity, 98–9
 attention networks, 286, 289
 bipolar disorder, 246
 control systems, 287–8
 dopaminergic pathways, 286
 executive attention, 284–5
 meditation, 293
 obsessive compulsive disorder (OCD),
 292
 spindle cells, 285
 Tourette syndrome, 292
 anterior cingulate gyrus (ACG), 220, 281
 bipolar disorder, 190
 emotion regulation, 240–3
 executive attention, 278
 anterior cortical midline structures
 (aCMS), 104
 anterior insula (AI), 92, 101, 150, 240, 285
 anterior temporal cortex, 244
 anthropology, 477
 cultural patterning, 136
 dialogue with psychiatry and psychology,
 125
 RDoC and, 307
 anticipation, pathology of, 381
 antidepressants, 217, 274, 548
 antipsychiatry, 1
 antipsychotics, 172, 503
 drug sales, 548
 first- vs. second-generation, 564
 morbidity, 558
 Zyprexa, 556
 antisocial personality disorder, 186
 anxiety, 252, 403, 489
 activation of trauma recall, 367
 developmental trajectory, 220, 238
 empathy, 150
 failed predictions, 635
 increased in response to symptoms, 357
 multiplex model, 366–9
 spatial orienting, 276
 symptoms, 343, 357, 367
 tension in neck and shoulders, 360
 TrkB gene, 217
 anxiety disorder, 181, 348
 anxiety sensitivity, 186, 452
 anxiety-dissociative paroxysms, 461
 anxiety-related disorders, 366–7

- anxiolytic medication, 351–2
 “anyone but me” attitude, 602
 APA, *DSM-5* discussion, 183
 appetite, poor, *khyâl* attack, 356
 Applbaum, Kalman, 389, 614
 architectural spaces, 637
 arcuate fasciculus (AF), 247
 arginine vasopressin (AVP), 212, 214–15, 221
 Aristotle, 180
 arm soreness, *khyâl* attack, 356
 arousal and regulatory systems, 194–5
 arousal complex, 369–70
 Artaud, Antonin, 135
 Asia, incidence of delusions, 471
 Asian Americans, family vs. self thoughts, 410
 asphyxia, *khyâl* attack, 359
 aspirations, thwarted, 334
 assessment, models, 645
ataque de nervios, 350, 444, 461
 clinical ethnography, 445–7
 cultural form of panic attack, 352, 437
 defined, 441
 experiential dimensions, 441–2
 symptoms, 442–3
 DSM-5 category, 442
 attention. *See also* executive attention
 alerting, 277–8
 functional magnetic resonance (fMRI), 282
 functional organ system, 274, 275, 277–8
 information-processing hierarchy, 276
 molecular genetics, 287
 neurodevelopment, 287–9
 orienting, 277–8, 280–3
 subcortical areas, 286
 voluntary control, 277, 286
 attention deficit disorder, 237, 564
 attention deficit hyperactive disorder (ADHD), 56, 290–1
 dimensions, 187
 genetic variation, 280
 medicines, 548
 parenting quality, 276
 rare variants, 192
 attention networks, 277
 attention systems
 emotional and behavioral regulation, 290–1
 functional anatomy, 286–7
 genetics, 286–7
 three-network model, 276, 277–8
 attention training (AT), 19, 289–90, 292
 attentional amplification, 346, 367
 attentional control, 244
 attentional function impairment, 189
 attentional level, 640
 attentional processes, symptom emergence, 410–11
 attributional level, 640
 atypical antipsychotics, 560
 Alzheimer’s disease, 559
 Japan, 552
 name of, 561
 off-label use, 564
 placebos vs., 274
 profit, 548
 atypical neuroleptics, 8
 auditory hallucinations, 105, 131, 134, 308–10, 626
 Australia
 anorexia nervosa, 531
 media exports, 522
 schizophrenia patients, 134
 social anxiety, 418
 authenticity, self-understanding, 155
 authority, 173
 autism spectrum disorders, 187, 192, 194
 autognosis, 143
 automata theory, 630
 automatic emotion regulation, 241–3
 autonomic nervous system (ANS), 149
 autonomy, 521, 530, 533
 Avicenna, 180
 avoidance, 640
 avoidant attachment style, dimensional, 186
 AVP (arginine vasopressin), 212, 214–15, 221
 Axis-I disorders, 207
 Ayurvedic medicine, 179

 Bali, 485–8, 492
 Balinese culture, 490
 Balinese ritual, 493
 Bambang, 483, 485, 488–9
 delusions, 491
 gender expectations, 494
 identity, 504
 institutionalized care, 498
 label, 495
 Ban, Thomas, 553
 Bangladesh, 132
 Barrett, Robert, 16, 130–6, 174
 basal ganglia, 278, 287, 291
 Basu, S., 556
 Bateson, Gregory, 13, 126, 377, 590–1, 594, 637

664 Index

- BDNF (brain-derived neurotrophic factor), 221, 323
- Beck Depression Inventory (BDI), 84
- Beck, A. T., 128
- Becker, Anne, 613–14
- Becker, Howard, 385
- becoming, 170
- Behague, Dominique, 547
- behavior, 152, 533
- behavior patterns, maladaptive, 154
- Behavioral and Psychological Symptoms of Dementia (BPSD), 560–1
- behavioral dysregulation disorders, 247
- behavioral functional analysis, 413
- behaviorism-operationalism, 68
- Belize, anorexia nervosa, 530
- Bellah, R. N., 623
- belongingness, 86, 108
- Benítez-Rojo, Antonio, 450
- benzodiazapines, 549, 556
- Beobachtung- und Protokolsätze (observational- and protocol-statements), 67
- Berlin Wall, fall of, 407
- Berridge, K. C., 381
- Berrios, German, 173
- Berze, Josef, on schizophrenia, 85
- Bhabha, Homi, 501
- Bible, 134
- Biehl, Joao, 558–9
- Big Data, 197
- big pharma, 550, 564
- Binbay, 328
- binge-eating disorder, 518, 534
- binge-eating/purging, 185–6
- bio-bio-bio model, 306, 311
- bioattentional looping, 343, 352, 368–9
- biological amplification, 346, 352, 367
- biological causation, dimension of somatic symptom, 358
- biological processes, conceptualizing, 384
- biological risk, personal history, 368
- biological self, 622
- biological specificity, 55
- biomedical interventions, LMICs, 546–51
- biopower, 568
- biosocial entanglement, 384
- bipolar disorder (BD), 19, 236
 - age-related changes, 249
 - boundaries, 180–1
 - children and adolescents, 237
 - developmental trajectory, 238
 - DNA methylation, 219
 - facial recognition, 252
 - familial risk, 248, 252–3
 - family-based intervention, 591
 - fractional anisotropy (FA), 250–2
 - functional connectivity, 252–4
 - GABA, 191
 - genetic overlap, 194
 - genetic risk, 192
 - heterogeneity of clinical samples, 256
 - heuristic model, 238
 - Ketut, 502
 - over-diagnosis, 237
 - radial diffusivity (RD), 250–1
 - schizophrenia vs., 190
 - spectrum disorder, 237
- bipolar disorder, not otherwise specified (BD-NOS), 253
- bipolar disorder type I (BD-I), 253
- “Black British,” 330
- black fever epidemic, 181
- black magic, 502
- black-box, brain disease model, 376
- “blacking-out,” 458
- blame, 563
- Blankenburg, 134
- Bleuler, E., 85, 152
- blindness, *khyâl* attack, 353, 355
- Blödsinn* (“dementia”), 180
- blood pressure, drop in, 360
- blurry vision, *khyâl* attack, 353, 355–6, 361
- bodily feeling, 149
- body dissatisfaction, 523
- Body Mass Index (BMI), 524–5
- Body Perception Questionnaire (BPQ), 102
- body size, Fiji, 522
- body-focus, increased, 83
- body, delusions, 474
- Bofi foragers, 288
- Bogota, Columbia, 136
- border camps, 344–5
- borderline personality disorder, 187, 286
- Borobudur, Java, 488
- bottom-up organization, 625
- Bourdieu, P., 448
- Boydell, J., 325, 332–3
- boys vs. girls, pubertal maturation, 258
- BPQ (body perception questionnaire), 102
- brain
 - architecture, premorbid, 633
 - as computer, 636–7
 - development, 320
 - inscriptions, primary vs. secondary, 15
 - mechanisms, voluntary control, 275
 - modular organization, 634–5
 - networks, 20, 635–6
 - organization, rings, 91–4, 99, 103, 108
 - regions, empathy, 149

- representation, 57–9
- reprogramming, 636
- brain activity
 - intrinsic activity, 87–90
 - resting-state activity, 87–90
 - task-evoked, 87
- brain-derived neurotrophic factor (BDNF), 216–17, 221, 323
- brain-disease model of addiction, 378–83
- brain–body–behavior networks, 20
- brainstem, 149
- brand as reality, 561
- brandchannel.com, 561
- branding, by psychiatric condition, 561
- Brazil
 - Alzheimer's, 564
 - ecologies of care, 557–60
- Brevik, Anders Behring, 68
- Bresnahan, M., 319
- British National Psychiatric Morbidity Survey, 322
- British Pakistani, incidence of delusions, 471
- Bronfenbrenner, U., 589–90
- brooding, 84
- Brown, G., 127
- Buddhism, 127
- bulimia nervosa (BN), 185–6, 518, 532, 534
- bullying, 326
- buprenorphine, 382
- burden of disease, 3, 206
- burdens, 496–7
- Bursztajn, H., 566
- Butabika Hospital, 597

- c/s/x* (consumer/survivor/ex-patients) of schizophrenia, 135
- caffeine intake, 407
- Cambodian refugees
 - adversity history, 344–5
 - dizziness, 349, 352, 359–60
 - neck soreness, 349, 352, 360–1
 - panic attacks, 362–5, 416
 - PTSD, 344–5
 - self-treatment for *khyâl* attacks, 357–8
 - standing up, 349, 362–5
 - tinnitus, 349
- Campbell, Nancy, 383
- Canada, social anxiety, 418
- Canguilhem, G., 130
- cannabis, 326, 328
- cannabis use, 187, 320
 - African-Caribbean population, 331
 - decreasing impact, 335
- Capgras delusion, 153
- career, drug and alcohol use, 391
- caregivers, 559, 585
- Caribbean origin population, individual-level risk, 331
- Caribbean, incidence of delusions, 471
- Caridade Hospital, 559
- Carr, Summerson, 383
- Carter Center Mental Health Initiative (Liberia), 598
- Cartesian dualism, 377
- Cartesian mechanism, 46
- case studies. *See also* Bambang; Ketut Anaseine (*iTaukei* Fijian), 528–9; Asenaca (*iTaukei* Fijian), 525–7; Catarina (Brazilian), 559; Indonesia, 614; Kesaia (*iTaukei* Fijian), 527–8; orthostatic panic, 362–5; psychosis incidence of African and Caribbean people in U.K., 329–34; Tamarisi (*iTaukei* Fijian), 528; immigrant student (Korean), 401–2, 422
- catastrophic cognitions, 346–7, 349, 351–2, 365, 421
- catatonia specifier, schizophrenia, 180
- catechol-*O*-methyltransferase (*COMT*), 287
- categorical structure, 185–6
- category fallacy, 13
- CATIE (Clinical Antipsychotic Trials of Intervention Effectiveness) study, 564
- caudate nucleus, 291
- causal explanations, 143–4
- causal pathways, 630
- causes, distal vs. proximal, 641
- cellular differentiation, 283
- cellular plasticity, epigenetic regulation, 219
- cellular systems, mechanistic links, 196
- chameleon effect, 146
- change
 - context of, 52
 - interpretation of, 52–3
 - quality of, 52
 - rate of, 52
- Charcot, Jean-Martin, 47
- checklists, 66, 68, 478
- chemical imbalance thesis, 563
- Chennai, India, 308, 310
- Chentsova-Dutton, Yulia, 641
- chest tightness, 421
- child abuse, 207–8
 - DNA methylation, 216–17
 - HPA axis effects, 212–13
- child development literature, 589–90

666 Index

- child development, framing empathy, 148
 child health interventions, task shifting, 585
 Child Led Indicators (CLI), 593–4
 child soldiers, 592–5
 childhood trauma, 323–4
 childhood, brain development, 320
 children. *See also* adolescents
 bipolar disorder, 237
 control of, 449
 diagnostic criteria, 237
 fMRI, 287
 labeling of, 9
 mood stabilizers, 564
 self control, 448
 China, 129, 402, 406, 418, 628
 China, Shanghai, incidence of delusions, 471
 Chinese classification systems, 180
 Chinese, reading, 438–9
 chlorpromazine, 487, 554
 cholera, 568
 Christians, 309
 chromatin, 217
 chronic, relapsing brain disease, 382
 CIDI (Composite International Diagnostic Interview), 69
 cingulate activity, infancy, 288
 cingulate cortex, 92
 cingulate system, error detection, 288
 cingulo-cuneus activity, 288
 cingulo-opercular network, 287–8
 ciprofloxacin, 556
 circuit-neuroscience classification, 194
 citalopram, 217
 Clark, D. M.
 panic attack model, 344, 346–50, 416
 social anxiety model, 416–19
 classification with known brain damage, 188–9
 Clinical Antipsychotic Trials of Intervention Effectiveness (CATIE) study, 564
 clinical epistemology, 629
 Clinical Impairment Assessment, 532
 clinical understanding, 142–4
 clinicians, 56, 169–70
 clinics, intercultural, 155–9
 Clinton Health Access Initiative, 599, 616
 clonazepam (Klonopin), 549
 Cloninger, C. R., 181
 cluster analytic procedures, 185
 clusters, 440
 comorbidities
 attention deficit hyperactivity disorder (ADHD), 290–2
 obsessive compulsive disorder (OCD), 290–2
 Tourette syndrome, 290–2
 co-presence, 143
 cognition, 639
 cognitive-behavioral analysis, 196
 cognitive-behavioral interventions,
 Tourette syndrome, 291
 cognitive behavioral therapy (CBT), 19,
 292, 403, 413, 416–21
 cognitive bias, 310
 cognitive domains, 189
 cognitive impairment, 189
 cognitive interviewing techniques, 415
 cognitive-perceptual looping, 409
 cognitive processing of the self, 82–4
 cognitive representations, 409
 cognitive rigidity, 531
 cognitive self-regulation, 287
 cognitive systems, 194–5, 274
 Cohen, A., 551
 coining, 351–2, 357–8, 362
 cold hands or feet, *khayāl* attack, 356
 collective history, 627
 collective “public mental health,” 567
 collectivism, 496
 colliculi, 91
 colonial psychiatry, 161
 colonial subjugation, 500–1
 colonialism, 157, 161, 451, 614
 Columbia, 136, 386
 commercial biopower, 568
 commercial globalization, 552
 commitment to psychiatric ward, 489
 common factors, 582
 Communist Party of Nepal Maoists, 592
 Community Care for People with Schizophrenia in India (COPSI), 596
 community development, 334–5
 community mental health, 174, 586, 596
 community psychosocial workers (CPSWs), 594
 community stakeholders, 594–5
 community-wide relationships, 596
 comorbidity, 206, 615
 compassionate concern, 148
 compensations, stages of disease, 181
 complex-systems thinking, 623
 complexity theory, 638
 component processes, 630
 Composite International Diagnostic Interview (CIDI), 69
 comprehensive behavioral intervention for tics (CBIT), 292–3
 computer tomography (CT), 190

- condition-branding, 561
 confidentiality, 596
 confinement, 498
 conflict network, 284
 conflict resolution, 286
 conflict, gendered expression, 492
 Congo Basin rainforest, foragers, 288
 connectome, 49, 236, 641
 developmental trajectories, 261
 emotion and, 239
 multimodal neuroimaging of, 252
 connectomics, 20, 633
 conscious state, change in, 50–3
 consciousness, phenomenology of, 86–8
 consensual reality not universal, 157
 Consortium for Neuropsychiatric Phenomics at UCLA, 195
 conspiracy theories, 470
 construction of “symptom-to-be,” 51
 consumer idiom, 547
 consumer/survivor/ex-patients (c/s/x) of schizophrenia, 135
 content, context vs., 420–1
 context of change, 52
 contexts, 158, 435
 clinical and research settings, 17
 context and culture, 6, 11–12
 contexts of learning and performance, 10
 contexts of suffering, 3
 context of symptoms, 15
 ecosocial context, 3, 13, 638, 641, 647–50
 social context, 3, 11–13, 17, 20, 23, 28, 143, 147, 150, 157, 275, 308, 328, 384, 400, 506, 516–17, 519, 521, 617, 624, 647–8, 650
 Continental Europe, incidence of delusions, 471
 contingencies, 391, 645
control-tranquilidad, 444–5, 447–50, 454
 control, 474, 520, 527
 gendered, 447–8
controlado/a, 444
 conversation, in psychiatric assessment, 77
 coordinated activity, 634
 Corin, E., 132–3
 coronary artery disease, genetic risk, 192
 corporal defilement, 133
 corpus callosum, 19, 220
 age-related changes, 249–50
 bipolar disorder, 246–7
 correlations, not generalizable, 632
 cortical hypertrophy, 213
 cortical midline structures (CMS), 91–3, 104, 108
 cortico-striatal-thalamo-cortical (CSTC) loops, 291–2
 corticosterone, 210, 212
 corticotropin releasing hormone/factor (CRH/CRF), 210, 212, 221, 321
 binding sites, 212–13
 expression, 212–13, 215
 ELA, 215
 epigenetic alteration in mice, 215
 gene promoter, 215
 cortisol, 210, 212, 321
 Cosgrove, L., 566
 Costa e Silva, Jorge Alberto, 560
 countertransference, cultural, 157
 Courtwright, David, 389
 CpG dinucleotides, 209, 217
 Crafa, Daina, 307
 craving, 381, 386
 criminal justice system, 169
 criteria, 76
 “criteria of criteria,” 67
 critical attitudes, relapse, 497
 Critical Medical Anthropology (CMA) models, 579
 critical psychiatry, 1
 critical theory, 643
 Crohn’s disease, genetic risk, 192
 crying, *ataque de nervios*, 442–3
 Csordas, Thomas, 172
 cue-induced craving, 381, 386
 cultural competence, 157, 421–2
 cultural concepts of distress, 436, 456–7, 459
 cultural configurators, 55
 cultural contexts
 East Asian, 417
 non-Western, 416
 taken for granted, 158
 Western, 418
 cultural discourse, 171
 cultural documents, 598
 cultural explanations, 436
 Cultural Formulation Interview (CFI), 414, 459–60, 598
 cultural interpretative processes, 368
 cultural knowledge, 404
 cultural models, 388
 cultural neurophenomenology, 17, 628
 cultural orientation, 131
 cultural phenomenology, 119–20
 cultural psychiatry, 576
 cultural relativism, 119
 Cultural Revolution, 625
 cultural sameness, 470
 cultural scripts, 413
 cultural syndromes, 354, 436

668 Index

- cultural transference, 157
 cultural variation, 626
 cultural-contextual factors, 459
Culture and Depression (Kleinman and Good), 124, 136
 culture of modernity, 520
 culture-bound syndromes, 519
 culture-mind-brain, 404–5, 414
 culture
 centrality of, 160
 interpretive aspects, 435
 intersubjectivity and, 130
 locus of, 117
 as software, 637
 cumulative adversity index, 323
 cuneus, resting-state activity, 98
 custodial systems of care, 617
 cybernetics, 638
 “The Cybernetics of Self” (Bateson), 377
 cyclic adenosine monophosphate (cAMP)
 response element (CRE) binding site, 215
- D’Argembeau, A., 96
 Dackis, Charles, 380
 daily hassles, 322, 331
 DALYs (disability adjusted life years), 544, 547
 ischemic heart disease, 615
 defined, 615
 maps, 548, 549
 dangers of life, quotidian, 475
 Das, A., 550
DAT1, attention control, 287
 data aggregation, 197
 data collection, visual methods, 486, 506
 day treatment programs, 588
 de Menil, V., 551
 de Sauvages de Lacroix, François Boissier, 180
 deafness, *khyâl* attack, 353, 355, 359
 death, violent, 128
 “Decade of the Brain,” 1, 137
 decision making, 91, 220, 496
 default mode network (DMN), 15, 95, 104
 deinstitutionalization, 551, 558
 Deleuze, Gilles, 390
 Delphi exercises, 599
 delusion of control, 470
 delusions
 Bambang, 491
 culture and, 477
 differential diagnosis, 624
 motifs of, 471, 474
 schizophrenia, 105
 social power, 474–5
 DeVecchio Good, M.-J., 128
 dementia, 180
 familial risk, 192
 impairments, 560
 organic vs. non-organic, 48
 symptoms, 560
 treating, 560
 dementia with psychosis, 564
 demon, hearing voices, 171
 demoralization, 582–3
 Denpasar, Bali, 487
 dependent personality disorder, 402
 depersonalization, 442, 453
 depressed mood, interview example, 70
 depression-like phenotype
 low BDNF, 216
 low GDNF, 217
 depression
 brain vs. mind, 415
 China, 625
 comorbidity, 615
 cultural phenomenology, 124–9
 DALYs, 544
 developmental trajectory, 238
 dimensional, 186
 emotion vs. disorder, 125
 exteroceptive vs. interoceptive processing, 101–3
 failed predictions, 635
 GABA, 191
 Japan, 644
 Liberia, 599
 multiple factors in modeling, 259–60
 neural processing imbalance, 102–3
 persistent depressive disorder, 457
 predisposition for, 128
 psychiatric anthropology, 16
 psychological measures in, 102
 psychopharmaceutical trials, 550
 reassurance seeking, 404
 sadness, 409
 self in, 15, 82–5
 YLDs, 544
 depressive disorders, adolescents, 244
 depressive state, 67
 derealization, *ataque de nervios*, 442
 Determinants of Outcomes of Severe Mental Disorders (DOSMD), 503–4
 determinism, 387
 development utopias, 618
 development
 HPA axis baseline, 212–13
 psychiatric problems, 632

- developmental arrest, 136
 developmental history, 647
 developmental trajectories, 10, 133, 220, 236, 238–9, 242, 260–1, 630, 633
 deviant cultural scripts, 413
 Dewey, John, 71–2
 diabetes, 192, 327
 diagnosis
 autognosis, 143
 clinical utility, 412
 dimensional, 181, 186
 resistance to, 584
Diagnostic and Statistical Manual of Mental Disorders, fifth edition (*DSM-5*),
 exclusionary criteria, 182
 diagnostic boundaries, 18, 182
 diagnostic criteria, need for validity across
 regions, 517
 diagnostic inflation, 9
 diagnostic interview, household survey, 615
 diagnostic manuals, 65, 598. *See also*
 various *DSMs*
 diagnostic practices, 170
 dialogical practice, 577–83, 586–8
 ecological levels, 591–2
 GMH programs, 592
 dialogue, 594–5
 diarrhoea, 617
 Diaz, E., 136
 diet, 327
 dietary restriction, 528
 difference, recognition of, 590
 differential diagnosis, 624
 diffusion tensor imaging (DTI), 245–7
 dimensional approach, 18, 343
 dimensional structure, 186
 dimensions, categorical taxonomies, 179
 Diponegoro, Prince, 500
 directedness, 87
 disability, 171, 484, 645
 rates of, 544, 548
 status, 168
 disability adjusted life years (DALYs), 544, 547
 ischemic heart disease, 615
 defined, 615
 maps, 548, 549
 disability/avoidance, 640
 discourses, 578, 580, 595–9
 discrimination, 157, 331
 against child soldiers, 593
 increased, 603
 perceived, 331–2
 social experiences, 584
 disease, concept of, 45
 diseases of the will, 387
 disengage attention, 278
 disgust, empathy, 150
 disorder, as 19th c. euphemism, 43
 disorder, usefulness, 152
 disorganized feeling, failed predictions, 635
 disruptive disorders, 252
 dissociation, *ataque de nervios*, 442–3, 451
 dissociative diagnoses, SCID, 452
 dissociative disorder, not otherwise
 specified (DDNOS), 452
 dissociative identity disorder, 186
 dissociative reactions, acute, 458
 distress, 616
 distributed cognition, 404
 distribution networks, 546
 disulfiram, 382
 diurnal rhythms, 407
 dizziness
 Cambodian and Vietnamese refugees,
 349
 Cambodian metaphor, 360
 catastrophic thoughts, 421
 existential and social issues, 360
 khyâl attack, 353, 355–6, 359
 DMN (default mode network), 95, 104
 DNA, 208–9
 DNA hypomethylation, 215
 DNA methyl-binding proteins, 211
 DNA methylation, 209, 211
 enzymes, 215
 genome-wide, 216–17
 glucocorticoid receptors, 213–15
 major depressive disorder, 214
 nucleotides, 209
 tissue specific, 221
 DNA transcription, 211
 DNMT3b enzyme, 215
 domestic violence, 568
 dopamine (DA), 221, 380
 drug reward, 381
 executive attention, 278
 Tourette syndrome, 291
 dopamine blocker side effects, 291
 dopamine receptors
 D2 receptors, 633
 dopamine 4 receptor gene (*DRD4*),
 275–6, 285–7
 polymorphisms, 285–6, 323
 dorsal dentate gyrus, BDNF promoter, 216
 dorsal prefrontal cortical regions, 240
 dorsal raphe, 98–9
 dorsal striatal regions, 240
 dorsolateral prefrontal cortex (DLPFC),
 220

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

670 Index

- dorsolateral prefrontal cortex (DLPFC), (cont.)
 emotion regulation, 240–3
 executive attention, 285
 happy faces, 253
 resting-state activity, 98
 schizophrenia, 104
- dorsomedial prefrontal cortex (DMPFC), 91–2, 94–5
 emotion regulation, 240–3
 rCBF (regional cerebral blood flow), 96
 resting-state activity, 98
 self-specific activity, 97
- dorsomedial thalamus (DMT), 91, 98–9
 downstream innovation, 618
dranu, 515–16, 526, 528
 drapetomania, 47
 drug developers, 553
 drug reward, 381
 drug sales, 548
 drug use, maturing out of, 375
 drug-induced mental disorders, 564
 drug-related harm, 389
 drugs, criminalizing, 389
 drugs, hallucinogenic, 153
 drunken comportment, determination, 385
Diagnostic and Statistical Manual of Mental Disorders (edition not specified)
 as technology, 578–9
 classification separate from medication, 554
 cumbersome, 196
 discontinuous categories, 274
 eating disorders, 531
 genetics, 194
 on Internet, 76
 panic attacks, 458
 taxonomy, 193, 274
Diagnostic and Statistical Manual of Mental Disorders, Third Edition (*DSM-III*), 66, 68
 consistency improved, 182–3
 introduction of, 7
 operationalized criteria, 14, 624
 prototypes suggested for, 73
 symptom-based paradigm, 436
Diagnostic and Statistical Manual of Mental Disorders, Third Edition, revised (*DSM-III-R*), 183
Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition (*DSM-IV*), 67, 183
 addiction, 382
 anorexia nervosa, 519
 Axis-I, 248
 compared to *ICD-10*, 184
 cultural assessment, 459
 cultural context and diagnosis, 12
 eating disorder, not otherwise specified (*EDNOS*), 532, 535
 eating disorders, 519, 522, 532, 535
 inattention to cultural concerns, 550
 major depression, 402
 nosology of, 435
 panic disorder, 442–3
 reading disorder, 439
 reported symptoms, 615
 self processes, 130
Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, revised (*DSM-IV-TR*), 184, 470
 anorexia nervosa criterion B, 526, 528
 diagnosing adverse effects, 566
Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (*DSM-5*)
 addiction, 382
ataque de nervios, 458
 binge-eating disorder, 534
 classification, 18
 cultural concepts of distress, 436, 456–7
 cultural context and diagnosis, 12
 cultural explanations, 436
 Cultural Formulation Interview, 598
 cultural syndromes, 436
 cultural-contextual factors, 459
 delusions, 470
 diagnosing adverse effects, 566
 dimensional scales, 184
 gambling, 382
 Gender and Culture Study Group, 456
 homogenous subgroups, 237
 idioms of distress, 436
 interrelated problems, 402
 “lack of validity,” 273
 nosology of, 435
 panic attacks, 349, 461
 planning, 183–4
 purging disorder, 534–5
 revised eating disorder criteria, 535
 schizophrenia, 10, 180, 489
 substance-related disorders, 382
 substrates of diagnoses, 439–40
 systematization, 650
 dualism, 377
 Dunham, H., 324
 Dutch, colonization, 499–500
 dynamical systems theory, 638, 647
 dynamics of systems, 633

- dyslexia, 439
 dysphoria, 128, 351–2, 403, 457
 dysregulation, drug-seeking, 381
- early developmental stressors, 323–4
 early life adversity (ELA), 18
 alcohol dependence, 391
 HPA axis activity, 215
 psychosis, 310–11, 320
 suicide completers, 214
 suicide risk, 207–8
- East Germans, 407
- Eating Disorder Examination (EDE), 524–7
- Eating Disorder Examination-Questionnaire (EDE-Q), 524, 532
- eating disorder, not otherwise specified (EDNOS), *DSM-IV*, 532, 535
- eating disorders
 diagnostic criteria, 516
 men, 535
 newspaper stories, 516
 nonexistent in GMH agenda, 613–14
 residential treatment settings, 523
 stigmatization, 516
- Ecks, Stefan, 555–6
- ecological environment, 436
- ecological levels, dialogical practices, 591–2
- ecological systems approach, 578, 580, 588–92
- ecological theory of mind, 590
- ecology of mind, 13, 639
- economic crisis, 501
- economic dependency, 451
- economic disparity, 325
- economic looping, 368
- ecosocial approach, 13
- ecosocial system dynamics, 641
- EDE (Eating Disorder Examination), 524–7
- EDE-Q (Eating Disorder Examination-Questionnaire), 524, 532
- Edgerton, Robert, 385
- education, 536
- education level, 52
- effective connectivity, 252
- effortful control, negative affect, 276
- Egypt, humors, 179
- Einführung* (empathy), 142–3, 145
- ELA (early life adversity), 18
 alcohol dependence, 391
 HPA axis activity, 215
 psychosis, 310–11, 320
 suicide completers, 214
 suicide risk, 207–8
- elaboration, imaginative, 146
- electromagnetic fields, 411
- Eli Lilly, 552, 556, 562
- embodied sensations, 385–7
- embodiment, 13, 15, 22, 72, 74, 77, 141, 147, 159–60, 162, 169, 360, 376, 378, 384, 389, 403, 404, 409, 448, 484, 491, 499, 505, 623, 636, 637, 639
- emergency room, 478
- emergent properties, 638
- emotion functions, 95
- emotion processing, 19, 253
- emotion regulation, 240, 243–5, 253, 259
- emotional burdens, triggers, 487
- emotional coping reactions, 442
- emotional dysregulation, 237–8, 247
- emotional exacerbation, 640
- emotional expression, changes in, 152
- Emotional Face N-back task (EFNBACK), 254
- emotional face processing, 244–5
- emotional response, evoking, 260
- emotional self-regulation, 287
- emotional working memory tasks, 254
- emotional-affective functions, 91
- emotionality, overwhelming, 441
- emotions
 gendered expression, 455, 492
 good or bad, 445
 negative, 451, 491
 social desirability, 447–8
 vicarious, 146
 web of meaning, 147
- empathic capacity, 144
- empathy, 16, 91, 120
 biology of, 149–51
 brain regions, 149
 capacity for, 160
 components of, 146–9
 derivation of, 144–5
 Einführung, 142–3, 145
 experience of similarity, 144
 failures of, 141
 fiction, 153
 intersubjective, 157
 limits to, 157, 159–61
 multiple logics, 157
 pain-related circuitry, 150
 projection vs., 155
 and psychopathology, 152–5
 and sadism, 148
 social response, 148
- empowerment, 585

672 Index

- endocrine systems, empathy, 149
endophenotypes, 191, 632
enactment, 22, 72, 133, 146–7, 155, 157, 305, 352, 383, 390–1, 405, 500, 634, 637, 639, 648
energy depletion, *khyâl* attack, 356
engage attention, 278–9
engagement, as ethical responsibility, 583
engagement with Other, 584
England, incidence of delusions, 471
English, reading, 438–9
environment, riskiness of, 388
environmental constraints, 647
environmental events, resilience vs. vulnerability, 320
environmental risk factors, 181
envy (*envidia*), 447
epidemics, 613
epigenetic regulation
 cellular plasticity, 219
 HPA axis, 219
 immune system, 219
 learning and memory, 219
 neurotrophins, 219
 stress, 216
epigenetics, 18–19, 208–11, 437–8
 changes, 219, 221
 mechanisms, 632
epilepsy, 599
epiphenomenal experiences, 172
epistemic pluralism, 391
epistemology, 43, 590
 of hybrid structures, 43
 ontology and, 377
epistemology of psychiatry (EP), 41–2
epoché, 119, 132
equifinality, 638
Erdmann, Benno, 145
Erklären (explanations), 142–4
erotomania, delusions, 474
error correction, empathy and, 148
Española Valley, New Mexico, 391
Estroff, S. E., 135
ethics
 communication (Habermas), 577–8, 585
 Levinas, 17, 159–62, 583, 595
 ethical practice, 26, 47, 133, 153, 159, 171, 536, 552, 579, 583–6, 623–4
 limits of empathy, 159–61
Ethiopia, 599
ethnic density, 325, 327, 334
ethnic fragmentation, 325
ethnic groups, social barriers to care, 517
ethnic minorities
 belief in racial discrimination, 331–2
 Caribbean origin, 331
 incidence of schizophrenia, 329
 Kosovar Albanians, 586–8
 legitimacy to speak, 536
 psychosis, 320
ethnocentrism, 160
ethnographic films, 485
ethnographic research, 484
ethnography, 125, 134, 156
ethnopsychology, 126
ethos (emotional milieu of society), 126
Euro-American patients, anorexia nervosa, 530
Europe
 anorexia nervosa, 531
 psychotropic drugs, 617
European Americans, family vs. self thoughts, 410
events, ambiguous, 405
evidence-based
 practice, 317, 549, 568, 575, 587, 591–2, 614
 psychiatry, 292, 617
 treatment, 25, 416
evil eye (*mal de ojo*), 447
exceptionalism, Western, 530
executive attention, 95, 277–8, 285–6, 288
executive attention network, 284
executive function, 189, 381
executive systems, novel stimuli, 288
exemplars, 73
existence, embodied, 72
expectancy of change, 582
expectations, symptoms and, 411
experience-near ethnography, 20
experiences
 symptommatizable, 407–9
 unfamiliar, 152
experiential immediacy, 120–2, 125, 127, 129, 132–3, 136
experimentum crucis, 42
expertise, 173
extended mind, 404
external vs. internal contents, 95
extero-self, 94
exteroceptive processing, depression, 101–3
extracontextual factors, 582
extrinsic activity, 87
eye-tracking, 278

face of the other, 159
facial expressions, 19
facial recognition, bipolar disorder, 252
factor mixture modeling (FMM), 185–8
failure of humanity, 618

- fainting, *ataque de nervios*, 442–3
 Fairburn, C. G., 520, 534
 “falling out,” 458
 familial history, suicide, 207
 familial risk, neurodevelopmental
 vulnerability markers, 257
 families
 caretakers, 558
 limited role, 591
 support from, 495–8
 family anxiety, 364
 family history, 305
 family system, 640
 family-related factors, 495
 Fanon, Frantz, 161
 fantastic delusions, 471
 Far East, incidence of delusions, 471
 Faris, R., 324
 “fatness,” social meaning, 524
 fat phobia, 519, 523, 534
 fatigue level, 407
 FDA (Food and Drug Administration, U.S.), 9
 fear network theory, 350
 fear of fatness, 522–3
 fear
 anger, 147
 biology of, 350
 spiral of, 347
 feedback loops, 630
 autognosis, 143
 negative loops, 321, 411–12
 panic attacks, 436
 positive loops, 343, 352, 411
 feedback mechanism, defined, 240
 feedback, ongoing, 592
 Feinberg, Todd, 94
 Fergusson, A., 136
 Fernandes, J., 567
 fiction, 144, 153, 162
 fight or flight, 147, 367
 Fiji, youth risk behaviors, 515
 film, 162
 finite mixture modeling, 185
 first- vs. second-generation effects, 334–5
 first-person perspective, 82, 88
 “fitting in,” 530
 Five Factor Model, 186
 fixated interests and repetitive behaviors (FIRB), 187
FKBP5 gene, 323
 flashbacks, 363, 494, 499
 floating prescriptions, 556
 fluoxetine (Prozac), 547, 555–6, 562,
 fMRI (functional magnetic resonance), 190
 attention, 282, 284, 286
 children and adolescents, 287
 connectivity, 288
 executive attention, 285
 functional connectivity analysis, 252
 focal objects, 172–3
folie à deux, 59
 folk medicine, 530
 Food and Drug Administration, U.S. (FDA), 9
 Foucault, Michel, 173, 387
 fractional anisotropy (FA), 245–8
 age-related changes, 249–51
 interpretation of changes in, 256
 Frances, Allen, 9, 184
 Frank, J., 582–3
 Fraser, Suzanne, 380
 “freaking out,” 401, 410, 411, 413–14
 “free-riding,” 475
 free will, 387
 Freud, Sigmund, 305
 Friere, Paulo, 595
 front-line providers, 169, 173
 frontal cortex, 244, 246
 frontal eye field
 control systems, 287
 orienting, 278, 281–2
 voluntary attention shifts, 286
 frontoparietal network, 287–8
 frontoparietal resting activity, 288
 frontostriatal loop activation, 292
 full moon, 490
 functional anatomy, attention systems, 286–7
 functional connectivity, 252–4
 functional dynamics, 239
 functional imaging studies, 16
 functional magnetic resonance imaging (fMRI), 190
 attention, 282, 284, 286
 children and adolescents, 287
 connectivity, 288
 executive attention, 285
 functional connectivity analysis, 252
 Functional Magnetic Resonance Imaging of the Brain Software Library, 248
 functional organ systems, 19
 functional vs. organic, 188
 functional specificity, 55
 fusiform gyrus, 439
 Gadd45b enzyme, 215
 Gallagher, Shaun, 172
 gambling, phenomenology of, 386
 gaming, phenomenology of, 386

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

674 Index

- gamma aminobutyric acid (GABA), 191, 221
- Gap Action Programme (mhGAP), Intervention Guide, 546
- Garcia, Angela, 391
- Garriott, William, 390
- Gates, Bill, 494
- GED (General Educational Development high school equivalency degree), 123
- gender identities, 493–5
- gendered behavior, Javanese, 492
- gendered expectations, emotional control, 447–8
- gendered responsibilities, 493–5
- gene activation, 209
- gene bodies, 211
- gene expression, epigenetic effects on, 208–11
- gene polymorphisms, 285–6
- gene promoters, 209, 213–15
- BDNF, 216
- DNA methylation levels, 218
- GDNF, 217
- hypomethylation, 215
- TrkB, 217
- gene silencing, 209
- generalized anxiety disorder (GAD), 186, 343, 562, 402
- generations, 334
- genetic mechanisms, 631–2
- genetic polymorphisms, 273–5
- genetic risk factors, 181
- genetics, 191–3, 207, 286–7
- Geneva, 557
- genome, 187–8, 196, 275–6, 632
- Germans, M., 135
- Germany, 329, 418
- gestalt, 74–6
- Ghana, hearing voices, 309
- Gilvarry, C. M., 331
- girls vs. boys, pubertal maturation, 258
- Gjakova, Kosovo, 596
- Glaxo, 562
- glial cell-derived neurotrophic factor (GDNF), 217, 221
- global health initiatives, biomedical interventions, 546–51
- global mental health (GMH), 545, 613, 615, 644–7
- critique of, 576
- ecological levels, 589
- Movement for, 536, 575
- neocolonial approaches, 616
- reduce waste of research, 617–18
- global mental health (GMH) economies, 502–5
- global mental health (GMH) practitioners, 603
- global public-private partnerships (GPPPs), 551
- global system dynamics, 646
- globalization, defined, 552
- globalized psychiatric care, restrictive labels, 504
- globalized subjectivity, 501
- glucocorticoid receptors (GR), 212–15, 221
- glucocorticoids (GC), 210, 212, 321
- glutamine, 191
- GMH (global mental health), 545, 613, 615, 644–7
- critique of, 576
- ecological levels, 589
- governance, 617–18
- neocolonial approaches, 616
- reduce waste of research, 617–18
- GMH (global mental health) economies, 502–5
- GMH (global mental health) practitioners, 603
- Go/NoGo, Stop task, 278
- God, hearing voices, 171
- Good, Byron, 16, 128, 133
- Culture and Depression*, 124
- gossip, 475
- government ministries, Prishtina, 588
- Graham, David, 564
- Grand Challenges Canada, 598
- grandiose delusions, 471
- grandiosity, 474, 477
- gray matter density, 244, 381
- gray matter volume, 98, 220
- green space, interaction with, 324
- grief, anger vs., 126–7
- Griffith, James, 616
- Guarnaccia, P., 441–2
- guilt or sin, delusions, 474
- H3K27me3 levels, 217
- habenula, 98–9
- Habermas, Jürgen, 585
- habit and will, 387–8
- habit reversal training (HRT), 293
- habitus*, 448, 492–3
- Hacking, Ian, 13, 378, 521, 531, 643
- halfway house, 169
- hallucinations, 490–2, 624, 626
- voices, 134, 308–10, 626
- happiness, 122, 127, 150, 236, 445
- harm reduction approach, 335

- Harris, T., 127
Harvard Review of Psychiatry, 545
 Haslam, John, 185–6, 469
 head of the household, 495
 head, *khyâl* attack, 353, 355
 headache, 356, 489
 healing efficacy, 582–3
 healing, model, 592, 648, 649
 healing rituals, 596
 health care services, 640
 health equity, 536
 Health Management Information Systems (HMIS), 599
 Healy, David, 561, 566
 hearing voices, 134, 308–10, 626
 heart arrest, *khyâl* attack, 359
 Hebb, D. O., 635
 help-seeking, 640
 hemispatial neglect syndrome, 282
 Hempel, Carl, 67
 heroin addiction, 391
 heterochromatin, 208–9
 hierarchical systems theory, problem propagation, 639–40
 high-income countries (HICs), 550
 child mental health problems, 594
 evidence-based practices, 591
 pharmacotherapy, 547, 549
 use of clinical trials, 519
hikikomori, 407
 Hindus, Chennai, 309
 Hinton, Devon, 416, 641
 hippocampus (HPC), 210, 212, 220
 CA1 and CA3 regions, 216
 DNA methylation, 221
 emotion regulation, 241–3
 emotionally salient information, 240
 histone dimethylation, 216
 models of hyperactivity, 98–9
 psychotic disorders, 322
 resting-state activity, 98
 hippocampus, stress response, 321
 suicide completers, 214
 volume, 259
 Hippocrates, 179
 histone acetylation, 209
 histone dimethylation, BDNF promoter, 216
 histone methylation, 209
 histone modifications, 211
 histone proteins, 208–9
 history taking, 68
 history, and interpretation, 52
 HIV/AIDS, 389, 576
 Hoffer, Abram, 153
 Hoffer, Lee, 386
 Holt, D., 105
 homelessness, 17, 136, 311, 453, 568
 homosexuality, 47
 Hong Kong, 520–1
 hopelessness, loss and, 127
 Hopper, K., 136
 Hoptman, M. J., 104
 Hossein, martyrdom of, 128
 HPA (hypothalamic-pituitary-adrenal axis), 210, 211–13
 development in humans, 212–13
 dysregulation, 366–7
 empathy, 149
 epigenetic regulation, 219
 stress activation, 321
 hub nodes, 633
 human genome project, 18
 human systems, self-organized, 640
 humans, 172, 634, 647
 humiliation, 311
 humors, four, 179–80
 Hunan China, 628
 hunger, 407
 Huntington's disease, 47
 Hutchinson, G., 333
hwa byung, 406, 413, 415, 422
 hydroxymethylation, 208
 Hyman, Bradley, 475
 hyperactivity, 56, 98–9, 448
 hypermethylation
 BDNF promoter, 216
 TrkB promoter, 217
 hypersomnia, 403
 hypertension, genetic risk, 192
 hypnosis, 186, 289–90, 292–3
 hypnotherapy, 289
 hypomethylation, BDNF promoter, 216
 hypothalamic-pituitary-adrenal axis (HPA), 210, 211–13
 development in humans, 212–13
 dysregulation, 366–7
 epigenetic regulation, 219
 stress activation, 321
 hypothalamus, 98–9, 210
 “I,” and relationship with the Other, 583
 iatrogenic level, 640
 Iban people, 131
 ibuprofen, 556
 ICD (International Classification of Diseases), 73, 458
 categorization, 184, 193, 554
 cumbersome, 196
 genetics, 194

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

676 Index

- ideal speech situation, 585
- identification, empathy, 151
- identification, internal, 173
- identity disturbance, 67
- identity, indigenous configuring, 172
- idioms of distress, 352, 436, 457
 - anorexia nervosa, 521
 - dimension of somatic symptom, 358
 - dizziness, 360
 - Fiji, 530
 - khyâl* attacks, 358
 - neck soreness, 361
 - somatic syndromes, 406
 - Ketut, 490
- Ifaluk, 126
- illness, 72
- illness expression, historically patterned, 438
- illness narratives, 521
- illness prototypes, 437
- imagination, 170
- imaging studies, disillusionment with, 273–4
- immediacy, experiential, 120–2
- immune system, 219, 616
- imperactividad* (hyperactivity), 448
- imposters, substitution of, 153
- impulse-control disorders, 290–1
- impulsivity, 187, 220, 245, 452
- inappropriate affect, 67
- inarticulate experience, 157
- inattentiveness, 187
- incentive salience, 380–1
- income inequality, decreased, 334–5
- independent, 309–10
- India
 - COPSI, 596
 - interdependence, 310
 - key conditions for intervention, 599
 - National Mental Health Program, 557
 - Schedule H drugs, 556
 - SSRI proliferation, 555–7
 - suicide prevention exercise, 599
- indisposition, 458
- individual vulnerability, 387
- individualism, 309–10, 623
- individuation of a symptom, 76
- Indonesia
 - Dutch colonization, 499–500
 - families, 495
 - global mental health, 614
 - major historical events, 498
 - New Order regime, 501
 - postcolonial political violence, 501
 - struggle for independence, 486
 - traditional healing, 497
- industrial period, 379
- inequalities, structures of, 650
- inequality, and mental health, 644, 646
- infancy. *See also* childhood
 - cingulate activity, 288
 - cingulo-cuneus activity, 288
 - control systems, 287
 - orienting attention, 288
- infectious diseases, 327, 389
- inferior frontal gyrus, 439
- inferior fronto-occipital fasciculus, bipolar disorder, 247
- inferior longitudinal fasciculus (ILF)
 - age-related changes, 249
 - bipolar disorder, 247
- inferior parietal lobe, 439
- “influencing machine,” 469
- influenza epidemic, 181
- informatics, 193–4
- information, 76
- information variance, 76
- information-processing hierarchy, attention, 276
- information, 590, 592, 594
- informed attention, 77
- inhibited temperament, categorical structure, 185
- initial conditions, sensitivity to, 638
- innovation, 618
- insanity (*locura*), 446
- inscriptions, primary vs. secondary, 15
- Insel, Thomas, 11, 197, 273, 628
- insight, 503
- insomnia, 403
- insomnia medications, 549
- institute for mental disease (IMD), 169
- institutionalized care, 498
- institutions, progressive closure, 558
- insula, 93–5, 104, 287
- integrative self, 94
- intellectual disability, genetic risk, 192
- intentionality, 87
 - lacking, 533–4
- interactome, 641
- intercultural work, empathy and, 161
- interdependent, 309–10
- interdisciplinary triangulation model, 460–1
- interhemispheric connectivity, 19
- intermittent explosive disorder, 458
- internal vs. external contents, 95
- International Classification of Diseases (ICD), 73, 458
 - categorization, 184, 193, 554

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

Index

677

- cumbersome, 196
- genetics, 194
- International Classification of Primary Care (ICPC), 196
- International Committee on Harmonization (ICH), 551
- International Pilot Study of Schizophrenia (IPSS), 504, 565
- International Psychogeriatric Association (IPA), 560
- International Schizophrenia Consortium, 192
- Internet
 - DSM criteria on, 76
 - extended mind, 404, 637
 - globalization, 28
 - pornography, 22
 - supervision, 587
- intero-self, 94
- interoceptive exposure, 365
- interoceptive processing, depression, 101–3
- interparietal sulcus, voluntary attention shifts, 286
- interpersonal consequences, 368
- interpersonal encounters, salience, 75
- interpersonal harmony, 421
- interpersonal interaction, 640
- interpersonal looping, 358, 368
- interpreters, limitations, 158
- interruption of self, 583
- intersubjectivity, 120–2, 130, 143, 157, 557
- interventions, 648–9
 - adaptations, 596
 - content of, 582
 - ecological level, 334–5
 - individual level, 334
 - limited impact, 618
 - models, 645
 - not context-free, 415
 - sustainable, 591–2
- interviews, phenomenological, 73
- intimate partner violence, 214
- intoxicants, 381
- intoxication, expectancies of, 385
- intracranial volume, bipolar disorder, 190
- intrinsic activity, 87–8
- introspection, tendency toward, 53
- ipseity, 86–7
- IPSS (International Pilot Study of Schizophrenia), 504, 565
- Iran, 128, 406
- ischemic heart disease, DALYs, 615
- Islamic cosmology, 488
- Islamic medicine, 180
- Islamic worldview, 133
- Jadhav, Sushrut, 557
- Jain, Sumeet, 557
- Jakarta, Indonesia, 488, 490
- Jamaica, incidence of delusions, 471
- James, William, 277
- Janssen Pharmaceuticals, 560
- Japan
 - atypical antipsychotics, 552
 - depression, 644
 - hikikomori*, 407
 - social anxiety, 418
 - SSRIs, 552, 554
- Japanese students, serious distress, 405
- Jaspers, Karl, 77, 85, 145, 152, 626
- Java, 133
- Javanese gendered behavior, 492
- jealousy, delusions, 474
- Jenkins, Janis, 16, 122, 174
 - continuum, 135
 - Schizophrenia, Culture, and Subjectivity*, 130–6
- Job Corps, 123
- John F. Kennedy Hospital (Liberia), 598
- Journal of Marketing, 547
- judgment, 91, 475
- K-SADS-PL interview, 248
- kaeut khyâl* (“wind attack”), general name for anxiety, 353
- Kaluli people, 126–7
- kanakana lo* (a secret eater), 523
- Kanpur, 557
- Kasih, Ni Ketut. *See* Ketut
- Keane, Helen, 380
- Kessler, David A., 574, 615
- Ketut, 483, 485–8
 - Balinese expression, 504
 - bipolar disorder, 502
 - family obligation, 499
 - identity, 504
 - idioms of distress, 490
 - label, 495
 - shame, 493
- Keyes, C., 128
- KFPEC (Kosovar Family Professional Educational Collaborative), 596
- Khmer Rouge, 344–5, 363
- khyâl* attack (“wind attack”), 344, 349, 355, 359
 - cultural form of panic attack, 352–3
 - self-treatment for, 357–8
 - symptoms, 349, 352–7
- khyâl* overload, 362
- Kim, Ms., 401–2, 406, 418–19
- kindling, 499

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience,
and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

678 Index

- Kirkbride, J., 325, 332
 Kirmayer, Laurence, 307, 407–8, 412, 592
 Kleinman, Arthur, 16, 129, 402, 550, 567, 582–3, 625
 “category fallacy,” 13
 Culture and Depression, 124
 Kleinman, Joan, 129
 Klonopin (clonazepam), 549
 knowledge transfer, 618
 knowledge
 explicit and implicit, 637
 multiple sources of, 142–4
 psychiatric, 645
 Kohrt, Brandon, 616
 Korea, Seoul, incidence of delusions, 471
 Korea, social anxiety, 418
 Korean scripts, 406
 Korean students, serious distress, 405
 Kosovar Albanians, 586
 Kosovar Family Professional Educational Collaborative (KFPEC), 586
 Kosovar professionals and families, 586–8
 Kosovo, 579, 596
 Kraepelin, Emil, 85, 180, 305–6
 Kring, A., 135
- labeling, negative effects of, 2, 9
 labels, 504, 584
 “lack of insight,” 503
Lancet, The, 545, 555
 languages, alphabetic vs. logographic, 438–9
 Las Vegas, 375
 latent class analysis, 185
 latent variable modeling, 185
 lateral core, 92
 lateral prefrontal cortex, attention networks, 286
 lateral ventral cortex, executive attention, 278
 lateralization, 282
 Latinos, 442, 444
 Lawrie, S., 182
 lay-interviewers, 69
 learning and memory, 219
 learning disorders, genetic variation, 280
 learning impairment, 189
 Lee, S., 520–1
 leg soreness, *khyâl* attack, 356
 legitimacy, 585
 legitimacy to speak, 536
 Leibing, Annette, 558, 561, 564
 Lemelson, Robert, 500, 614
 Lende, Daniel, 381, 388
 Leshner, Alan, 379, 384, 391
 leukocytes, 214
 Levinas, Emmanuel, 17, 159, 583, 595
 Lewis-Fernández, R., 470
 Liberia, 579, 598–9
 licking and grooming (LG), 212–13
 life events, 317, 323, 331
 life stressors, 322
 lifeworlds, 125, 132–3, 143, 156, 484
 liking, 380–1
 limbic capitalism, 389
 limbic system, depression, 99
 limbic-cortico-striato-pallido-thalamic circuit, 99
 Linnaeus, 180
 Lipps, Theodor, 145
 listening, intuitive, 120–1
 lithium, 7, 502
 little pharma, 550, 555–7
 Llopis, Bartolomé, 181, 188, 191
 LMICs (low- and middle-income countries)
 community-based resources, 536–7
 Delphi exercises, 599
 depression, 550
 eating disorders, 517
 evidence-based practices, 575
 global mental health, 545
 innovation capacity, 618
 pharmacotherapy, 547
 psychopharmaceutical distribution, 555
 researchers from, 598
 Western treatments, 549
 local contingency, 435
 local expectations, 308
 local interpretative schemas, 358
 local moral worlds, 550
 localizing mental operations, 279
locura (insanity), 446
 locus coeruleus, alerting, 278
 logographic language, 438–9
 Long Beach, CA, 345
 looping effects, 13, 643
 reconfiguration, 641
 typology of, 639–40
 looping hypothesis, 521, 531
 looping mechanisms, 346
 looping processes, 641, 642, 648
 loops
 anxiety and attention, 368, 499
 dysfunctional, 420
 feedback loops, 143, 436, 630
 negative loops, 321, 411–12
 nested loops, 643
 positive loops, 343, 352, 411
 problems in, 639

- sensorimotor loops, 636
- treatment loops, 368
- virtuous, 420
- loquera*, 453
- loss of consciousness, *ataque de nervios*, 442
- loss of control
 - ataque de nervios*, 442–3
 - psychosis, 153
- loss, hopelessness and, 127
- Lou, Hans, 95, 97
- Lovell, Anne, 390
- low cardiac vagal tone, 366–7
- low- and middle-income countries (LMICs)
 - community-based resources, 536–7
 - Delphi exercises, 599
 - depression, 550
 - eating disorders, 517
 - evidence-based practices, 575
 - global mental health, 545
 - innovation capacity, 618
 - pharmacotherapy, 547
 - psychopharmaceutical distribution, 555
 - researchers from, 598
 - Western treatments, 549
- low-income regions, health-delivery challenges, 536
- low-resource settings, evidence-based practices, 575
- LSD (lysergic acid diethylamide), 153
- Lucas, R., 134
- Luhrmann, T. M., 477, 565
- Lutz, A., 125
- macake*, 516, 523, 526, 528–30, 532
- MacAndrew, Craig, 385
- Macy conferences, 638
- magic, 133
- magnetic resonance imaging (MRI), 190, 256. *See also* functional magnetic resonance imaging
- magnetic resonance spectroscopy (MRS), 191
- magnetization transfer ratio (MTR), 257
- magnetoencephalographic (MEG) studies, 97
- major depressive disorder (MDD), 402
 - animal models, 98–9
 - BDNF, 216
 - boundaries, 181
 - characterizations of, 82
 - comorbidity, 206
 - DNA methylation, 214
 - inner-middle brain ring, 108
 - resting-state activity, 98–9
 - undertreated, 567
- meaning, 477–8
- meaningful action, cultural scripts, 411
- meaningful work, 497
- mechanicism, 46
- media exports, 522
- medial frontoparietal, rCBF, 96
- medial prefrontal cortex (MPFC), 92–3, 95, 220
- medical information, 193–4
- medicalization, 617
- medication. *See also specific types*
 - effects on neuroimaging findings, 257
- resting-state activity, 98–9
- undertreated, 567
- major mood disorders, cross-national occurrence, 518
- mal de ojo* (evil eye), 447
- malaria, 359, 362, 576
- Malay, families, 495
- malnutrition, urban vs. rural areas, 319
- malu* (shame), 493, 499
- mania, 180
- manic depressive disorder. *See* bipolar disorder
- manipulation, delusion of, 470
- Manson, Marilyn, 469
- many-to-many mapping, 631
- mapping, 631
- March, D. 319
- marijuana use, 385
- marketing, “share of voice,” 561
- Marková, Ivana, 173
- marriage, schizophrenia and, 136
- mass customization, 552
- mass psychogenic syndromes, 408
- material insecurity, 616
- maternal malnutrition, 329
- maternal maltreatment, DNA hypermethylation, 216
- maternal separation, 212
- Matthews, James Tilly, 469
- McDonald, C., 306
- McGill Illness Narrative Interview (MINI), 414
- McGruder, J., 135
- MDD (major depressive disorder), 402
 - animal models, 98–9
 - BDNF, 216
 - boundaries, 181
 - characterizations of, 82
 - comorbidity, 206
 - DNA methylation, 214
 - inner-middle brain ring, 108
 - resting-state activity, 98–9
 - undertreated, 567
- meaning, 477–8
- meaningful action, cultural scripts, 411
- meaningful work, 497
- mechanicism, 46
- media exports, 522
- medial frontoparietal, rCBF, 96
- medial prefrontal cortex (MPFC), 92–3, 95, 220
- medical information, 193–4
- medicalization, 617
- medication. *See also specific types*
 - effects on neuroimaging findings, 257

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

680 Index

- medication. (cont.)
 off-label use, 549, 562, 564
 resistance to, 584
 symptom amelioration, 650
 medications, most profitable, 548
 meditation, 127, 289–90, 293
 Meehl, Paul, 18, 185
 melancholia, 180, 185
 memory impairment, 48, 189
Memory of My Face, 485
 memory
 architectural spaces, 637
 biology of, 630
 men, eating pathologies, 535
 Menninger, Karl, 180–1, 188, 191
 mental disorders
 defined, 4–6
 expansion of number, 7
 phenotypic commonalities, 519
 mental health care, new demands, 602
 mental health Gap Action Programme (mhGAP), 546, 584
 initiative, 557
 Implementation Guideline (mhGAP-IG), 578–9
 Intervention Guide, 546
 no overt favoritism, 549
 mental health Gap Action Programme Implementation Guideline (mhGAP-IG), 578–9
 mental health issues, nonspecific, 568
 mental health policy coverage, 600
 mental health screens, 551
 mental health service experiences, 172
Mental Health: New Understanding, New Hope, 575
 mental illness
 colonial subjugation, 500
 cross-cultural variation, 613–14
 lived experience, 625
 socially patterned experience and, 576
 subjective assessments, 320
 transient, 496
 mental symptoms
 hybrid nature, 49
 meaning, 57–9
 objective, 56–7
 subjective, 49–54
 mental, neurological and substance use (MNS) disorders, 544
 “mentally handicapped,” identity as, 503
 meprobamate, 562
 Merleau-Ponty, M., 72, 120
 Mesmer, Franz, 469
 mesocortical pathway, 347
 mesolimbic dopaminergic system, 323
 mesolimbic pathway, 347
 Mesopotamia, 179
 metabolome, mechanistic links, 196
 metaphoric resonances, 351–2, 358
 metaphors
 coexisting with biomedical understanding, 490
 conflict, 492
 dizziness, 360
 illness experience, 648
 neck imagery, 361
 poetry, 153
 upright posture, 361
 method acting, 162
 method listening, 162
 methodological design, changes in brain development, 257–9
 methylation
 GDNF promoter, 217
 histones, 209
 Meyers, Todd, 390
 mhGAP (mental health Gap Action Programme), 546, 584
 initiative, 557
 Implementation Guideline (mhGAP-IG), 578–9
 Intervention Guide, 546
 no overt favoritism, 549
mhGAP-IG (mental health Gap Action Programme Implementation Guideline), 578–9
 mice, epigenetic alteration of CRH and AVP, 215
 microRNA, 208
 microsial processes, 617
 middle class, Indonesia, 494
 Middle East, incidence of delusions, 471
 middle frontal gyrus, 439
 midline connectivity, schizophrenia, 105–6
 midline network, 103
 midline regions, 93, 95–8
 migrants, 327
 migrants, psychosis risk, 332
 Miltown (meprobamate), 562
 mimicry, 146
 mind as software, problems with, 637
 mind, bounded, 308–9
 mind/body dualism, 622
 mindreading, 91
 mineness, 16, 86–7, 108, 593
 Minkowski, E., 134
 minority group and psychosis, 320. *See also* ethnic minorities
 mirror neurons, 150–1

- mirroring, 146
- misidentification, delusions, 474
- models
 - Erklären*, 142–4
 - illness experience, 648
- modernity, 134–5
- molecular imaging, 191
- Mongolia, 590
- monoamine oxidase A (*MAOA*), 285–7
- monozygotic twins, 322
- mood disorders, 252
 - affective logic, 154
 - diagnostic criteria, 237
 - neural markers, 238–9
 - onset, 244
 - pubertal maturation, 257
- mood regulation, 323
- mood stabilizers, 172, 561, 564
- Moore, David, 380
- Moradi, R., 128
- moral self, 159
- morbidity, 244, 484, 558, 616
- Morgan, C., 319, 325
- mortality, 244, 484, 616
- motivation, variable, 533
- motivational interviewing, 584
- Mount Sinai, GMH program, 598
- move attention, 278
- Movement for Global Mental Health (MGMH), 536, 575
- movement of people, 325
- MRI (magnetic resonance imaging), 190, 256. *See also* fMRI
- mRNA levels, 212–13
- Mujune, Vincent, 597
- multimodal imaging techniques, 260
- multinational companies, 550
- multiple causality, 638
- multiplex model
 - anxiety, 366–9
 - triggers, 350–1
- Mumbai, 567
- mumbling, 75
- Muslim society, 133, 135
- myelination, 245–6, 248–9, 256–7

- n-back task, 254
- narcotic drug regulation, 383
- narrative beings, 648
- narrative constructions, empathy, 147
- narratives
 - biological, 46
 - choosing between, 42, 44
 - data collection approach, 598
 - failure of, 42
 - forms of, 171
 - of identification, 170
 - limitations, 158
 - practice, 77
 - Verstehen*, 142–4
- National Alliance for the Mentally Ill (NAMI), 563
- National Comorbidity Survey–Adolescent Supplement (NCS-A), 244
- National Institute for Mental Health (NIMH)
 - DSM-5* discussion, 183
 - RDoC, 11
- National Institute on Drug Abuse (NIDA), 379
- National Mental Health Program (India), 557
- national security, 613
- nausea, *khyâl* attack, 356
- neck soreness, 349, 352–3, 355–6, 421
- neck vessels, *khyâl* attack, 353, 355, 359
- negative affect, 102, 276
- negative emotions, association with, 82–4
- negative memory, activation of, 368
- negativistic temporal projections, 102
- negotiation, labels, 496
- neighborhood inequality, 325
- neo-Kraepelinian research, 69
- neo-positivism, 44
- neocolonial approaches, 616
- Nepal, 579
 - child soldiers, 592–5
 - community volunteers, 602
 - key conditions for intervention, 599
- nerve growth transcription factor (NGF1-A), 213–15
- nevios*, defined, 445
- nested loops, 643
- nested processes, 343–4, 368–9
- Netherlands, social anxiety, 418
- network science, 633–4
- networks, 635–6, 648
- neural networks, vicarious activation, 150
- neural processing imbalance, in depression, 102–3
- neural system, mechanistic links, 196
- neurasthenia, 129, 406
- neurocognitive approach, 88–9
- neuroconstructivist approach, 635
- neurodevelopment, attention, 287–9
- neuroendocrine system, 616
- neuroimaging, 190–1
- neuroimaging biomarkers, 19
- neuroimaging data analyses, dimensional approach, 257

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

682 Index

- neuron subtypes, attention, 283
- neurophenomenal approach, 88, 90, 626
 - neurocognitive approach vs., 88
 - neurophenomenological vs., 88
 - validity of, 108–9
- neurophenomenological approach, 88
- neurophenomenology, cultural elaboration, 491
- neuroplasticity, 323
- neuropsychology, 188–90
- neuroscience, social and cultural, 634
- neuroticism, 408
- neurotransmitters, drug reward, 381
- neurotrophic factors, 216–18
- neurotrophins, epigenetic regulation, 219
- New Delhi, 557
- New Guinea, Kaluli people, 126–7
- New York Times*, 375, 563
- New Zealand, 522, 531
- NGOs (nongovernmental organizations), 588, 594
- NIDA model of addiction, 378–83
- Nigeria, 135
- nightmares, 367
- nihilism, delusions, 474
- NIMH, circuit-neuroscience classification, 194
- NIMH, emphasis, 307
- NIMH, Research Domain Criteria (RDoC)
 - project, 11, 19, 66, 194–5, 630
 - approach, 311
 - anthropology and, 307
 - conceptually flawed, 307
 - continuous categories, 274
 - dimensional approach, 343
 - focus on social, 477
 - Tourette syndrome, 291
 - transdiagnostic procedures, 286
 - utility of, 293
 - valence systems, 384
- Nixon, Richard, 379
- nocebo effect, 416
- non-drug-induced organic mental disorders, 564
- non-Europe, English speaking, incidence of delusions, 471
- non-fat-phobic anorexia nervosa (NFP-AN), 520–1
- non-unique links, 631
- noncoding RNA, 208
- noncognitive symptoms, dementia, 560
- nondrug treatments, 290
- nongovernmental organizations (NGOs), 588, 594
- nonverbal communication, 142–3
- norepinephrine, alerting, 278, 280
- normal, 2
- normative cultural scripts, 413
- norms, culturally determined, 391
- North America, excessive use of psychotropic drugs, 617
- North, the, 615, 618, 645
- Northoff, Georg, 626
- Nosologia Methodica* (de Sauvages), 180
- nosology
 - defining, 435
 - interdisciplinary triangulation model, 460–1
- “not being me,” 453
- nucleosomes, 208–9
- nucleus accumbens, animal models of hyperactivity, 98–9
- nunuwan*, 126
- O’Brien, Charles, 380
- Obeyesekere, G., 127
- observational-statements, 67
- obsessive compulsive disorder (OCD), 290–1
- occipital cortex, bipolar disorder, 247
- occipital lobe, 19
- off-label use, 549, 562, 564
- office-based services, 170
- olfaction, 143
- omics approach, 187–8
- one-to-one mapping, 631
- ontology, 46, 377
- operational criteria, 56
- operational definitions, 65, 67–8
- operculum, control systems, 288
- opiate receptors, 379
- opportunity, equity of, 334
- oppositional defiant disorder, misdiagnosis, 237
- optogenetics, 20
- orbitofrontal cortex (OFC), 241–2, 244, 252
- organ systems, functional, 277
- organic disease, 47
- organic vs. functional, 188
- orienting, 277–8
 - attention, 278, 280–3, 281
 - covert, 283
 - model lacking, 283
 - network, 284
 - overt vs. covert, 280
 - primary system in infancy, 288
 - system, 19
- orthostatic dizziness, 366
- orthostatic panic, 344–5, 362–5

- Osmond, Humphrey, 153
 Other, the, 160, 162, 583
 Outline for Cultural Formulation, 459
 overprescription practices, 551
 oxytocin, 212, 215
- PACC (perigenual anterior cingulate cortex), 91–5, 325
 resting-state activity, 98
 self-specific activity, 97
 packages of care, 550, 614–16
 Padmavati, R., 132–3
pāgalāmi (madness), 132
 pain-related circuitry, 150
 Pakistani, incidence of delusions, 471
 pallidum/putamen, resting-state activity, 98
 palpitations, *khyāl* attack, 353, 355–6
 pan-Asian economic crisis, 501
 panic attack models, 346–50
 Clark's model, 344, 346–50, 416
 multiplex model, 343, 350–2
 panic attacks
 aspect of disorders, 346
 Cambodian refugees, 416
 Clark's model, 344, 346–50, 416
 cognitive feedback loops, 436
 cold winds, 349
 cultural forms, 352
 cultural treatment, 349
 DSM/ICD, 458
 generation of, 351
 interpersonal consequences, 349
 multiplex model, 343
 orthostatic panic, 344
 self-treatment for, 357–8
 standing up, 349
 panic disorder (PD), 186, 343, 345–6
 panic-like anxiety, *ataque de nervios*, 442–3
 para-professionals, 169, 173
 parahippocampal gyrus, bipolar disorder, 247
 parahippocampus, 98, 241–3
 paralimbic regions, 93
 paramedian, 92
 paranoia, 180, 477
 paranoid ethos, 502
 paranoid schizophrenia, 483
 paranoid style, 67
 parasympathetic nervous system, 279
 paraventricular nucleus (PVN), 210, 212–13, 215
 parental care, 149
 parental neglect, 207
 parietal area, 278–9, 284
 parietal cortex, 190, 244
 parietal lobe, control systems, 287
 Parkar, S., 567
 Parkinson's disease, non-organic mental symptoms, 47
 Parnas, Josef, 85–6, 172
 Parry, Vince, 562
 Patel, Vikram, 515, 550, 576
 paternal age at conception, 328
 patient choices, 170
 patient feedback, psychotherapy, 592
 patients, blamed by caregivers, 559
 patriarchy, 593
 pattern recognition, 74
 Paxil (paroxetine), 547, 560–1
 pedagogy, empathy, 162
 pellagra, 181
 performance, 450
 performing arts, 162
 periaqueductal gray (PAG), 91, 98–9
 perigenual anterior cingulate cortex (PACC), 91–5, 325
 resting-state activity, 98
 self-specific activity, 97
 perinatal maternal deprivation, 215
 persecutory delusions, 471, 474
 persistence, 641
 persistent depressive disorder (dysthymia), 457, 402
 person as biological organism, 622
 person as psychological self, 622
 person-centered medicine, 3, 15, 23–4, 68, 485, 506, 598, 646
 personal history, biological risk, 368
 personality disorders, 402
 Breivik diagnosis, 68
 dimensional, 186
 DSM-III-R, 183
 with psychotic features, 564
 personhood, 623, 643
 PFC (prefrontal cortex)
 addiction, 381
 adolescence, 244
 DNA methylation, 219
 executive attention, 278
 TrkB, 217
 Pfizer, 562
 phantom limb pain, 636
 pharmaceutical companies, classification of drugs, 562
 pharmaceutical industry
 conflicts of interest, 1
 ghostwriting, 563
 global mental health, 547, 555–60, 644
 malfeasance, 646

684 Index

- pharmaceutical industry (cont.)
 marketing, 503, 560–2, 562–3
 research funding, 66
 pharmaceuticalization, 549
 pharmaceuticals, North-South transfer, 618
 pharmacotherapy-induced stress
 syndromes, 566
 pharmacotherapy, LMICs, 547
 phenomena
 bracketing of, 119
 modulation of, 172
 phenomenological interviews, 73, 76–7
 phenomenological psychology, 153
 phenomenology, 648
 comprehensive, 627
 cultural, 119–20
 defined, 82
 psychopathology, 434–5
 phenomics, 188
 phenothiazines, 503
 phenotypes, 306
 phobias, 366–7
 phrenology, new, 274
 pHMA (Pharmaceutical Research and
 Manufacturers of America), 552
 physical activity, 407
 physical sensations, background noise, 407–8
 physicalism, 68–9
 physiological dysregulation, 349
 Pinel, Philippe, 180
 piriform cortex, animal models of
 hyperactivity, 98–9
 pituitary, 210, 212–13, 321
 placebos, 415, 564
 places, 324–6, 578, 580, 595–9
 plasticity genes, 323
PLOS Medicine, global mental health, 545
 poetry, 153
 Pol Pot period, 359–62
 police, witness interrogation, 77
 policy, 173–4
 political economy, 436, 640
 Polynesia, 522
 POMC (proopiomelanocortin), 212–13,
 215, 221
 poor appetite, 516
 positivism, 44
 positron emission tomography (PET), 96
 Posner, Michael, 288–9
 post-prandial discomfort, 520
 postcolonialism, 161, 498–501
 posterior cingulate cortex (PCC), 91–3, 95
 resting-state activity, 98
 self-specific activity, 97
 task-induced activation, 104
 posterior medial network, rCBF, 96
 posterior thalamic radiations, bipolar
 disorder, 247
 postpartum distress, 487
 posttraumatic stress disorder (PTSD),
 366–7
 Cambodian refugees, 344
 DNA methylation, 219
 dimensional, 186
 multiplex model, 343
 panic attacks, 346
 predisposition, 436
 Vietnamese refugees, 344
 Zolof (sertraline), 562
 poverty, 332, 616
 poverty of thought, 56
 power, asymmetric, 603
 praxis, second-order, 43
 precuneus, 91, 95, 97–8, 104
 predictions
 failure of, 635
 replacing external events with, 636
 prefrontal cortex (PFC)
 addiction, 381
 adolescence, 244
 DNA methylation, 219
 executive attention, 278
 TrkB, 217
 preintentional organization, 103
 prelimbic cortex, animal models of
 hyperactivity, 98–9
 premenstrual dysphoric disorder (PMDD),
 562
 premonitory urges, in Tourette syndrome
 290
 prenatal malnutrition, 319, 329
 prescriptions, floating, 556
 presence, altered, 85
 Present State Examination, 131, 187
 presentism, 42
 prevalence
 estimates, 531, 615
 ethical basis to assess, 536
 prevention strategies, age-specific, 335
 primary brain inscriptions, 58
 primary care physicians (PCPs), 549, 591
 primary care system, 196
 primitivity, 134
 private counseling space, 597
 private prototypes, 77
 private public ventures (PPVs), 547
 problem of description, 65
 problem-solving deficits, ELA, 220
 problems of living, 376
 processing speed impairment, 189

- prodromes, schizophrenia, 10
- Programme for Improving of Mental Health Care (PRIME), 599
- projection, empathy vs., 155
- promoters, 209
- proopiomelanocortin (POMC), 212–13, 215, 221
- propositional signals, 76
- proteome, mechanistic links, 196
- protocol-statements, 67
- prototype-gestalt, 74–5
- prototypes, 73, 77
- prototypical mental disorders, 181
- Prozac (fluoxetine), 547, 555–6, 562
- pseudo-hallucinations, 452
- pseudo-mutuality, 155
- psychiatric categories, Western vs. non-Western, 583
- psychiatric conditions, variability in expression, 632
- psychiatric diagnoses, 643–4
- psychiatric drugs, unregulated dissemination, 551
- psychiatric objects, 65–6, 72
- psychiatric syndromes, organic vs. functional, 188
- psychiatrists by population, 601
- psychiatry
 - biological, 46
 - critical, 1
 - colonial, 161
 - cultural, 576
 - ecosocial approach, 3, 13, 638, 641, 647–50
 - future of, 3, 194–7, 260–1, 478
 - history, 6–11, 44–6
 - hybrid nature, 15, 43
 - narrative, 41–2, 46, 60
 - neurophenomenal approach, 15
 - nosology, 4–7, 11–12, 24, 28, 382, 434–8, 440, 444, 456–461, 495, 516, 519, 522, 534, 553, 643, 644
 - person-centered, 3, 15, 23–4, 68, 485, 506, 598, 646
 - phenomenological approach, 15
 - psychoactive substances, interpretation of sensation, 385, 387, 389
 - psychoanalysis, 119, 305, 623
 - psychodynamic theories, 154–5
 - psychoeducation, 584, 587
 - psychological safety valves, 352
 - psychological self, 622
 - psychometric approaches, bias, 187
 - psychopathology
 - aCMS, 104
 - cultural variation, 435–6
 - developing interventions, 334–5
 - dimensional approach, 181
 - ecological-level social factors, 327
 - empathy and, 152–5
 - individual and social-level interaction, 327–8
 - individual-level social factors, 326–7
 - integrative conceptual framework, 326–9
 - phenomenology, 434–5
 - task-induced deactivation, 104
 - taxonomies and research, 182–3
 - time, 328–9
- psychopharmaceuticals
 - branding, 552, 560–5
 - delivery, 546
 - economics, 646
 - globalization, 551
 - LMIC trials, 550
 - marketing, 503, 560–2, 562–3
 - research funding, 66
 - social exclusion, 558
- psychopharmacological societies, 565
- psychosis
 - daily hassles, 322
 - definition of, 152
 - depression, 564
 - experience, 152, 308–11
 - fear of causing, 171
 - not caused by culture, 493
 - outside West, 310
 - perceived discrimination and, 331–2
 - RDoC approach, 311
 - rebound, 633
 - simulating, 153
 - social factors, 318
 - triggers, 494
 - urban environment, 320, 324
 - WHO incidence studies, 332
- psychosocial looping processes, 641
- psychosocial self, 622
- psychostimulants, drug sales, 548
- psychotherapy, 582, 584, 592
- psychotic depression, 564
- psychotic disorders, 189, 599
- psychotropic medications, 172, 583, 615, 617
- PTSD (posttraumatic stress disorder), 366–7
 - Cambodian refugees, 344
 - DNA methylation, 219
 - dimensional, 186
 - multiplex model, 343
 - panic attacks, 346

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience,
and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

686 Index

- PTSD (posttraumatic stress disorder), (cont.)
 predisposition, 436
 Vietnamese refugees, 344
 Zoloft, 562
 pubertal maturation, 257–8
 public mental health, 567
 public rituals, 578
 Puerto Rico
 ataque de nervios, 441–2
 colonialism, 451
 pulvinar, 278–9, 281, 283
 purgatives, *dramu*, 515–16
 purging behavior, 532, 534–5
 purity, Islamic notion, 133
 PVN (paraventricular nucleus), 210, 212–13, 215
- Qin, Pengman, 94, 96
 quality of life, 645
 quality, of change, 52
 questionnaires, uncertain validity, 519
 Qur’anic verse, 500
- racial discrimination, 326
 racism, 157, 331, 616
 radial diffusivity (RD), 246, 248, 250–1, 256
 rage, 446, 453, 455
 Ramirez, Efrén, 455
 Rao, M., 550
 rate of change, 52
 rating scales, 551
 Rational Drug Bulletin, 556
 rationality, 46, 380
 rational understanding, 145
 rats, maternal care, 212
 Raz, Amir, 306, 633
 RDoC (Research Domain Criteria), 11, 19, 66, 194–5, 630
 approach, 311
 anthropology and, 307
 conceptually flawed, 307
 continuous categories, 274
 dimensional approach, 343
 focus on social, 477
 Tourette syndrome, 291
 transdiagnostic procedures, 286
 utility of, 293
 valence systems, 384
 reading, 438–9
 reading disorder, 439
 reassurance seeking, 404
 rebound psychosis, 633
Recognition and Treatment of Psychiatric Disorders: A Psychopharmacology Handbook for Primary Care, 563
 recovery, 171
 recursive processes, 630
 reductionism, 630
 reference delusions, 471, 474
 reflection, 84
 reflexivity, 121–2
 refugee camps, 344–5
 region-of-interest (ROI) based analyses, 246
 regional cerebral flow (rCBF), 96
 regulatory systems, 631
 reification of power, 599
 rejection, social 311
 relapse, rate of, 497
 relativism, 124
 religion, delusions, 474
 religion, schizophrenia and, 136
 religion, symbolic resources, 133
 religious asceticism, 520
 religious delusions, 471
 religious discourse, 171
 religious systems, 493
 Research Agenda for *DSM-V*, 183
 Research Domain Criteria (RDoC), 11, 19, 66, 194–5, 630
 approach, 311
 anthropology and, 307
 conceptually flawed, 307
 continuous categories, 274
 dimensional approach, 343
 focus on social, 477
 Tourette syndrome, 291
 transdiagnostic procedures, 286
 utility of, 293
 valence systems, 384
 research, reduce waste of, 617–18
 resilience, 171
 environmental events, 320
 iTaukei Fijians, 522–3
 therapeutic methods, 588
 resonance, 145, 150, 162
 response inhibition, 244–5
 responsibility for the Other, 160
 resting state
 preintentional organization, 103
 statistical frequency distribution, 104, 106–7
 resting-state activity, 16, 87–91
 major depressive disorder, 98–9
 midline regions, 95–8
 retrosplenium, 91
 reward, 379–80

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

Index

687

- reward centers, 380
 reward functions, 91, 95
 reward processing, bipolar disorder and, 19
 rewards, adolescent sensitivity to, 245
 rheumatoid arthritis, genetic risk, 192
 right frontal area, alerting, 278–9
 right temporal parietal junction, lateralization, 282
 Rio de Janeiro, 560
 risk factors, proximal vs. distal, 318
 risk-taking, adolescence, 245
 riskiness of environment, 388
 Risperdal (risperidone), 548, 560–1, 564
 rites of passage, 487
Ritual Burdens, 485
 ritual specialist, 488
 rituals
 Balinese, 493
 improperly performed, 494
 Nepalese, 593
 public, 578
 triggers, 499
 Robins, Rebecca, 561
 Robinson, T., 381
 role expectations, culturally determined, 391
 role models, 523
 role playing, 162
 role restriction, 496
 Rose, Nikolas, 555, 565
 Rosenberg, Charles, 375
 Rosenheck, Robert, 549
 Rounsaville, B. J., 179
 Rujito, Bambang. *See* Bambang
 rumination, 84, 367
 rural medical practitioners (RMPs), 556
 Rush, Benjamin, 379
 Russia, sobriety techniques, 390
 Ryder, Andrew, 414, 641
- saccades, 283
 sadism, 148
 sadness, 409
 Sadowsky, J., 135
 safety, 158
sakit dalam (“inner sickness”), 487
sakit gila (mad sickness), 131
“Salsa y control,” 445–6
 Samins, 500
 San Mateo, California, 308
 Sao Paulo Hospital, 559
 Sapir, Edward, 16, 117–20, 136–7
 Sarafem (fluoxetine), 563
 Sarawak, 131
 Saris, Jamie, 174, 387
- Sartorius, N., 408, 412
 Sass, L., 86, 134
 Save the Children Sweden, 593
 Saxena, Shekhar, 545
 scenarios, recurring, psychodynamic theories, 154–5
 schemas, psychodynamic theories, 154–5
 Schieffelin, E., 126–7
 schizoaffective disorder, 483, 495
 schizophrenia
 affect, 130, 135
 African and Caribbean origin populations in the U.K., 330
 bipolar disorder vs., 190
 boundaries, 180, 181
 Breivik diagnosis, 68
 catatonia specifier, 180
 complex outcome, 306–7
 anatomical structures, 108, 323
 cross-national occurrence, 518
 CT-scans, 190
 delusions, 20, 105, 626
 executive attention, 286
 first-degree relatives, 333
 functional imaging studies, 16
 GABA, 191
 genetics of, 192, 194, 631
 incidence rate and risk factors, 329–30
 latent vulnerability, 186
 migration, 325
 negative symptoms, 134
 neural mechanisms, 104–5
 primitive state resurfacing, 134
 prodromes, 10
 rare variants, 192
 resting-state activity, 16
 risk factors, 306, 325
 screening for, 10
 self, 85–6, 105–8
 services, 170
 simulating, 153
 social mitigation, 311
 stigma, 170
 undertreated, 567
 veracity of high rates, 330
Schizophrenia, Culture, and Subjectivity (Jenkins and Barrett), 130–7, 174
 schizotypal personality disorder, categorical structure, 186
 Schlosser, Allison, 386
 school, returning to, 593
 Schüll, Natasha Dow, 375
 Schwartz, Theodore, 502
Schvermut, 180
 science, tailoring of, 552

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience,
and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

688 Index

- scientificism, 42
- scopolamine, 283
- scripts, 405–7
- secondary brain inscriptions, 58–9
- secrecy, 133
- Sedgewick, Eve Kosofsky, 388
- “seeing as,” 74
- segregation, 325
- selective attention, 409
- selective serotonin reuptake inhibitors (SSRIs), 547, 561
 - India, 555–7
 - Japan, 552, 554
 - Money Magazine on, 562–3
 - paired with cognitive-behavior therapy, 403
- self processes, 130
- self vs. nonself, brain regions, 93
- self-affection, diminishment, 86
- self-agency. *See* agency
- self-awareness, 85, 90–1
- self-blame, 82, 84
- self-confidence, low, 494
- self-control, 387, 448, 534
- self-coping, 351–2
- self-corrective mechanism, 590
- self-deception, 290
- self-describing beings, 647
- self-estrangement, 161
- self-focus, 15
 - analytical, 84–5
 - experiential, 84–5
 - increased, 82–4
- self-harm, 206, 207
- self-management, patterns of, 305
- self-perpetuating cycles, 402
- self-presentation, 156
- self-programming, 636
- self-reference systems, 95
- self-reflexivity, 161
- self-specific organization, 90–1
- self-specific stimuli, 94
- self-specificity
 - anterior cortical midline regions, 92
 - midline regions, 95–8
 - resting state activity, 95–101
- schizophrenia, 105–6
- self-starvation, 520
- self-worth, 534
- self
 - disruption of, 584
 - disturbance of, 106–8
 - experiencing subject, 81
 - inner vs. outer, 94
 - sense of, 16, 86–7, 108, 311, 593
 - view of, 584
- semantic priming, 410
- semantic satiation, 410
- sensorimotor loops, 636
- sensorimotor resonance, 150
- sensorimotor synchrony, 146
- Seoul, incidence of delusions, 471
- separation from parents, 327, 329, 331
- separation, in mice, 212
- serious distress, 403, 405–12
- serotonin (5-HT), 213–15, 221
- serotonin hypothesis, 563
- serotonin transporter gene, 323
- sesajen*, 493
- sexual delusions, 471
- shackling, 498
- Shaffer, Howard, 391
- shame, 493, 499
- Shanghai, incidence of delusions, 471
- “share of voice,” 561
- shelter, 169
- Shi’ite ethos, 128
- shortness of breath, *khyâl* attack, 353, 355–6
- Shweder, R., 125
- shy children, 418
- side effects, 135, 552, 566
- signaling pathways, mechanistic links, 196
- signs
 - distinction from symptoms, 49, 56–7
 - of bipolar disorder, 237
 - of disordered eating, 515–16
 - of neurocognitive disinhibition, 8
 - of psychosis, 153
 - and language, 46
 - reification of, 69
- sil*, 127
- Silver, E., 325
- Simon, Naomi, 641
- simulation studies, 185
- single-room occupancy hotel (SRO), 169
- Sinhalese Buddhism, 127
- Skype, 598
- slavery, 157
- SmithKline Beecham, 561, 563
- Snodgrass, Jeffrey, 386
- sobriety techniques, 390
- social abandonment, 558–9
- social anxiety disorder (SAD), 562
- social anxiety disorder (social phobia), 402
- social anxiety
 - Clark and Wells model, 416–19
 - maintenance loop, 420
 - negative evaluation, 421

- social capital, 325, 332–3
- social cohesion, 325, 327
- social communication deficits (SCD), 187
- social conditions vs. social processes, 319
- social defeat, 311, 323
- social determinants, 644, 650
- social efficacy, 325
- social engagement, 131
- social evaluative stress processing, 325
- social exclusion, 558, 616
- social fragmentation, 325, 327, 332
- social harmony, preserving, 445
- social hierarchies, Korean, 402
- social inequities, 616–18
- social justice, 535
- social life, new structures of, 645
- social network, 617
- social phobia, 75, 185
- social power, 474–5
- social relationships, psychoactive substances, 389
- social safety net, 328, 333
- Social Security Disability Insurance (SSDI), 548
- social stress, CRH expression, 215
- social structures, 435
- social threat, responding to, 477
- social withdrawal, 407
- social world, 638
- social-environmental contexts, 639
- social-vocational dysfunction, 186
- sociocultural pragmatics, 351–2, 365, 368
- socioeconomic deprivation, 325
- software, self-referencing, 636
- solipsism, 153
- solitary tract, 98–9
- solitude, 133
- somatic complaints, 345, 351
- somatic sensations, cross-cultural differences, 365
- somatic symptoms, 349, 358–61
- somatization, 129, 343, 350, 402
- somatoaffective experiences, 408
- soul loss, 125
- South Africa, 599
- South Asia, NFP-AN, 520
- South Asians, hearing voices, 309
- South India, 132–3
- South, social inequalities, 618
- Southeast Asian patients, somatic complaints, 345
- Southwest Youth and the Experience of Psychiatric Treatment (SWYEPT), 121–4, 136
- spaces, 578, 580, 595–9
- spatial orienting, anxiety and, 276
- spatial predispositions, 97
- Species Plantarum* (Linnaeus), 180
- specific learning disorder with impairment in reading, 439
- specificity, functional vs. biological, 55
- spindle cells, 285
- spirit possession, 498
- spirits, 133, 447, 487
- Spitzer, Robert, 183
- SSRIs (selective serotonin reuptake inhibitors), 547, 561
- India, 555–7
- Japan, 552, 554
- Money Magazine on, 562–3
- paired with cognitive-behavior therapy, 403
- stage fright, 493
- standardized assessment tools, 414–15
- stigma, 488, 516, 584, 597, 603
- stimulus-induced activity, 16, 100–1
- stories, truth of, 402
- Strauss, J. S., 136
- stress, 457, 496–7
- stress hormones, stress response, 321
- stress response, 210, 212, 321
- stress response, acquired vulnerabilities, 322
- stress-response system, 323
- stress, BDNF expression levels, 216
- stressful life events, 616
- stressors, 411, 644
- stria terminalis, animal models of hyperactivity, 98–9
- stroke, *khyâl* attack, 359
- strong affect, willingness to experience, 161
- Stroop task, 285, 292
- structural equation modeling, 185
- structural violence, 376
- structured interviews, 66, 69–71
- equality in, 76
- police use, 77
- Subandi, M., 133
- subcortical midline regions, 91
- subcortical-cortical paralimbic network, 95
- subgenual anterior cingulate gyrus (ACG), emotion regulation, 241
- subjectivity, 77, 159
- substance abuse, 206, 568
- cannabis, 187, 320, 331, 335
- heroin, 391
- substance-related disorders, *DSM-5*, 382
- substantia nigra, resting-state activity, 98
- subsystems, 641
- suffering, 368, 583, 625

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

690 Index

- Suharto, President, 485–6, 501
 suicidal ideation
 ataque de nervios, 442–3
 ELA, 207
 suicide attempts, 84, 207
 suicide completers, 212–13, 216–17
 suicide prevention exercise, 599
 suicide risk, ELA, 206–8, 220
 suicide
 burden from, 206
 distal risk factors, 206–7, 220–1
 DNA hypermethylation, 216
 personality traits, 207
 proximal risk factors, 206, 207, 221
 risk, 207–8, 220
 Sukarno's development maxims, 500
 Sullivan, Harry Stack, 117
 superior colliculus, 278, 281–2
 superior longitudinal fasciculus (SLF),
 bipolar disorder, 247
 superior parietal lobe, orienting, 278, 281–2
 superior temporal gyrus, 220, 439
 superior temporal lobe, 282
 Supplemental Security Income (SSI), 548
 supragenual anterior cingulate cortex
 (SACC), 91, 95
 suspicion, 475–7
 Susser, E., 319
susto (“fright illness”), 457
 Swahili culture, 135
 SWYEPT (Southwest Youth and the
 Experience of Psychiatric Treatment),
 121–4, 136
 Sydney, incidence of delusions, 471
 sympathetic nervous system (SNS)
 amplification, 346, 352
 sympathy, 144–5
 symptom amplification, 641
 symptom scripts, 413–14
 symptom-referents, 72
 symptomatology, cultural milieu, 505
 symptome, 187
 symptoms
 cognitive-perceptual looping, 409
 continuum of, 18
 defining, 409
 disclosure, 521
 as hybrid objects, 54
 intrinsic vs. secondary, 626
 mechanistic links, 196
 reification of, 69
 as repeatable invariants, 73
 selective attention, 409
 specificity, 55, 152, 403
 splitting, 402
 syncope, *khyâl* attack, 353, 355, 359
 syndromes
 boundaries, 181
 lumping, 402
 mechanistic links, 196
Systema Naturae (Linnaeus), 180
 systems
 dynamics, 633, 638, 647
 emergent properties, 404, 630, 638
 hierarchical, 27, 639
 trajectories, 13, 26
 systems biology, 638
 systems for social processes, 194–5
 systems neuroscience, 17
 Taipei, incidence of delusions, 471
 taken-for-granted, cultural context, 158
 talk-based therapy, addiction, 383
 tardive dyskinesia (TD), 503, 633
 task-induced deactivation (TID), 104–5
 task-sharing. *See* task-shifting
 task-shifting, 546, 576, 584–5, 590–1, 602
 Tausk, Victor, 469
 taxometrics, 18, 185
 taxonomies, 179, 614
 technologies, 578, 580, 595–9
 technologies of absorption, 386
 technology, influence of, 644
 tectum, 91, 98
 television, 522–3
 temporal cortex, 247
 temporal horizon, 123–4
 temporal lobe, 19, 252
 temporal parietal junction (TPJ), 92–4, 278
 temporal pole (TP), 92–4
 temporal predispositions, 97
 temporal regions, 96
 temporality, 122–4
 temporoparietal cortex, 439
 temporoparietal junction, 281–2
 testosterone, white matter volume, 258
 Thailand, 128
 thalamus, 283–4
 thalamus/pulvinar, 95, 97–8
 Thara, R., 132–3
 theory of mind, 151
 therapeutic alliance
 dialogical practice, 577–83
 ecological systems approach, 578, 580
 importance of, 582
 process, 582
 therapeutic encounters, 581
 therapeutic techniques, 582
 thick description, 157
 thinking too much, 401

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

Index

691

- third-person perspective, 87
 thirst, 407
 Thomas, Jennifer, 613–14
 thorax, *khyâl* attack, 353, 355
 Thorazine (chlorpromazine), 502
 Thornicroft, Graham, 545
 thought insertion, interview example, 70–1
 thought, delusions, 474
 thoughts of others, delusions, 474
 thoughts of self, delusions, 474
 three-network model of attention systems, 276–8
 thyroid, 488
 tinnitus, 349
 tinnitus, *khyâl* attack, 353, 355–6, 361
 Titchener, Edward, 145, 277
 Todorov, Alexander, 475
 Tokyo, incidence of delusions, 471
Tollheit, 180
 top-down control, 290–1
 top-down influences, 292–3
 top-down process, empathy, 150
 Tourette syndrome (TS), 192, 290–4
 TPO-Nepal, 592–4, 616
 TPO-Uganda, 597, 616
 tract-based spatial statistics analysis, 246, 248
 tractography-based analyses, 246, 261
 Trade Related Aspects of International Property Rights (TRIPS), 551, 613
 tradeoffs, 579–80, 602–3
 traditional healing, 487, 497
 traditional rituals, child soldiers, 593
 training-to-task, 290
 training, “software-only,” 597
 traits, bimodality, 185
 trajectories
 of addiction, 378, 384, 390–1
 clinical research trajectories, 174
 developmental, 10, 133, 220, 236, 238–9, 242, 260–1, 630, 633
 dynamic, 28, 638
 temporal, 22, 335
 Tranel, Daniel, 475
tranquilo/a, 444
 Transcultural Psychosocial Organization (TPO-Nepal), 592–4, 616
 Transcultural Psychosocial Organization (TPO-Uganda), 597, 616
 transdiagnostic research frameworks, 293
 transference, cultural, 157
 transportability, 563
 trapezius muscle, 360
 trauma associations, 351–2
 trauma recall, 367
 trauma-related emotions, 358
 treatment gap, 545
 treatment looping, 368
 treatment-induced stress syndromes, 566
 treatments, 173, 421, 584
 triangulation model, 436–7
 ataque de nervios, 451–4, 458
 categories, 461
 “trickle down” effect in prescriptions, 557
 triggers
 ceremonies, 487
 emotional burdens, 487
 Ketut, 494
 multiplex model, 350–1
 rituals, 499
 TRIPS (Trade Related Aspects of International Property Rights), 551, 613
 trustworthiness, 459, 476
 tuberculosis, 576, 617
 Tübingen, incidence of delusions, 471
 Tucker, Annie, 614
 Turkey, incidence of delusions, 471
 TV actresses, 523
 Twelve Step programs, 383
 twin studies, 237, 322
 typifications, 73–5
 tyrosine receptor kinase B (TrkB), 217, 221
 U.S. Department of Health, 548
 U.S. Midwest, 559
 U.S. National Institutes of Health, 598
 Uganda, 579, 597, 599, 602
 uncinate fasciculus, 244
 understanding, 45, 142–5
 unintended consequences, 579–80
 unipolar depression, 190–1
 unipolar mood disorder, genetic risk, 192
 United Kingdom
 African and Caribbean origin
 populations, 329–34
 first-degree relatives and schizophrenia, 333
 media exports, 522
 United Nations, World Urbanization Prospects study, 324
 United States
 anorexia nervosa, 531
 family-based interventions, 591
 media exports, 522
 NFP-AN, (non-fat-phobic anorexia nervosa) 520
 social anxiety, 418
 University of Prishtina, 586
 unknowability, 159

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

692 Index

- unstable self-image, 67
- upright posture and metaphors, 361
- upstream innovation, 618
- urban environment, 320, 324
- urban life, 310, 327, 332
- urban migration, 497
- urban upbringing, 325
- urbanization, 328
- Uttar Pradesh, drug availability, 557

- vagal control, 366
- valence systems, 384
 - negative, 194–5
 - positive, 194–5
- Valverde, Mariana, 388
- van Os, J., 320
- vaso-vagal fainting response, 360
- Ventiv Health, 562
- ventral semantic network, 249
- ventral striatum, 91, 240
- ventral tegmental area, 98
- ventrolateral prefrontal cortex (VLPFC), 241–3, 254–5
- ventromedial prefrontal cortex (VMPFC), 91–2, 94–5
 - implicit emotion regulation, 253
 - rCBF, 96
 - resting-state activity, 98
 - self-specific activity, 97
- verb conjugations, 132
- Verrücktheit*, 180
- Verstehen* (understanding), 142–4
- victimization, perception of, 331
- Vienna, incidence of delusions, 471
- Vietnamese refugees
 - cold wind, 349
 - dizziness, 349
 - escape by boat, 345
 - history, 345
 - PTSD, 344–5
- vigilance, sustained, 286
- violence
 - intimate partner, 214
 - structural, 376
- visibility, eating disorders, 516
- vision loss, *khyâl* attack, 359
- visual arts, 162
- visual methods, data collection, 486, 506
- visual search tasks, 285
- voices, hearing, 20, 170, 308–9
- volition, Euro-American assumptions, 387
- Volkow, Nora, 379
- voluntary control, 275
- voluntary emotion regulation, 240–1
- von Neumann, J., 636
- von Zeller, Ernst, 180
- voter turnout, 325
- voxel-based analyses, bipolar disorder, 246
- voxels, 245–6
- Vrecko, Scott, 376
- vulnerability-stress model, 321
- vulnerabilities, 159
 - acquired, 322
 - environmental events, 320
 - markers, 19
 - windows of, 260

- Waitzkin, H., 552
- wanting, 380–1
- War on Drugs (Nixon), 379
- warning signals, 286
- Weber, Max, 143
- weight management
 - community, 522–4, 527–8
 - willingness to gain weight, 529
- Weiss, M. G., 567
- welfare system, 169
- well-being, 4, 27, 181, 324, 497, 505, 516, 535, 544, 558, 593–4, 623, 626–7, 643
- Wellcome Trust and Department for International Development (DfID), 598–9
- Wells, A., social anxiety model, 416–19
- Wernicke area, 216
- West, 645
- West Bengal, India, 555–7
- West Germans, 407
- Western science, influence, 413
- Western treatments, LMIC environments, 549
- white matter, 239
 - bipolar disorder, 246–7
 - connectivity, 248–52, 288
 - density, 258
 - increase, 244
 - integrity, 245–6
 - volume, 257
- “white space,” in marketing 561
- Whitfield-Gabrieli, S., 97
- Whittle, S., 259–60
- WHO (World Health Organization)
 - Costa e Silva, 560
 - crisis of mental health, 615
 - Determinants of Outcomes of Severe Mental Disorders (DOSMD), 503–4
 - eating disorders, 517
 - evidence-based strategies, 317
 - International Pilot Study of Schizophrenia (IPSS), 504, 565

Cambridge University Press

978-1-107-03220-0 - Re-Visioning Psychiatry: Cultural Phenomenology, Critical Neuroscience, and Global Mental Health

Edited by Laurence J. Kirmayer, Robert Lemelson and Constance A. Cummings

Index

[More information](#)

Index

693

- mental health as priority, 544
- Mental Health Atlas, 599
- schizophrenia, 136
- treatment gap, 555
- work routine, 497
- Wilce, J., 132
- will and habit, 387–8
- “wind attack” (*khyâl* attack), 344, 349, 355, 359
 - cultural form of panic attack, 352–3
 - self-treatment for, 357–8
 - symptoms, 349, 352–7
- windows of vulnerability, 260
- witchcraft, 457
- withdrawal, 133
- witness interrogation, 77
- women, legitimacy to speak, 536
- work, therapeutic, 495
- working memory, 104, 244
- World Health Organization (WHO)
 - Costa e Silva, 560
 - crisis of mental health, 615
 - Determinants of Outcomes of Severe Mental Disorders (DOSMD), 503–4
 - eating disorders, 517
 - evidence-based strategies, 317
 - International Pilot Study of Schizophrenia (IPSS), 504, 565
 - mental health as priority, 544
 - Mental Health Atlas, 599
 - schizophrenia, 136
 - treatment gap, 555
 - work routine, 497
- World Health Organization Assessment Instrument for Mental Health Systems (WHO-AIMS), 598–9
- World of Warcraft, 386
- World Psychiatric Association (WPA), 553
- World Urbanization Prospects study, 324
- World War II, 486
- worry, 343, 616
- X chromosome, 211
- Xanax (alprazolam), 549, 556
- Yatmi, 489, 492, 501
- years lived with disability (YLDs), 517, 544
- Yogyakarta, Java, 133
- Yokohama, WPA meeting, 553
- Yoruba asylum inmates, 135
- Zanzibar, 135
- Zoloft (sertraline), 562
- zone of social abandonment, 558–9
- Zustandsbilder*, 180
- Zyprexa (olanzapine), 548, 556