

Index

- abstracted system, 205
- action, 1, 19
 - applicable, 20, 27
 - dummy, 50
 - effect, 21, 26
 - language
 - Cypress, 152
 - DS1/RAX, 152
 - GOLEX, 108
 - IxTeT-Exec, 152
 - PRS, 107
 - RAP, 107
 - RMPL, 152
 - RPL, 152
 - TCA, 107
 - TDL, 107
 - models
 - descriptive, 9
 - operational, 9
 - monitoring, 282
 - mutex, 63
 - nondeterministic, 155, 157
 - partially instantiated, 48
 - precondition, 21, 26
 - primitive, 120
 - free, 132
 - task-dependent, 132
 - r-applicable, 42
 - relevant, 46
 - state-variable, 27
 - template, 26
- actor, 2
 - abstract, 2
 - autonomy, 3
 - diversity, 3
 - hierarchical, 75
 - physical, 2
- and/or graph, 165
 - search, 165
- atom, 25
- backtracking point, 315
- Bayesian network, 257, 258
 - DBN, 258
- binary decision diagrams, 170, 178
- chronicle, 125
 - initial, 127
 - recognition, 280
 - valid solution plan, 127
- command, 4, 76
- consistency constraints, 25
- constraint
 - CSP, 52
 - meta-CSP, 150
 - object, 133
 - propagation rule, 140
 - temporal, 116
 - contingent, 138
 - controllable, 138
 - minimal, 135
- context-dependent plan, 189
- control automaton, 201, 202
- controlled system, 203
- cost function, 20
- cycle-checking, 31
- deadlock-free controller, 204
- deliberation, 1
 - continual, 7
 - functions, 5
 - hierarchical, 7
- description logic, 304
- determinization, 179, 181, 185
 - all-outcomes, 243
 - most-probable outcomes, 243
- diagnosis, 281
- discretization, 303
- dispatching, 144
- dynamic execution strategy, 138
- dynamic programming, 226

- event, 9, 76
 - exogenous, 9
- execution platform, 5
- factotum, 14
- fixed point, 175, 195, 196, 224
 - flaw, 128
 - conflicting assertion, 128
 - nonrefined task, 128
- nonsupported assertion, 128
- flow tube, 300
- goal, 29
 - extended, 68
 - open, 50
 - reachability, 188
 - reasoning, 286
- heuristic, 31
 - ϵ -admissible, 33
 - abstraction, 67
 - additive cost, 39
 - admissible, 31, 229
 - causal graph, 66
 - delete-relaxation, 40
 - domain-independent, 37
 - dominance, 34
 - Fast-Forward, 43
 - Fewest Alternatives First, 52
 - landmark, 44
 - max-cost, 38
 - monotone, 33, 229
 - optimal relaxed solution, 42
 - pattern database, 67
 - value-ordering, 130
 - variable-ordering, 130
- history, 220
- hybrid automata, 294
- immediate transitions, 191
- input/output automaton, 198, 200
 - control, 201, 202
 - controlled, 203
 - hybrid, 297
 - product, 209
 - run, 200
 - solution, 204
- landmark, 44
- learning
 - from demonstration, 291
 - from observation, 292
 - from specification, 292
 - inverse reinforcement, 290
 - reinforcement, 287
- leaves, 161
- linear temporal logic, 65
- literal, 25
 - ground, 26
 - instance, 26
- lookahead, 184
- Markov decision process, 217
 - MDP, 269
 - POMDP, 269
 - SMDP, 271
- method, 187, 188
 - nondeterministic refinement, 187
 - refinement, 77
 - temporal refinement, 122
- minmax search, 167
- Monte Carlo
 - rollout, 250
 - tree search, 252
- next-state variable, 173
- node
 - ancestors, 31
 - children, 31
 - depth, 31
 - descendants, 31
 - expand, 31
 - initial, 31
 - node-selection strategy, 315
 - successors, 31
- nondeterministic choice, 30, 313
- normal transitions, 191
- ontologies, 304
- partial plan, 49
 - causal link, 49
 - consistent, 49
 - flaw, 50
 - instance, 50
 - refinement, 49
 - resolver, 50
 - threat, 51
- perception, 15
 - anchoring, 278
 - planning, 278
- plan, 28
 - applicable, 29
 - concatenation, 29
 - context dependent, 188, 189
 - cost, 28
 - empty, 28
 - length, 28
 - monitoring, 283
 - partially ordered, 49
- planning, 11
 - classical, 20
 - HTN, 64
 - limited-horizon, 58

Index

353

- online, 55, 57, 182
- with abstraction, 64
- planning domain, 19
 - abstraction, 265
 - blocks world, 71
 - classical, 19
 - decomposition, 266
 - interpretation, 28
 - nondeterministic, 157
 - probabilistic, 218
 - sparse, 262
 - relaxed, 36
 - state-variable, 28
- planning graph, 63
 - relaxed, 44
- planning language
 - ANML, 151
 - PDDL, 60
 - PPDDL, 273
 - RDDL, 273
- planning problem, 162
 - abstract, 64
 - nondeterministic, 160, 162
 - state-variable, 29
- policy, 159, 218
 - acting, 160
 - closed, 219
 - memoryless, 160
 - optimal, 168, 223
 - partial, 159, 219
 - performing, 160
 - safe, 221
- quantified boolean formulas, 173
- reachability graph, 161
- receding horizon, 13
- red blocks, 192
- refinement
 - method, 74, 77
 - planning, 90
 - stack, 83
 - tree, 92
- regression, 46
- representation
 - classical, 59, 60
 - domain-independent, 21
 - domain-specific, 21
 - generative, 20
 - ground, 60
 - state-variable, 60
- residual, 227
- resolver, 128
- rigid relation, 22
- safely explorable domains, 183
- sampling, 245
 - generative model, 245
 - simulated walk, 247
 - sparse, 250
- search
 - A*, 33
 - And/Or, 315
 - best-first, 235
 - branch and bound, 34
 - breadth-first, 32
 - completeness, 313
 - depth-first, 32, 239
 - forward, 30
 - greedy, 32
 - greedy best-first, 34
 - hill climbing, 32
 - iterative deepening, 240
 - least-cost first, 33
 - sampling, 59
 - soundness, 313
 - systematic, 68
 - uniform-cost, 33
- search automata, 190
- search space
 - branching factor, 31
 - height, 31
- solution, 29, 160, 163, 219
 - acyclic safe, 163
 - closed, 219
 - cyclic safe, 163
 - improper, 165
 - minimal, 29
 - optimal, 29
 - partially ordered, 48
 - proper, 165
 - relaxed, 42
 - safe, 163, 221
 - shortest, 29
 - strong, 165
 - strong cyclic, 165
 - unsafe, 163, 221
 - weak, 165
- solution control automaton, 204
- state, 19, 24
 - dead end, 187, 221
 - explicit, 222
 - implicit, 222
 - fringe, 232
 - goal, 29
 - initial, 29
 - interior, 232
 - leaves, 160
 - next, 172
 - observed, 10
 - open, 233
 - predicted, 10, 20
 - reachable, 161

- state (*cont.*)
 - relaxed, 41
 - safe, 222
 - solved, 233
 - unsafe, 222
- state space
 - interpretation, 23
 - search, 30, 45
 - state-variable, 24
- state variable, 22, 23
 - hidden, 11
 - invisible, 11
 - observable, 11
 - range, 23
 - visible, 11
- state-transition function, 20
 - transitive closure, 29, 160
- state-transition system, 19
- stochastic shortest-path, 219
 - goal-oriented problem, 263
 - process-oriented problem, 263
- strongly connected components, 239
- subgoal, 58
- symbolic model checking, 170
- synthesis of controllers, 208
- target
 - of an assignment statement, 76
 - of an atom, 26
 - of an effect, 26
- task, 74, 76
 - refined, 125
 - temporal, 122
- temporal assertion, 116
 - a priori supported, 125
 - causally supported, 119
 - change, 116
 - persistence, 116
 - possibly conflicting, 118
- temporal network, 134
 - consistent, 135
 - dynamically controllable, 138
 - grounded, 144
 - pseudo-controllable, 139
 - STN, 134
 - STNU, 138
 - TPN, 152
 - TPNU, 153
 - with uncertainty, 138
- time point, 116
 - alive, 144
 - contingent, 138
 - controllable, 138
 - enabled, 144
 - observable, 136
- timeline, 117
 - consistent, 118
 - secure, 119
- transitive closure, 160
- value function, 223
- variable-assignment function, 24