

Index

Figure, table, and reaction locations are indicated in bold typeface

- acetone
 as amphiphilic binary mixture, 252
 molecular structure, **244**
- acidosis, 75
- Adam–Gibbs relation, 157–158, **158**, 293–294, **295**
- adenylate kinase (ADK) (enzyme), 101, **101**
- Alzheimer's disease, 109–110, 123
- amphiphilic effects, 207–209, 243–258, **244**, **247**, **249**, **251**, **255**, **257**, 342. *See also* surficants, hydrophobic effects, hydrophilic effects
- Angel, C. A., 308
- anomalies. *See also* Widom line
 amphiphilic binary mixtures, 245–253, **247**, **249**, **251**
 bulk water, 13–21, **14**, **16**, **17**, **19**, **20**, **21**, **22**
 explained by computer simulation for hydration layer, 144
 glass transition, 88–90, **89**
 ice formation, 306, 308
 large number of in water, 323–326
 structural. *See* local order
 of supercooled water, 310
 of supercooling, 324
 thermodynamic. *See* specific heat. *See* temperature of maximum density (TMD), isothermal compressibility (Kt), coefficient of thermal expansion (f_{1ar}/f_0)
 and two-stage water model, 22–23
- aqueous salt solutions. *See* electrolytes
- Arrhenius equation, 17–18
- association
 hydrophobic, 227
 residence time of water molecules in proteins, 109
- Bagchi, B., 86, 130
- Barron, L. D., 196
- Bell, L., 342
- Ben-Amotz, D., 227
- bending mode (hydrogen bond), 39, 69
- Bernal, J. D., 324
- Berne, B., 56, 57
- Bhattacharyya, S. M., 88, 130, 265
- bifurcated hydrogen bond, 67–68
- billiard ball model (of liquids), 324–325
- biological water. *See also* bulk water
 DNA, 83
 functions in, 97–113, **99**, **100**, **101**, **103**, **104**, **105**, **106**, **108**, **113**
 inside a carbon nanotube, 277–283, **278**, **279**, **281**, **282**
 molecular characteristics of, 83–84
 molecular differences with bulk water, 81–83, **82**
 natural selection in biomolecules, 187–192, **189**
 protein hydration layer, **82**, 83, 88–90, **89**
 and protein synthesis, 192–197, **195**
 theoretical studies of, 84–88, 91–95, **91**
- blood
 lipid bilayers in, 178, **178**
 pH, 75–76
- Boltzmann law, 288, 291, 298, 303
- Bondi, A., 227
- bound water molecule (biological water). *See also* free water molecules (biological water)
 definition, 84
 in dynamic exchange model, 86–88
 in lipid surface, 180
 in micelles, 266–268, **267**
- bovine serum albumin (BSA), 128–129
- Brown, Robert, 27
- Brownian motion, 27–28, **29**, **37**, 51, **52**
- bulk water. *See also* heavy water, biological water
 anomalies, 13–21, **14**, **16**, **19**, **20**, **21**, **22**
 characteristics of, 3, 7–9, **8**
 computer simulations of, 6–7
 freezing of, 305–315, **310**, **312**, **313**
 inherent structures in, 61–70, **63**, **64**, **65**, **66**
 modeling, 9–10
 molecular differences with biological water, 81–83, **82**
 molecular structure of, 4–7, **4**, **5**, 324
 pH, 71–75, **73**

- carbamide. *See* urea
 cell theory, 298–299, **299**
 chaotropes. *See* ionization
 chromatography, 202
 clathrate hydration molecular structure, 124, 132–133
 clusters. *See also* percolating network
 amphiphilic effects and, 253–254, **255**
 DMSO, 246–249, **249**
 hydrogen bond, 67, 330
 coefficient of thermal expansion (ar), 16–17, **17**
 collapse, **229**
 computer simulation. *See also* spectroscopy, nuclear
 magnetic resonance experiments (NMR), inherent
 structures (IS), experiments
 and protein hydration layer thickness, 121, 124
 dielectric relaxation, 143
 DMSO, 245–249, **247**, **249**
 DNA hydration, 158, **171**
 to explain water anomalies, 144
 hydration layer, 140–142, **141**, **142**, 146, **146**
 of ice formation, 308, 310–314, **312**, **313**
 lipid bilayer, 180–181, **181**
 of molecular motion, 31, 136–138
 molecular motion in hydration layer, **139**
 of polarizable water molecules, 41
 of protein glass transition phase, 144–145, **145**
 solvation dynamics (SD), 142–143
 in surficants, 266, 269
 of water confined between silica surfaces, 204–205,
 204, **205**, **206**
 of water density, 15
 water glass transition, **89**, 144–145, **145**
 concentration
 dependence in DMSO, 245–249, **247**
 dependence of conductivity in electrolytes, 211
 dependence of ions solutions and water dynamics,
 203–204
 conductivity. *See* polarization
 continuum model (of collective orientational
 relaxation), 54
 core–shell model, 270–273, **270**, **271**, **272**
 covalent bonds. *See also* hydrogen bonds
 rarity of breaking in bulk water, 97–98
 transfer of electron density in, 8, **8**
 of water creating V shape, 4, **4**
 Crick, F. H. C., 152
 crystallographic experiments, 167–169

 da Vinci, Leonardo, 97
 D'Angelo, M., 268
 Darwin, Charles, 187
 Dawkins, Richard, 187
 Debye–Hückel–Onsager law, 45, **46**, 210–211
 Debye–Waller coefficient, 203
 density fluctuations. *See also* temperature of maximum
 density (TMD)
 of protein hydration layer, 137
 in supercritical water, 318–319, **319**
 of water on silica surface, 204–205, **205**, **206**
 density maximum. *See* temperature of maximum
 density (TMD)

 dielectric constant
 being useful in chemical processes, 8
 and light scattering, 55–57
 in lipid bilayer, 184
 polarization increases, 9
 dielectric relaxation (DR). *See also* relaxation time,
 electrolytes
 computer simulation, 143
 DNA, 83
 hydrogen bond breaking kinetics, 40–41
 and protein hydration layer, 83, 120, 124–125,
 125
 in reverse micelles, 268–269
 diffusion. *See also* viscosity, relaxation time
 Adam–Gibbs relation, 157–158, **158**, 293–294, **295**
 along DNA 174, **175**
 and inherent structure not containing
 information on, 70
 of ions in bulk water, 45–46, **46**
 of ions in methanol, 250
 in lipid surface, 182–184
 Rosenfeld relation, 291–293, **295**
 single file, 277, 280, **281**
 Dill, K. A., 342
 dioxane
 as amphiphilic binary mixture, 252–253
 molecular structure, **244**
 DMSO
 as amphiphilic binary mixture, 245–249, **247**, **249**
 biological applications of, 256–258, **257**
 clustering in, 253–254, **255**
 molecular structure, **244**
 DNA. *See also* protein synthesis
 and drug recognition, 107–109, **108**
 effects of nanoconfinement in, 161
 entropy and diffusion in, 156–159, **158**
 groove structure in, 153–155, **154**
 hydration of constituents in, 152–153, 163–164, **164**
 intercalation of drugs into, 101–105, **101**, **103**,
 104, **105**
 and protein hydration layer dynamics, 167–175, **171**,
 175
 replication sequencing, 188, 196
 solvation dynamics in, 155–156, **156**
 spine of hydration in, 159–160
 stabilizing effect of water in, 151–152
 drinking water. *See* bulk water
 dynamic equilibrium
 of bound and free biological water
 molecules, 86, 136
 in dynamic exchange model, 91–95, **91**
 dynamic exchange model, 85, **85**, 86–88, 91–95, **91**

 Einstein, Albert, 28
 Einstein relation law, 45
 electrolytes. *See also* polarization, ionization, dielectric
 relaxation (DR)
 conductivity in, 209–211
 electron transfer in, **46**, 47–49, **48**
 ionic conductivity in, 45–46, **46**
 in lipid surface, 184

- polarization, 30
viscosity in, 211–212
- electrons. *See* molecular structure
- ellipsoid in a sea of spheres model (EISS), 51–52
- Elsaesser, T., 40
- energy
entropy balance, 290
microscopic states of, 15
similarities between water density at different temperatures, 18
water molecules can form many structures, 9
- enthalpy (*H*). *See also* thermodynamics, entropy
in bulk water, 23–24
of DNA protein hydration, 168
in hydrophobic effects, 215, 217, **221**
stability of bound water molecule, 84
of water molecules near ions, 203
- entropy. *See also* thermodynamics, enthalpy (*H*)
calculation of, 295–300, **299**
definition of, 287–290
and diffusion, 291–294, **295**
of DNA hydration interaction, 156–157
of DNA protein hydration, 168
during incalation, 104–105, **105**
in hydrophobic effects, 215, 217, **221**
in ice formation, 305
in inherent structures, 61
in lipid surface, 180
in micelles, 267, 268, **268**
and molecular configurations, 15, 23–24
and vibrational molecular motion, 289–290, 296, 302
of water molecules near ions, 203
- enzyme catalysis
in aqueous urea solution, 208–209
covalent bond in, 97–98
role of water in, 99–101, **99**, **100**, **101**
- enzyme kinetics. *See* enzyme catalysis
- ethanol
as amphiphilic binary mixtures, 250, **251**
clustering in, 253–254, **255**
molecular structure, **244**
- Evans, D. J., 217, 219
- experiments. *See also* spectroscopy, nuclear magnetic resonance experiments (NMR), computer simulation
crystallographic, 167–169
light scattering, 55–57
NALMA, 128
NMR, 57–58, 126–127, 170
QENS, 127–128
- extended network. *See* percolating network
- Fayer, M. D., 33, 274
- Fersht, A. R., 188, 192–194
- fibril growth, 111–112
- Fleming, G. R., 129, 325
- Flory, Paul, 227, 228, 330
- Flory–Huggins theory, 228–230, **229**
- fluctuation. *See* nucleation
- fluorescence up-conversion technique, 170
- food, 76
- force constant matrix, 69
- force law (hydrophobic), 234
- Frank, H. S., 217, 219
- free energy
barriers, 146, **146**, 180, 182–184, 185
change in DNA hydration, 157
surfactants and, 266–268, **267**, **268**
- free water molecules (biological water). *See also* bound water molecule (biological water)
definition, 84
in dynamic exchange model, 86–88, 91–95
in lipid surface, 180
in micelles, 266–268, **268**
- freezing 307
biological water, 310, 314–315
bulk water, 305–309, 310, **310**, **312**, **313**
- Fuoss, R. M., 212
- Geissler, L., 74
- Gibbs, J., 325, 327
- glass transition phase (water), 144–145, **145**
- grooves (DNA)
entropy in, 299–300
molecular motion in, 154–155
structure, 153–155, **154**, 159
- Grote, R. E., 48
- Grote–Hynes theory, 48–49
- Grüneisen, E., 211
- guanidinium hydrochloride, 209
- Guoy–Chapman layer 262, **263**
- Halle, B., 127
- Hamming matrix, 332–333
- Hang-Jun, L., 279
- Hansen, E., 51
- heavy water. *See also* bulk water. *See also* biological water
effect of temperature on, 33–35, **34**, **35**
freezing of, 309
supercooling, 33–35
and vibrational spectroscopy, 128–129
- Henchman, R. H., 298
- Herschbach, D. R., 227
- heterogeneous surface topology
in DNA protein 170, **171**
of protein hydration layer, 135
in proteins, 122
in RNA, 161–162
- Hopfield, J. J., 188
- Hopfield–Ninio scheme, 190–192
- hydration layer. *See also* Stern layer, protein hydration layer
computer simulations of, 136–138, **139**
surface topology, 124
- hydrodynamic friction, 121
- hydrogen bond breaking
breaking in hydration layer, **139**
in hydration layer, 137–138
kinetics, 36–49, **38**, **39**, **40**, **44**, **46**, **48**
- hydrogen bond defects. *See* orientational order
molecular structure

hydrogen bond lifetime
 and anharmonic coupling, 39–40
 geometric definition, 36, **38**
 in micelles, 266
 quantification, 50, 58–59, 324
 and time correlation functions, 36–39, **38, 39**

hydrogen bond network
 being percolating, 6–7
 fluctuations in, 324, 330–334
 impossibility near large hydrophobic object, 234–235, **235**
 low energy excitations in liquid water, 69
 on mica surface, 207
 micelle disruption, 263
 not sustained in biological water in three dimensions, 84
 protein, 124
 in supercritical water, 318, 321

hydrogen bond types
 in biology, 67–68, 81–83
 in DNA, 163–164, **164**
 in micelles, 266–268, **267, 268**
 RNA interactions, 105–107, **106**
 of silica surfaces, **204, 205**
 strength difference in protein backbone and side chain atoms, 121–123, **122**
 in urea water, 209

hydrogen bonds. *See also* inherent structures (IS), covalent bonds
 bifurcated, 5, **6**
 and difficulty in ice creation, 310
 diversity of in water, 8
 fluctuating molecular networks in water, 9
 lifetime of, 7, 140–142, **141, 142**
 long-lasting, 311–314, **312, 313**
 orientational order in, 50
 potential energy, 324, 331–333
 tetrahedral structure, 5, 50, 71–72

hydrolases (enzyme), 99–101, **99, 100**

hydrolysis, 187–196, **189, 195**

hydropathy scale, 220–221, **222**

hydrophilic effects. *See also* hydrophobic effects, amphiphilic effects
 on electrolytes, 209–212
 in ion solvation, **203**
 on mica surface, **207**
 on parallel silica surfaces, 204–205, **205**
 on protein surface, 122, 123, 124, 132–133, **133**

hydrophobic effects. *See also* hydrophilic effects, amphiphilic effects
 collapse, 227–230, **229**
 at different length scales, 234–235, **235**
 environment in lipid bilayer, 184
 force law, 234
 history of, 215–217
 and hydrophobic hydration, 217–220, **220, 221, 222**
 in iceberg model, 217, 219
 ice-like water structures on silica, 205, **206**
 of ions due to enthalpy and solvation energy, 203
 molecular interactions in, 230–233, 236–241

in nanotubes, 280
 and pair hydrophobicity, 221–227, **223, 224, 225, 226**
 on protein surface, 122, 123, 132–133, **133**

Hynes, J. T., 31–32, 40, 48

ice. *See also* supercooling, nucleation
 density of, 14
 formation, 305–306, 308, 309, 310, **312, 313**
 formation in carbon nanotubes, 310, 314–315
 from micro-droplets, 308
 phase diagram of water into, 306–307, **307**
 polymorphs in, 9
 tetrahedral molecular of, 6

iceberg model
 hydrophobic effects, 217, 219
 of protein hydration layer, 118, **119, 124**

inherent structures (IS). *See also* hydrogen bonds, computer simulation
 bond transition in, 67–68
 temperature and, 62–66, **63, 64, 65, 66**

intercalation, 101–105, **101, 103, 104, 105**

interfacial water. *See* protein hydration layer

inverted hydration molecular structure, 124, 132–133

ionization. *See also* electrolytes
 auto, 71–72, 74
 conductivity, 45–46, **46**
 and water, 47–49, **48, 202–204, 203**

Ising model, 273–274, **275, 294**

isobaric specific heat (Cp). *See* specific heat (Cp)

isoenergetic structural arrangements. *See* polymorphs

isothermal compressibility (Kt), 15–16, **16, 23–24**

Jimenez, R., 43

Jones–Dole coefficient, 203–204

Jones–Dole equation, 212

jump motion. *See* rotational molecular motion

Kauzmann, Walter, 215

kinetic proofreading (KPR), 187–196, **189, 195**

Kohlrausch’s law, 210

kosmotropes. *See* ionization

Kubo, R. J., 203

Kubo-Oxtoby theory of frequency modulation, 40

Laage, Damien, 31–32

Laage–Hynes mechanism, 339

Landau theory, 325–326

Lang, M. J., 45

Laria, D., 321

Levitt, M., 105

light scattering experiments, 55–57

linear molecular motion. *See* translational molecular motion

lipid bilayer. *See also* protein hydration layer
 hydration of constituents in, 179
 molecular structure of, 177–179, **178**
 molecular transport in, 182–184
 potential energy in, 180, 184
 solvation dynamics (SD), 181, **182**
 water dynamics in, 180–181, **181**

- lipid bilayer diffusion series (LPD), 182–184
 local density. *See* density fluctuations
 local order, 19–21, **19**, **20**, **21**
 low temperature. *See* supercooling
 lubricant
 flickering phenomena, 196–197
 water as, 179, 185
 Lynden-Bell, R. M., 46
 lysozyme (enzyme), 100–101, **101**, 128, 129, **130**, 137, 256–258, **257**
- magnetic relaxation dispersion (NMRD), 127
 Maniwa, Y., 283
 Marcus theory (of electron transfer), 47–49, **48**
 Marcus, R. A., 130, 342
 Matsumoto, M., 310
 mean square displacement (lipid bilayer), 180, **181**
 Mendeleev, D., 250
 Mercedes Benz model, 342
 metastable state, 310–311, **310**, 341
 methanol
 as amphiphilic binary mixture, 250
 molecular structure, **244**
 mica, **207**
 micelles, 261–263, **263**, 342 *See also* reverse micelles
 microemulsion. *See* reverse micelles
 model
 billiard ball, 324–325
 continuum, 54
 core–shell, 270–273, **270**, **271**, **272**
 dynamic exchange, 85, 86–88, 91–95, **91**
 EISS, 51–52
 iceberg, **119**, 217, 219
 Ising, 273–274, **275**, 294
 reaction–diffusion model, 86
 two-stage water, 22–23, 310, 325, 335–341, **335**, **338**
 Weeks–Chandler–Andersen, 236, **338**
- molecular motion
 Brownian, 27–28, **29**, **37**, 51, **52**
 of bulk water, 27–35, **29**, **31**, **33**, **34**, **35**, **36**, 49–50
 rotational, 27, 28–32, **31**, **32**, 51–53, 54, 85, 86–88, 93–95, 154–155, 180–181, **181**, 265, 280–282, **282**, 303
 surfactants, 265
 translational, 27, 28, 35, **36**, 85, **85**, 88, 137, 154, 180–181, **181**, 265, 279–280, **281**
 vibrational, 39–40, **40**, 128–129, 289–290, 296, 302, 320–321
- molecular structure. *See also* polymorphs
 amphiphilic binary mixtures, 243–245, **244**
 of DNA, 151–152, 153–155, **154**, 159
 and entropy of liquid water, 296–297
 in hydrophobic effects, 230–233
 lipid bilayer, 177–179, **178**, 182–184
 and local order, 19–21, **19**, **20**, **21**
 and potential energy, 62–66, **63**, **65**, **66**
 of protein hydration layer, 121–124, **122**, 132–133, **133**
 of RNA, 152
 surfactants, 261–263, **263**, **264**
 of water around ions, **203**
- Moras, D., 106
 myoglobin, 124–125, **125**, 136
- N-acetyl-leucine-methylamide experiments (NALMA), 128
 Naim, Ben, 342
 Nandi, N., 45, 86
 nanotubes (carbon), 18
 entropy in, 299–300
 freezing of water in, 310, 314–315
 molecular structure of, 278
 molecular structure of water in, 278–279, **278**, **279**
 relaxation time, 17–18
 rotational molecular motion of water in, 280–282, **282**
 translational molecular motion of water in, 279–280, **281**
 types of, 277, 278, 282
 natural selection (in biomolecules), 187–192, **189**
 Nee, T., 54
 Nernst's law of electrochemistry, 45
 Nibbering, T. J., 40
 nuclear magnetic resonance experiments (NMR). *See also* spectroscopy, experiments, computer simulation
 of DNA hydration interaction, 170
 and protein hydration layer dynamics, 126–127
 and relaxation time, 57–58
 nuclear overhauser effect (NOE), 126–127
 nucleation, 16–17, 309, **310**, 311–314, **312**, **313**, 342
 See also ice
- Ohmine, I., 67, 310, 325
 oligomerization, 110–111
 Onsager, L., 43, 212
 Onuchic, J. N., 209
 orientational order molecular structure 6
 causing five-sided shape, 5, **6**
 dependence in hydrophobic effects, 224–227, **225**, **226**
 hydrogen bonds, 50
 on mica surface, 206–207, **207**
 promoting diffusion, 67–68
 relaxation in, 53–54
 reverse micelles, 269–273, **270**, **271**, **272**
 Ostwald's dilution law, 211
- pair correlation function $g(r)$, 19–21, **19**, **20**, **21**
 pair hydrophobicity, 221–227, **223**, **224**, **225**, **226**, 233
 Patey, G. N., 340
 Pauling, Linus, 4
 Pecora, R., 56, 57
 percolating network. *See also* clusters
 allowing many dynamic processes, 9
 development of, 325
 history of, 327–330
 as reason for many anomalies, 6–7
 Percus–Yevick equation, 288
 pH
 blood pH, 75–76
 of bulk water, 71–75, **73**

354

pH (cont.)
 seawater, 77

phase. *See also* supercritical water, supercooling
 diagram (water–ice), 306–307, **307**
 glass transition, 88–90, **89**, 144–145, **145**, **307**
 metastable state, 310–311, **310**, **341**

phospholipids, 177–179, **178**, 179

photosynthesis, 112–113, **113**

polar perturbations. *See* solvation dynamics (SD)

polarization. *See also* electrolytes
 of DNA, 151–152, 163–164, **164**
 speed of, 44, 45
 and water molecule arrangement, 9, 10

polymorphs, 202, 206, 342. *See also* molecular structure

potential energy 63
 bond transition in inherent structures, 67–68
 in DNA, 161
 of hydrogen bonds, 324, 331
 and molecular structures, 62–66, **63**, **64**, **65**, **66**

potential energy minima. *See* inherent structures (IS)

potential of mean force (PMF), 221–227, **223**, **224**, **225**, **226**

Pratt–Chandler theory (PC), 232, 233, 236–241

protein folding
 flickering phenomena, 196–197
 hydrophobic effects, 220, 224–227, **225**, **226**
 water dynamics in, 109

protein hydration layer. *See also* surface topology,
 hydration layer
 association in, 90
 binding sites, 107–109, **108**
 and DNA, 167–175, **172**, **175**
 glass transition and, 88–90, **89**
 molecular structure, **119**, **122**, **125**, **130**,
131, **133**
 and water residence time, 109, 136, 170

protein surface
 inverted molecular structure, 124, 132–133
 topology, 8, 10
 water behavior in, 51

protein synthesis. *See also* DNA
 ADK, 101, **101**
 enzyme catalysis, 97–101, **99**, **100**, **101**,
 208–209
 evolution of, 187–192, **189**
 kinetic proofreading, 187–196, **189**, **195**

proteins
 amphiphilic effects on, 245
 data bank, 224–227, **225**, **226**
 denaturation, 208
 effects of DMSO on, 256–258, **257**
 pH of amino acids, 75–76

pump-probe spectroscopy, 269, **270**

quantification of spatial order (to), 20–21, **20**, **21**,
 24–25

quantum nature 6
 of hydrogen bonds, **8**, 71–72
 of temperature dependence in water bonds, 74
 of water creating V shape, **6**, 71–72

Index

quasi elastic neutron scattering experiments (QENS),
 127–128

quenched normal mode, 69

Radhakrishnan, R., 314

radical distribution function. *See* pair correlation
 function $g(r)$

Rahman, A., 6, 330

Raoult's law, 245

Rasaiah, J. C., 46, 278, 279

rate of decay, 36–38, **38**, **39**

rate of dissociation, 72

Rayleigh–Brillouin light spectrum, 55

reaction–diffusion model, 86

recognition (DNA), 152, 168–169

relaxation time. *See also* diffusion, dielectric
 relaxation (DR)
 being collective at low temperatures, 49–50
 in DNA protein, 170
 in inherent structures, 62–63, **64**
 nanopores, 17–18
 non-exponential in biological water, 84, 87
 and nuclear magnetic resonance, 57–58
 surficants, **264**, 268–269, 273–274, **274**, **275**
 of water between mica surfaces, 206

residence time (in proteins), 109, 136, 170

reverse micelles. *See also* micelles
 dielectric relaxation, 268–269
 entropy in, 299–300
 molecular structure of, 263
 orientational order molecular structure, 269–273,
270, **271**, **272**
 relaxation time, 273–274, **274**, **275**
 solvation dynamics (SD), 269

Rey, M., 40, 321

ribonuclease-A, 136

RNA
 trapped water molecules in, 105–107, **106**
 water dynamics around, 161–162

Rog, T., 180–181

Rosenfeld relation, 291–293, **295**

rotational molecular motion 27
 in bulk water, 27, 28–32, **31**, **33**
 in DNA grooves, 154–155
 in dynamic exchange model, 85, **85**, 86–88, 93–95
 entropy for, 303
 and jumping, 30–32, **31**, **32**, 51
 in lipid bilayer, 180–181, **181**
 in surficants, 265
 and time correlation functions, 30, 51–53, **52**, 54
 of water inside a carbon nanotube, 280–282,
282

rugged landscape, 174, 180

Sackur–Tetrode equation, 288, 299, 300, 301

Saito, S., 310

scaled particle theory (of hydrophobic hydration),
 231–232

seawater (pH), 77

single file diffusion, 280, **281**

Skinner, J. L., 40

- solvation dynamics (SD)
 of bulk water, 13, 42–45, **44**
 computer simulation, 142–143
 in DNA, 155–156, **156**
 lipid bilayer, 181, **182**
 and protein hydration layer, 129–131, **130, 131**
 of reverse micelles, 269
 of supercritical water, 321–322
- solvents
 acetone, **244, 252**
 dioxane, **244, 252–253**
 DMSO, **244, 253–254, 255, 256–258, 257**
 ethanol, **244, 250, 251, 253–254, 255**
 methanol, **244, 250**
 tertiary butyl alcohol (TBA), **244, 250–252, 253–254, 255**
- Song, X., 130
- specific heat, 15, **16, 23–24, 289–290, 320, 327**
- spectroscopy. *See also* nuclear magnetic resonance experiments (NMR). *See also* experiments. *See also* computer simulation.
 to detect local collective motion, 333–334, **334**
 fluorescence up-conversion technique, 170
 light scattering, 55–57
 and protein hydration layer dynamics, 128–129
 pump-probe, 269, **270**
 Rayleigh–Brillouin light spectrum, 55
 of supercritical water, 320–321
 terahertz, 121
- speed
 difference between biological and bulk water dynamics, 84
 in DNA groove water, 155
 of electron transfer, 47
 of perturbation, 9
 of polarization response, 44, 45
 of rotational motion, 28–32
 of translational motion, 28
 of water hydration dynamics, 127–128, 131
 of water inside a carbon nanotube, 279–280
 of water molecules with increasing pressure, 35, **36**
- Speedy, J., 308
- spine of hydration (DNA), 157, 159–160
- standard ambient temperature and pressure (SATP), 72, 74
- Stanley, H. E., 325, 328
- statistical mechanics, 288, 290, 301, 308
- Stern layer, 262, **263, 265, 342**. *See also* hydration layer
- Stillinger, F. H., 6, 62, 231, 233, 236, 325, 330
- Stokes–Einstein relation
 in DNA, 159
 in lipid surface, 185
- subtilisin Carlsberg (protein), 130, **131**
- supercooling. *See also* supercritical water, phase, ice anomalies in, 334–341, **335, 336, 338, 339**
 and coefficient of thermal expansion, 16–18, **17**
 and hydrogen bond of heavy water, 33–35
 and inherent structures, 61, 69
 and local order, 20–21, **20, 21**
 motion becoming collective during, 49–50
 in NALMA experiments, 128
 and protein hydration layer, 88–90, **89**
 and specific heat, 15
 and translational diffusion, 35
 and two-stage model, 325–326
- supercritical water. *See also* supercooling, phase
 definition of, 307
 density fluctuations in, 318–319, **319**
 properties of, 317–318
 spectroscopic studies, 320–321
 vibrational molecular motion, 320–321
 Widom line in, 320
- surface topology. *See also* protein surface, protein hydration layer
 heterogeneous, 122, 135, 161–162, 170, **171**
 and influence on water structure, 206–207, **207**
 lipid, 180, 182–184
 mica, 206–207, **207**
 protein, 122, 123, 124, 132–133, **133**
 in rugged landscape, 90, 174
 silica, 204–205
- surficants. *See also* amphiphilic effects
 free energy landscape, 266–268, **267, 268**
 molecular motion, 265
 molecular structure of, 261–263, **263, 264, 269–273, 270, 271, 272**
 relaxation time of, 265, 268–269, 273–274, **274, 275**
 solvation dynamics, 265, 269
- Sykes, M. T., 105
- Tanford, Charles, 215, 220
- temperature
 and Brownian motion, 28
 and coefficient of thermal expansion, 16–17, **17**
 dependence in hydrophobic effects, 215, 219–220, **220, 221**
 dependence on amphiphilic effects, 250–252
 and inherent structures, 62–66, **63, 64, 65, 66**
 and isothermal compressibility, 15–16, **16**
 and maximum density, 13–15, **14**
 and pH, 73–74, **73**
 and water motion, **34, 35**
- temperature of maximum density (TMD). *See also*
 density fluctuations
 and coefficient of thermal expansion, 17
 reason for, 327, 329
 temperature, 13–15, **14**
- terahertz spectroscopy, 121
- tertiary butyl alcohol (TBA), 244
 as amphiphilic binary mixture, 250–252
 clustering in, 253–254, **255**
 molecular structure, **244**
- tetrahedral molecular structure
 distorted, 5, **5, 20–21, 21**
 in DNA, 153–160, **158, 159**
 hydrogen bonds 4, 71–72
 ice, 6
 when cooling, 67, 331–332
- theory
 Cell, 298–299, **299**
 Flory–Huggins, 228–230, **229**
 Grote–Hynes, 48–49

356

theory (cont.)

Kubo-Oxtoby, 40

Landau, 325–326

Marcus, 47–49, **48**

Pratt–Chandler, 232, 233, 236–241

scaled particle, 231–232, 233

thermal motion. *See* Brownian motionthermodynamics. *See also* entropy, enthalpy (H)

bifurcated hydrogen bonds helping, 5

in hydrophobic hydration, 218–219

of protein-hydration interactions, 170–173, **172**

at supercooled temperatures, 13

third law of, 288–289

thickness (protein hydration layer), 118–121, 124

time correlation functions. *See* rotational molecular motiontime trajectory, 31–32, **31**time-dependent fluorescence Stokes shift (TDFSS), 44, **44**

translational molecular motion

in bulk water, 27, 28, 35, **36**

in computer simulations, 137

in DNA grooves, 154

in dynamic exchange model, 85, **85**, 88in lipid bilayer, 180–181, **181**

in surficants, 265

of water inside a carbon nanotube, 279–280, **281**triple point. *See* phase

Trout, B. L., 314

two-stage water model, 22–23, 118, **119**, 310,325–326, 335–341, **335**, **338***Index*

urea, 208–209

vibrational molecular motion

of bulk water, 27, 39–40, **40**

and entropy, 289–290, 296, 302

and protein hydration layer dynamics, 128–129

in supercritical water, 320–321

viscosity. *See also* diffusion

DMSO, 246

in electrolytes, 211–212

volume

expansion upon freezing, 306

fluctuations in, 337–338, **339**and isothermal compressibility, 15–16, **16**

Walter, N. G., 105

water pool, 263, 269

water-fearing. *See* hydrophobic effects

Watson, J. D., 152

Weber, T. A., 62

Weeks–Chandler–Andersen model (WCA), 236

Widom line 317, 320, 336–337, **336**, 342 *See also*

anomalies

Wolynes, P. G., 209

Xiao-Yan, Z., 279

Xia-Wolynes treatment, 294

Zewail, A. H., 88, 107, 130, 170

Zwanzig, R., 54, 62