

Index

- $0S_{13}$, 148
- $10S_2$, 87
- $10S_2$, 30, 33, 84
- $11S_4$, 148
- $11S_5$, 148
- $11S_2$, 86
- $11S_4$, 30
- $13S_3$, 148
- $13S_1$, 30
- $13S_2$, 29, 30, 37, 95
- $15S_3$, 30
- $18S_4$, 30, 87
- $23S_5$, 30
- $3S_2$, 148
- $3S_2$, 30, 95, 109
- $5S_6$, 148
- $9S_3$, 148

- adiabat, 72, 73
- Africa, 20, 59, 68, 171
 - Northern, 183
 - West, 68
- ak135 model, 16, 42, 45, 54, 60, 61, 76, 78–80, 102, 123
- Alaska, 91, 103, 104, 137, 138, 146, 154, 168, 179
- Aleutian Islands, 91, 179
- Algeria, 80, 184
- angle ξ , 82, 90, 102, 170, 172, 192
 - equatorial, 83
 - polar, 83
- angular momentum, 132
- anisotropy, 179
 - alignment with rotation axis, 103
 - axisymmetric, 57
 - a*-axis, 125
 - c*-axis, 125
 - Candy Wrapper, 127
 - complex, 124
 - conceptual framework, 75
 - conglomerate, 121, 123, 127
 - cylindrical, 82, 88, 103, 134
 - depth variation, 99, 109
 - domain, 123
 - fast axis, 98, 126
 - frozen, 109
 - hemispherical pattern, 101
 - hypothesis, 75
 - in attenuation, 93
 - in velocity, 75
 - inner core, 74–127
 - lack of, 57
 - layered, 86
 - longitudinal variation, 99
 - magnitude of, 84, 103
 - mechanism, 75
 - orientation, 135
 - paramagnetic susceptibility, 126
 - post-solidification, 126
 - radial symmetry departure, 93
 - radial variation, 93, 118
 - radially varying, 86
 - seismic, 75
 - solidification, 126
 - strength, 89, 93
 - texturing, 126
 - tilt, 135, 146
 - transverse, 111
 - uniform, 86, 89
 - varying, 95
 - weak, 83
- Antarctica, 91, 96, 120, 150, 152, 171, 176
- array, 6, 21
 - aperture, 21
 - design, 21
 - Eliason, 21
 - Hi-net, 53, 59, 60, 175, 187
 - LASA, 6, 150, 182
 - NORSAR, 21, 151

PASSCAL, 21
 Pilbara Spiral Array, 21
 PSAR, 175
 response function, 24, 175, 178
 SEAL2, 21
 seismology, 175
 short aperture, 176
 SKIPPY, 21
 Southern Queensland Spiral Array, 21
 spiral, 175, 178
 SQspa, 175
 USArray, 21, 187
 Warramunga, 21, 51, 176
 WAspa, 175
 Western Australia Spiral Array, 21
 WOMBAT, 21, 187
 WRA, 53
 Yellowknife, 21
 YKA, 51
 Asia, 47, 157
 northeast, 91
 southeast, 69, 130, 174
 associated Legendre functions, 84
 associated Legendre polynomial, 31
 Atlantic Ocean, 59, 174
 eastern, 68
 attenuation, 14, 59, 62, 74, 152
 frequency dependence, 64, 66
 hemisphericity, 65, 67
 interdendritic fluid pockets, 49
 intrinsic, 62
 isotropic velocity, 39
 liquid inclusions, 93
 quality factor, 44
 scattering, 62
 viscoelastic, 62, 180
 Australia, 20, 51, 53
 Australian Research Council, 175
 azimuth, 76

 backazimuth, 24, 26
 Bayes' theorem, 196
 natural parsimony, 197
 Bayesian inference, 187
 bcc phase, *see* iron
 Berkeley, 181
 Seismographic Station, 13
 body waves, 4, 7, 10, 27, 40, 56, 89, 141, 169
 bottoming point, 10, 101
 boundary conditions, 190
 bulk modulus, 55, 64

 Canada, 51
 Central America, 59, 130
 Chile, 179
 China, 151
 Circum-pacific, 18
 CMB, *see* core mantle boundary, 4

coda interferometry, 148
 colatitude, 84, 192
 compositional buoyancy, 70
 Comprehensive Nuclear-Test-Ban Treaty
 Organisation, 21
 compressional wave, *see* P wave, 6
 confidence level, 160
 convection
 degree-one, 118, 119
 degree-two, 118, 119
 low-order, 109
 core mantle boundary, 4, 12, 39, 121
 piercing point, 121, 123
 topography, 80
 Coriolis force, 33, 125
 Croatia, 5
 cross-correlation, 16, 93, 161
 crust, 5, 74
 discovery, 5
 oceanic, 176
 crust–mantle boundary, 2, 5
 crustal deformation, 9
 crystal
 alignment of, 93, 126
 crystallographic axis, 128
 growth, 74
 iron, 93
 post-solidification, 126
 preferred orientation, 125
 systematic orientation of, 88

 D'', 107
 data
 binning, 102, 103, 111
 bootstrap technique, 111
 comparison, 93
 differential travel time, 93
 mean, 102
 predictions, 93
 robustness, 111
 scatter, 93, 120
 standard deviation, 102
 uncertainty, 197
 decibel, 24
 density, 35, 83, 93
 density contrast
 at the inner core boundary, 39, 40, 46
 density ratio
 between inner and outer core, 43
 Earth–Moon, 2
 diamond anvil cell, 124
 differential rotation
 inner core, 131
 of planetary shells, 2
 differential travel time, 155
 anomalous, 120
 PcP–P, 121, 122
 PKIKP–P, 77

- PKiKP–PcP, 51
- PKP, 89, 174
- PKP(AB)–PKIKP, 15, 18, 89–91, 93, 94, 100
- PKP(BC)–PKIKP, 16, 18, 60, 90, 91, 93, 94, 100, 142, 161
- residual, 90, 91, 94
- S3KS–S2KS, 120
- diffraction, 10
- dilatation
 - of volume, 8
- discontinuity, 2
 - Oldham–Gutenberg, 1
 - upper mantle, 180
- displacement, 189, 190
 - normal, 190
- divergence, 8
- downwelling, 70
- Earth, 1
 - age of, 126
 - centre, 93, 110, 182, 186
 - centre of, 1
 - density, 2
 - diurnal rotation, 2
 - ellipticity, 34
 - equator, 80
 - geomagnetic field generation, 131
 - gravitational constant, 102
 - heterogeneity, 35
 - interior, 75, 76
 - mean density, 2
 - moment of inertia, 4
 - non-axisymmetric structure, 86
 - poles, 81
 - radius, 3, 92
 - rotation, 34, 84, 88
 - rotation axis, 80, 82, 98, 192
 - shells, 86
 - spin axis, 81, 83, 91, 108, 134
 - structure, 92
- earthquake
 - 1994 Bolivia, 29, 36, 37, 93, 109, 116
 - 1994 Chile, 37
 - 1994 Fiji, 37
 - 1994 Kuril Islands, 93, 116
 - doublet, 137, 139, 148, 151, 153, 161
 - geographical location, 107
 - Kuril islands, 157
 - location, 151
 - Macquarie Ridge, 171
 - Mediterranean, 179
 - mislocation, 146
 - repeating, 52, 152
 - shallow, 184
 - South Sandwich Islands, 57, 103, 108, 123, 137, 138, 151, 161, 171
 - Svalbard Sea, 171
 - Tonga–Fiji, 157
- earthquake focus, 10
- elastic constant, 83
- elastic moduli, 8
- electromagnetic torque, 145
- ellipticity corrections, 76, 101
- ensemble, 167
- epicentral distance, 10, 76
 - antipodal, 80
- equator
 - plane, 83
- Europe, 20, 104
- F-layer, 70
- Fairbanks, 137, 141
- Fast Fourier Transform, 28
- fcc phase, *see* iron
- Fiji, 185
- Fiji Islands, 104
- filtering, 74
- finite difference, 54
- first principles, 98
- fk analysis, 23, 184
- force moment, 102
- forward problem, 5
- Fourier transform, 24
- free oscillations, *see* normal modes, 6
- frequency, 9
- frequency domain, 86
- frequency-wave number analysis, *see* fk analysis, 23
- full wave method, 187
- galaxy, 132
- Gaussian beams, 187
- geodynamo, 141
 - modellers, 75, 88
 - simulation, 132
- geomagnetic field, 132
 - intensity, 80
- geomagnetic jerk, 160, 167
- geometrical spreading, 44, 152
- geophysical inference, *see* inference, 124, 158
- geophysical inversion, *see* inversion, 124
- Geoscience Australia, 175
- grain size, 56, 184
- gravitational constant, 2
- gravitational coupling, 145, 167
- gravitational torque, 145
- Greenland, Denmark, 91
- Gutenberg, Beno, 3
- Halley, Edmond, 2
- Hanning taper, 28
- harmonic degree, 93
- harmonic degree expansion, 141
- hcp phase, *see* iron
- heat
 - conduction, 74
 - extraction, 125

flux, 69
 hemisphere
 boundary, 59
 E–W boundary, 151
 eastern, 18, 97
 freezing, 67
 melting, 67
 quasi-eastern, 57, 129
 quasi-western, 57, 129
 southern, 175, 176
 western, 18, 81, 97
 hemispherical dichotomy, 57, 58, 67, 72, 73
 hemisphericity, 100
 heterogeneity
 anisotropic, 75
 crustal, 51
 isotropic, 75
 lateral, 75
 localised, 111
 upper mantle, 51
 hierarchical sampling, 197
 high-frequency approximation, 10, 39
 Hilbert transform, 16, 18
 Hilbert transform operator, 89
 Hinode, 132
 hodochrone, *see* travel time curve, 60
 Hooke's law, 7
 Humboldt Plane, 179
 Huygens principle, 7
 hydrostatic equilibrium, 50, 84
 hypocentre, 14
 depth, 79
 IC, *see* inner core, 2
 ICB, *see* inner core boundary, 2
 imaging, 74
 Indian Ocean, 59, 68, 174, 179
 Indonesia, 171
 inference
 transdimensional Bayesian, 168
 infinitesimal strain, 7
 inner core, 2
 age of, 39
 aggregate state, 39
 anisotropy, 75
 attenuation, 18
 centre of mass, 71
 conglomerate, 121
 convection, 88, 93, 108, 109, 118, 119
 differential rotation, 132
 discontinuities, 118
 discovery, 1, 6
 equatorial, 114, 125
 freezing by magnetic field, 93
 geopotential centre, 71
 hemispherical variation, 97
 hemisphericity, 57, 59, 65
 heterogeneity, 134

homogeneous sphere, 75
 interior, 39
 isotropic, 118
 isotropic layer, 97
 isotropic top, 96
 outermost, 96
 polar, 114
 prolate, 39, 80
 radius, 2, 39, 49, 77
 rotational dynamics, 137
 shape, 77
 solidification, 70
 solidity, 6, 38, 55
 structure, 134
 superadiabatic, 72
 superadiabatic regime, 73
 surface, 39
 thermal convection, 126
 topography, 168
 transition zone, 65, 97, 99
 translation, 73
 uppermost, 59, 60
 velocity gradient, 135
 viscosity, 51
 inner core boundary, 2, 12, 77, 96, 97, 189
 density contrast, 39, 40
 mosaic structure, 48
 phase transition, 6
 scattering, 53
 topography, 39, 50, 54
 undulations, 50
 inner core topography
 temporal change, 51
 innermost inner core, 110
 anisotropy, 112
 detection, 110
 discontinuity, 118
 discovery, 110
 hypothesis, 114
 PKIKP triplication, 118
 radius, 112
 shadow zone, 118
 interferometry, 162
 International Monitoring System, 21, 118, 176
 International Seismological Centre, 14
 catalogue, 90, 97, 98, 145, 179
 inverse method, 5
 inversion, 114
 basis functions, 116
 Bayesian, 162
 Bayesian transdimensional, 140, 163, 165, 196
 damping, 114, 116, 117
 linearised, 117
 non-linear, 184
 null space, 114
 regularisation, 114
 smoothing, 114
 iron

- aggregate, 127
- bcc, 130
- bcc aggregate, 127
- bcc domains of, 127
- bcc phase of, 124, 127
- crystallographic structure, 97
- fcc phase of, 124
- hcp, 130
- hcp domains of, 127
- hcp phase of, 116, 124, 127
- melting temperature, 124
- phases, 81
- ISC, *see* International Seismological Centre, 89
- isostatic rebound, 126
- isotropic
 - layer, 96
- isotropy
 - transverse, 82, 194
- JAMSTEC, 176
- Japan, 171, 175, 179
- Jeffreys, Harold, 1
- Kazakhstan, 157
- Kerguelen Islands, 179
- Kronecker delta function, 8
- Lamé constants, 8, 83, 189, 194
- Laplace's equation, 30
- latent heat, 72
- Lehmann, Inge, 1, 6, 49
- length of day, 145
- linear autoregression, 150
- linear fit, 160, 163
- liquid inclusion, 56
- Lop Nor test site, 47
- Lorentz force, 125
- Lorentz stress, 126
- lowermost mantle, 80, 100
 - attenuation, 44
 - heterogeneity, 107
 - P-wave velocity model of, 107
 - spatial sampling, 108
 - structure, 58
 - thermal heterogeneity, 68
- Macquarie Ridge, 176, 177
- magnetic field, 74
 - time-varying, 2
- magnetic poles, 2
- mantle, 4, 74
 - corrections, 105
 - heterogeneity, 46, 123
 - lower, 88
- mass, 102
- mathematical geophysics, 187
- Maxwell stress, 125
- medical imaging, 169
- mid ocean ridge, 176
- Mid-Atlantic ridge, 91
- mid-ocean ridge, 20
- migration
 - grain boundary, 97
- mineral physics, 75, 93, 124
- mislocation, 15
- model
 - aspherical structure, 120
 - Candy Wrapper, 127
 - conglomerate, 121
 - construction, 75
 - cylindrical anisotropy, 99
 - Hollow Earth, 2, 132
 - inner core anisotropy, 86
 - non-uniqueness, 118
 - parameterisation, 114, 197
 - regression, 140
 - shear wave, 117
 - spherically symmetric, 75, 77, 86
- Moho, 2, *see* crust-mantle boundary, 3
- Mohorovičić, Andrija, 5
- Mohorovičić, Stjepan, 5
- molecular dynamics simulation, 127
- monochromatic wave, 24
- Montana, 6
- Monte Carlo algorithm, 163
- Moon, 3
- mushy zone, 46, 56
 - thickness, 66
- NASA, 132
- Neighbourhood Algorithm, 37, 116, 117
- network
 - Alaskan short period, 119
 - Beijing, 151
 - GEOSCOPE, 80, 96
 - Global Seismic Network, 171
 - GSN, 121
 - WWSSN, 90
- Nevada test site, 182
- New Zealand, 91, 176
- Newton, Isaac, 2
- noise
 - ambient, 176, 180
 - event-generated, 180
 - Gaussian, 197
 - microseismic, 48
 - signal-generated, 48
- normal modes, 7, 27, 84, 109
 - amplitude, 95
 - angular order, 27
 - anomalous, 87
 - anomalous splitting, 84, 88
 - azimuthal order, 87
 - coupling theory, 187
 - degeneracy, 33
 - discrepancy with body waves, 48, 56, 64

- eigenfrequencies, 38
- eigenfunctions, 30
- elastic energy, 109
- energy, 92
- energy density, 32
- excitation, 27, 84
- multiplet, 33, 86, 87
- nonlinear regression, 86
- outer core, 86
- phase, 95
- Q-cycle, 28
- radial order, 27
- receiver striping, 150
- receiver strips, 36, 87
- rotation of splitting functions, 146
- sensitivity, 93, 116
- sensitivity kernel, 30
- singlet, 33, 86, 87, 95
- singlet stripping, 86
- spheroidal, 27, 55, 87
- splitting, 33, 116
- splitting coefficients, 35, 84
- splitting functions, 33, 95, 136, 141, 148
- splitting matrix, 34
- splitting measurement, 116
- theoretical spectra, 95
- tidal effects, 29
- toroidal, 27
- zonal splitting coefficients, 84
- zonal structure, 148
- North America, 20
- Northern Territory, 21, 51, 176
- Novaya Zemlya, 91, 96
- nuclear explosion, 6, 48, 171, 182
 - Hornitos, 183
 - Kearsarge, 183
 - Lop Nor, 47
 - Mururoa Island, 151
 - Nevada, 6
 - Novaya Zemlya, 145, 150, 171
 - underground, 6
- null hypothesis, 168
- NW Territories, Canada, 91
- OC, *see* outer core, 3
- ocean bottom seismometer, 178
- oceans
 - southern, 80
- Oldham, Richard D., 1
- optics, 74
- optimisation, 196
- outer core, 3, 11, 132
 - axisymmetric perturbation, 109
 - bulk modulus, 38
 - convection, 125
 - degree-two perturbation, 109
 - density perturbation, 120
 - discovery, 5
 - multiple reflections, 120
 - polar caps, 107, 119
 - radius, 5
 - structure, 108
 - tangent cylinder, 119
 - thermo-chemical boundary layer, 49
 - thermochemical wind, 70
 - velocity perturbation, 120
- P wave, 4, 8, 10, 80, 194
 - reflection, 5
 - transmitted, 41
 - travel time curve, 10
 - velocity, 10, 30, 35, 93
 - velocity sensitivity, 30
- P waves
 - shadow zone, 5
- P', 6, 10
- P'P', 13
- P13KP, 14
- Pacific Ocean, 20, 68, 174, 179
 - central, 68
 - mid, 67
- parameterisation, 160, 196
 - B-spline, 165, 167
 - basis functions, 114
 - blocks, 114
 - cubic splines, 116
 - spherical harmonics, 34
 - Voronoi cell, 164, 167
- partial melt inclusion, 64
- PcP, 12, 40
 - travel time curve, 10
- PcP–P, 121, 122
- PcP/P, 54
- period, 9
- Peru, 153
- PKIIP, 12, 14, 180, 182
- PKIIP², 186
- PKIKKIP, 12, 14, 182
- PKIKP, 20, 76, 114, 125, 137, 194
 - absolute travel time, 110
 - antipodal, 50, 180, 182, 186
 - bottoming point, 18, 193
 - data bins, 135
 - onset time, 133
 - piercing point, 121
 - precursors, 15
 - pulse, 56
 - ray path, 140, 171, 173, 192
- PKiKP, 12, 39, 40, 77
 - coda, 51, 67
 - complex frequency, 53
 - precritical reflections, 118
 - scattering, 51
- PKiKP², 186
- PKiKP/PcP, 44, 46, 48, 49, 54
- PKIKPPKIP, 12, 180

- P'P'df, 180
 podal, 182
 travel time curve, 10
 PKJKP, 6, 12, 14, 64
 travel time curve, 10
 PKKKP, 14
 travel time curve, 10
 PKKP, 10, 14
 PKP, 12, 75, 176
 antipodal, 171
 caustic, 15
 scattering, 148
 travel time, 97
 travel time curve, 10
 triplication, 97, 184
 PKP(AB), 10, 12, 78–80, 184
 PKP(BC), 10, 20, 78–80, 137, 153, 184
 onset time, 133
 PKP(DF), 10
 PKPPKP, 13
 back-scattering, 24
 podal, 24
 travel time curve, 10
 PKPPKP(AB), 13
 PKPPKP(BC), 13
 PKPPKP(CD), 13
 planet
 dynamics, 75
 history, 75
 planetary formation, 57
 plate
 Indo-Australian, 176
 Pacific, 176
 PnKP, 182
 porosity, 65
 posterior probability density function, 163
 pPKJKP, 55
 PREM model, 15, 30, 60, 62
 anisotropic, 30
 probability density function, 196

 Q, *see* quality factor, 44
 quality factor, 56, 63

 radiation pattern, 122
 ray, 10
 ray path, 80
 antipodal, 112
 coverage, 187
 cross-pathing, 20
 polar, 83, 97
 quasi-equatorial, 173
 quasi-polar, 83, 173
 receiver, 10
 reflection coefficient, 42, 188
 regression, 164
 Research School of Earth Sciences, 21, 175
 rotation
 acceleration, 164
 axis, 82
 deceleration, 164
 detection, 133
 detection method, 134
 differential, 132, 139, 164
 dynamics, 137, 179
 eastward, 139, 141, 143, 147, 148
 history, 164, 167
 inner core, 133
 inner shells, 132
 non-steady, 162
 null, 145
 planets around the Sun, 132
 rate, 136, 137, 139, 164
 rigid body, 133, 136, 146–148, 164
 stellar surface, 132
 super, 143, 146, 151, 157
 time-history, 162
 westward, 147, 148, 164
 rotational disturbance, 9
 Russia, 80, 157

 S wave, 4, 8, 14
 coda, 153
 shadow zone, 5
 velocity, 14, 30, 35
 velocity sensitivity, 30
 scattering, 48, 180
 Sea of Okhotsk, 91, 179
 seismic interferometry, 186
 auto-correlation, 186
 cross-correlation, 186
 seismic noise, 9
 seismic phase, 10, 175
 exotic, 24, 180, 182, 187
 IC-sensitive, 133
 whispering gallery, 182
 seismic wave, 7, 74
 diffracted, 41
 evanescent, 41
 seismic wavefield, 7, 39
 seismogenic zone, 133
 seismogram
 broadband, 97
 short period, 97
 synthetic, 68, 97
 seismology
 exploration, 9, 118, 169
 global, 9, 186
 helioseismology, 169
 non-proliferation, 6
 observational, 6, 75, 114
 passive, 4, 176
 reflection, 60
 regional, 9
 terrestrial, 169
 theoretical, 5

222

seismometer
 ocean bottom, 169, 177
 ocean bottom borehole, 176, 187
 shear modulus, *see* rigidity, 56
 variation, 48
 shear wave, *see* S wave, 8
 quality factor, 56
 shock wave experiment, 124
 Siberia, 171
 Siberia, Russia, 91
 simulated annealing
 SAWIB, 184
 SKJKP, 55
 SKS, 14
 slowness, 23, 24, 26
 Snell's law, 188
 solar system, 132
 sonar, 77
 source, 10
 depth, 76
 latitude, 76, 77
 source-receiver, 76
 pair, 170
 path, 91, 135
 South America, 104, 152, 171, 181
 South Pacific, 96, 119
 South Pole, 146
 South Sandwich Islands, 91
 anomaly, 171
 spatial coverage, 75
 spectrogram, 183
 spectral element method, 187
 spectroscopy, 74
 spherical harmonics, 30
 C_2^0 , 88
 C_4^0 , 88
 degree one, 59, 68, 70
 degree two, 59, 60, 68
 zonal structure, 88
 star, 132
 station
 ATD, 29
 Berkeley, 182
 BILL, 91
 COL, 154
 COLA, 91, 137
 College, 141, 154
 DRV, 145
 FRB, 91
 INK, 91
 MBC, 91
 MNA, 183
 Nana, 153, 154
 NNA, 153, 154
 NOR, 91
 Norilsk, 80
 NRIL, 79, 80, 91
 PLCA, 121

Index

SBA, 96
 Scott Base, 96
 SEY, 91, 96
 SNA, 91
 SPA, 91
 SYO, 91, 150
 TAM, 16, 78, 80, 183
 Tamarranset, 80
 TRQA, 121
 Warramunga, 141
 strain
 normal, 191
 tangential, 190
 strain tensor, 7
 stress
 continuous, 190
 normal, 190
 tangential, 190
 stress tensor, 7
 structure coefficients, 37
 sub-Asian cyclone, 69
 subduction slab, 108
 subduction zone, 80, 122, 169
 Sun, 132
 differential rotation, 132
 magnetic field, 132
 surface wave, 4, 7, 153
 magnitude, 9
 SV wave, 41
 Svalbard Sea, 91
 symmetry axis
 orientation, 112
 synthetic seismogram, 184
 takeoff angle, 123
 tangent cylinder, *see* Taylor cylinder, 120
 Taylor cylinder, 107
 Taylor series, 138
 expansion, 99
 Tennant Creek, 21
 The Australian National University, 21, 175
 thermodynamical equilibrium, 126
 tomography, 39, 108
 basis functions, 114
 blocks, 114
 Tonga–Fiji, 171
 transmission coefficient, 40, 42, 189
 travel time
 absolute, 14, 89
 anomalous, 108
 curve, 4
 differential, 15, 16, 185
 measured, 76
 predicted, 76
 residual, 16
 travel time curve, 4
 empirical, 60
 theoretical, 60

- travel time residual, 77
 - L-shape, 119
- uncertainty, 48, 163, 166, 197
- upper mantle
 - discontinuities, 24
- upwelling, 70
- variance reduction, 160
- variation
 - lateral, 75
 - with radius, 75
- velocity, 74
 - anisotropic, 99
 - isotropic, 99, 100
 - jump, 97
- velocity gradient, 148, 164
- velocity perturbation, 83
- vespagram, 184
- viscosity, 146, 160
 - laterally varying, 49
- viscous relaxation, 145
- volumetric coverage, 20, 173
- volumetric sampling, *see* volumetric coverage, 169
- Voronoi cell, 164
- Voronoi nucleus, 164, 197
- Voronoi partition, *see* Voronoi cell, 197
- wave number, 24
- waveform correlation, 172
- waveform modelling, 184, 187
- wavenumber, 189
- whispering gallery, 14
- Wiechert, Emil, 1, 2
- wobble, 143