

## Index

- ablation zone, 321  
 accommodation space, 235  
 Africa, 15, 40, 56, 125  
   Mt Elgon, 56  
   Mt Kenya, 56  
   Mt Kilimanjaro, 15, 56  
     Garanga Tal valley, 56  
     lahar deposits, 56  
     Main Rhomb porphyries, 56  
     Penck Rhomb porphyries, 56  
     Sud Ost Tal, 56  
   Mt Meru, 56  
   Mt Nyiragongo, 1  
 agglutinate, 19, 181, 183, 191, 213, 270  
 Aleutian volcanic arc, *see* North America  
 Alexander Island, 17, 20–21  
 alignment bedding, 228  
 alkali olivine basalt, 38, 40, 42, 45, 47, 141  
 alkaline basalt, 44, 53, 105, 147, 221, 233  
 alpine-type setting, 242  
 Amazon River, 70, 81, 359  
 amoeboid clasts, 210  
 amoeboid lava pillow, 206  
 amoeboid obsidian masses, 294  
 analcite, 154  
 ancient ice, 299, 300, 330  
 andesite, 13, 17, 31, 32, 34, 36, 37, 49, 51, 177, 188,  
   195, 196, 250, 261, 262, 269, 395  
 annealing, 288  
 Antarctic Ice Sheet, 16, 59, 298, 329, 335  
 Antarctic Peninsula, 15, 18, 20, 51, 65, 247, 321, 330  
 Antarctic Peninsula Ice Sheet, 19, 333  
 Antarctic plate, 50  
 Antarctica, 1, 4, 15–26, *see also* Alexander Island,  
   Deception Island, Hudson Mountains,  
   James Ross Island, Mandible Cirque,  
   Marie Byrd Land, Mt Murphy, South  
   Sandwich Islands  
   Anvers Island, 19, 331  
   Beacon Valley, 298  
   Beethoven Peninsula, 20  
   Brabant Island, 19, 331  
   Bransfield Strait, 20, 65  
   Cenozoic, 8  
   Coulman Island, 25  
   Crary Mountains, 24, 247  
   Daniell Peninsula, 26  
   Debussy Heights, 20  
   Dobson Dome, 332  
   Dry Valleys, 298  
   Ellsworth Land, 15, 17, 21–22  
   Erebus volcanic province, 25  
   Hedin Nunatak, 24  
   Hobbs Coast, 24, 336  
   Icefall Nunatak, 23  
   Jones Mountains, 21  
   Larsen Ice Shelf, 19  
   McMurdo Volcanic Group, 25  
   Minna Bluff, 25, 247  
   Mt Berlin, 22  
   Mt Casertz, 23  
   Mt Erebus, 2  
   Mt Haddington, 19, 165, 166, 331, 333  
   Mt Kauffman, 22  
   Mt Manthe, 21  
   Mt Melbourne, 25  
   Mt Moses, 21  
   Mt Petras, 23  
   Mt Pinafore, 20  
   Mt Pond ice cap, 20  
   Mt Rees, 24, 334  
   Mt Sidley, 24  
   Mt Siple, 22  
   Mt Steere, 24, 334  
   Mt Takahe, 22  
   Mt Waesche, 22  
   Prince Gustav Channel, 333  
   Ravel Peak, 20  
   Ross Sea, 25, 334  
   Rothschild Island, 20  
   Seal Nunataks, 19, 20  
   Snow Nunataks, 21  
   Teeters Nunatak, 21  
   Transantarctic Mountains, 8, 25, 334  
   Turtle Peak, 24  
   Victoria Land, 8, 166, 334

Antarctica (cont.)  
 Webber Nunatak, 22  
 West Antarctic Rift System, 2, 16  
 antidune structures, 210  
 apatite, 45  
 aquiclude, 326, 328, 329, *see also* firm  
 aquifer, 326, 328  
 aquitard, 326, 329  
 Arctic Circle, 35  
 armoured lapilli, 210, 237  
 ash aggregates, 281, 282  
 ash falls, 351, 356  
   affected local farmers, 356  
   aviation, 358  
   basaltic fissure eruptions, 357  
   contamination of drinking water, 358  
   effects on rates of snow and ice melting, 358  
   Eyjafjallajökull, 356  
   ice-clad volcanoes, 358  
   lahars, 358  
   modern jet engines, 358  
   phreatomagmatic, 356  
   Reykjavik, 356  
   snowpack, 358  
   volcanic hazard assessment for Iceland, 357  
 Ash Mountain, 174, 341  
 ash scavenging, 84  
 assimilation, 46, 345  
 Atlantic Ocean, 85  
 Atlin volcanic district, 38  
 atmosphere, 62, 89, 99, 172, 287, 349  
 Austral volcanic zone, 51  
 Australia plate, 54  
 authigenic minerals, 314, 317  
 autobreccia, 181, 188, 189, 190, 197, 198, 200, 203,  
 213, 254, 259, 266, 270, 286, 289, 302,  
 306, 309  
 avalanche, 201, 203, 262  
 aviation, 363  
  
 back-arc, 47  
 Bárðarbunga, 249, 349, 397  
 basal length, 170  
 basal thermal regime, 93, 299, 300, 325, 328, 329,  
 330, 334  
 basalt, 23, 24, 36, 37, 43, 51, 84, 103, 106, 107, 109,  
 129, 187, 195, 221, 223, 261, 262,  
 316, 334  
 basaltic andesite, 13, 36, 37, 51, 63, 65, 81, 84,  
 250, 251  
 basanite, 33, 38, 40, 52, 105, 215, 253, 309  
 bedding definition, 223  
 bedrock gradient, 254  
 bedrock junction, 244  
 benmoreite, 13, 264  
 bergschrund, 259, 277, 288  
 bergschrund lavas, 260

Bláhnúkur, 285, 292, 293, 294, 296  
 blanket-like, 243  
 Blautakvisl stream gully, 276  
 blocky jointing, 222, 243  
 bomb sags, 226  
 bomb-like, 210, 245  
 bombs, 207, 212, 227, 281, 282, 283, 285  
 Breknaþjöll, 221, 229, 230, 231, 232  
 brinkpoint, 238, 305  
 British Columbia, *see* North America, Canada  
 bubbles  
   annealing, 150  
   collapse, 288  
   nucleation, 234  
 bulbous flow noses, 311  
 buoyancy, 185, 187, 189, 310, 311, 312, 313, 344,  
 347, 348  
  
 Calbuco, 392  
 calc-alkaline, 250  
 calcite, 154  
 caldera, 249, 269, 287, 326, 327, 329, *see also*  
   Grímsvötn  
 caldera lake, 82  
 caldera margin, 326  
 California, 344, 347  
 Campanian, 343  
 carbon dioxide, 94, 107, 150, 153, 246, 318, 320, 342,  
 349, 392, 393  
   increase in atmospheric, 4  
   solubility, 138  
 carbon dioxide ice, 371  
 Cascade volcanic arc  
   Cauldron Dome, 251  
   Mt Cayley Volcanic Field, 251  
   Pali Dome, 251  
   Ring Mountain, 251  
   Slag Hill, 251  
   Tricouni Peak, 251  
 Caspian Sea, 368  
 cauldron, 319  
 cavity-confined meltwater lake, 221  
 Cenozoic, 15, 18, 26, 35  
 Central volcanic zone, *see* Northern Cordilleran  
   Volcanic Province  
 central volcano, 178, 261, 275, 287  
 chabazite, 154, 314, 316  
 Channelled Scablands, 370  
 chaotic fractures, 195  
 Chile, 59, 344, 392  
 cirques, 53  
 clastic injections, 228  
 clastogenic, 181, 183, 190  
 clasts, flattened, 262  
 clay minerals, 154  
 climate–volcanism feedbacks, 342  
 Clinker Mountain, 268

- CO<sub>2</sub>, *see* carbon dioxide  
 Coast Mountains, 339  
 cold-based ice, 9, 26, 162, 170, 299, 321, 329, 334, 335  
 colonnade, 188, 189, 193, 239, 242, 243  
 column on column, 197, 240  
 columnar jointing, 243, 295  
 comendite, 42  
 complex tuya, 10, 163  
 compound, 174, 187, 188, 215, 220, 232, 248, 271  
 concentrate density flows, 205  
 cone surface overlap, 304  
 cone-shaped mountains, 381  
 confining pressure, 28  
 conical tuya, 8, 173  
 continuous uprush, 227, 231, 234  
 contorted pillow fragment, 206  
 cooling fractures, *see* jointing  
 Cordilleran Ice Sheet, 8, 39, 46, 268, 337, 341  
 Coropuna, 196  
 Cotopaxi, 350  
 coulées, 190, 265, 289, 308  
 Crater Lake, 264, 394  
 Cretaceous, 15, 20, 166, 333  
 critical overpressure, 347, 348  
 cryolithosphere, 162, 399  
 cryosphere, 1, 113, 342  
 cube jointing, 215  
 Culliton Creek, 268  
 current reworking in glacial lake, 232
- dacite, 31, 32, 33, 36, 48, 49, 51, 188, 259, 261, 262, 268, 269  
 Dalakvisl, 283, 285, 287, 292  
 Dalsheidi type, 241, 242, 244, 246  
 Daniell Peninsula, 289  
 debris flow, 53, 215, 217, 228, 232, 273, 276  
 debris flow deposits, 19  
 debris rainout in glacial lake, 232  
 Deception Island, 20, 62, 65–67, 343  
   ablation zone, 66  
   caldera-margin faults, 65  
   gas-driven melting, 67  
   jökulhlaup, 65  
   lifting overlying ice, 67  
   mean discharge, 65  
   subglacial meltwater escape, 67  
   supraglacial discharge, 65  
   supraglacial flooding, 66  
   volume of ice melted, 65  
 deformation of ice cavities, 95  
 deglaciation, 4, 121, 342, 343, 344, 347, 348, 349  
 delta front overlap, 305, 306  
 devitrification, 190, 290  
 diamict, 176, 230, 243, 265, 299, 301, 335, 336, 337  
 diamictites, 215, 216, 232, 240, 243, 289  
 differential GPS (DGPS), 146
- Digital Elevation Models, 146  
 dilute pyroclastic density currents, 42  
 domes, 177, 181, 230, 231, 259, 265, 266, 272, 274, 275, 279, 283, 287, 292, 333  
 dome collapse, 48  
 drainage events, 220  
 dry-based ice, *see* cold-based ice  
 ductile shearing, 288  
 dykes, 8, 44, 45, 192, 212, 218, 220, 222, 224, 287, 288, 292, 342, 346, 347, 395  
 dyke intrusions, 224
- East Antarctic Ice Sheet, 300, 334  
 Edziza  
   Arctic Lake Formation, 44  
   Big Raven, 42  
   Big Raven Formation, 44  
   Cache Hill, 43  
   Camp Hill, 43  
   Edziza Formation, 44  
   Ice Peak, 42  
   Ice Peak Formation, 43  
   Kakiddi Formation, 44  
   Klastline Formation, 44  
   Pharaoh Dome, 43  
   Pillow Ridge, 42, 43, 44, 106  
   Pyramid Formation, 42, 43  
   Sheep Track member, 44  
   Sphinx Dome, 43  
   Tennena Cone, 42, 44  
   Tsekone Ridge, 43  
 Edziza volcanic complex, 215, 217, 248, 340  
 Eemian interglacial, 275  
 Ember Ridge, 257  
 emplacement modes, 138–143  
   alkali olivine basalt, 141  
   andesite and dacite, 142  
   basalt, 142  
   dyke intrusion, 139  
     excess pressure, 139  
     Hoodoo Mountain, 139  
   high rates of magma discharge, 142  
   ice cavity pressure, 141  
   intermediate, 141  
   intraglacial intrusion, 141  
   magmatic driving pressure, 141  
   magmatic fragmentation, 142  
   observed rates of melting during Gjalp eruption, 142  
   prevention of magmatic fragmentation, 142  
   rates of cavity growth, 142  
   rates of ice deformation, 142  
   rhyolite, 142  
   sensible heat, 142  
   sill intrusion, 139  
     rock–ice interface, 140  
   space problem, 142, 397  
   subglacial, 141

- emplacement modes (cont.)  
   supraglacial, 139, 141  
     assimilation–fractional crystallization, 141  
     Fimmvörðuháls, 139  
     Hoodoo Mountain, 141  
     large-scale experiments with basaltic lava, 143  
     pressure gradient driving the propagation of  
       dykes, 139  
     steam-buffering, 143  
     Tolbachik, 139  
     Veniaminof, 139  
 endogenous factors, 9  
 endolithic microborings, 315, 317  
 englacial chimney, 236  
 englacial lake, 6, 8  
 englacial vault, 170, 249  
 entablature, 195, *see also* jointing  
 Eocene, 15, 29, 143, 188, 189, 193–197, 239–244, 288  
 epiclastic lithofacies, 184, 289  
 equipotential gradients, 326  
 erosional scouring in glacial lake, 232  
 eruption types  
   Peléan-style, 48  
   phreatomagmatic, 21, 29, 32, 107  
   Strombolian, 20, 41  
   supraglacial, 46  
   Surtseyan, 20, 33  
 esker-like lava flow, 163  
 esker-like sequences, 176, 292  
 Espenberg maars, 35  
   Devil Mountain maar, 35  
   North Killeak maar, 35  
   permafrost glaci volcanism, 35  
   South Killeak maar, 35  
   Whitefish maar, 35  
 Eurasia plate, 54, 126  
 Europe, 85, 356  
   France, 367  
   Mt Etna, 1  
   Stromboli, 1  
 eustatic, 343  
 exogenous domes, 265  
 exogenous factors, 9  
 explosive fragmentation, 234  
 explosive hydromagmatic eruptions, 208, 209, 221,  
   225, 235, 264, 276, 281, 282, 286  
 Eyjafjallajökull, 4, 10, 29, 33, 57, 59, 60, 77, 85–88,  
   106, 240, 242, 243, 249, 348, 392, 397  
   ‘a’ā basaltic lava flows, 85  
   14 April start of summit eruption, 85  
   1612, 85  
   1821–1823, 85  
   200 m of caldera ice, 86  
   air traffic disruption, 85  
   ash on eastern seaboard of North America, 86  
   ash on Russia, 86  
   caldera, 85  
   explosive eruption, 85  
   Fimmvörðuháls, 85, 88  
     basaltic magma, 87  
     collapse features, 85  
     conductive melting, 85  
     heat transfer, 85  
     lava–snow interactions, 85  
     tephra mound, 85  
     tephra-covered snow, 85  
   geothermal activity, 85  
   Gígjökull drainage, 86  
   ice cauldron, 86  
   ice melting rates, 86  
   jökulhlaups, 86  
   lahar, 86  
   minor base surges, 87  
   rates of meltwater discharge, 86  
   sandur, 86  
   seismic swarms, 85  
   sheet-like sequences, 29  
   snowpack, 85  
   stratospheric jet stream, 87  
   stratovolcano, 85  
   tephra fall, 86  
   tephra insulation, 86  
   thin ice, 29  
   trachyandesite, 85  
 Falkland Islands, 79  
 falling passage zone, 306  
 falling water level, 303, 306  
 Farallon plate, 35  
 faults, 214, 346  
   listric, 214  
   normal, 214  
   reverse, 214  
   thrust, 214  
   transform, 26  
 feeder dyke, 220, 264, 283, 288  
 felsic rock, 13, 32  
 Fimmvörðuháls, *see* Eyjafjallajökull  
 firn, 100, 221, 242, 245, 289, 306, 321, 322, 323  
   aquitard, 96  
   density, 91  
   firn–ice boundary, 96  
   hydraulics, 96  
   permeability, 96, 100  
 fissure system, 81  
 fissure-erupted centres, 284  
 flame structures, 228  
 flattened structures, 186, 187, 210, 283  
 flooding, 37, 54, 82, 89, 187, 193, 215, 247, 274, 306,  
   308, 351, 359–360, 397  
   1918 Katla, 359  
     peak discharge, 359  
   1996 Gjalp, 359  
   concentrated flows, 359

- Deception Island, 65  
 debris flow, 359  
 Grímsvötn, 360  
 Hekla, 57, 62–65  
 hyperconcentrated flows, 359  
 ice 'slurry' flows, 360  
 jökulhlaups, 359  
 lahars, 359, 360  
   avalanches, 360  
   Calbuco, 360  
   Chillos Valley Lahar, 360  
   Grímsvötn, 360  
   longer-term release of volcanic heat, 360  
   Mt Rainier, 360  
   Popocatepetl, 360  
   Villarrica, 360  
 mass flows, 359  
   Cotopaxi, 360  
   ice-clad volcanoes, 359  
   infrastructure, 359, 360  
   Mt St Helens, 360  
   Nevado del Ruiz, 360  
 peak meltwater discharge, 359  
 Skeidarársandur, 359  
 supraglacial, 46  
 temperature, 64  
 water-rich slurries, 359  
 flow banding, 190, 257, 270, 273, 277, 283, 288  
 flow tills, 241, 291  
 foreset beds, 182, 201, 238, 326, 334  
 Fort Selkirk volcanic complex, 38  
 fossil water level, 238, 305  
 fossiliferous deposits, 19  
 Fourier transform infrared spectroscopy, 150  
 fractures, *see also* jointing  
   jigsaw-fit, 246  
   linear, 193  
 fragmentation processes, 135–137  
   bubbles, 136  
   collisional, 135, 136  
   critical volume fraction of bubbles, 136  
   effusive eruptions, 136  
   explosive eruptions, 136  
   Gjálp tephra mound, 137  
   growth and expansion of bubbles, 12  
   heat transfer, 136  
   heat transfer efficiencies, 136  
   hydrostatic pressure, 136  
   jets, 136  
   low water, 136  
   magma discharge, 135  
   magmatic, 135  
   phreatomagmatic, 135, 136  
   quenching, 7, 12, 135, 136  
   quench-granulation, 33  
   steam coatings, 136  
   subglacial tunnels, 136  
   thick ice eruptions, 136  
   vaults connected to atmosphere, 136  
 France, 367  
 frictional freezing, 205  
 frozen-bed ice, 300  
 fumaroles, 69, 79, 89  
 geochemical studies, 146–149, *see also*  
   geochronometry, stable isotopes  
 authigenic minerals, 154  
 major elements, 105, 106, 146  
   British Columbia, 147  
   compositional shift, 147  
   crystal sorting or fractionation, 147  
   Eyjafjallajökull, 146  
   Hudson, 146  
   Iceland, inferred minor fractionation, 148  
   monogenetic, 147  
   Pillow Ridge, 147  
   polygenetic eruptions, 147  
   shifts in magma compositions, 146  
   thick ice, 148  
 palagonitization  
   Ash Mountain, 154  
   basaltic andesite, 154  
   high-Al, 154  
   low-Al, 154  
   pH, 154  
   South Tuya, 154  
   stoichiometry, 154  
   Tuya Butte, 154  
 spectroscopy  
   Hlödufell, 157  
   Mars, 157  
   Thorólfsfell, 157  
 trace elements, 148  
   changes in magma storage, 148  
   compositions of Antarctic tephtras, 149  
   correlation, 148  
   cryptic stratigraphy, 148  
   deglaciation linkages, 149  
   degrees of melting in Iceland, 149  
   monogenetic, 148  
   multiple eruptions at Icefall Nunatak, 148  
   tindar, 148  
   Torfajökull rhyolite tuyas, 148  
   West Antarctic Rift System, 149  
 zeolite  
   Antarctic lava-fed delta, 156  
   differences due to local alteration, 157  
   overprinting, 156  
   submarine, 156  
 geochronometry, 158–159, 341  
   'high-precision' Ar-Ar, 158, 398  
 cosmic ray bombardment of olivine, 159  
 cosmogenic nuclides, 158  
 exposure age limitations, 159

geochronometry (cont.)  
 exposure ages as eruptions ages, 159  
 intermediate compositions, 158  
 K–Ar, 158  
 Last Glacial Maximum, 159  
 Little Bear Mountain, 159  
 magnetostratigraphy, 158  
 melted xenoliths, 159  
 Milankovich cycles, 158  
 snow cover, 159  
 syenitic xenolith, 45  
 U/Th–He, 45, 158, 398  
 geothermal fields, 326  
 geothermal heat, 92, 232, 325, 383  
 Gjalp, 10, 57, 59, 65, 67, 79–81, 85, 102, 173,  
 319, 322, 323, 395, 397, *see also*  
 Grímsvötn  
 basaltic andesite, 81  
 cauldron, 80  
 edifice palagonitization, 81  
 edifice permeability, 81  
 heat transfer, 79  
 hyaloclastite ridge, 81  
 ice canyon, 81  
 ice cauldron, 79  
 ice thickness, 80  
 initial meltwater generation, 79  
 jökulhlaup, 81  
 magma discharge, 79  
 moulin, 81  
 supraglacial, 79  
 supraglacial meltwater drainage, 81  
 thick glacier, 79  
 timescale of tephra lithification, 79  
 tindar, 81  
 glacial pumping, 123  
 glacial sedimentary deposits, 5, 19  
 glaciations, 343, *see also* Last Glacial  
 Maximum  
 Alaska, 36  
 ancient, 392  
 Gogon, 54  
 Komia, 54  
 Megane, 54  
 Mexico, 49  
 NA Cordillera, 340  
 Neoproterozoic, 56  
 Northern Hemisphere, 28  
 Ordovician, 56  
 Permo-Carboniferous, 56  
 pre-Pleistocene, 21  
 Russia, 53  
 Snowball Earth, 392  
 Tongo, 54  
 glaciers  
 cold-based glaciers, 399  
 outlet glaciers, 94

overflow on sloping surface, 97  
 polythermal valley glaciers, 93  
 pre-Pleistocene, 37  
 Upper Seward Glacier, AK, 91  
 glacio-isostatic, 344  
 glaciolacustrine fan, 230, 232  
 glaciovolcanic lithofacies, móberg, 5  
 glaciovolcanic sequences, ice-contact, 329  
 glaciovolcanic tuff cones, 10, 52  
 glaciovolcanic vault, 321, 322  
 water level in, 102  
 glaciovolcanism, 1–5  
 ice-dominant interactions, 59  
 incidental interaction, 60  
 volcano-dominant interactions, 60  
 Godafjall, 191  
 Gorda plate, 47  
 grain size, 159–160  
 2004 Grímsvötn, 160  
 air fall, 160  
 phreatomagmatic, 160  
 pyroclastic density currents, 160  
 2010 Eyjafjallajökull, 160  
 ash aggregates, 160  
 Cotopaxi, 160  
 Hudson, 160  
 ice-slurry deposits  
 at Redoubt, 160  
 at Ruapehu, 160  
 jökulhlaup deposits in Iceland, 160  
 lahars, 160  
 Popocatepetl, 160  
 pumice flows, 160  
 Grand Canyon, 368  
 gravitational collapse, 166, 179, 207, 276, 279, 286,  
 292, 294, 296, 312  
 gravitational spreading, 288  
 Greenland, 1, 26, 330, 343  
 Greenland ice cores, 343  
 Grímsvötn, 4, 33, 39, 57, 59, 79, 81–84, 249, 343, *see*  
*also* Gjalp  
 1934 eruption, 83  
 1934 jökulhlaup discharge, 83  
 1983–4, 83  
 1998, 83  
 2004, 83, 87  
 air fall deposits, 83  
 ash scavenging, 84  
 earthquake, 83  
 eruption plume, 83  
 flow deposits, 83  
 ice cauldron, 83  
 jökulhlaup discharge, 83  
 mass fluxes, 84  
 particle aggregation, 84  
 phreatomagmatic, 83  
 pyroclastic density currents, 84

- snowfall, 84
- surge deposits, 83
- Surtseyan explosions, 84
- tephra cone diameter, 83
- volcanic tremor, 83
- 2011, 88
- basaltic eruptions, 81
- caldera, 81
- composite volcanoes, 82
- fissure system, 82
- flood, 81, 82
- flood peak discharge, 81
- floodwater volume, 81
- geothermal activity, 80
- jökulhlaups, 79, 80, 82
- lake, 82
- Lakígígar, 84, 87
- pressure release floods, 82
- Skeidararsandur, 81
- subglacial lake, 80
- tephra temperatures, 83
- Vatnajökull, 81
- H<sub>2</sub>O, *see* water
- hackly jointing, 243
- Haraldur, 281, 283
- Hawaii, 15, 53–54, 60, 125
  - Hamakua Group, 53
  - Laupāhoehoe Group, 53
  - Makanaka glacial episode, 54
  - Mauna Kea, 15, 53, 60
  - Quaternary, 127
  - Waihu Formation, 54
  - Waihu glaciation, 54
- hawaiite, 42, 45, 53
- hazard mapping, 48
  - lahar paths, 48
- hazards, 13, 350–363, *see also* ash falls, flooding, lava
  - flows, lightning
  - atmospheric transport, 350
  - avalanches, 351, 360
    - Mt St Helens
      - ballistic blocks, 362
      - deglaciation, 362
      - impound lava flows, 362
      - lahars, 362
      - snow avalanches, 362
    - Plinian eruption, 362
    - sector collapses, 360
    - thick ice, 362
    - triggered by earthquake, 360
- Chile, 350
- climate
  - atmosphere, 362
  - carbon dioxide, 362
  - Last Glacial Maximum, 362
- debris flow, 60, 68
- Ecuador, 350
  - gravitational collapse, 350
  - Grímsvötn, 351
  - hazard mapping, 73
  - ice-clad volcanoes, 351
- Japan, 350
- jökulhlaups, 20, 29, 54, 57, 81, 100, 351
- lahars, 55, 57, 60, 67, 350, 351
- mass flows, 241, 282, 351
- Mexico, 350
- mudflows, 350
- Nevado del Ruiz, 350
- New Zealand, 351
- North America, 350
- phreatomagmatic explosions, 350
- Russia, 351
- tsunami, 350, 351
  - volcanic avalanche, 60
- HCl, *see* hydrogen chloride
- heat capacity, 310
- heat flow, 325
- heat transfer, 89, 111, 113, 116, 123, 125, 127,
  - 129–135, 142, 257, 295, 347, 392, 394, 395
- 1934 Grímsvötn eruption, 129
- advection, 130, 131–133
  - dyke, 131
  - Gjálp, 133
  - heat capacity, 132
  - ice–bedrock contact, 132
  - natural convection, 132
  - rate of melting of overlying ice, 132
  - thermal diffusivity, 132
  - volumetric eruption rates, 132
- basalt, 129
- conduction, 124, 129, 130–131
  - cooling of a basaltic lava pillow, 130
  - geometry, 130
  - lava flow emplaced onto ice, 130
  - MSH dome, 131
  - numerical solutions, 131
  - Stefan formalism, 131
  - thermal conductivity, 130
  - thermal diffusivity, 130, 131
  - timescales of heat transfer, 131
- convection, 130
- efficiency, 134–135
  - basaltic lava, 135
  - effusion dominant, 135
  - energy used for ice melting, 134
  - eruption timescale ice-melting efficiency, 134
  - fragmentation dominant, 135
  - heat capacity, 134
  - latent heat of fusion, 134
  - palagonitisation, 135
  - potential latent heat, 134
  - sensible heat, 134

- heat transfer (cont.)  
 space problem, 135  
 tephra, 135  
 total thermal energy of the magma, 134  
 pillow lava into ice, 129  
 radiation, 130, 133  
 emissivity, 133  
 Fimmvörðuháls, 133  
 large-scale experiments, 133  
 latent heat of fusion for ice, 133  
 maximum melting rate, 133  
 rate of heat transfer, 133  
 Stefan–Boltzmann law, 133  
 supraglacial, 133  
 Tolbachik, 133  
 Hekla, 57, 62–65  
 1104, 63  
 1845, 63  
 1947, 63, 87, 89  
 1980–1, 64  
 1991, 65  
 2000, 64  
 2000 initial discharge, 65  
 flooding, 63, 64  
 hlaup, 63  
 icelandite, 63  
 initial lava discharge, 64  
 lava flows on snow, 63  
 lava temperatures, 63  
 Markarfljót River, 63  
 Plinian eruption, 63  
 Rangá River, 63, 64  
 surge, 64  
 total discharge, 64  
 volcanic bombs, 64  
 Helgafell, 209, 221, 226, 227, 228, 229  
 Hesperian, 383  
 HCl, *see* hydrogen chloride  
 HF, *see* hydrogen fluoride  
 high-Al basalt, 52  
 Hlödufell, 221, 224, 225, 226, 227, 229, 240, 311  
 Holocene, 42, 46, 47, 49, 51, 76, 127, 247, 267, 268,  
 339, 340, 343, 349  
 Hoodoo Glacier, 339  
 Hoodoo Mountain, 44, 45, 168, 187, 251, 252, 253,  
 258, 264, 267, 272, 339  
 horizontal passage zone, 226, 304, 335  
 Höttur, 283  
 Hrafninnuhryggur, 266, 287, 288, 289  
 Hrótsfjall, 271  
 hryggir, *see* Landforms  
 Hudson, 51, 57, 59, 60, 78–79, 89, 106  
 17 ka eruption, 78  
 1971, 78, 79  
 1991, 78  
 ash column, 78  
 ash plume, 78  
 basaltic lava flows, 78  
 caldera, 78  
 circular collapse pits, 79  
 crater diameter, 78  
 crescent-shaped structures, 79  
 dacitic magma, 78  
 eruption volume, 78  
 fumaroles, 79  
 Huemules glacier, 78, 79  
 Huemules valley, 78, 79  
 ice-melt collapse pits, 79  
 ice-rafted debris, 79  
 kettle-holes, 79  
 lahar deposits, 79  
 lahars, 78, 79  
 phreatomagmatic, 78  
 second phase tephra volume, 78  
 Strombolian, 78  
 Hudson Mountains, 21  
 diamict, 21  
 lapilli tuff, 21  
 pāhoehoe, 22  
 pillow mounds, 21  
 tillite, 21  
 Hudson Mountains Subglacial Volcano, 22  
 Hvalvördugil, 271  
 hyaloclastite, 45, 197  
 hyaloclastite fan, 230, 231  
 hyaloclastite inclusions, 225  
 hyaloclastite ridge, *see* Landforms  
 hyalotuff, 226  
 hydraulic potential, 98–102  
 hydraulics, 9, 177, 238, 307, 308, 321  
 hydrogen chloride, 107, 150  
 solubility, 138  
 hydrogen fluoride, 107, 150  
 solubility, 138  
 hydromagmatic explosions, 201  
 hydrostatic pressure, 33, 150, 234  
 hydrothermal convection, 328  
 hydrothermal fluids, 49, 206  
 hydrothermal systems, 326  
 hydrovolcanic, 173  
 ice, *see also* firn  
 aquiclude, 96  
 basal geothermal heat flux, 93  
 basal sliding, 93  
 basal thermal regime, 26, 91  
 cold ice, 24, 94, 95, 96, 177, 178, 300, 322  
 cold-based, 9, 26, 162, 170, 299, 321, 329, 334, 335  
 confining ice, 164, 288  
 deformation rates, 94  
 dirty ice, 94  
 effect of impurities on strength, 94  
 englacial vault, 33  
 fine-scale connected fractures, 92



- frozen-bed ice, 94  
 ground ice, 93  
 heat capacity, 94  
 hydraulics, 91, 92, 93  
   water flow  
     crevasses, 96  
     Darcian flow, 98  
     key-hole tunnels, 97  
     rapid pipe flow, 97  
     supraglacial, 96  
     viscous dissipation, 97  
 intermediate, 59  
 lava confining, 193  
 melting zone, 97  
   turbulence, 97  
 Nye's Law, 142  
 permafrost, 93  
 permeability, 96, 97  
 polythermal ice, 93, 300  
 porosity, 97  
 pressure melting point, 93, 95  
 rates of ice creep, 95  
 relationship between thickness and dimensions, 92  
 shear planes, 62  
 shear stress, 92  
 strength, 94  
 temperate, 9  
 temperature profile, 93  
 thawed-bed, 93  
 thick ice, 5, 9, 41, 46, 59, 170, 259  
 thin ice, 9, 20, 23, 24, 59, 168  
 tunnels, 92, 95  
 warm ice, 93, 95, 300  
 warm-based, 9  
 wet-based, 94, 162, 321  
 ice caps  
   Deception Island, 65  
   Mt Pond, 20  
   South America, 51  
 ice cauldrons, 86, 99, 279, 319, 328  
 ice cavities, 30, 32, 97, 172, 186, 209, 231, 235, 256,  
   287, 295, 296  
 ice chimneys Deception Island, 65  
 ice domes, 19  
 ice masses  
   bedrock gradient, 99  
   excess pressure, 99  
   hydraulic potential, 98–102  
   hydraulics, 95, 102  
     normal, 102  
   hydrostatic pressure, 99  
   ice surface gradient, 99  
   meltwater flow  
     supraglacial, 101  
   meltwater hydraulics, 99  
   physical structure, 91–93  
   rheology, 94–95  
   supraglacial discharge, 102  
   thermal regimes, 93–94  
   thin ice, 110  
   water flow, 96–98  
 ice overburden pressure, 99  
 Ice Peak Formation, 43, 340  
 ice sheets, 298, 300, 325, 340, 344, *see also* Cordilleran,  
   East Antarctic, Antarctic Peninsula,  
   Antarctic, West Antarctic Ice Sheets  
   ancient ice sheets, 39  
   surface sagging, 322  
   wet-based ice sheet, 19  
 ice streams, 24, 93, 329  
 ice surface gradient, 322  
 ice walls, 214, 224, 225, 228, 235, 254, 284, 395  
   confining, 228  
 ice-block meltout cavities, 31, 195, 197, 225, 226, 242,  
   243, 309  
 ice-clad volcanoes, 89, 397, 398  
 ice-confined, 240, 249, 251, 275, 307, 392  
 ice-constrained, 235  
 ice-contact, 177, 254, 259, 273, 309, 310  
 ice-impounded, 215, 248, 250, 251, 256, 264, 268, 271,  
   292, 310  
 ice-melt collapse pits, 79  
 ice-rafted debris, 35  
 Icefall Nunatak, 208, 221, 222, 224, 226, 227  
 Iceland, 4, 5–7, 26–33, *see also* Eyjafjallajökull,  
   Gjálp, Grímsvötn, Hrafninnhryggur,  
   Kalfstindar, Katla  
   andesite, 31  
   Bárdarbunga, 33  
   Bláhnúkur, 32  
     rhyolite, 32  
   Borgarfjörður, 337  
   Brekknafjöll, 232  
   dacite, 31  
   Dalakvísl, 32, 209  
   Deildargil ignimbrite, 28  
   Eastern volcanic zone, 26, 60, 337  
   Fagradalsfjall, 231  
   felsic, 31–32  
   glacial sedimentary deposits, 28  
   Godafjall, 30  
   Hafráfell, 337  
   Hafursey, 62  
   Helgafell, 12, 30, 31, 109  
   Herdubreid, 30  
   Hlödufell, 30, 31  
   Hrútsfjall, 30  
   Hvalvördugil, 270  
   intermediate, 32–33  
   Karlshryggur, 218  
   Karlsrani, 218  
   Kerlingarfjöll, 31, 32, 109  
   Kirkjubæjarheiði, 5  
   Kreppuhryggur, 218

Iceland (cont.)  
 Kviarijökull, 270  
 Lindarhyggur, 218  
 Mid-Iceland volcanic zone, 26  
 mildly alkaline magmas, 26  
 monogenetic, 28, 30–33  
 MORB, 26  
 Mýrdalsjökull, 29, 60  
 Mýrdalssandur, 61  
 Northern volcanic zone, 26  
 Öraefajökull, 30, 32  
 Öraefajökull volcanic zone, 26  
 polygenetic, 28, 29–30  
 Prestanúkur, 31  
 Raudufossafjöll, 31  
 rhyolite, 31  
 Reykjavík, 3, 83  
 rhyolite, 31  
   lava-dominated tuya, 31  
   tephra-dominated tuya, 31  
 Rotarfjall, 32, 271  
 Selfjall, 62  
 Sida Formation, 29  
 Skaftafell, 337  
 Skeidararsandur, 81  
 Snaefellsnes volcanic zone, 26  
 South Iceland Seismic Zone, 26, 62  
 Sveifuhals, 218  
 tholeiitic, 26  
 Torfajökull volcanic centre, 31  
 Undirhlíðar, 30, 165  
 Vatnafjall, 32, 270  
 Vatnajökull, 26, 28, 29, 79, 83, 84, 337  
 Vegaskard, 218  
 Vík, 62  
 Virkisfell, 218  
 Western volcanic zone, 26  
 ichnotaxonomy, 316  
 ignimbrite, 24, 28  
 Indonesia, 15, 40, *see also* Papua New Guinea  
   Krakatoa, 350  
 interface sill, 244, 245, 388, 396  
 intermediate rock compositions, 180, 181, 188, 190,  
   192, 198, 211, 248, 252, 257, 261, 268,  
   308, 310, 339, 394  
 intermittent tephra jets, 234  
 intrusions, 19, 27, 41, 181, 192, 282, 326, 328, 396,  
   397, *see also* dyke intrusions  
 hyaloclastic margins, 32  
 interface sill, 29  
 irregular, 262  
 linear contact, 192  
 peperitic margins, 32  
 inverted topography, 254, 395  
 Iskut volcanic field, 45–46  
   Canyon Creek, 45  
   Cinder Mountain, 45

Cone Glacier, 45  
 Iskut River, 45  
 King Creek, 45  
 Lava Fork, 45  
 Little Bear Mountain, 45  
 Second Canyon, 45  
 Snippaker Creek, 45  
 Tom MacKay Creek, 45  
 isostatic rebound, 345  
 isotopic compositions, 345  
 James Ross Island, 17, 18–20, 165, 166, 204, 238, 247,  
   301, 303, 305, 308, 315, 316, 317, 331  
   Volcanic Group, 18, 331, 333  
 Japan, 15, 53, 60  
   Hidaka Range, 53  
   Mt Tokachi, 53  
 Jarlhettur, 221, 229, 230, 231  
 jets, 210, 234  
 jetting activity, 210  
 jigsaw-fit texture, 227, 265, 272, 275  
 jointing, 143–144  
   blocky, 23  
   colonnade, 29  
   Columbia River basalts, 143  
   columnar, 243, 295  
   cube, 215  
   entabulatures, 143  
   flooding with water, 143  
   fractometry, 143  
   fracture modes, 144  
   hackly, 243  
   kubbaberg joints, 56  
   platy, 195–197, 254, 288, 299  
   prismatic, 23, 29  
   pseudopillow fractures, 56  
   thermal stresses, 143  
 jökulhlaup, 17, 113, 121, 218, 244, 245, 247, 258, 289,  
   343, 396  
 Jones, J, 7  
 Juan de Fuca plate, 47  
 Kalfstindar, 30, 209, 213, 221, 229  
 Kamchatka, 187, 189, 250, 394  
 K-Ar, *see* geochronometry  
 Karelia, Russia, 158  
 Katla, 33, 57, 59, 60–62, 65, 70, 85, 247, 249, 369  
   caldera, 60  
   debris flow, 61  
   earthquake, 60  
   flood depths, 60, 62  
   floods, 61  
   hyperconcentrated density flows, 61  
   iceberg-sized masses, 62  
   intraglacial discharge, 62  
   jökulhlaups, 60, 61, 62  
   Köttulhlaups, 61

- Kötlutangi, 62  
 peak discharge, 62  
 sandur, 62  
 subglacial discharge, 62  
 supraglacial discharge, 62  
 Kawdy Mountain, *see* Kima' Kho  
 Kerlingarfjöll, 211, 212, 261, 262, 275, 276, 280, 283,  
 284, 287, 292, 295  
 basal meltwater drainage, 264  
 Bringur, 261, 262  
 Campsite Gully, 261, 262  
 Haraldur, 261, 262  
 Höttur, 280  
 Ögmundur, 280  
 South Ögmundur, 280  
 Tindur, 261, 262  
 kettle holes, 79  
 Kjartansson, G, 5  
 Kima'Kho, 10, 41  
 Klyuchevskoy, 52  
 Kriki hyaloclastite flow, 247  
 kubbaberg, 56, 193, *see also* jointing
- lahar deposits, 37, 43, 51  
 lahars, 48, 49, 51, 53, 215  
 lakes, 39, 203, 207, 208, 209, 211, 218, 221, 226, 235,  
 236, 237, 283, 301, 303, 305, 306, 307,  
 308, 313, 320, 322, 336  
 drainage events, 138  
 englacial, 7, 40, 41, 43, 47, 106, 138  
 depths, 106  
 glacial, 232  
 meltwater lake, 18, 31  
 landforms, *see also* sheet like sequences  
 caldera, 23, 24, 30, 37, 52, 65, 78  
 central volcano, 19, 22, 23, 25, 27, 28, 44, 162  
 classification, 162–177  
 complex tuya, 10  
 composite volcano, 82  
 conical, 53  
 conical tuya, 10, 163  
 dome, 10, 48, 49, 52  
 drumlinoid, 45  
 effusion-dominated tuya, 48  
 esker-like lava flow, 163  
 glaciovolcanic tuff cone, 10, 52  
 hryggir, 5  
 hyaloclastite ridge, 5  
 hydraulics, 164  
 ice-clad volcano, 51, 52  
 ice-constrained, 172  
 ice-impounded, 162  
 intermediate dome, 164  
 lava-dominated, 176  
 lava-dominated felsic tuya, 163  
 lava-fed delta, 13, 18, 19, 21, 23, 24, 25, 31, 39, 40,  
 41, 100, 102  
 linear tuya, 10, 163  
 littoral cone, 53  
 maars, 35, *see also* Espenberg maars  
 magmatic conditions, 164  
 möberg ridge, 5  
 monogenetic, 24  
 morphometric parameters, 165  
 ellipticity, 165  
 irregularity, 165  
 physical conditions, 164  
 pillow mound, 10, 31  
 pillow ridge, 12  
 pillow sheet, 163, 176, 177, 215, 238, 240, 244, 381,  
 385, 396  
 pillow volcano, 31, 33  
 pillow volcano stage, 19  
 polygenetic central volcano, 19  
 pyroclastic cone, 84  
 pyroclastic passage zone, 13  
 remnant cliff, 163  
 scoria cone, 17, 24  
 shield volcano, 13, 19, 22, 42  
 stapar, 5, 163  
 stratovolcano, 22, 24, 48  
 subglacial dome, 163  
 subglacial mound, 10, 163  
 table mountain, 5  
 tephra-dominated felsic tuya, 163  
 tindar, 5, 7, 10, 30, 31, 52, 102  
 tuya, 47, 53  
 lapilli, 184, 198, 207, 232, 259  
 lithic, 198  
 pumice, 208, 270  
 lapilli tuff, 44, 45, 184, 197, 201, 205, 206, 209, 210,  
 211, 212, 214, 217, 220, 221, 223, 225,  
 226, 227, 228, 231, 232, 240, 241, 242,  
 243, 246, 248, 261, 262, 265, 267, 281,  
 329, 340, 396  
 welded, 46  
 lapilli tuff breccia, 180  
 lapillistone, 184, 212  
 Larsen Ice Shelf, 19  
 laser range-finding, 146  
 Last Glacial Maximum, 15, 48, 49, 53, 240, 299, 332,  
 341, 343, 349  
 Late Miocene, 21, 22, 301, 334  
 Late Pleistocene, 8, 37, 49, 52  
 Late Pliocene, 52  
 lateral progradation, 168, 220, 283  
 lava  
 'a'ā, 13, 23–5, 85, 87–89, 119, 166, 168–169,  
 187–189, 198, 200, 203–203, 213, 222,  
 224, 236–237, 239, 247, 264–266, 291,  
 302, 305, 311–311, 333–334, 354  
 blocky lava, 13  
 feeder-tubes, 40  
 ice tunnels, 45  
 ice–snow-contact, 51  
 ice-confined, 46

472

lava (cont.)  
 ice-contact, 39, 45, 56  
 ice-impounded, 268, 270  
 lava-fed delta caprock, 20  
 overthickened, 46  
 pāhoehoe, 13, 20, 31  
 pillow lava, 36, 42  
 spiracle structures, 54  
 subaqueous sheet lava, 24  
 vertical pillow, 45  
 viscosity, 116  
 lava eskers, 48  
 lava flows, 351  
 1983 Veniaminof lake, 355  
 2010 Eyjafjallajökull, 352  
 2010 Fimmvörðuháls, 352  
 2013 Tolbachik, 352  
 2013 Veniaminof, 352  
 andesitic lavas, 355  
 domes, 356  
 2004 and 2006 Mt St Helens, 356  
 avalanches, 356  
 debris flow, 356  
 lahars, 356  
 Mt Redoubt, 355, 356  
 debris flow, 356  
 Drift River, 356  
 lahars, 356  
 rock avalanching, 356  
 episodic meltwater discharges, 352  
 experiments, 351  
 fatalities, 352  
 flooding, 351, 352  
 Gigjökull glacier, 353  
 Hudson, 351, 352  
 ice-clad volcanoes, 355  
 infrastructure, 351  
 interact explosively, 351  
 Klyuchevskoy, 351, 352  
 lahars, 352  
 Llaïma, 351, 352  
 meltwater floods, 351  
 mixed with snow/ice, 352  
 mudflows, 352  
 Nyiragongo, 351  
 oversteepened escarpments, 351  
 snowpack, 352  
 subglacial tunnels, 353  
 summit crater overflows, 352  
 Tolbachik, 351  
 Valle del Bove, Etna, 352  
 Veniaminof, 354  
 Villarrica, 351, 352  
 lava lake, 165  
 Mt Michael, 17  
 Villarrica, 360  
 lava lobe breccia, 295  
 lava shield, 13, 236, 247

*Index*

lava lobe-bearing, 203  
 lava temperatures, 111  
 forward-looking infrared radar, 114  
 geothermometers, 111, 114  
 glass transition temperatures, 116–117  
 addition of water, 116  
 basalt, 116  
 basaltic glass, 116  
 cooling rate, 116  
 dacite, 116  
 diffusion of nutrients, 117  
 liquidus temperatures, 114, 116  
 phonolite, 116  
 solidus temperatures, 116  
 thermodynamics, 116  
 trachyte, 116  
 MELTS, 111  
 Putirka, 114  
 Rhyolite-MELTS, 114  
 rock composition, 114  
 thermal probes, 114  
 thermodynamic models, 114  
 Tolbachik, 113  
 lava–snowpack, 89  
 lava-dominated tuya, 269, 272, 275, 277  
 lava-fed delta, 9, 100, 165, 166, 168, 170, 172, 182,  
 192, 198, 200, 201, 203, 204, 208, 213,  
 220, 224, 226, 236, 238, 239, 241, 242,  
 247, 248, 264, 265, 266, 275, 283, 291,  
 301, 303, 304, 305, 306, 307, 308, 311,  
 312, 315, 316, 317, 320, 322, 323, 324,  
 326, 331, 333, 334, 335, 336  
 Level Mountain, 42, 247  
 lightning  
 1755 Katla, 362  
 atmosphere, 362  
 eruption plume, 362  
 phreatomagmatic, 362  
 linear tuya, 173  
 liquidus temperatures, 142  
 lithofacies  
 armoured lapilli, 41  
 chaotic breccias, 37  
 chaotic lava lobe, 25  
 hyaloclastic lithosome, 18  
 hyaloclastite tuff, 53  
 lapilli, 20  
 lapilli tuff, 20, 30  
 lobe-hyaloclastite, 25, 31  
 palagonitized tuff, 38  
 pillow breccia, 36, 38, 40  
 pillow lava, 7, 38  
 sheet-like sequences, 21, 23, 26, 29, 30  
 snow-rich debris flow deposits, 37  
 subaerial lava cap, 36  
 tuff breccia, 30, 37, 41, 42  
 vitroclastic, 33  
 lithophysae, 272, 288

- lithostatic loading, 344  
 Little Bear Mountain, 339  
 Little Ring Mountain, 259  
 littoral cone, 213  
 Llaima, 57, 60, 75, 89  
   1994, 75  
   basaltic, 73  
   basaltic andesite, 73  
   Calbuco River, 75  
   crevasses, 75  
   debris flow, 75  
   lahar velocity, 75  
   lahars, 74  
   Rio Quepe, 75  
   steam production, 75  
   tunnels, 74  
   volume of ice melted, 75  
 Llangorse, 215, 216, 253  
 Llangorse volcanic field, 215  
 loading, 228
- mafic, 13, 38  
 magma discharge, 170, 222, 231, 241  
 magma generation, 125–128  
   addition of magmatic volatiles, 127  
     Aleutian, 127  
     Andean, 127  
     Cascade, 127  
     Kamchatka, 127  
     Scotia, 127  
     wet magmatic systems, 128  
   addition of volatile components, 125  
   adiabatic decompression, 127  
     deglaciation, 127  
     Iceland, 127  
     isostatic rebound, 127  
     MORB, 127  
     West Antarctica, 127  
     western Canada, 127  
   decreases in pressure, 125  
   deglaciation, 126  
   increases in mantle temperature, 125  
   p-MELTS, 125  
   temperature increase, 126–127  
     Bárdarbunga, 126  
     Grímsvötn, 126  
     Hawaii, 126  
     hotspots, 126  
     Iceland, 126  
     Kverkfjöll, 126  
     mantle plume, 126  
     Mauna Kea, 126  
     Mauna Loa, 127  
     MORB, 126  
     potential temperatures, 126  
     source region melting, 126  
     Vatnajökull, 126
- magma migration  
   buoyancy, 128  
   deglaciation, 128  
   dyke, 128  
   effect of regional ice sheet, 128  
   excess pressure, 128  
   ice loading, 128  
   static, 128  
   subglacial, 128  
   supraglacial, 128  
 magma mixing, 565, 345  
 magma quenching, 393  
 magma–cryosphere interactions, 89  
 magmastatic driving pressure, 346  
 magmatic fragmentation, 211, 212, 281, 288  
 magmatic vesiculation, 12  
 magnetostratigraphy, 158  
 Mandible Cirque, 287, 289  
 mantle plume, 17, 26, 47, 125, 330  
 Marie Byrd Land, 8, 15, 17, 22–24, 208, 221, 222,  
   334, 336  
   central volcanoes, 22  
   Large Igneous Province, 22  
 marine incursions, 314, 316  
 marine isotope stage  
   MIS 2, 52  
   MIS 4, 52, 53  
   MIS 6, 52  
 marine shelfal sequences, 330  
 Mars, 3, 4, 56, 239, 298, 326, 327, 328, 365, 368,  
   398, 399  
   Acidalia Planitia, 380  
   Alba Mons, 366  
   Amazonian Period, 365, 366, 372  
   Apollinaris, 366  
   Arcadia Planitia, 391  
   Arsia Mons, 365, 373, 385, 388  
   Ascraeus Mons, 365, 385  
   atmosphere, 367, 374, 376  
   atmospheric general circulation models, 373  
   atmospheric transport, 374  
   breaching permafrost seal, 388  
   buttes, 370, 380  
   Candor Chasma, 383  
   canyons (chasmata), 368–369  
   Capri Chasma, 383  
   carbon dioxide ice, 367  
   central chasmata, 384  
   central volcano, 366  
   Ceraunius Tholus, 385  
   chaotic terrain, 369, 370, 377, 383  
   chasmata, 383  
   Chryse Planitia, 380  
   cold-based ice, 385  
   cone-shaped mountains, 382  
   Coprates Chasma, 383  
   cryolithosphere, 368, 374, 376, 380, 388

## Mars (cont.)

- cryolithosphere pore space, 391
- cryosphere cracking, 388
- digitate lavas, 388
- Dorsa Argentea Formation, 371, 381, 382
- dyke emplacement, 365, 368, 380, 391
- dyke intrusion, 380, 388
- dyke widths, 377
- dyke-induced fractures, 391
- dykes, 377
- Early Amazonian, 380
- Elysium region, 385
- Elysium volcanic province, 367
- Elysium Fossae, 380
- englacial lake, 383, 384
- englacial vault, 384
- environment impact on glaciovolcanism, 376–378
- Eos Chasma, 383
- eruption styles, 376
- eskers, 387
- explosive (hydromagmatic) eruptions, 384
- feeder dyke, 366
- flat-topped mountains, 381
- floods, 370, 373
- fossae, 369, 370, 378, 380, 391
- fuel–coolant interactions, 390
- fuel–coolant-type interaction, 378
- Ganges Chasma, 383
- geological background, 364–367
- geothermal heat from volcanoes, 382
- glacial–interglacial repetition, 375
- glacial–interglacial impact on hydrological cycle, 374–375
- glaciovolcanic cryptodomes, 391
- glaciovolcanic edifices, 381
- glaciovolcanic pyroclastic cones, 383
- ground ice, 374, 388, 391
- Hadriaca Patera, 366
- Hebes Chasma, 383
- Hecates Tholus, 385
- Hellas impact crater, 365
- Hesperia Planum, 366
- Hesperian, 366, 367, 368, 370, 371, 372, 381
- Hesperian flooding, 367
- Hesperian Period, 365
- Hrad Vallis, 380, 390
- hyaloclastite mounds, 385
- hydrothermal systems, 388
- hydrovolcanic interactions, 367
- hyperarid environment, 365
- ice sheet thickness estimates, 381
- ice streams, 370
- ice surge, 386
- ice-confined pillow mounds, 381
- ice-marginal lavas, 385
- ILD, 383, 384
- insolation-related climate change, 375
- integrated valley networks, 368
- interior layered deposits, *see* ILD
- intermediate obliquity excursions, 388
- jökulhlaup fans, 373, 386
- jökulhlaups, 369, 370, 380, 391
- Juventae Chasma, 383
- knobby terrain, 373
- lahar deposits, 380
- lahars, 380
- lake, 384
- lake deposits, 383
- lapilli tuff, 385
- Late Hesperian, 370
- lava-fed delta, 384, 385
- linear features, 364, 380
- lobate ejecta, 367
- low domes, 381
- maars, 380, 391
- magma intruding cryolithosphere, 388
- mantle plume, 368
- mega-lahars, 391
- megascale flooding, 370
- Melas Chasma, 383
- meltwater deluges, 377, 391
- meltwater lake, 385
- meltwater tunnels, 384, 387
- mesas, 370, 380, 383, 384
- möberg, 373
- möberg ridges, 380
- morphometry of glaciovolcanic edifices, 378
- mounds of layered sediments, 368
- Noachian, 366, 368, 371, 381
- Noachian chasmata, 383
- Noachian Period, 365
- Noachian plateau surfaces, 383
- northern cap diameter, 371
- northern plains, 364, 370, 378–381
- obliquity, 374, 375, 384
- oceans and lakes, 370
- Olympus Mons, 367, 372, 385
- Ophir Chasma, 383
- outflow channels, 369
- palagonitized tuff, 384
- passage zone, 384
- Pavonis Mons, 365
- pedestal craters, 367, 372
- permafrost, 377
- phreatomagmatic activity, 378, 380, 391
- phreatomagmatic explosions, 390
- phyllosilicates, 384
- piedmont-like fans, 373
- pillow mounds, 383, 385
- pillow sheets, 381
- pillow volcano, 378
- polar caps and circumpolar ice sheet, 371–372
- possible pillow sheets, 385
- possible rock glaciers, 373

- putative tuya, 385, 388  
 pyroclastic density currents, 376  
 reversal of hydrological cycle, 375  
 ridged lava plains, 366  
 rootless cones, 367  
 sapping features, 368  
 shield volcanoes, 365  
 sill intrusion, 388  
 sinuous ridges, 381  
 snowpack, 364  
 south polar cap, 371, 381  
 south polar cap diameter, 371  
 southern circumpolar region, 381–383  
 streamlined landforms, 369  
 Strombolian, 376  
 sub-cryolithospheric hydrosphere, 374  
 subglacial mounds, 380  
 subglacial tunnels, 385  
 sublimation till, 373  
 subsurface glaci volcanism, 388–391  
 surface floods, 388  
 Syrtis Major Formation, 370  
 Syrtis Major Planum, 366  
 Tartarus Colles, 388  
 tephra fountains, 376  
 tephra mounds, 385  
 Tharsis bulge, 368  
 Tharsis region, 366, 385  
 Tharsis volcanic province, 365, 367  
 Tharsis volcanoes, 373  
 thick ice, 373  
 tindars, 373, 383  
 tinar-like features, 380  
 tropical glaci volcanism, 385  
 tropical mountain ice, 372–374  
 tufa (spring) mounds, 383  
 tuyas, 380, 383, 384  
 Utopia Planitia, 380  
 Valles Marineris, 365, 366, 368, 369, 383–385  
 valley networks, 365, 368, 377, 385  
 Vastitas Borealis Formation, 370  
 volcanic rootless constructs (VRC), 388  
 water inventory, 367  
 water vapour, 375  
 mass flows, 241, 282, 351, 359  
 Mathews Tuya, 40, 106, 148  
 Mathews, W.H., 7  
 mega-grooves, 45  
 melt fraction, 345  
 melt-back, 235, 295  
 meltout cavities, 226, 270  
 MELTS, 109, 114  
 meltwater temperatures, 96  
 meltwater lake, 12, 102, 168, 170  
 mesas, 168  
 meteoric groundwater, 314  
 Mexico, 15, 49  
 Ajusco, 49  
 Citlaltépetl, 49  
 Cofre de Perote, 49  
 Cotopaxi, 160  
 Iztaccíhuatl, 49  
 La Malinche, 49  
 Las Cumbres, 49  
 Nevado de Colima, 49  
 Nevado de Toluca, 49  
 Pico de Orizaba, 49  
 Popocatepetl, 49  
 Sierra Negra, 49  
 Tancítaro, 49  
 Telefón, 49  
 Tláloc, 49  
 microbial activity, 316  
 Middle Miocene Climatic Optimum, 301  
 Middle Miocene Climatic Transition, 301  
 Milankovich, 343  
 minerals  
   calcite, 40  
   smectite, 40  
   zeolites, 40  
 Minna Bluff, 264  
 Mio-Pliocene, 9  
 Mississippi River, 81, 359  
 mixed magma, 73  
 móberg, 184, 238  
 Móberg Formation, 5  
 móberg ridges, 25  
 molten fuel–coolant interactions, 234  
 monogenetic formations, 9, 10, 19, 30, 31, 162, 166,  
   168, 170, 177, 187, 201, 218, 220, 221,  
   222, 224, 227, 238, 248, 261, 308, 318,  
   325, 331, 336, 341, 393  
 morphometry, 145  
   basal meltwater escape, 177  
   British Columbia, 146  
   compound morphometry, 163  
   differential GPS (DGPS), 146  
   digital elevation models, 146  
   felsic domes and lobes, 177  
   Iceland, 146  
   laser range-finding, 146  
   MORPHVOLC, 146  
   NETVOLC, 146  
   passage zone elevations, 146  
   sheet-like sequences, 174  
   structure-from-motion, 146  
   tephra mounds, 173  
 MORPHVOLC, 146  
 Mt Cayley, 257, 259  
 Mt Cayley Volcanic Field, 257, 259  
 Mt Edziza, 247, 252, 274, 275, 339, 340  
 Mt Erebus, 2  
 Mt Etna, 1  
 Mt Everest, 367

476

Mt Garibaldi, 259  
 Mt Haddington, 308  
 Mt Murphy, 23, 24, 221, 247, 334, 336  
 Mt Nyiragongo, 1  
 Mt Pinafore, 174, 241, 242, 245, 246  
 Mt Pinafore type, 19, 26, 241, 242  
 Mt Rainier, 176, 254, 264  
 Mt Redoubt, 1, 36, 37, 75–77  
   1989–90, 75  
   2009, 75, 77  
   2009 peak lahar discharge, 77  
   air traffic, 76  
   andesite, 77  
   ash cloud flow velocities, 77  
   avalanches, 77  
   debris flow, 76, 77  
   dome, 76  
   dome collapse, 76  
   Drift Glacier, 75, 76, 77  
   Drift River, 76  
     Cannery Creek, 77  
     oil terminal, 76  
     Rust Creek, 77  
   hyperconcentrated flows, 77  
   ice blocks, 76  
   ice cauldrons, 77  
   infrastructure, 76  
   juvenile detritus, 77  
   lahars, 76, 77  
   main pumice-producing episode, 76  
   mass flows, 76  
   meltwater floods, 77  
   peak discharge, 77  
   pyroclastic density currents, 76, 77  
   seismicity, 76  
   snow avalanches, 76  
   stratovolcano, 75  
 Mt St Helens, 57, 67–70  
   1980–86, 67  
   1989–90, 70  
   1990–1, 70  
   2004–06, 70  
   ancient floods, 70  
   andesite, 67  
   avalanches, 360  
   basalt, 67  
   cocks-tail jets, 69  
   Columbia River, 68  
   Crater glacier, 70  
   cryptodome, 69  
   dam at Spirit Lake, 70  
   directed blast, 69  
   dome, 70  
   earthquake, 69  
   estimated lahar discharge rates, 69  
   fumaroles, 69  
   hydrothermal fluids, 69

*Index*

ice cover removed during eruption, 69  
 Kalama River, 69  
 lahar deposits, 67  
 lahars, 69  
 mass flows, 359  
 Muddy River, 69  
 North Fork, Toutle River, 69, 70  
 Pacific Ocean, 68  
 phreatic, 69, 70  
 phreatomagmatic, 69  
 Pine Creek, 69  
 plinian eruption, 69  
 pyroclastic density currents, 69  
 snow and ice avalanches, 69  
 snowpack, 69  
 South Fork, Toutle River, 69, 70  
 South Sister, 255  
 Spirit Lake, 70  
 Toutle River, 68  
 USGS Professional Paper 1250, 67  
 volcanic avalanche, 69  
 mudstone, 209, 243  
 mugearite, 13, 250, 264, 334  
 mushroom-like apophyses, 224  
 Nazca plate, 50  
 NCVP, *see* Northern Cordilleran Volcanic Province  
 Neogene, 15, 158, 247, 248, 300, 303, 331  
 Neoproterozoic, 56  
 nephelinites, 105  
 NETVOLC, 146  
 Nevado del Ruiz, 51, 60, 68, 71–73, 89, 106  
   1595, 72  
   1845 lahar, 72  
   1985, 72  
   andesite, 73  
   Armero, 72, 73  
   avalanche, 72  
   ballistic blocks, 72  
   bomb melt pockets, 73  
   bombs, 72  
   bulking rates, 73  
   crevasses, 73  
   dacite, 73  
   debris flow, 73  
   estimated ice volume, 71  
   floods, 73  
   flow margin levees, 72  
   glacier erosion, 72  
   hazard mapping, 73  
   Lagunillas and Azufrado peak discharges, 73  
   lahar deposits, 73  
   lahar volumes, 73  
   lahars, 72, 73  
   mixed avalanches, 73  
   mixed magma, 73  
   names of glaciers, 71



- phreatic, 72  
 physical abrasion, 73  
 Plinian eruption, 72  
 pyroclast interaction with cryosphere, 72  
 pyroclastic density currents, 72  
 rock avalanches, 73  
 slush avalanches, 73  
 snowpack, 72, 73  
 subglacial meltwater storage, 73  
 surge, 72  
 tephra fall, 72  
 New Zealand, 55, 60, 196  
   Mt Ruapehu, 55, 83  
   Mt Taranaki, 55, 60  
 non-glacial lacustrine, 91  
 normal grading, 180  
 North America, 33–49, 127, 340, *see also* Northern  
   Cordilleran Volcanic Province  
   Alaska, 35, 36, 37, 46, 52, 83, 250, 264,  
     338, 394  
   Aleutian Islands, 35  
   Aleutian volcanic arc, 35, 36–37, 70, 103, *see also*  
     Mt Redoubt  
     Mt Spurr, 36  
     Pavlof, 36  
     Umnak Island, 37  
       Okmok, 37  
       caldera-forming eruptions, 37  
     Recheschnoi, 37  
     Vsevidof, 37  
     Veniaminof, 36  
     Westdahl, 36  
   Anchorage, 76  
   Bristol Bay, 35  
   caldera, 70  
   Cook Inlet, 76  
   Seward Peninsula, 35  
   Togiak tuya, 35  
   Veniaminof, 57, 70  
     1983–84, 70  
     1993–4, 70  
     2013, 70  
     caldera-filling glacier, 70  
     ice melting, 71  
     ice thickness, 70  
     lake, 70  
     lava-fed delta, 71  
     tunnels, 70  
   Wrangell  
     Capital, 37  
     Drum, 37  
     Gordon, 37  
     Jervis, 37  
     Sanford, 37  
     Tanada, 37  
     Wrangell volcanic arc, 35  
 California, 35  
 Canada, 7–8, *see also* Iskut volcanic field, Edziza,  
   Northern Cordilleran Volcanic Province  
   Anahim volcanic province, 46  
 British Columbia, 3, 4, 5, 7, 12, 15, 33, 35, 37, 38,  
   39, 40, 46, 47, 106, 109, 163, 166, 171,  
   174, 176, 177, 185, 186, 187, 192, 206,  
   215, 216, 217, 218, 220, 221, 247, 248,  
   250, 251, 252, 253, 256, 257, 259, 261,  
   264, 267, 268, 269, 272, 273, 274, 296,  
   297, 303, 308, 319, 337, 339, 341, 342,  
   343, 344, 394, 395  
   Ash Mountain, 39  
   Dease Lake, 39  
   geochemical studies, 146–149  
   Jennings River, 39  
   Kawdy Mountain, 39  
   Kawdy Plateau, 39  
     Pillow Ridge, 151, 153  
   morphometry, 145  
   relief, bedrock, 264  
   South Tuya, 151  
   Tanzilla Butte, 151, 152  
     carbon dioxide, 152  
     hydrostatic pressure, 152  
     sulphur, 152  
     water, 152  
   Tennena Cone, 151  
   Tuya Butte, 151  
   Tuya Lake, 39, 40  
     chlorine, 151  
     sulphur, 151  
   Wells Grey–Clearwater, 47  
   Fiftytwo Ridge, 47  
   Gage Hill, 47  
   Hyalo Hill, 47  
   McLeod Hill, 47  
   Mosquito Mound, 47  
   Mount Ray, 47  
   Pyramid Mountain, 47  
   Sheep Track Bench, 47  
   Spanish Bonk, 47  
   Spanish Mump, 47  
 Coast Mountains, 43  
 Hoodoo Mountain, 10, 33  
 Kima 'Kho, 10  
 Mount Edziza, 34  
 Pillow Ridge, 110  
 Wells–Gray volcanic field, 33  
 Yukon River, 38  
 Yukon Territory, 33, 37, 38, 248  
 Cascade volcanic arc, 35, 47–48, 67, *see also* Mt St  
   Helens  
 Crater Lake, 48  
   Arant Point, 48  
   Bear Bluff, 48  
   Dutton Cliff, 48  
   Grotto Cave, 48

North America (cont.)  
 Grouse Hill, 48  
 Munson Ridge, 48  
 Pumice Point, 48  
 Redcloud Cliff, 48  
 Roundtop, 48  
 Garibaldi  
 Mt Cayley, 48  
 The Barrier, 48  
 The Table, 48  
 Watts Point, 48  
 Garibaldi Belt, 47  
 Hayrick Butte, 47  
 Hogg Rock, 47  
 Mt Baker, 35, 48  
 Mt Jefferson, 48  
 Mt Rainier, 48, 57  
 Oregon, 47  
 Washington State, 47, 67  
 Columbia River plateau, 39  
 North American plate, 38, 47, 126  
 Northern Cordilleran Volcanic Province, 248, 267  
 Ash Mountain, 40, 41  
 Atlin volcanic district, 38  
 Bell–Irving, 45  
 Caribou Tuya, 40  
 Craven Lake, 45  
 Edziza, 42–45  
 Fort Selkirk volcanic complex, 38  
 Hidden Point, 39  
 Hoodoo Mountain, 38  
 Iskut volcanic field, 45  
 Kima 'Kho, 41  
 Level Mountain, 42  
 Llangorse, 38  
 Llangorse volcanic field, 38  
 Lone Point, 39  
 Mathews #2 tuya, 40  
 Mathews Tuya, 40  
 Mt Edziza, 38  
 Nass Valley region, 46  
 Ne Ch'e Ddhawa, 38  
 South Tuya, 40, 41  
 Stikine sub-province, 45  
 Surprise Lake volcanic field, 38  
 Tanzilla Butte, 40, 41  
 Tuya Butte, 39, 40  
 Tuya Formation, 42  
 Tuya–Kawdy volcanic fields, 38, 39–42  
 Northern Hemisphere ice, 35  
 Northern volcanic zone, 26, 50  
 Nubian plate, 56  
 Nye channels, 92, 102  
 Nye's Law, 142  
 obsidian, 190, 208, 211, 266, 273, 276, 277, 281, 282,  
 283, 285, 288, 290, 292, 294, 295

obsidian breccia, 278, 283, 285, 292, 295  
 obsidian clasts, 180  
 obsidian sheets, 32, 283, 285  
 Ögmundur, 281, 283  
 Okmok, 264  
 Oligocene, 23  
 olivine, chronometry, 159  
 olivine nephelinite, 38, 56  
 Öraefajökull, 191, 240, 268, 269, 271, 292, 296  
 Ordovician, 48, 56, 255, 264, 394  
 orthobreccia, 222, 223, 224, 277  
 outlet glaciers, 329  
 Pacific Ocean, 78, 356  
 Pacific plate, 38  
 pāhoehoe, 19, 166, 168, 185, 186, 187, 188, 202, 203,  
 204, 224, 226, 236, 237, 238, 247, 302,  
 303, 305, 308, 310, 312, 331, 334, 335  
 palaeoenvironmental investigations, 320, 329, 336  
 palaeoenvironmental proxies, 7, 314, 329  
 palagonite, 46, 54, 198, 200, 211, 213, 216, 224, 314  
 palagonitization, 37, 39, 154, 314, 315, 396, *see also*  
 geochemical studies  
 1996 Gjálp, 154  
 Ash Mountain, 154  
 basaltic andesite, 154  
 effects on heat transfer, 154  
 high-Al, 154  
 isovolumetric, 154  
 Llangorse, British Columbia, 154  
 low-Al, 154  
 Palagonite Formation, 154  
 permeability of edifices, 154  
 pH, 154  
 porosity of edifices, 154  
 rinds, 154  
 South Tuya, 154  
 stoichiometry, 154  
 Tuya Butte, 154  
 weathering on Mars, 154  
 palagonitized hyaloclastite, 259  
 palagonitized tuff breccia, 36, 45  
 pantellerite, 42  
 Papua New Guinea, 54, 60  
 Doma Peaks, 54  
 Gogon glaciation, 54  
 Gogon River dome, 54  
 Gogon River palagonite, 54  
 Komia glaciation, 54  
 Megane glaciation, 54  
 Mt Giluwe, 15  
 Mt Hagen, 54  
 Mt Ialibu, 54  
 Mt Kerewa, 54  
 Tongo glaciation, 54  
 Yelia, 54  
 particle aggregation, 84

- passage zone, 102, 186, 198, 203, 226, 236, 237, 238,  
     239, 248, 304, 305, 306, 307, 308, 311,  
     320, 321, 322, 336, 397  
     falling, 238, 308  
     fossil water level, 102  
     horizontal, 238  
     rising, 238  
     subaerial–subaqueous transitions, 7  
 Peacock, M.A., 5, 154, 342, 405  
 pedogenesis, 302  
 peperite, 247, 270, 278, 285, 301, 310  
     globular, 246  
 peperitic, 227, 282, 285  
 peralkaline rhyolite, 33, 56, 276  
 perched lava, 253  
 peridotite, 39, 215  
 peridotite xenoliths, 47  
 perlitized, 285, 286, 288, 290, 294  
 permafrost, 1, 35  
 permafrost glaciovolcanism, 35, *see also* Espenberg  
     maars  
 permeability, 89, 317, 326, 328, 329, *see also* firn, ice,  
     snow  
 Permo-Carboniferous, 15, 56  
 phillipsite, 154, 156, 314, 316  
 phonolite, 14, 22, 24, 34, 45, 46, 166, 177, 187, 250,  
     253, 258, 264, 266, 267, 339  
     peralkaline, 105  
 phreatomagmatic, 53, 223, 309, 336  
 phreatoplinian, 209  
 picritic basalt, 103  
 pillow ‘drips’, 310  
 pillow breccia, 201, 226, 230, 231, 248  
 pillow lavas, 7, 36, 42, 38, 129  
 pillow mounds, 163, 169, 174, 176, 177, 179, 205, 220,  
     225, 227, 230, 239, 240, 241, 245, 246,  
     248, 273, 310  
     confining pressure, 225  
 pillow ridges, 43, 109, 163, 168, 174, 176, 177, 192,  
     217, 218, 220, 248, 340  
 pillow sheets, 163, 176, 177, 215, 238, 240, 244, 396  
 pillow volcanoes, 176, 215, 220, 221, 224, 230,  
     232, 240  
 Pjetursson, H, 5, 342  
 planar beds, 208, 209  
 platy fractures, 195–197, 254, 288, 299  
 Pleistocene, 19, 28, 38, 39, 47, 48, 49, 51, 52, 53, 54,  
     55, 56, 59, 70, 226, 336  
 Pleistocene–Holocene transition, 121  
 Pliocene, 19, 22, 28, 333, 336, 337, 395  
 Plio-Pleistocene, 29, 33, 35, 46, 47, 398  
 poikilitic textures, 290  
 polar-ice, *see* ice, cold ice  
 polygenetic central volcano, 178  
 polygonal columns, 195, 251, 288, 295, 302, 310  
 polymict diamict, 241, 243, 290  
 porosity, 234  
 post-glacial volcanism, 345  
 pressure melting point, 178, 300, 321  
 pressure release, 218  
 Prestahnúkur, 272  
 prismatic jointing, 239  
 pseudopillow fractures, 273  
 pyroclastic density currents, 32, 35, 37, 51, 60, 182,  
     183, 209, 210, 211, 212, 235, 273, 276,  
     281, 282, 351, 358  
     collapse of eruption columns, 358  
     fatalities, 359  
     floods, 358  
     gravitational collapse, 358  
     human casualties, 358  
     interactions between PDCs and snow/ice, 358  
     lahars, 358  
     Mt St Helens, 358  
     Nevado del Ruiz, 359  
     override topographical barriers, 358  
     phreatomagmatic, 358  
     pyroclastic flows, 358  
     pyroclastic surges, 358  
     snow avalanches, 359  
     volcanic explosions, 358  
 pyroclastic grain sizes, 376  
 pyroclastic passage zones, 13, 41, 210, 237, 307  
  
 quartz tholeiite, 151  
 Quaternary, 5, 15, 35, 36, 37, 47, 48, 49, 50, 51, 52, 53,  
     166, 248, 267, 330, 346, 398  
 quench fragmentation, *see* Fragmentation  
 quenching, 40, 181, 194, 201, 215, 228, 254, 259, 271,  
     272, 273, 288  
  
 rate of strain, 95  
 Raudufossafjöll, 276, 277, 278, 279,  
     285  
 Rayleigh–Taylor instability, 311  
 reactivation surface, 203, 204  
 remnant cliff, 163  
 reverse grading, 209, 262, 282  
 Reykjavik, 226  
 rhyolite, 22, 30, 31, 32, 37, 51, 52, 103, 106, 107, 109,  
     177, 190, 191, 195, 203, 208, 211, 231,  
     248, 261, 266, 269, 270, 271, 272, 273,  
     276, 277, 279, 280, 281, 282, 283, 285,  
     287, 288, 289, 292, 294, 295, 297  
     high silica, 103  
     ice-confined, 32  
     peralkaline, 42, 105  
 Ring Mountain, 259  
 rising passage zone, 248, 306  
 rock compositions, 103–105  
     alkaline mafic magmas, 38  
     andesite, 13  
     calc-alkaline, 20, 51  
     felsic, 13, 38

480

rock compositions (cont.)  
 intermediate, 13, 32  
 mafic, 13  
 peralkaline intermediate, 38  
 Rocky Mountains, 339  
 roof collapse, ice, 229  
 Ross Sea, 301  
 Röthlisberger channels, 92, 102, 245, 248  
 Rubble Creek, 268  
 Russia, 1, 15, 51–53, 189, *see also* Tolbachik  
 Aza, 384  
 Central Kamchatka Depression (CKD), 51  
 Eastern Volcanic Zone, 51  
 Kamchatka, 15, 52, 103, 125  
 Central Kamchatka Depression (CKD), 88  
 Klyuchevskoy, 52, 81, 88  
 Sredinny Range, 51  
 Kamchatka–Kurile volcanic arc, 51, 52  
 Klyuchevskoy, 1, 57, 60  
 Lake Baikal, 52  
 Sheveluch, 1  
 Siberia, 52  
 Azas Plateau volcanic field, 52  
 Tuva volcanic province, 52  
 Sredinny Range, 52  
 tuyas, 41  
 sand sheets, 230  
 scoria cone, 174, 212, 224  
 seasonal variations, 349  
 sector collapses, 213, 235, 277  
 sedimentary rocks  
 polyimict diamictite, 38  
 stratified waterlain (fluvial) sandstones, 21  
 tillite, 21, 23, 24  
 sediments  
 basal diamict, 20  
 diamict, 23, 24, 29  
 glacial erratics, 40, 41  
 gravel, 21  
 till, 21, 29, 49, 53  
 Deception Island, 65  
 sensible heat, 113, 322  
 sequences  
 Dalsheidi type, 29  
 Mt Pinafore type, 20, 21, 23  
 shallow impact structures, 209  
 shard-like fractures, 195  
 shear planes, 62  
 shear stress, 95  
 sheet lava, 181, 188, 189, 190, 198, 222, 224, 225, 239,  
 242, 243, 272, 308  
 sheet-like fractures, 193, 195  
 sheet-like sequences, 19, 173, 174, 176, 177, 179, 215,  
 239, 240, 241, 242, 244, 245, 246, 249,  
 266, 268, 287, 289, 291, 292, 323, 324,  
 334, 388

*Index*

intermediate, 174  
 phonolite, 174  
 rhyolite, 174  
 trachyte, 174  
 shield volcano, 165, 166, 236, 247, 249, 334  
 Siberia, *see* Russia  
 Sida–Fljotsferfi district, 242, 249  
 sideromelane, 29, 40, 154, 173, 201, 208, 209, 222, 223,  
 227, 241, 242, 243, 244, 246, 314, 318  
 sideromelane tuff breccia, 43  
 Sierra Nevada Mountains, 347  
 Slag Hill, 259  
 slump scar surfaces, 206, 235  
 slump scars, 209, 213  
 smectite, 154  
 snow  
 aquifer, 96  
 hydraulics, 96  
 permeability, 96  
 permeable snow, 23, 100  
 snowball Earth, 15, 392  
 snowpack, 48, 53, 60, 63, 114, 215, 326  
 solidification front, 195  
 Somalia plate, 56  
 South America, 1, 15, 50–51, 52, 60, 250, 350, 392,  
 394, *see also* Hudson, Llaima, Nevado del  
 Ruiz, Villarrica  
 Andean volcanic arc, 50, 71, 78  
 Austral volcanic zone, 51  
 Central volcanic zone, 51  
 Northern volcanic zone, 50  
 Southern volcanic zone, 51, 74  
 Argentina, 51, 79  
 Austral volcanic zone, 78  
 Bolivia, 51  
 Chile, 51, 73, 79  
 Calbuco, 51  
 Lanín, 51  
 Lautaro, 51  
 Nevados de Chillan, 51  
 Parinacota, 51  
 Sollipulli, 51  
 Colombia, 50  
 Ecuador, 50, 51, 71  
 Chimborazo, 51  
 Cotopaxi, 51, 60, 83, 350  
 ice caps, 51  
 Patagonia, 15  
 Peru, 51  
 South American plate, 50  
 South Georgia, 79  
 South Ögmundur, 281  
 South Sandwich Islands, 15, 17–18,  
 51, 84  
 Bristol Island, 17  
 Montagu Island, 17, 84  
 2001–2 first effusive episode, 84

- 2003 second effusive phase, 84  
 2005 third and largest effusive eruption, 84  
 2007 end of eruption, 85  
 andesite, 84  
 basalt, 84  
 basaltic andesite, 84  
 bomb pits, 84  
 caldera, 84  
 fan-like lava terminus, 84  
 lava-fed delta, 84, 85  
 MODVOLC satellite, 84  
 Mt Belinda, 17, 84  
 pyroclastic cone, 84  
 subglacial meltwater drainage, 85  
 Saunders Island  
 lava lake, 85  
 Mt Michael, 17, 85  
 South Sister, 255  
 Southern volcanic zone, *see* South America  
 space problem, 397  
 spherulites, 190, 272, 288  
 spillways, 322  
 stable isotopes, 106, 110–111, 157–158, 396  
 Alaska, 157  
 Antarctica, 157  
 alteration temperatures, 158  
 assimilation, 110, 157  
 external fluid sources, 110  
 geothermometers, 110  
 hydrogen, 110  
 Iceland, 110, 157  
 Kamchatka, 157  
 ignimbrites, 157  
 low  $\delta^{18}\text{O}$  values, 157  
 Pleistocene–Holocene, 157  
 Karelia, Russia, 158  
 large-scale experiments with basaltic melt, 158  
 large-scale volcano–ice interaction experiments, 157  
 magma mixing, 110  
 mantle values of  $\delta^{18}\text{O}$  range, 110  
 meteoric water line, 110  
 O isotope exchange between basaltic melt and  
 water, 111  
 oxygen, 110  
 palagonitization, 111  
 Russia, 110  
 Unimak hydrothermal fluids, 157  
 values of  $\delta D$  for pristine mantle melts, 110  
 standard tuya model, 11–13  
 basal pillows, 12  
 lava caps, 13  
 passage zones, 12  
 subaqueous fragmentation, 12  
 stapar, 5, 163  
 steam blisters, 270  
 steam cupola, 222  
 Stikine sub-province, 267  
 stoping, 225  
 stoss-side laminae, 210  
 stratovolcano, 215, 221, 247, 254, 269  
 striae on columnar joints, 193  
 Strombolian, 236  
 structure-from-motion, 174  
 structures  
 foreset beds, 13, 20  
 subaqueous traction currents, 12  
 traction currents, 29  
 subaerial lava cap, 13, 227, 284  
 subaerial–subaqueous transitions 7  
 subalkaline basalt, 34  
 subaqueous fire-fountaining, 33, 210, 220  
 subglacial domes, 163  
 subglacial mounds, 8  
 subglacial tunnels, 32, 228, 295, 306  
 sub-ice portals, 232  
 submarine, 3, 17, 91, 185, 186, 231, 242, 283, 314, 396  
 sulphide minerals, 151  
 sulphur, 40, 110, 246, 318  
 sulphur dioxide, 107, 150  
 supraglacial, 170, 221, 321, 348, 395  
 supraglacial channel, 322  
 supraglacial eruption, 163  
 surface exposure, 333, *see also* geochronometry  
 surge, glacier, 343  
 surge, pyroclastic, 37  
 syn-eruptive slope failure, 24  
 syn-sedimentary slump scars, 224  
 table mountains, 168  
 tachylitic, 212  
 temperate ice, 9  
 Tennena Cone, 176, 340  
 tephra  
 agglutinate, 19  
 basaltic lapilli tuff, 28  
 lapilli tuff, 20, 24, 33, 35  
 phreatomagmatic, 329  
 pumiceous breccia, 32  
 rhyolite ash, 32  
 stratified lapilli tuff, 29  
 tephra fall, 24  
 welded lapilli tuff, 46  
 tephra mounds, 163, 169, 173, 220, 226  
 tephra ridges, 164, 173  
 tephra-dominated, 173, 177, 268, 275, 276, 277, 278,  
 281, 283, 284  
 tephra-dominated tuya, 31  
 tephriphonolite, 13, 250, 264  
 thawed-bed ice, 299  
 The Barrier, 268, 269  
 The Table, 259  
 thermal conductivity, 310  
 thermal diffusivity, 123  
 thermal expansivity, 195

482

thermal radiation, 133, *see also* heat transfer  
 thermodynamic properties, 120–124  
   buoyancy, 123  
   density, 123  
     assimilation-fractional crystallization, 123  
     calculated as a function of pressure, 123  
     Rhyolite-MELTS, 123  
     supraglacial, 123  
     tephra, 123  
     vesicle volume fraction, 123  
 heat capacity, 121, 122  
   Rhyolite-MELTS, 122  
   sensible heat, 122  
   tholeiitic basalt, 122  
   typical values of  $C_p$  for silicates, 122  
 latent heat of fusion, 121  
   cryosphere, 121  
   enthalpies of mixing, 122  
   forsterite, 121  
   quartz, 121  
   Rhyolite-MELTS, 122  
   sensible heat, 121  
   thermal conductivity, 123  
   thermal diffusivity, 123  
     conductive cooling of lava, 124  
 thick glacier, 79  
 thick ice, 186, 271, 313, 320, 340  
 thin ice, 242, 245, 253, 254, 266, 267, 288, 312,  
   320, 323  
 tholeiitic basalt, 33, 53, 120, 122, 147, 233, 234  
 tholeiitic MORB, 26  
 till, 190, 241, 243, 260, 298, 335, 337, 339  
 tillite, 18, 271, 301  
 tindars, 163, 168, 173, 210, 213, 220, 221, 223, 224,  
   226, 229, 230, 231, 234, 235, 241, 246,  
   248, 285, 287, 292, 303, 393  
 tindar stage, 19, 20, 24, 31, 224, 226  
 Tindur, 283, 292  
 toset beds, 201  
 Togiak tuya, 35  
 Tolbachik, 10, 52, 88–89, 187, 189  
   ‘a’ā, 88  
   1975–1976 Great Tolbachik Fissure Eruption, 88  
   2012–2013, 88  
   collapse of ‘a’ā lavas, 89  
   distinctive bulbous vitric textures, 88  
   effusion rates, 88  
   fissure zone, 88  
   lava temperature, 111  
   pāhoehoe, 88  
   phreatic, 89  
   phreatomagmatic, 89  
   physical displacement of the snow, 88  
   radiation, 133  
   sheet lava, 88  
   snow pits, 88  
   snowpack, 88

*Index*

sub-snow emplacement, 88  
   voluminous production of steam, 88  
 trace elements, 105, 106, *see also* geochemical Studies  
 trace fossils, 316  
 trachyandesite, 85  
 trachybasalt, 52  
 trachydacite, 32, 191, 269, 270, 291, 292  
 trachyte, 13, 22, 23, 24, 34, 42, 45, 46, 103, 166, 177,  
   187, 221, 253, 258, 267, 275, 289,  
   334, 339  
 traction currents, 210, 226, 241, 286  
 traction structures, 212  
 Transantarctic Mountains, 8, 25, 334  
 transient conductive, 326  
 transitions  
   falling passage zone, 19  
   passage zone, 13, 39, 40  
   pyroclastic passage zone, 41  
 transtension, 47, 125  
 Triangle Dome, 274, 275  
 trough cross bedding, 227  
 trough cross-stratification, 222  
 Tsekone Ridge, 218  
 tuff breccia, 44, 45, 46, 182, 192, 198, 206, 214, 226,  
   238, 248, 267, 340, 395  
 tunnels, 32, 176, 241, 242, 248, 291, 292, 295, *see*  
   Llaima, Villarrica  
 tuyas  
   lava-dominated, 171, 176, 211, 256, 259  
   Prestahnúkur, 172  
   tephra-dominated, 171, 211, 259  
 Tuya Butte, 221  
 Tuya Formation, 39  
 Tuya–Kawdy volcanic fields, 106  
   Mathews Tuya, 40, 106, 148  
 Twin Glacier, 7, 45, 339  
  
 U/Th–He, geochronometry, 45, 158, 398  
 unloading, 345, 347, 348, 349  
 U-shaped valley, 38, 53, 254  
  
 van Bemmelen and Rutten, 5  
 Vatnafjall, 269  
 Vatnajökull, 218, 249, 323, 348  
 Veniaminof, *see* North America, Alaska  
 vertical aggradation, 235, 283  
 Victoria Land, 15, 17, 22, 24–26, 200, 264, 291, 298,  
   307, 321  
   intermediate, 22  
   phonolite, 22  
   rhyolite, 22  
   shield volcano, 22  
   trachyte, 22  
 Villarrica, 1, 51, 57, 60, 73  
   1971, 74  
   1984–5, 74  
   basaltic, 73

- basaltic andesite, 73
- crevasses, 75
- eruption rate, 74
- estimated ice volume and thickness, 74
- fatalities, 74
- floods, 74
- fountains, 74
- ice channel dimensions, 75
- lahars, 74
- lava flow front steam production, 75
- lava lake, 74
- melted channels, 74
- Río Pedregoso flood, 75
- river drainages, 75
- rock avalanches, 75
- snowpack, 74
- Strombolian and Hawaiian eruptions, 75
- tunnels, 74
- viscosity, 10, 13, 44, 105, 117–120, 123, 132, 250, 312
  - addition of solids, 119
  - autobreccia, 119
  - bubbles, 117, 118, 120
  - effective viscosity, 120
  - Einstein–Roscoe relationship, 119
  - felsic melts, 117
  - Jeffrey's equation, 118
  - mafic melts, 117
  - pāhoehoe, 119
  - sheared bubbles, 120
  - tholeiitic basalt, 120
  - volatile contents, 117
  - volume fraction of solids, 120
  - water, 117
- vitroclastic, 29, 261, 262, 343
- volatile contents, 228, 318, 320, 393
- volatile solubility, 107–110
  - bubbles, 138
  - carbon dioxide, 138
  - constraints on thickness of ice/depth of water during eruption, 138
  - equations of state, 138
  - explosive eruptions, 138
  - hydrogen chloride, 138
  - hydrogen fluoride, 138
  - ideal gas law, 138
  - sulphur dioxide, 138
  - vesiculation events, 138
  - volume fraction, 138
  - water, 138
- volatiles, 107–110, 149–153
  - bubble annealing, 150
  - bubbles, 150
  - carbon dioxide, 107, 109, 150
  - challenges to use for reconstruction, 153
  - effect of carbon dioxide on the water solubility–pressure relationships, 150
  - eruption pressures, 150
  - five essential criteria, 150
  - Fourier transform infrared spectroscopy, 150
  - FTIR analysis, 150
  - hydrogen chloride, 107, 150
  - hydrogen fluoride, 107, 150
  - hydrostatic pressure, 150
  - ice thickness calculations, 150
- Iceland
  - Bláhnúkur, 153
  - Estadalsfjall, 151
  - Geitafell, 151
  - Helgafell, 153
  - Helgafell tindar, 151
  - Herdubreid, 151
  - Hlödufell, 151
  - Kalfstindar, 151
  - Kerlingarfjöll, 151, 153
  - Kverkfjöll, 153
  - Kverkfjöll quartz tholeiite, 151
  - Raudafell, 151
  - sulphur, 151
  - in volcanic glasses, 109
  - phreatomagmatic eruptions, 150
  - sideromelane, 151
  - sulphide minerals within vesicles, 151
  - sulphur, 41
  - sulphur dioxide, 107, 150
  - water, 41, 43, 107, 109, 150
- volcanic gases, 351
- volcanic lightning, 351
- volcanic tremor, 208
- warm-based ice, 9
- Washington State, 48, 247, 255
- water, 150, 153, 186, 218, 246, 273, 318, 392, 393
  - solubility, 138
- water escape, 96
- water inventory, 4
- water-cooled, 193, 224, 264, 302
- Weichselian glacial, 275
- welded lapilli tuff, 46
- West Antarctic Ice Sheet, 23, 336
- West Antarctic Rift System, 24
- Western Volcanic Zone, 224, 229
- wet-based ice sheet, 301
- wetting front, 97
- Wrangell volcanic field, 35, 37
- xenolith syenitic, 45
- zeolites, 154, 314, 316, 396
  - Antarctic lava-fed delta, 156
  - chabazite, 156
  - phillipsite, 156
  - submarine, 156