

## Index

- a posteriori probability, 377
- a priori probability
  - in decision-making, 375–376, 379
  - situations not needing, 396–403
- absolute value cost function, 490–491
- accessible state (Markov chain), 164
- age for renewal process, 255–259, 300
- aperiodic class (Markov chain), 165, 306
- arbitrary finite state (Markov chain), 175, 180
- arbitrary random walk, 419, 423–432
- arithmetic average, 36
- arithmetic renewal process, 253–258
- arrival process, 72–74, 74 n.3, 92–96, *see also*
  - renewal processes
- averages (time), 226–233, 328–329, 331–332, 336
- axioms of probability, 8–9
  
- backward Markov chain, 303–307, 312–317, 323
- bandpass noise, 144–145
- Bayes' criterion, *see* minimum-cost rule
- Bayes' law, 10, 376, 392, 408, 495–496
- Bellman, R., 202
- Bellman dynamic programming algorithm, 190–194
- Bernoulli process, *see also* binomial distribution
  - analysis, 17–19
  - as Markov chain, 287–288
  - shrinking, 82–84, 89–90
  - and SLLN, 221
  - and stopping times, 235
- Berry–Esseen theorem, 41
- Bertsekas, D., 58, 202
- Bessel's inequality, 130
- binary detection with minimum-cost criterion rule, 395–396
- binary Kullback–Liebler divergence, 18
- binary MAP threshold rule, 379–395
- binary pattern, expected wait for, 182–184, 280–281, 481–482
- binomial distribution, 14, 18, 35–36, 43–44
- birth–death chains, 288–289, 302–303, 305
- Birth-death Markov processes, 342–344, 346–347
- Blackwell's theorem, 217, 249, 253, 256, 259, 268, 299–300
- Borel–Cantelli lemma, 274
  
- bounds, *see* inequality
- branching processes
  - Markov chain, 309–312
  - scaled, 446
- Brownian motion, *see* Wiener process
- Burke's theorem, 309, 347–350
  
- Cauchy principle value, 22–23
- CDF, *see* cumulative distribution function (CDF)
- central limit theorem (CLT)
  - description and statement, 39–44
  - for conditionally IID observations, 519
  - for renewal processes, 225–226
  - motivation for jointly Gaussian rv s, 110
  - relation to WLLN, 39–41
  - Wiener process, 144
- Chapman–Kolmogorov equation, 168, 170, 290, 337–341
- Chebyshev inequality
  - and convergence, 37
  - one-sided, 67
  - principles of, 32–33
  - and Wiener process, 143
  - and WLLN, 45
- Chernoff bound
  - principles of, 33–36
  - as used in binary hypothesis tests, 438–439
  - optimization of, 423–425
  - used in random walks, 431–432
- circular symmetry
  - and covariance matrices, 146–149
  - complex Gaussian random vectors, 145–148
  - for complex random vectors, 144–146
  - Gaussian PDF, 150–154
  - Gaussian processes, 154–155
- class of states, 164
- closed Jackson networks, 355–357
- CLT, *see* central limit theorem (CLT)
- communicating states, 164
- complex rv, *see* random variable (rv); random vector
- composition of random vectors, 428–431
- conditional expectation, *see also* expectation
  - as a rv, 26–28
  - definition, 25–26

- total expectation, 28
- conditional probability, 9–10
- continuous random variable, *see also* random variable (rv)
  - definition, 13, 14
  - expectation, 21
- convergence
  - in distribution, 40–41, 45–48
  - in probability, 46–48, 70
  - infinite-state Markov chains, 170–175
  - of random variable sequences, 45–48
  - in mean square, 48, 70
  - WPI (with probability 1), 48–51, 130–131, 217–226
- convex functions of martingales, 448
- countable intersection, 7
- countable union, 6–7, 9
- covariance function
  - definition, 125
  - and spectral density, 138–139
  - complex process, 146–149
  - Gaussian process, 125
  - stationary process, 127, 134–139
  - wide-sense stationary process, 128
- covariance matrix
  - and Gaussian PDFs, 121–128, 150–154
  - convex random vectors, 146–149
  - definition, 108
  - Gaussian random vectors, 111, 113, 118–120
  - properties of, 114–120
- Cramer–Rao bound, 515–518
- cumulative distribution function (CDF)
  - arithmetic, 253
  - in central limit theorem, 40–41
  - definition, 13
  - as function of other random variables, 23–24
  - joint CDF, 14–15
  - of indicator random variable, 29
  - in Poisson process, 74
  - of renewal processes, 231–233, 263–266
  - use in finding expectations, 20–22
  - WLLN, 37–38
- cycle (Markov chain), 163–164
  
- De Morgan’s law, 7
- decision criteria
  - binary hypotheses, IID observations, 438–443
  - in hypothesis testing, 376–379
- decision making, *see* hypothesis testing
- decision rule
  - binary MAP threshold, 379–395
  - error curve, 396–402
  - MAP, 377–379
  - minimum-cost, 395–396, 404, 409, 489
  - min–max detection, 403
  - ML, 380–381
  - Neyman–Pearson, 397, 402–403, 439–440
  - randomized threshold, 402–403
- decision theory (Markov), 189–202
- defective rv s, 13, 104
- delayed renewal process, 266–270, 300
- Dembo, A., 473
- detection, *see also* hypothesis testing
  - of antipodal signals in Gaussian noise, 381–383
  - of general signals in Gaussian noise, 383–385
  - of vector signals in Gaussian noise, 385–390
  - with minimum cost criterion, 395–396
- discrete observation, 391–394, 400–401
- discrete random variable, *see also* random variable
  - definition, 13–14
  - expectation, 20–21, 26
- discrete stochastic processes, *see* Markov chain (finite or countable state); Markov process (countable state); Poisson process; renewal process
- discrete-time Gauss-Markov processes, 126–127
- discrete-time Gaussian processes, 125–126
- distribution function, *see* cumulative distribution function
- double or quarter game, 484
- duration for renewal processes, 255–259
- dynamic programming, 189–200
  
- eigenvalues, 114–120, 148–153, 176–180
- eigenvectors, *see* eigenvalues
- elementary renewal theorem, 217, 249, 251–252, 268
- embedded Markov chain (Markov processes), 324
- equilibrium (renewal) process, 270
- ergodic class (countable-state Markov chain)
  - convergence (Blackwell’s theorem), 300
  - definition, 300
- ergodic class finite-state (Markov chain)
  - convergence, 172–173
  - definition, 167
  - ergodic unichain, 169–170, 173–175
- Erlang density, 78–79
- error curve (binary hypotheses), 396–402
- estimation
  - application areas, 488–489
  - complex Gaussian vectors, 505, 506
  - cost function, 489–491
  - Gaussian vectors, 491–498
  - in a vector space of rv s, 507–512
  - iterative, 494–496, 503–504
  - Kalman, 496–498, 504–505
  - LLSE, 498–500
  - MAP, 512–513
  - MMSE, 491–498
  - parameter, 513–521
  - scalar iterative signal and noise, 494–496
  - scalar Kalman filter, 496–498

- scalar signal and noise, 493–494
  - vector signal, 500–505
- Euler-Mascheroni constant, 60
- events
  - as component of probability model, 2
  - axioms for events, 6–7
- expectation ( $E[X]$ ), *see also* mean
  - definition, 19–23
  - as function of other random variables, 23–26
  - of counting rv s in renewal processes, 249–253
  - and Wald's equality, 238–239
- expected value, *see* expectation ( $E[X]$ )
- exponential bounds on thresholds, 436–438
- exponential growth rate, 462–464
- exponentially tight sequence, 426, 429, 438
- Feller, W., 58, 271, 318
- filtered processes
  - continuous time, 136–138
  - Gaussian sinc processes, 134–136
- finite grain event, 3
- finite sample space
  - assigning probabilities for, 4–5
  - and discrete random variable, 13
  - and expectation, 19–20
- first-passage time
  - for countable-state Markov chains, 289–291
  - for finite-state Markov chains, 181–184
- Fisher information, 515–519
- Fisher–Neyman factorization, 393–395
- Fourier transform, 31, 128–134, *see also* spectral density
- frequency shift keying (FSK), 412–413
- Frobenius theorem, 173 n.4
- Gaussian hypothesis testing
  - binary hypothesis testing in, 381–390
  - for multiple hypotheses, 405–406, 408–409
- G/G/1 queue
  - and random walks, 420–422
  - renewal processes, 239–242
- Gaussian processes
  - continuous-time, 130–132
  - definition, 124–126
  - discrete-time, 125–127
  - Discrete-time Gauss-Markov, 126–127
  - Markov chain (countable state), 287–289
  - matrices, 114–117
  - MMSE estimation of, 491–498
  - normalized random variables in, 105–107
  - orthonormal expansions, 128–130
  - PDF, 117–124
  - sinc processes, 132–136
  - spectral density, 136–139
  - stationarity, 126–128
  - white noise, 139–142
  - wide-sense stationary, 128
  - Wiener process, 142–144
- Gaussian random vector processes
  - circularly-symmetric complex rv estimation, 505–506
  - complex random vectors, 144–155
  - rv, 107–114
- Geometry for Gaussian PDFs, 118–120
- Harris, T. E., 319
- Hermitian covariance matrices, 148–154
- holding intervals (Markov process), 325
- homogeneous Markov chain, *see* Markov chain (finite state)
- horse race betting, 484–485
- hypothesis testing
  - binary detection with minimum-cost criterion, 395–396
  - binary MAP, 379–395
  - decision criteria in, 376–379
  - error curve, 396–402
  - min–max detection rule, 403
  - for multiple hypotheses, 403–409
  - Neyman–Pearson rule, 402–403
  - and probability models, 375–376
- IID, *see* independent identically distributed trials (IID)
- IID noise, *see* white noise
- increment process (Poisson), 77–78, 81–82, 142–144
- independence, *see* statistical independence
- independent identically distributed trials (IID), *see also* Poisson process; renewal processes
  - Bernouli process, 17–19
  - definition, 11–12
  - Gaussian processes, 108–109, 125
  - and martingales, 445–446
  - observation, 438–443
  - in real world experiments, 52–55
  - and tilted probabilities, 425–428
  - Wiener process, 144
- independent increments, 77–82, 142
- indicator random variable, 29
- inequality
  - Bessel's, 130
  - Chebyshev, 32–33
  - Chernoff, 33–36, 423–425, 430–439
  - Cramer–Rao, 515–518
  - Jensen's, 449
  - Markov, 32
  - Schwartz, 508
- information theory, 519–521
- inherent reachability (Markov decisions), 196
- inner-product space, 508–509
- integer time process, *see* Markov chain (finite state)
- integer-valued random walk, 419

- irreducible Markov chain, 297–299, 305, 306
- irreducible Markov processes, *see* Markov processes
- iterative estimation, 494–496, 503–504
  
- Jackson networks, 350–357, *see also* queues
- Jensen's inequality, 449
- joint probability density (Gaussian)
  - definition, 117–118
  - geometry, 118–120
  - special case, 112–114
- jointly-Gaussian random vectors, 109–111, 124–126
- Jordan form, 179–180
  
- Kalman filter, 496–498, 504–505
- Kelly, F. P., 319
- Kingman bound, 437–438
- Kolmogorov, A. N., 5, 11, 58
- Kolmogorov differential equations, 337
- Kolmogorov equations, 453–458
- Kolmogorov's submartingale inequality, 453–455
  
- Laplace transform, 31, 249–251
- large deviations, 428–431
- last come first serve (LCFS) queues, 370–371
- linear transformations, 149–150
- Little's theorem, 242–245, 316
- LLSE estimate, 498–500
  
- MAP, *see* maximum a posteriori probability (MAP)
- Markov chain (countable state)
  - birth–death, 288–289, 302–303, 305
  - branching processes, 309–312
  - first-passage-time analysis of, 289–291
  - irreducible, 297–299, 305, 306
  - M/M/1 queue, 307–309
  - recurrence of, 291–294
  - renewal theory applied to, 215, 294–302
  - reversible, 303–306
  - round-robin service system, 312–317
- Markov chain (finite state)
  - classification of states, 163–167
  - decision theory, 189–190, 200
  - definition, 161–163
  - dynamic programming algorithm, 190–194
  - eigenvalues, 176–180
  - matrices, 168–175
  - policy-improvement algorithm, 197–200
  - rewards, 180–189
  - stationary decision policies, 194–200
- Markov inequality, 32
- Markov modulated random walks, 468–472
- Markov processes
  - birth–death process, 342–344, 346–347
  - Chapman–Kolmogorov equation, 337–341
  - definition, 324–326
  - Jackson networks, 350–357
  - M/M/1 queue, 326–328
  - reversibility of, 344–350
  - steady state distributions, 329–337
  - time averages, 328–329
  - uniformization, 341–342
- marriage problem, 480
- martingale convergence theorem, 456–458
- martingales, 444
  - definition, 444–447
  - investment model, 458–468
  - Kolmogorov equations, 453–458
  - product-form, 445–446
  - stopping times, 450–453
  - sub- and super-, 447–449
- maximum a posteriori probability (MAP)
  - and estimation, 491, 512–513
  - hypothesis testing, 379–395
  - rule, 377–379
- maximum likelihood tests (ML), 380–381, 441, 491, 512, *see also* parameter estimation
- maximum-tolerable-error cost function, 491
- mean, *see also* expectation
  - contrast with median, 28–29
  - of common rv s, 14
- measure theory, 7, 7 n.8, 12, 12 n.13
- median, 28–29
- memoryless property (Poisson process), 75–78, 85
- MGF, *see* moment generating function (MGF)
- minimum mean-squared-error estimate (MMSE estimate), 490–500, 513, *see also* parameter estimation
- minimum-cost rule
  - definition, 395–396
  - and estimation, 489
  - for multiple hypotheses, 404, 409
- min–max detection rule, 403
- M/M/1 queue
  - Markov chain (countable state), 307–309
  - Markov processes, 326–328, 336–344
- MMSE, *see* minimum mean-squared-error estimate (MMSE estimate)
- moment generating function (MGF)
  - definition, 14, 29–31
  - for Markov modulated random walks, 469–471
  - Gaussian random vectors, 108–109, 111
  - Gaussian rv s, 106–107
  - properties, 423–433
  
- Neyman–Pearson rule, 397, 402–403, 439–440
- noise
  - bandpass, 144–145
  - vector, 500–505
  - white, 139–142
- non-arithmetic renewal process, 253, 258–266
  
- observation
  - binary hypothesis testing with vector, 385–391

- continuous, 394–395
- discrete, 391–394, 400–401
- hypothesis testing with one-dimensional, 381–385
- IID, 438–443
- vector, 518–519
- one-dimensional random walk, *see* random walk
- order statistics, 92–96
- orthogonal matrix (Gaussian), 114–115
- orthogonality principle, 509–512
- orthonormal expansions (Gaussian), 128–130
- outcomes, *see* sample points
- parameter estimation, 513–521, *see also* maximum likelihood tests (ML); minimum mean-squared-error estimate (MMSE estimate)
- path (Markov chain), 163–164
- pathological Gaussian noise, 141
- pathological Markov processes, 336–337
- PDF, *see* probability density function (PDF)
- periodic state (Markov chain), 165–306
- PMF, *see* probability mass function (PMF)
- Poisson process, *see also* Bernoulli process; independent identically distributed trials (IID); renewal processes; Wiener process
  - arrival process in, 72–74, 74 n.3, 92–96
  - combining, 84–86
  - conditional arrival densities in, 92–96
  - hypothesis testing in, 390–391
  - Markov processes (countable-state), 306, 326–328
  - non-homogeneous, 89–92
  - order statistics, 92–96
  - PMF, 79–80
  - properties of, 75–84
  - subdividing, 86–89
  - two-dimensional, 103
- policy improvement (Markov decisions), 197–200
- portfolios for investment
  - constant fractional allocation, 461–465
  - time-varying allocation, 465–468
- positive definite matrix, 115–117
- positive recurrence
  - Markov processes (countable-state), 329–330, 333, 335
  - semi-Markov processes (countable-state), 359–360
- positive semi-definite, 55
- preemptive resume LCFS queues, 370–371
- principle axes for Gaussian PDFs, 118–120
- probability 1 (WP1)
  - convergence, 48–51, 130–131
  - and SLLN, 217–226
- probability density function (PDF)
  - circularly-symmetric Gaussian, 150–154
  - definition, 13
  - for common continuous rv s, 14
  - for common rv s, 14
  - Gaussian, 120–124
  - Gaussian rv, 105–106
- probability mass function (PMF)
  - binomial distribution, 18
  - definition, 13
  - for common discrete rv s, 14
  - Poisson rv, 79–80
- probability models
  - components of, 2–4
  - and estimation, 488
  - and hypothesis testing, 375–376
  - martingales, 458–468
  - and real world randomness, 51–57
  - for repeated idealized experiments, 11–12
- probability theory axioms, 5–9
- processor sharing (round robin), 313–317
- pseudo-covariance matrix, 146–148
- queues
  - backward-moving, 315
  - Burke’s theorem, 309, 347–350
  - FCFS, 239
  - feedback queues, 349
  - FIFO, 239
  - G/G/1, 420–422
  - G/G/m, 215
  - Jackson networks, 350–357
  - Little’s theorem, 242–245
  - M/D/m/m, 373
  - M/G/∞, 91
  - M/G/1, 245
  - M/M/1, 88
  - M/M/m, 309
  - PASTA property, 248
  - Pollaczek-Khinchin theorem, 248
  - processor sharing, 313–317
  - round-robin queues, 316
  - tandem queues, 350
  - unfinished work, 246–249
- random variable (rv), *see also* random vectors
  - complex, 13, 22, 145–146
  - convergence, 45–48
  - defective, 13, 104
  - definition, 12–14
  - Gaussian, 105–107, 145–146
  - indicator, 29
  - multiple, 14–16
  - observation, 381–395, 400–401, 438–443
  - typical value of, 28
- random vectors, *see also* random variable (rv)
  - complex, 144–155
  - Gaussian, 107–114, 124–126
- random walk, *see also* martingales
  - arbitrary, 419, 423–432

- definition, 417–418
- for binary hypotheses, 438–442
- for sequential decisions, 442–444
- G/G/1 queue, 420–422
- integer, 419
- Markov modulated, 468–472
- renewal processes as, 419–420
- simple, 418–419
- with thresholds, 433–438
- randomized threshold rule, 402–403
- randomness
  - definition, 1–2
  - and probability models, 51–57
- recurrent state (Markov chain)
  - definition (countable state), 291–294
  - definition (finite state), 164, 165
  - in unichain, 169
  - null recurrence, 288, 290, 296
  - positive recurrence, 288, 290, 294–296, 299
- relative frequency, 5, 39, 52–56
- relative-gain vector (Markov chain), 186
- renewal equation, 250, 269, 278
- renewal processes, *see also* arrival process;
  - independent identically distributed trials (IID); Poisson process
  - arithmetic, 253–258
  - Bernoulli process as, 19
  - definition, 214–215
  - delayed, 266–270
  - Markov chain (countable state), 294–302
  - Markov processes, 330–335
  - non-arithmetic, 253, 258–266
  - and random walks, 419–420
  - number of renewals in  $(0, t]$ , 249–253
  - rewards, 226–233, 254–266
  - stopping times, 233–249
  - Strong law for renewal processes, 219, 221–226
- renewal theory, 200
- repeated idealized experiments, 11–12
- residual life (renewal processes), 226–228, 231–232
- reversibility
  - Markov chain, 303–306
  - Markov processes, 344–350, 360–361
- rewards
  - Markov chain, 180–189
  - renewal processes, 226–233, 254–266
- Riemann sum, 21, 44, 62, 262–264
- Ross, S., 271, 318
- round-robin service and processor sharing, 312–317
- Rudin, W., 58
- rv, *see* random variable (rv)
- sample average (in laws of large numbers), 36–39
- sample points, 2
- sample space, 3–9
- sampled-time (Markov processes), 328–329, 336
- Schwartz inequality, 508
- score, 516
- secretary problem, 480
- semi-Markov processes (countable-state), 357–361
- sequential decisions, 442–444
- simple random walk, 418–419, 435–436
- sinc processes (Gaussian), 132–136, 140
- spectral density, *see also* Fourier transform
  - definition, 136–139
  - and white noise, 139–142
- squared-cost function, 489–490
- standard deviation ( $\sigma$ ), 23–24
- stationary increments, 77–82, 142
- stationary policy algorithm (Markov), 194–200
- stationary processes
  - Gaussian, 126–128, 133–134, 139–142
  - unichain (Markov chain), 194–200
  - Wiener process, 142–144
- statistical independence
  - of random variables, 15–16
  - countable state Markov, 300
  - definition, 10–11
  - of Gaussian random vectors, 110–111, 120–124
  - in Poisson process, 86–89
  - of real world experiments, 55–56
- steady state
  - equilibrium (renewal process), 270
  - Markov chains, 168–176, 296–299
  - Markov processes, 329–337
- steady-state vector (Markov chain)
  - countable state Markov, 296–299
  - definition, 168–175
  - finite-state Markov, 168–171, 173, 299
  - in transient states, 181
- Stein's lemma, 441
- Stieltjes integral, 23, 60, 260–262
- Stirling bounds, 60
- stochastic matrix, 168–175
- stochastic process, 16, 16 n.15, 17–19, *see also*
  - Bernoulli process
- stopped processes, 450
- stopping times
  - martingales, 450–453, 471
  - renewal processes, 233–249
- stopping trial, *see* stopping times
- strong law for renewal processes, 217, 221–226
- strong law of large numbers (SLLN), *see also* weak law of large numbers (WLLN)
  - and convergence WP1, 217–226
  - definition, 35–51
  - and Kolmogorov inequalities, 455–456
  - relative frequency in, 52
- subjective probability, 57–58
- submartingale inequality, 453–455
- submartingales, 447–449
- sufficient statistic

- in binary hypothesis testing, 381
  - discrete with continuous observations, 394
  - for multiple hypotheses, 407–409
  - with discrete observations, 391–394
- sums of dependent zero-mean rv s, 445
- supermartingales, 447–449
- symmetric complex rv estimation, 505–506
- symmetry
  - Gaussian matrix, 114–115
  - as rationale for choosing probabilities, 4
- theorem
  - Berry–Esseen, 41
  - Blackwell’s, 217, 249, 253, 256, 259, 268, 299–300
  - Burke’s, 309, 347–350
  - central limit, 18, 39–44, 110, 144, 225–226, 519
  - elementary renewal, 217, 249, 251–252, 268
  - Little’s, 242–245, 316
  - martingale convergence, 456–458
- threshold
  - detection rules, 379–395, 402–403
  - Markov modulated random walks, 471–472
  - and random walks, 418, 433–438
- tilted probabilities, 425–428
- time averages
  - Markov processes (countable-state), 328–329, 331–332, 336
  - renewal processes, 226–233
- transform, *see also* moment generating functions
  - definition, 29–31
  - Fourier, 31, 128–134
  - Laplace, 31, 249–251
  - Z, 31
- transient state (Markov chain), 164, 165, 291
- transition probabilities (Markov chain)
  - periodic, 166
  - stochastic matrix, 168–175
- trapping state (Markov chain), 181–184
- Triple or nothing investments, 460–461
- Tsitsiklis, J., 58
- typical values of rv s, 28–29
- unichain (Markov chain)
  - definition, 169
  - stationary policies, 194–200
  - transition matrix, 170
- uniformized process (Markov), 341–342
- variance
  - random variable, 14, 23, 25
  - WLLN, 36–45
- vector, 110
  - composition, 428–431
  - estimation, 500–505, 507–512
  - Gaussian, 107–114, 124–126
  - jointly-Gaussian random, 124–126
  - noise estimation, 500–505
  - observations, 518–519
  - random, 144–155
  - space estimation, 507–512
- Wald, Abraham, 233
- Wald’s equality, 217, 236–242, 246, 435
- Wald’s identity, 434–437
- walk
  - Markov, 163–164, 468–472
  - random, 417–431
  - zero-mean random, 417, 435–436, 444–445, 492–494
- weak law of large numbers (WLLN), *see also* strong law of large numbers (SLLN)
  - with finite variance, 36–39
  - with infinite variance, 44–45
  - and tilted probabilities, 427–428
  - for renewal processes, 223–224
- white noise, 139–142
- wide sense stationary (WSS)
  - Gaussian processes, 134–139
  - stochastic process, 128
- Wiener process, 142–144, *see also* Poisson process
- Wolff, R. W., 271, 318
- WP1, *see* probability 1 (WP1)
- Zeitouni, O., 473
- zero-mean random walk, 417, 435–436, 444–445, 492–494
- Z-transform, 31