

Index

- Abies* spp., 110, 312
- abiotic stress
 - asymmetric responses of species, 55–56
- ABRACOS project, 27
- acclimation of biological processes, 35–36
- Acer* spp., 255, 272
 - effects of active fire suppression on, 115
- Acer platanoides* (Norway maple), 119
- Acer rubrum* (red maple), 116, 324, 325
- Acer saccharum* (sugar maple), 115, 119, 312, 314, 320, 321, 331
- acid rain, 119
- Adelges tsugae* (hemlock woolly adelgid), 118
- aerial photography
 - mapping vegetation, 344
- aerodynamic roughness of vegetation, 25–26
- aerosols emitted by forests, 39–40, 77
- African Tropical Rainforests Observation Network*. *See* AfriTRON
- AfriTRON, xiii, 79
 - dynamic changes, 88–91
 - functional changes, 91–93
 - observed increase in biomass, 82–88
 - species composition changes, 91–93
 - structural change, 82–88
 - study methodology, 79–82
- agent-based forest succession models, 365–373
- agriculture
 - conversion of forests to, 21
 - methane production, 39
 - nitrous oxide (N₂O) emissions, 37, 39
 - source of ammonium (NH₄⁺), 309
 - source of greenhouse gases, 39
- Ailanthus planipennis* (emerald ash borer), 117, 118
- Ailanthus altissima* (tree of heaven), 119
- air pollution, 109
 - effects on temperate forests of NE United States, 119–121
- albedo of the land surface, 27
 - effect of snow cover on different vegetation types, 22–23
 - factors affecting, 22–23
 - influence on energy balance, 22–23
 - regional effects of deforestation, 30–31
- Alliaria petiolata* (garlic mustard), 118–119
- aluminium (Al)
 - concentrations in soil, 309
- Amazon Basin
 - mass balance of water, 30
 - modelling, 32
- Amazon dieback scenario, 13, 35, 131–132, 144, 239
 - support from DGVMs (dynamic global vegetation models), 132–133
- Amazonia
 - critical transition from forest to savanna, 131–132
 - drought impacts (2005), 93–95
- Amazonian forests
 - carbon sinks to carbon sources, 97–98
 - drought tolerance of trees, 144–145
 - evolution of, 133–136
 - historical responses to climatic events, 133–137
 - history of resilience and stability, 133–137
 - moisture stress effects, 98–99
 - photosynthesis/respiration changes, 99–100
 - potential for adaptation to climate change, 136–137
 - potential future sensitivity to changes, 97–101
 - predicting the future of, 136–137
 - range of modelling projections, 144
 - resilience concept, 136–137
 - species compositional changes, 100–101
- American beech (*Fagus grandifolia*), 118
- American chestnut (*Castanea dentata*), 118
- American elm (*Ulmus americana*), 118
- ammonium (NH₄⁺)
 - from agricultural activity, 309
- Anacardium excelsum*, 214
- Angiosperm Phylogeny Group III
 - classification, 244
- animals
 - modelling plant–animal interactions, 61–62
 - plant–animal interactions, 60
 - seed dispersal by, 60

- Anoplophora glabripennis* (Asian long-horned beetle), 118
- Anthropocene, 77
- anthropogenic disturbance in forests
- difficulty of identifying generalisations about impacts, 439
 - edge effects, 430–431
 - effects on seedling establishment, 431–432
 - effects on species richness, 427–430
 - factors influencing forest resilience, 440
 - forest fragmentation dynamics, 426–427
 - future research, 441
 - importance of local context, 439
 - long-term disturbance effects, 435–439
 - modelling forest dynamics, 432–434
 - New Forest, UK, case study, 435–439
 - objectives of analysis, 419
 - patterns of forest loss, 422–424
 - positive effects, 440
 - potential to develop a theory of impacts, 440–441
 - rates of global forest loss, 417
 - species–area curves, 439–440
 - study areas, 419–422
 - successional mosaics, 440
 - tentative generalisations, 434–435
- anthropogenic flux of CO₂, 30
- anthropogenic impacts
- characterising, 110
 - distinguishing climate change response, 121–124
 - effects on the atmosphere–biosphere system, 77
 - effects on resilience of ecosystems, 35–36
 - on current and future temperate forests, 114–121
 - range of, 109–110
 - time scales of, 109–110
 - uncertainty of effects, 13–14
- arbuscular mycorrhizae, 316
- ash. *See* *Fraxinus* spp.
- Asia
- CTFS network, 79
- Asian long-horned beetle (*Anoplophora glabripennis*), 118
- associational resistance hypothesis, 210
- associational susceptibility hypothesis, 210
- atmosphere
- interactions with the land surface, 21
- atmospheric global circulation models. *See* global circulation models (GCMs)
- atmospheric pollution deposition
- effects of vegetation roughness, 26
- Avicennia marina*, 214
- Barro Colorado Island, Panama, 101, 284, 289–292, 329, 349, 383
- base cations in the soil, 119
- as limiting factor in tree performance, 330
 - covariance with each other, 316
 - covariance with N and P, 316
- depletion through biomass harvesting, 311–312
- expected rates of change, 120
- importance for tree growth, 325–329
- loss through acidification and leaching, 309
- losses caused by soil weathering, 309–311
- Bauhinia rufa*, 139
- beech, European (*Fagus sylvatica*), 48, 50, 119, 206
- beech bark disease, 118
- Betula* spp., 255, 272
- biodiversity
- assessment using trait-based remote sensing, 349–352
 - evidence from Carnegie Airborne Observatory imagery, 349–352
 - evolution of canopy chemical traits, 352–354
 - factors influencing forest resilience, 440
 - historical perspective, 196–200
 - importance of tropical forests, 77–78
 - influence of water availability, 294–297
 - insurance value, 136
 - link with spectral diversity, 349–352
 - New Forest, UK, 435–439
 - positive effects of anthropogenic disturbance, 440
 - representation in models, 132–133
 - taking account in models, 13
 - unified neutral theory of biodiversity and biogeography, 201
 - variety of plant responses to drought, 13
- biodiversity and ecosystem functioning (BEF)
- analysis of forest inventory information, 216–220
 - associational resistance hypothesis, 210
 - associational susceptibility hypothesis, 210
 - biodiversity gradients in natural forests, 216–224
 - carbon sequestration function, 204–205
 - comparative studies of natural forests, 221–224
 - definition of biodiversity, 200
 - diversity–productivity relationship, 202
 - ecological insurance, 195–196
 - ecosystem-scale diversity, 201
 - forest biodiversity experiments, 209–216
 - functional differences between tree species, 226
 - functional diversity, 200–201
 - future research directions, 227–228
 - genetic diversity within tree species, 200
 - landscape-scale diversity, 201
 - modelling approaches, 224–225
 - multidisciplinarity and multifunctionality approaches, 225–226
 - niche complementarity, 195–196, 206
 - observational studies comparing natural forests, 216–224
 - plantation forestry studies, 205–209
 - range of effects of changing tree diversity, 226–227
 - review of studies, 200–205

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

- role of N-fixing species, 205–206
- sampling effect, 195–196
- scientific study approaches, 205–226
- silvicultural experiments on mixing trees, 205–209
- species identity effects, 203–204, 226
- species interactions, 227
- studies on mixed forestry versus monoculture, 200–205
- synthetic community approach, 215–216
- tree diversity effects, 201–205
- biodiversity loss
 - effects on ecosystem functioning, 195–196
 - future research, 441
 - identifying impacts, 196
 - potential for a theory of anthropogenic impacts, 440–441
 - species–area curves, 439–440
- biodiversity mapping
 - monitoring effects of global change, 354
- biofuel crops, 21
 - nitrous oxide (N₂O) emissions, 38–38
 - oil palm plantations, 36–37
- biogeochemical cycles, 1
- biogeography
 - unified neutral theory of biodiversity and biogeography, 201
- bioinformatics tools, xv
- biomass
 - observed increase in tropical forests, 82–88
 - See also* forest biomass
- biotic interactions
 - Mediterranean Basin, 55–62
- BIOTREE study, 215
- black oak (*Quercus velutina*), 312, 320
- Bray–Curtis distances, 244, 251
- butterflies, 50
- C3 photosynthetic pathway, 136
- C4 grasses, 253
- C4 photosynthesis evolution, 133
- Caatinga Phytogeographic Domain, 240
- caatinga vegetation, 240–242
- Cactaceae, 240, 249
- calcium (Ca)
 - concentration in soils, 119
 - covariance with other soil resources, 316
 - importance for tree growth, 325–329
 - losses caused by soil acidification, 309
 - losses caused by soil weathering, 309–311
- California
 - fire regime, 54
- Calluna vulgaris*, 48
- canopy
 - factors affecting albedo, 22–23
- canopy biomass and productivity
 - traits related to, 113
- canopy chemical traits
 - ecological causes, 352–354
 - evidence for evolution, 346–349
 - evolution of, 352–354
 - for light capture and growth, 345–346
 - for longevity and defence, 345–346
 - for maintenance and metabolism, 345–346
- functional categories, 345–346
- intraspecific variation, 347
- link between spectral and biological diversity, 349–352
- mapping effects of global change, 354
- mapping functional and compositional change, 354
- multi-trait correlation, 347–348
- potential for chemical remote sensing, 345–346
- taxonomic organisation, 348–349
- use in biodiversity assessment, 352–354
- canopy interactions
 - ecophysiological approaches, xiv–xv
- canopy species distribution
 - trait-based remote sensing, 345
- carbon cycle
 - implications of forest biomass change, 382–383
 - role of tropical forests, 77–78
 - terrestrial biosphere sink, 78
- carbon dioxide (CO₂)
 - anthropogenic flux to the atmosphere, 30
 - fertilisation effect, 119–120
 - flux data, 34
 - sequestration from the atmosphere, 311
- carbon dioxide (CO₂) concentration of the air
 - effects of deforestation, 30
- carbon dioxide (CO₂) increase
 - influence on tropical forest biomass, 95–97
- carbon emissions
 - due to land-use change, 131
 - reduction of, 359
- carbon isotopic discrimination in leaves, 146
- carbon sequestration, 1, 33–37, 311
 - influence of biodiversity, 204–205
- carbon sinks
 - forests as, 33–35
 - influence of soil conditions, 311
 - tropical forests as, 97–98, 131
- carbon sources
 - potential for tropical forests to become, 97–98
- carbon stocks
 - effects of fast-growing tropical plantations, 36
 - effects of oil palm plantations, 36–37
 - forest management to maintain, 36
 - in forests, 33–35
 - tropical forests, 77
- carbon storage, 311
 - influence of forest biomass size, 381
- carbon uptake rate
 - relationship to carbon loss rate, 99–100
- Carnegie Airborne Observatory, 345
 - evidence for biodiversity, 349–352
- Carya* spp., 110
- Castanea dentata* (American chestnut), 118
- Cecropia* spp., 135
- Center for Tropical Forest Science, xiii

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

450 INDEX

- Ceratocystis ulmi*. *See* Dutch elm disease
Cereus spp., 249
Cereus kroenleinii, 249
 Cerrado Phytogeographic Domain, 240
 cerrado vegetation, 240–242
 chaco vegetation, 240
 chemical plant traits
 ecological causes, 352–354
 evolution of, 352–354
 chemical remote sensing
 canopy chemical traits, 345–346
 chemical signatures of taxa, 348–349
 chestnut blight (*Endothia parasitica*), 118
Choristoneura fumiferana (spruce budworm), 183
 clearcutting, 116
 climate gradients
 influence on species distribution and demography, 111
 climate system
 impacts of deforestation, 21
 interactions with the land surface, 21
 cloud condensation nuclei, 39, 40
 cloud formation, 30, 31
 coexistence of multiple species, 161–166
 challenge of explaining, 161
 forest ecology models, 163–166
 implications of Lotka–Volterra competition, 169–170
 influence of water availability, 294–297
 landscape-scale mechanisms, 187–190
 Lotka–Volterra competition response to environmental change, 169–170
 nature of potential mechanisms, 190
 negative feedback mechanisms, 161–163
 perfect plasticity approximation (PPA) model, 171–174, 177–184
 predicting effects of environmental change, 190–191
 research studies, 164–166
 species-specific temporal variation, 184–185
 stable coexistence, 169
 stand-scale mechanisms, 185–187
 temporal storage effect, 184–185
 TSR scheme in the Lotka–Volterra competition equations, 167–169
 colonisation
 competition–colonisation trade-offs, 162
 impact of habitat fragmentation, 49–51
Colutea hispanica, 56
 community phylogenetic analysis, xv, 242–243, 249–251
 community states. *See* state variables
 competition–colonisation trade-offs, 162
 competitive interactions
 differences across soil resource gradients, 324–325
 computer simulations, 365
 conduction
 role in energy balance, 24
 convection
 equation for, 24
 factors affecting heat transfer, 24
 role in energy balance, 24–25
 convective boundary layer, 30
 coppiced forests, 65
Cordia spp., 139
 cork oak (*Quercus suber*), 47, 56
Corylus avellana (hazel), 439
 Cotta, Heinrich, 198
 Cretaceous, 133
 CTFS network, 79
 cuticular conductance for water
 influence on drought performance, 276
Daphnia spp., 162–163
 Darwin, Charles, 198
 data assimilation techniques, 362
 data cleaning procedures, 389
 introduction of systematic errors, 393–397
 decadal-scale inventory data, xiv
 deciduous and semideciduous site
 classification, 253–255
 deciduousness
 influence on drought performance, 277
 deforestation, 77
 carbon emissions related to, 131
 causes, 21
 difficulty of identifying generalisations about impacts, 439
 edge effects in forest fragments, 430–431
 effects on seedling establishment, 431–432
 effects on species richness, 427–430
 factors influencing forest resilience, 440
 forest fragmentation dynamics, 426–427
 future research on impacts, 441
 impacts on energy balance, 21
 impacts on the climate system, 21
 interaction with drought and fire, 36
 modelling forest dynamics, 432–434
 modelling large-scale effects, 30–33
 New Forest, UK, 435–439
 patterns of forest loss, 422–424
 potential to develop a theory of impacts, 440–441
 rates of global forest loss, 21, 417
 species–area curves, 439–440
 tentative generalisations on anthropogenic disturbances, 434–435
 demographic stochasticity
 representation in models, 132
 denitrification process, 37
 density-dependent seedling mortality, 163
Didymopanax vinosum, 139
 disequilibrium in forest ecosystems, 109–110
 disturbance theory, 418, 440
 disturbances
 successional dynamics following, 113–114
 drought
 desiccation avoidance mechanisms, 273–279

- desiccation tolerance mechanisms, 273–279
- ecosystem ability to withstand, 138
- effects of local variation in soil moisture, 289–292
- effects on regeneration dynamics, 262–263
- experiments on seedling responses to, 264
- impacts in Amazonia (2005), 93–95
- interaction with fire and deforestation, 36
- interannual variation in water availability, 285–287
- interspecific variation in seedling performance, 273
- leaf tolerance to drought, 139–141
- plant scale responses, 138
- regional variation in rainfall, 292–293
- seasonal variation in water availability, 280–285
- spatial variation in water availability, 287–289
- species variations in response to, 294–297
- temporal variation in water availability, 279–280
- variety of plant responses to, 13
- xylem failure caused by, 141–143
- drought performance
 - definition, 265
- drought resistance
 - definition, 265
 - influence on regeneration dynamics, 297
 - modelling, 146–147
- drought stress research, 47
- drought tolerance
 - evolution of, 47
 - in Amazon forest trees, 144–145
- dry-adapted vegetation
 - evolutionary significance, 239
 - See also* seasonally dry tropical forests and woodlands (SDTFs)
- Dutch elm disease (*Ophiostoma ulmi* / *Ceratocystis ulmi*), 56, 118
- dynamic changes
 - tropical forests, 88–91
- dynamic global vegetation models (DGVMs)
 - accounting for whole-plant physiology, 141–144
 - development of, 369
 - future developments, 145–147
 - leaf functional traits, 137–138
 - limitations, 132–133
 - plant functional types (PFTs), 145–147
 - support for the Amazon dieback scenario, 132–133
- dynamic models
 - long-term forest dynamics, 361–363
- Early Miocene, 133
- Early Paleocene, 133
- eastern hemlock (*Tsuga canadensis*), 110–111, 116, 118
- ecological insurance, 195–196
- ecological science
 - development of theory, 417–418
- Ecological Society of America, 365
- ecological strategies
 - trade-off between, 137, 143
 - whole-plant traits associated with, 143
- ecological theory
 - difficulty of identifying generalisations, 439
 - identification of generalisations, 418–419
 - potential to develop a theory of anthropogenic impacts, 440–441
 - tentative generalisations on anthropogenic disturbances, 434–435
- ecophysiological approaches, xiv–xv
- Ecosystem Demography model (ED model), 132
- ecosystem resilience, 35–36
- ecosystem-scale diversity, 201
- ecosystem services
 - constraint by soil resources, 311
 - effects of biodiversity loss, 195–196
- ectomycorrhizae, 204, 316
 - response to N deposition, 120
- edge effects, 31, 430–431
- El Niño events, 261–262, 279–280, 285–287
 - drought in 1998, 98
- El Niño Southern Oscillation, 131
- elm. *See Ulmus* spp.
- emerald ash borer (*Agrilus planipennis*), 117, 118
- emissivity (ϵ), 23
- empirical models of forest responses, 111–113
- endomycorrhizae, 120
- Endothia parasitica* (chestnut blight), 118
- energy balance, 22–29
 - conduction, 24
 - convection, 24–25
 - differences between forests and grassland/crops, 40
 - dry tropics, 29
 - effects of forest-to-pasture conversion, 40
 - evaporation, 24–25
 - forest-to-pasture comparison, 26–29
 - impacts of deforestation, 21
 - influence of albedo, 22–23
 - net radiation measurement, 23–24
 - partitioning of absorbed energy, 24–25
 - photosynthesis, 24
 - role of photosynthesis, 24
 - solar (short-wave) radiation, 23
 - thermal (long-wave) radiation flux, 23–24
 - tropical forest and tropical pasture comparison, 26–29
- Ericales, 133
- ethical issues
 - tropical plantations, 36–37
- EU Habitats Directive, 199
- Eucalyptus grandis*, 350
- Eucalyptus* spp., 205, 329
- Euphorbiaceae, 143

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

452 INDEX

- evaporation
 - from wet surfaces, 24
 - Penman–Monteith equation, 25
 - role in energy balance, 24–25
 - through stomatal pores, 24, 25
- evapotranspiration, 27, 30
 - effects of deforestation, 30–31
- evolution of C4 photosynthesis, 133
- evolution of canopy chemical traits, 346–349
- exotic plant species
 - introduction into temperate forests of NE United States, 118–119
- extreme climatic events
 - recovery from, 50
- extreme weather events, 261–262
- Fagus grandifolia* (American beech), 118
- Fagus* spp., 119
- Fagus sylvatica* (European beech), 48, 50, 119, 206
- fast-growing ecological strategy, 137
- feedback mechanisms, 78
- fertilisers
 - nitrous oxide (N₂O) emissions, 37
- Ficus* spp., 139
- Filzbach software library, 175
- fir. See *Abies* spp.
- fire, 77
 - and climate change, 52–53
 - causes of wildfires, 51–52
 - factors influencing post-fire regeneration, 54–55
 - historical impact of Native Americans, 111
 - influence of land use, 53–55
 - interaction with deforestation and drought, 36
 - overall impact on Mediterranean ecosystems, 54–55
 - post-fire regeneration strategies, 54–55
 - results of active fire suppression in forests (NE United States), 115
 - risk in caatinga vegetation, 240
 - risk in cerrado vegetation, 240
 - sustainable strategies for dealing with forest fire, 65
 - temperate forests of NE United States, 110, 111
 - threat to biodiversity, 14
- flood prevention, 1
- floristic shifts
 - responses to climate change, 136–137, 147
- fog-preventing forests, 26
- FORCLIM model, 369, 374, 375
- FORENA model, 367–368
- forest biodiversity
 - historical debate between mixed and monoculture forests, 196–200
- forest biomass change
 - detecting change in old-growth forests, 382–383
 - implications for the carbon cycle, 382–383
 - influence of atmospheric and climate change, 381
 - influence on carbon storage, 381
 - Markov chain models, 402–409
 - old-growth forests, 381–382
 - potential for positive or negative feedbacks, 381
 - projecting biomass change, 402–409
 - successional forests, 381–382
- forest biomass change estimation
 - belowground pools, 411
 - data cleaning procedures, 393–397
 - dealing with sources of error, 411
 - influence of ‘data cleaning’ procedures, 389, 393–397
 - influence of measurement errors, 389, 393–397
 - Markov chain models, 410–411
 - means of avoiding measurement error, 409–410
 - measuring buttressed trees, 397–402
 - methodology for use of ground plots, 411
 - sampling errors in plot data, 383–384
 - sampling uncertainty for ensembles of plots, 387–389
 - spatial and temporal scaling of sampling uncertainty for single plots, 384–387
- forest–canopy interactions
 - ecophysiological approaches, xiv–xv
- forest clearing and land abandonment, 114–115
- forest degradation
 - factors influencing forest resilience, 440
 - future research on impacts, 441
 - modelling forest dynamics, 432–434
 - patterns of forest loss, 422–424
 - potential to develop a theory of impacts, 440–441
 - rates of global forest loss, 417
 - tentative generalisations on anthropogenic disturbances, 434–435
- forest dynamics
 - addressing spatial and temporal challenges, 360–363
 - and global change, 1–5
 - importance of assessment of global change effects, 360
 - measurement challenges, 359–360
 - modelling, 432–434
 - modelling forest community dynamics, 109
- forest ecologists, 163
- forest ecosystem dynamics
 - impacts of pests and pathogens, 118
 - neighbourhood models, 113–114
- forest ecosystems
 - approaches to predicting climate change effects, 109
 - goods and services of importance to humans, 359
 - pressures and demands on, 359
 - ranges of influences on, 109–110
 - time scales of responses, 113–114

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

- forest emissions
 - aerosols, 39–40
- forest fragmentation
 - difficulty of identifying generalisations
 - about impacts, 439
 - edge effects, 430–431
 - effects on seedling establishment, 431–432
 - effects on species richness, 427–430
 - factors influencing forest resilience, 440
 - future research on impacts, 441
 - New Forest, UK, 435–439
 - potential to develop a theory of impacts, 440–441
 - species–area curves, 439–440
- forest fragmentation dynamics, 426–427
- forest gap models, 164, 365–373
- forest inventories, 164, 216–220
 - data at decadal-scale, xiv
- Forest Inventory and Analysis (FIA) network (US Forest Service), 111
- forest simulation models, xv
- forest succession
 - data assimilation techniques, 362
 - experimental studies, 361
 - observational studies, 360–361
- forest succession modelling, 121–124
 - agent-based models, 365–373
 - approaches to, 361–363
 - development of forest gap models, 365–373
 - diversity of approaches, 373–375
 - individual-based models, 360, 365–373
 - reconsidering fundamental assumptions, 373–375
 - terminology related to, 363–365
 - usefulness of current models, 375
- forest understorey
 - recovery after disturbance, 114
- forests
 - albedo, 22–23
 - dependence of humanity upon, 1
 - goods and services provided by, 1
 - implications of different management scenarios, 36
 - multidisciplinary approach to study, 1
 - purpose of, 36
- FORMIND model, 164, 369, 432
- FORMIX model, 164
- FORSKA model, 369
- fossil fuel combustion
 - source of nitrate (NO_3^-), 309
- fragmentation of habitats
 - detrimental effects on species, 49–51
 - Mediterranean Basin, 49–51
- FRAGSTATS, 424
- Fraxinus americana* (white ash), 312, 320, 331
- Fraxinus* spp., 118
- functional categories of canopy chemical traits, 345–346
- functional change in tropical forests, 91–93
- functional differences between tree species, 226
- functional diversity, 200–201
- Functional Ecology of Trees Database (FET), 164
- FunDivEUROPE project, 226
- garlic mustard (*Alliaria petiolata*), 118–119
- Gayer, Karl, 198
- GEM network, xiii
- General Circulation Models, 364
- generalisations in ecological theory, 418–419
- genetic diversity within tree species, 200
- geographic distance decay patterns, 253–255
- germination
 - influence of water availability, 265–266
- glaciation
 - recolonisation following, 312
- Global Biodiversity Assessment, 201
- global change
 - and forest dynamics, 1–5
 - detecting, 10–13
 - dynamic modelling, 10–13
 - importance of measuring forest dynamics, 360
- global change science
 - terminology relating to uncertainty, 363–365
- global circulation models (GCMs), 31–33, 99–100, 101, 132
 - compared to small-scale models, 32–33
- global integration of forest ecology research, xiii
- global warming
 - effects on photosynthesis, 35
 - effects on respiration, 35
 - predictions of effects on forests, 35–36
- Global Warming Potential
 - methane, 37
 - nitrous oxide (N_2O), 37
- GOTILWA+, 66
- greenhouse effect, 35
- greenhouse gases
 - methane, 38–39
 - nitrous oxide (N_2O), 37–38
 - See also* carbon dioxide (CO_2)
- growth and survival
 - effects of supplemental irrigation, 266–269
- growth–survival trade-off
 - influence of soil resources, 320–324
- habitat fragmentation
 - detrimental effects on species, 49–51
 - Mediterranean Basin, 49–51
- Hartig, Georg Ludwig, 197–198
- harvesting
 - depletion of soil resources, 311–312
- Hawaii, 350
- hazel (*Corylus avellana*), 439
- heat sinks, 27
- height-structured competition for light, 163
- hemlock woolly adelgid (*Adelges tsugae*), 118
- herbivores
 - interaction with the growth–survival trade-off, 322

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

454 INDEX

- heteromyopia, 162
- hickory. *See Carya spp.*
- high-throughput sequencing, xv
- Holdridge Life Zone model, 361
- Holm oak (*Quercus ilex*), 47, 48, 56, 60
- Holocene, 57
- homeostatic properties of ecosystems, 35–36
- Hubbell, Stephen P., 201
- hunting, 77
- HYBRID model, 374
- hydrological cycle
 - role of tropical forests, 77–78
- Hymenaea courbaril*, 147
- hyperspectral imagery, xv
- hyperspectral remote sensing
 - link between spectral and biological diversity, 349–352
- Hypoxylon canker (*Hypoxylon mediterraneum*), 56
- identity effects, 203–204
- individual-based forest succession models, 360, 365–373
- infra-red thermometer, 23
- insect pests
 - factors affecting vulnerability to, 55–56
 - shifts in distributional range, 55–56
- Inter-Tropical Convergence Zone (ITCZ), 131, 134
- interannual variation in water availability, 285–287
- intraspecific variation in performance, 162
- introduced pathogens
 - temperate forests of NE United States, 118
- introduced pests
 - temperate forests of NE United States, 118
- invasive species, 109, 118–119
 - temperate forests of NE United States, 118–119
 - tree species, 113
- inventory data, 164, 216–220
 - at decadal-scale, xiv
- Iolana iolas*, 56
- iron (Fe)
 - concentrations in soil, 309
- irradiance interceptance
 - influence of soil resource gradients, 318–320
- isoprene
 - emission by plants, 39, 40
 - photo-oxidation products, 40
- JABOWA-FORET model, 164
- Janzen–Connell hypothesis, 113, 181
- Japan
 - fog-preventing forests, 26
- Japanese stilt grass (*Microstegium vimineum*), 118–119
- jay (*Garrulus glandarius*), 60
- Kelty, Matthew J., 199
- La Niña years, 280
- Lampides boeticus*, 56
- land abandonment, 114–115
 - influence on fire risk, 54–55
 - Mediterranean Basin, 49
- land surface
 - interactions with the atmosphere, 21
- land use
 - influence on fire risk, 53–55
- land-use change
 - influence on species distributions, 343
- land-use history
 - legacy of, 114–115
- LANDIS-II model, 433–434
- LANDSAT-based measurements, 86
- LANDSAT satellites, xv
- landscape-scale coexistence mechanisms, 187–190
- landscape-scale diversity, 201
- last glacial maximum (LGM) event, 134–137
- late-successional species, 162
- leaf-based traits, 314–316
- leaf chemical compounds
 - functional categories, 345–346
- leaf chemical traits
 - intraspecific variation, 347
 - multi-trait correlation, 347–348
 - taxonomic organisation, 348–349
- leaf economics spectrum, 138
- leaf functional traits, 137–138
- leaf-level photosynthesis module, 331–332
- leaf-level view of plant physiology, 314–316
- leaf mass per area (LMA), 138, 140–141
- leaf mechanical properties, 138
- leaf tolerance to drought, 138, 139–141
- leaf turgor loss point, 139–141
- leaf water potential at wilting or turgor loss point, 139–141
- lianas, 91–92, 95, 101, 139–140
 - contribution to carbon turnover (NPP), 143–144
 - contribution to ecosystem transpiration, 143–144
- LiDAR, xv, 360, 409, 411
- light capture and growth
 - compounds and elements required for, 345–346
- lime (*Tilia cordata*), 439
- logging practices
 - effects on temperate forests (NE United States), 116–117
- long-distance dispersal, 113
 - as a process for colonisation, 113
- long-term disturbance effects
 - New Forest, UK, 435–439
- long-term ecological monitoring sites,
- long-term forest dynamics,
 - addressing spatial and temporal challenges, 360–363
 - measurement challenges, 359–360

- modelling approaches, 361–363
- reconsidering fundamental assumptions, 373–375
- usefulness of current models, 375
- long-wave (thermal) radiation flux, 68–70
- longevity and defence
 - compounds and elements required for, 345–346
- Lotka–Volterra competition
 - implications for empirical forest ecology, 170–171
 - response to environmental change, 169–170
- Lotka–Volterra competition equations, 162, 167
- predicting effects of environmental change, 190–191
- TSR scheme, 167–169
- lottery models, 162
- LPJ-GUESS model, 369, 370, 373, 374
- LTER, xiii
- Luehea seemannii*, 214
- magnesium (Mg)
 - covariance with other soil resources, 316
 - losses caused by soil acidification, 309
 - losses caused by soil weathering, 309–311
- maintenance and metabolism
 - compounds and elements required for, 345–346
- Malpighiales, 133
- Manaus equation, 80
- Markov chain models, 383, 402–409, 410–411
- Mauritia flexuosa*, 350
- Mauritia* spp., 344
- MCPFE, 199
- Mediterranean Basin
 - asymmetric responses of species to abiotic stress, 55–56
 - biotic interactions, 55–62
 - changes in land management intensity, 49
 - disappearance of forests, 49
 - expansion of agricultural and urban areas, 49
 - fire and climate change, 52–53
 - fire risk and land use, 53–55
 - fire-risk predictions, 52–53
 - habitat fragmentation, 49–51
 - land abandonment, 49
 - land-use trends, 48–49
 - native habitat removal, 48–49
 - negative species interactions, 55–56
 - positive species interactions, 57
 - predicted effects of climate change, 47–48
 - shifts in distribution of pathogens and insect pests, 55–56
 - wildfires and their causes, 51–52
- Mediterranean ecosystems
 - factors influencing post-fire regeneration, 54–55
 - overall impact of fire, 54–55
 - plant–animal interactions, 146–148
 - plant–plant interactions along stress gradients, 143–145
 - seed dispersal by animals, 60
- Mediterranean forests
 - adaptive management approaches, 66
 - benefits of diverse stands, 65
 - benefits of mixed forests, 65
 - characteristics relevant to management approaches, 62–63
 - conservation of biological diversity, 65
 - extension of rotations, 64–65
 - modelling approaches, 66
 - principles for management under environmental change, 63–66
 - reducing intensity of management, 65
 - reduction of tree densities in previously coppiced forests, 65
 - regeneration strategies, 64–65
 - response to accelerated environmental change, 47–48
 - sustainable strategies for dealing with fire, 65
 - uncertainty of global change evolution, 66
 - use of flexible thinning schedules, 64
- metacommunities, 163
- methane, 39
 - Global Warming Potential, 37
- methane production, 38–39
 - influence of soil conditions, 38–39
 - rice paddies, 38, 39
- methanogenic bacteria, 38
- microbial symbionts, 330–331
- Microstegium vimineum* (Japanese stilt grass), 118–119
- Millennium Ecosystem Assessment, 195
- modelling
 - accounting for biodiversity, 132–133
 - accounting for demographic stochasticity, 132
 - Amazon Basin, 32
 - approaches to forest community dynamics, 109
 - biodiversity and ecosystem functioning (BEF), 224–225
 - detecting and modelling global change, 10–13
 - distinction from simulation, 365
 - drought resistance, 146–147
 - dynamic global vegetation models (DGVMs), 132–133
 - empirical models of forest responses, 111–113
 - forest dynamics, 432–434
 - forest gap models, 164
 - forest simulation models, xv
 - forest succession modelling, 121–124, 361–363, 365–373
 - global circulation models (GCMs), 31–33, 99–100, 101, 132
 - individual-based forest succession models, 360
 - large-scale effects of deforestation, 30–33

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

456 INDEX

- modelling (cont.)
 - leaf-based view of plant physiology, 137–138
 - Mediterranean forests, 66
 - neighbourhood models of forest dynamics, 113–114
 - niche modelling techniques, 48
 - nitrogen deposition and temperature, 120–121
 - over-simplification, 132–133
 - plant–animal interactions, 148–150
 - plant functional types (PFTs), 132–133, 137
 - process models of forest responses, 111
 - range of projection for Amazon forests, 144
 - reconsidering fundamental assumptions, 373–375
 - small-scale and large-scale models
 - compared, 32–33
 - taking account of biodiversity, 13
 - terminology related to, 363–365
 - types of models of forest responses, 111–114
 - usefulness of current models, 375
 - See also* perfect plasticity approximation (PPA) model
- moisture stress
 - effects in Amazonian forests, 98–99
- molecular clock analyses, 241
- molecular phylogenetic studies, 241
- molecular phylogenies, xv
- Möller, Alfred, 198
- monoculture, 164, 195
 - perfect plasticity approximation (PPA) model, 175–177
- monodominance, 161
- Monte Carlo approach, 397
- moose
 - herbivory and ecosystem diversity, 210
- multidisciplinary approach
 - forest studies, 1
 - monitoring global change, 354
- mycorrhizae, 119, 324, 330–331
 - response to N deposition, 120
- national forest inventories, xiii, 216–220
- Native Americans
 - historical impacts on the North American landscape, 111
- necromass, 37
- negative density dependence (NDD), 162
- negative feedback mechanisms
 - role in coexistence of multiple species, 161–163
- neighbourhood models of forest dynamics, 113–114
- Neolithic, 21
- net competitive interactions
 - differences across soil resource gradients, 324–325
- net primary production (NPP)
 - increase in tropical forests, 95–97
- neutral theory, 161
- neutron probe, 29
- New Forest, UK
 - anthropogenic disturbance case study, 435–439
- niche complementarity, 195–196, 206
- niche modelling techniques, 48
- nitrate (NO_3^-)
 - from fossil fuel combustion, 309
- nitrification process, 37
- nitrogen (N)
 - covariance with other soil resources, 316–318
 - limitation in younger, temperate soils, 309–311
 - sources of atmospheric nitrogen, 309
- nitrogen (N) deposition, 35
 - and temperature, 120–121
 - atmospheric deposition rates, 309
 - effects of anthropogenic deposition, 120–121
 - mycorrhizal responses, 120
- nitrogen-fixing species, 206, 208
 - effects on productivity, 205–206
- nitrous oxide (N_2O)
 - Global Warming Potential, 37
 - sources of, 37–38, 39
- nitrous oxide (N_2O) production
 - influence of soil conditions, 38–39
- North Atlantic Oscillation, 131
- northern mixed hardwood/conifer forests, 110
- Norway maple (*Acer platanoides*), 119
- oak. *See* *Quercus* spp.
- oak/hickory forests, 110
- oil palm plantations
 - ethical issues, 36–37
- old-growth forests
 - detecting biomass change, 382–383
 - effects of global change on biomass, 381–382
 - sampling error in plot data, 383–384
- Ophiostoma ulmi*. *See* Dutch elm disease
- ozone pollution, 119
- Pacific Decadal Oscillation, 131
- pathogens, 162
 - effects of biodiversity in ecosystems, 207
 - effects on productivity, 207
 - factors affecting vulnerability to, 55–56
 - impacts on ecosystem dynamics, 118
 - impacts on temperate forests of NE United States, 118
 - shifts in distributional range, 55–56
- Penman–Monteith equation, 25
- perfect plasticity approximation (PPA) model, 320
 - baseline, 174–175
 - coexistence of multiple species, 177–184
 - for a monoculture, 175–177
 - implications of two-species coexistence, 180–181
 - landscape-scale coexistence mechanisms, 187–190

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

INDEX 457

- metrics, 173
- predicting effects of environmental change, 190–191
- rates, 172–173
- species-specific temporal variation, 184–185
- stand-scale coexistence mechanisms, 185–187
- stand-scale coexistence via differential crown transparency, 177–180
- stand-scale coexistence via species-specific density dependence, 181–184
- states, 172
- temporal storage effect, 184–185
- traits, 173–174
- traits-states-rates (TSR) scheme, 171–174
- pests, 162
 - build-up of species-specific pests, 181
 - effects of biodiversity in ecosystems, 207
 - effects on productivity, 207
 - impacts on ecosystem dynamics, 118
 - impacts on temperate forests of NE United States, 118
- phenotypic plasticity in tree species, 47
- phosphorus (P)
 - covariance with other soil resources, 316–318
 - depletion through biomass harvesting, 311–312
 - leaching caused by acidification, 309
 - limitation in older, tropical soils, 309–311
 - loss by weathering over time, 309–311
- photosynthesis, 33, 39, 40
 - changes in tropical forests, 99–100
 - evolution of C4 photosynthesis, 133
 - leaf-level photosynthesis module, 146
 - limiting factors as temperature increases, 99–100
 - rate in relation to respiration, 99–100
 - rate of carbon uptake, 99–100
 - response to global warming, 35
 - role in energy balance, 24
- Phylocom, 244
- phylogenetic beta diversity, 242–243, 249–251
- Phylomatic, 244
- physiological mechanisms of forest responses, xiv–xv
 - Phytophthora cinnamomi*, 56
 - Phytophthora ramorum*, 224
 - Picea abies* (spruce), 206
 - Picea rubens* (red spruce), 119
 - Picea* spp., 110, 312
 - PICUS model, 369, 374
 - pine forests, 110
 - Pinus banksiana*, 312
 - Pinus contorta*, 312, 330
 - Pinus nigra*, 55
 - Pinus rigida*, 312
 - Pinus* spp., 110
 - Pinus strobus*, 312
 - Pinus sylvestris*, 56
- pioneer species, 162
- Pistacia lentiscus*, 59
- planetary boundary layer, 30
- plant–animal interactions, 146–148
 - modelling, 61–62
- plant emissions
 - aerosols, 39–40
 - isoprene, 39
 - volatile organic compounds (VOCs), 39
- plant functional types (PFTs)
 - based on whole-plant physiology, 141–144
 - classification, 137–138
 - future developments in DGVMs, 145–147
 - theory of, 137
 - use in models, 132–133
- plant–plant interactions along stress-gradients, 143–145
- plantations, 21
 - ethical issues, 36–37
- plot data
 - decadal-scale inventory data, xiv
 - forest simulation models, xv
 - sampling error, 383–384
- pollen record, 367
- Populus* spp., 118
- potassium (K)
 - covariance with other soil resources, 316
 - importance for tree growth, 325–329
 - losses caused by soil acidification, 309
 - losses caused by soil weathering, 309–311
- precipitation patterns
 - consequences of change for tropical forests, 261–262
 - future effects on tropical forests, 297–299
 - interannual variation in water availability, 285–287
 - local variation in soil moisture, 289–292
 - rain recycling rates, 30
 - regional variation in rainfall, 292–293
 - seasonal variation, 280–285
 - shifts caused by climate change, 261–262
 - temporal variation in water availability, 279–280
- prediction
 - terminology related to modelling, 363–365
- Pretzsch, Hans, 196–197
- primary productivity
 - CO₂ fertilisation effect, 119–120
- Prioria copaifera*, 286
- probability
 - terminology related to modelling, 363–365
- process models of forest responses, 111
- processionary moth caterpillar, 56
- productivity
 - constraint by soil resources, 311
 - effects of N-fixing species, 205–206
 - influence of soil resource gradients, 312–314
 - relationship with diversity, 202
 - responses to soil resource availability, 325–329

- Prunus serotina*, 320, 321
- Psidium cattleianum*, 350
- psychrometric constant (γ), 25
- Qualea grandiflora*, 249
- Qualea* spp., 249
- Quaternary, 133
- Quercus alba* (white oak), 312, 325
- Quercus ilex* (holm oak), 47, 48, 56, 60
- Quercus rubra* (red oak), 320, 325
- Quercus* spp., 147, 255
 - coppicing, 65
 - effects of active fire suppression on, 115
- Quercus suber* (cork oak), 47, 56
- Quercus velutina* (black oak), 312, 320
- R statistical program, 244
- rain. *See* precipitation patterns
- RAINFOR network, xiii, 79, 329, 411
 - drought impacts (2005), 93–95
 - dynamic changes, 88–91
 - functional changes, 91–93
 - observed increase in biomass, 82–88
 - species composition changes, 91–93
 - structural change, 82–88
 - study methodology, 79–82
- Ramsar Convention sites, 436
- rate of change for state variables, 167
- recovery aspect of resilience, 136–137
- Red Amazónica de Inventarios Forestales* network.
See RAINFOR network
- red maple (*Acer rubrum*), 116, 324, 325
- red spruce (*Picea rubens*), 119
- REDD (Reducing Emissions from Deforestation and Forest Degradation), 131
- REDD+, 417
- regeneration dynamics
 - effects of local variation in soil moisture, 289–292
 - effects of seasonal variation in water availability, 280–285
 - factors affecting seedling establishment, 431–432
 - future effects of changing precipitation patterns, 297–299
 - germination response to water availability, 265–266
 - growth and survival under variable water availability, 266–269
 - influence of drought, 262–263
 - influence of species drought resistance, 297
 - influence of water availability, 297
 - interannual variation in water availability, 285–287
 - interspecific variation in seedling response to drought, 273
 - mechanisms of seedling responses to drought, 273–279
 - regional variation in rainfall, 292–293
 - responses to variable water availability, 265–273
 - seedling size/age effects and water availability, 269–273
 - spatial variation in water availability, 287–289
 - species variations in response to drought, 294–297
 - temporal variation in water availability, 279–280
- regional variation in rainfall, 292–293
- remote sensing, 360
 - link between spectral and biological diversity, 349–352
 - techniques, xv
 - tools, 360
 - See also* trait-based remote sensing
- resilience concept, 35–36
 - recovery aspect, 136–137
 - resistance aspect, 136–137
 - tropical forests, 136–137
- resistance analogues, 26
- resistance aspect of resilience, 136–137
- resource complementarity principle, 198
- respiration
 - changes in tropical forests, 99–100
 - rate in relation to photosynthesis, 99–100
 - rate of carbon loss, 99–100
 - response to global warming, 35
- rice paddies
 - methane production, 38, 39
- Rondonia, Brazil, 27, 31
- root depth and volume
 - influence on drought performance, 275
- roughness of vegetation
 - and response to atmospheric conditions, 25–26
 - differences between forests and grassland/crops, 25–26
- Saharan dust
 - input to tropical forests, 96
- sample-plot studies, 78
- sampling effect, 195–196
- sampling error in plot data, 383–384
- satellite-based research, 343
- savanna woodland
 - conversion to pasture, 29
 - energy balance, 29
- Sclerolobium paniculatum*, 142
- SCOPE programme, 201
- SDTFs. *See* seasonally dry tropical forests and woodlands
- seasonal variation in water availability, 280–285
- seasonally dry tropical forests and woodlands (SDTFs)
 - Caatinga Phytogeographic Domain, 240
 - Cerrado Phytogeographic Domain, 240
 - community phylogenetic analysis results, 249–251
 - community phylogenetic approach, 242–243

- comparison of caatinga and cerrado, 240–242
- constraints on woody plant evolution, 240–242
- deciduous and semi-deciduous site classification, 253–255
- ecology of leaf deciduousness, 251–253
- factors shaping woody plant biodiversity, 253–255
- future prospects, 255–256
- geographic distance decay patterns, 253–255
- identification and conservation planning, 255–256
- interaction of ecology and geographic distance, 253–255
- model evaluation, 246–249
- phylogenetic beta diversity, 242–243, 249–251
- phylogenetic patterns of diversity, 240–242
- problems with vegetation definitions, 240
- selection pressures on woody plant evolution, 251–253
- study explanatory variables, 244–245
- study response variable, 243–244
- seed dispersal by animals, 60
- seedling establishment
 - factors affecting, 431–432
- seedling performance
 - effects of interannual variation in water availability, 285–287
 - effects of local variation in soil moisture, 289–292
 - effects of regional variation in rainfall, 292–293
 - effects of seasonal variation in water availability, 280–285
 - influence of water availability, 297
 - species variations in response to drought, 294–297
- seedling responses to drought, 264
 - interspecific variation, 273
 - mechanisms of interspecific variation, 273–279
- seedling size/age effects
 - influence of water availability, 269–273
- SEIB-DGVM, 132
- short-term stressful events
 - ecosystem ability to withstand, 138
- short-wave (solar) radiation, SIGEO/CTFS plot network, 411
- silvicultural models, 163–164
- silviculturalists, 163
- simulation
 - distinction from modelling, 365
 - terminology related to, 363–365
- site-centred study, 78
- Sites of Special Scientific Interest, 436
- size-structured populations, 163
- slow-growing ecological strategy, 137
- slow-in, rapid-out effect, 86, 87, 382, 383–384
- small-scale models
 - results compared to large-scale models, 32–33
- snow cover
 - albedo of different vegetation types, 22–23
- soil acidification
 - nitrogen deposition, 309
- soil base cation status. *See* base cations in the soil
- soil conditions
 - influence on methane production, 38–39
 - influence on nitrous oxide (N₂O) production, 38–39
- soil moisture
 - effects of deforestation, 30–31
 - effects of local variation, 289–292
 - spatial variation in, 287–289
- soil pH
 - effects of weathering over time, 309–311
- soil resource gradients
 - covariance among soil resources, 316–318
 - effect on net competitive interactions, 324–325
 - effects on interceptance of irradiance, 318–320
 - influence on forest productivity, 312–314
 - influence on forest species composition, 312–314
 - spatial heterogeneity of resources, 314–316
 - study areas, 312
 - tree growth responses, 325–329
- soil resources
 - and the growth–survival trade-off, 320–324
 - base cations as limiting factor, 330
 - constraint on ecosystem services, 311
 - constraint on productivity, 311
 - depletion through biomass harvesting, 311–312
 - effects of microbial symbionts, 330–331
 - effects of mycorrhizae, 330–331
 - heterogeneity at multiple spatial scales, 329–330
 - importance of relationship with tree performance, 331–332
 - influence on carbon sequestration and storage, 311
 - losses caused by acidification, 309
 - losses caused by nitrogen deposition, 309
 - losses caused by weathering over time, 309–311
 - particular nutrients limit different aspects of performance, 330
 - potential to mediate climate change effects, 312
 - tree mechanisms to actively manage access, 330–331
- solar (short-wave) radiation, 23
- SORTIE model, 113, 164
- SORTIE-ND model, 113, 121, 164

Cambridge University Press

978-1-107-04185-1 - Forests and Global Change

Edited by David A. Coomes, David F. R. P. Burslem and William D. Simonson

Index

[More information](#)

460 INDEX

- South America
 - land cover map, 240
 - spatial storage effect, 162
- Special Sensor Microwave Imager, 33
- species-area curves, 439–440
- species composition
 - changes in tropical forests, 91–93, 100–101
 - influence of soil resource gradients, 312–314
- species conservation
 - forest management approach, 36
- species distribution
 - impact of habitat fragmentation, 49–51
 - influence of water availability, 297
 - link with drought resistance, 294–297
 - mapping tools, 343–345
 - pressures from environmental changes, 343
- species diversity
 - influence of water availability, 297
- species identity effects, 203–204, 226
- species interactions, 227
 - along stress gradients, 58–59
 - facilitative plant interactions, 57, 58–59
 - negative interactions, 55–56
 - positive interactions, 57, 58–59
- species replacement
 - and active fire suppression, 115
- species richness
 - effects of anthropogenic disturbances, 427–430
- species-specific density dependence,
- species-specific negative density dependence, 408–414
- species-specific temporal variation, 414–417
- species traits
 - definition, 166–167
 - responses to changing resource availability, 5–10
- species variations
 - response to drought, 294–297
- spruce. *See* *Picea* spp.
- spruce budworm (*Choristoneura fumiferana*), 183
- spruce/fir forests, 110
- state variables
 - combination with traits, 167
 - definition, 167
 - rate of change, 167
- states of a community *See* state variables
- Stefan-Boltzmann constant, 23
- Stefan's Law, 23
- Stipa tenacissima*, 59
- stomata
 - responses in drought conditions, 275–276
- stomatal pores
 - evaporation from (transpiration), 24, 25
- stress-gradient hypothesis (SGH), 58–59
- structural change
 - tropical forests, 82–88
- structural equation modelling (SEM), 219
- successional coexistence, 162
- successional dynamics
 - factors affecting, 113–114
- successional forests
 - biomass change, 381–382
- successional mosaics, 440
- sugar maple (*Acer saccharum*), 115, 119, 312, 314, 320, 321, 331
- sulphur dioxide (SO₂)
 - reduction in emissions, 120
- sustainability concept, 197
- sustainable forest management, 36
- Sylvia* spp., 60
- synthetic community approach
 - tree diversity studies, 215–216
- Tabebuia rosea*, 214
- Tabebuia* spp., 344
- taxa
 - evidence of chemical signatures, 348–349
- technology
 - multidisciplinary approach to monitoring global change, 354
- tele-connections concept, 32–33, 40
- temperate forests (NE United States)
 - air pollution effects, 119–121
 - anthropogenic impacts on current and future forests, 114–121
 - conditions before European settlement, 110–111
 - differences in post-agricultural forests, 114–115
 - distinguishing climate change responses from other effects, 121–124
- ecoregions, 110
- effects of logging practices, 116–117
- evidence for long-term transient effects, 110–111
- features of, 110–111
- forest clearing and land abandonment, 114–115
- forest succession models, 121–124
- historical impact of Native Americans, 111
- impacts of pests and pathogens, 118
- introduction of exotic plant species, 118–119
- legacy of land-use history, 114–115
- neighbourhood models of forest dynamics, 113–114
- northern mixed hardwood/conifer forests, 110
- oak/hickory forests, 110
- pine forests, 110
- results of active fire suppression, 115
- species demography along climate gradients, 111
- species distribution along climate gradients, 111
- spruce/fir forests, 110
- wildfires, 111
- temperature increase
 - effects on chemical and biological processes, 99
 - inflection points for biological functions, 99
 - limiting factors for photosynthesis, 99–100

- temporal storage effect, 162
 - coexistence of multiple species, 184–185
- terminology used in global change science, 363–365
- terpenes, 40
- Tertiary, 57, 133
- The Economics of Ecosystems and Biodiversity (TEEB) study, 195
- theory in ecological science, 417–418
- thermal (long-wave) radiation flux, 23–24
- thrushes (*Turdus* spp.), 60
- Tilia americana*, 312, 314, 331
- Tilia cordata* (lime), 439
- timber production
 - effects of logging practices on temperate forests, 116–117
 - fast-growing tropical plantations, 36
 - historical debate between mixed and monoculture forests, 196–200
 - implications of management approach, 36
- time scales of anthropogenic impacts, 109–110
- time scales of forest ecosystem responses, 113–114
- trade-off between ecological strategies, 137, 143
- trait-based remote sensing, 345
 - canopy chemical traits, 345–346
 - ecological basis, 352–354
 - evolutionary basis, 346–349, 352–354
 - link between spectral and biological diversity, 349–352
 - multidisciplinary approach to monitoring global change, 354
- traits of species
 - changeable nature of, 167
 - combination with states, 167
 - definition, 166–167
- traits–states–rates (TSR) scheme, 164–166, 190
 - elements of the scheme, 166–167
 - in the Lotka–Volterra competition equations, 167–169
 - perfect plasticity approximation (PPA) model, 171–174
- transient dynamics
 - interactions in forest ecosystems, 110
 - temperate forests (NE United States), 110–111
- transpiration, 24, 25
 - mechanisms to minimise water loss, 275–276
- tree diversity
 - effects on ecosystem functioning, 201–205
- tree growth
 - responses to soil resource availability, 325–329
- tree harvesting
 - depletion of soil resources, 311–312
- tree of heaven (*Ailanthus altissima*), 119
- tree performance
 - effects of different nutrients, 330
 - importance of relationship with soil resources, 331–332
 - influence of soil resources, 312
 - mechanisms to manage soil nutrient access, 330–331
- TreeDivNet, 209, 227
- TROLL model, 145–146
- tropical broadleaf evergreen trees, 132
- tropical broadleaf raingreen trees, 133
- tropical forest biomass
 - influence of carbon dioxide (CO₂) increase, 95–97
- tropical forests
 - as carbon sinks, 131
 - biodiversity, 77–78
 - carbon emissions related to deforestation, 131
 - carbon sinks to carbon sources, 97–98
 - carbon stocks, 77
 - consequences of shifts in precipitation patterns, 261–262
 - drivers of changes, 95–97
 - drought impacts in Amazonia (2005), 93–95
 - dynamic changes, 88–91
 - functional changes, 91–93
 - future effects of changing precipitation patterns, 297–299
 - increase in net primary production (NPP), 95–97
 - level of resilience to change, 131–132
 - methods of measuring changes in, 78
 - moisture stress effects, 98–99
 - networked approach to study, 78–79
 - networked study methodology, 79–82
 - observed increase in biomass, 82–88
 - photosynthesis/respiration changes, 99–100
 - potential future sensitivity to changes, 97–101
 - projected future precipitation changes, 261–262
 - responses to variation in water availability, 262–263
 - role in the carbon cycle, 77–78
 - role in the hydrological cycle, 77–78
 - site-centred study, 78
 - species compositional changes, 91–93, 100–101
 - species distributions and global change, 343
 - structural change, 82–88
 - study results and discussion, 82–93
 - wide-ranging impacts of change, 77–78
 - see also* Amazon
- tropical plantations
 - ethical issues, 36–37
- tropical rain forests
 - evolution of, 133–136
- tropical tree life stages
 - responses to variable water availability, 265–273

462 INDEX

- tropical trees
 - whole-plant physiology, 141–144
- TRY database, 201
- Tsuga canadensis* (eastern hemlock), 116, 118
- Tsuga* spp., 110
- turgor loss point, 139–141
- Ulmus americana* (American elm), 118
- Ulmus* spp., 439
- UN Convention on Biological Diversity (CBD), 199
- UN-FCCC, 199
- uncertainty
 - terminology related to modelling, 363–365
- unified neutral theory of biodiversity and biogeography, 201
- vegetation
 - factors affecting albedo, 22–23
- vegetation roughness
 - and response to atmospheric conditions, 25–26
 - differences between forests and grassland/crops, 25–26
 - effects of deforestation, 30
- Vismia* spp., 135
- Vochysiaceae, 249
- volatile organic compounds (VOCs), 39
- voles
 - herbivory and ecosystem diversity, 210
- water
 - latent heat of vaporisation, 24
 - mass balance for the Amazon Basin, 30
- water availability
 - future effects of changing precipitation patterns, 297–299
 - influence on regeneration dynamics, 297
 - influence on species distribution, 294–297
 - influence on species diversity, 294–297
 - interannual variation, 285–287
 - local-scale variation in soil moisture, 289–292
 - regional variation in rainfall, 292–293
 - seasonal variation, 280–285
 - spatial variation, 287–289
 - temporal variation, 279–280
- water balance
 - large-scale effects of deforestation, 30–33
- water storage
 - influence on drought performance, 275
 - tropical forest and tropical pasture comparison, 27–29
- water use
 - tropical forest and tropical pasture comparison, 27–29
- white ash (*Fraxinus americana*), 312, 320, 331
- white oak (*Quercus alba*), 312, 325
- white-tailed deer (*Odocoileus virginianus*), 115
- whole-plant traits
 - and ecological strategies, 143
- wildfires. *See* fire
- wind speed
 - effects of different types of vegetation, 26
 - effects on convection, 24
- windthrow
 - temperate forests of NE United States, 110
- ‘winner’ species, 78
- wood density, 141
- wood production, 141
- xylem
 - factors affecting drought performance, 279
 - failure caused by drought, 141–143
 - vulnerability to cavitation, 141–143