

Index

Locators in **bold** refer to figures/tables/plates

Abbreviations in sub-headings

BOLD = blood-oxygen-level dependent signal

NOLB = natural organization of language and the brain

a priori models of language. *see* classical models

abstract language comprehension 83

accuracy of content, discourse analysis 45–49

action words, fMRI studies 10

active processing, NOLB model 111, 116–117

adaptive value. *see* evolutionary perspectives

Aesop's fable study 65–66

aesthetic responses, reading 135, 138, 143

aesthetic trajectory hypothesis 151

affective norms for English words (ANEW) 138, 139

affective processes. *see* emotional responses; hot affective processes

affiliated processes, naturalistic paradigms 229, 230

agrammatic. *see* non-fluent primary progressive aphasia

airplane or bird example, NOLB model 103, 113–115, 116–117

Alzheimer's disease (AD)

connected speech production 32–34, 33

discourse analysis 47

lexicon 42–43

speech output/discourse analysis 36

speech sample 54

ambiguity, linguistic 102, 103–105, 109

amygdala 150

analogical reasoning 215–217

anger 149–150. *see also* emotional responses

angular gyrus 64–65

anterior insula 150

anterior intraparietal sulcus 238

anterior temporal lobe

behavioral variant frontotemporal

dementia 46–47

neurocognitive poetics model 145–146, 148

simulation hypothesis of literary reading 145–146

situation models 64–65

aphasia, post-stroke 124. *see also* primary progressive aphasia

apraxia of speech, connected speech

production in 38–40

argument hierarchy account, syntactic processing 162–163

artifacts, neural signals 194

associative multiple read-out (AROM) model 148

attention

foregrounding effects 151

naturalistic comprehension paradigms 234–236

auditory imagery, sensorimotor simulations 70–71

auditory scaffolding hypothesis 242

autonomic nervous system (ANS) 244–249

background effects, neurocognitive poetics model 146–147, 148–151

basic processes, naturalistic paradigms 230–231

basketball example, fMRI study 16

beaker example, non-linguistic context 82

beat gestures 89

behavioral variant frontotemporal dementia (bvFTD)

clinical studies 207–208

discourse analysis 36, 46–47

Index

257

- speech rate 32–34, **33**, 37–38
 speech samples 53
Berlin Affective Word List (BAWL)
 138–139
Biasless Identification of Activated Sites by Linear Evaluation of Signal Similarity (BIASLESS) approach 20–21
 biological motion, sensorimotor simulations 69
 bird or airplane example. *see* airplane or bird example
 blood-oxygen-level dependent (BOLD) signal
 autonomic effects 244–249
 naturalistic comprehension 231, 232–234
 neurocognitive poetics model 152
 peak and valley analysis 18–19, 25
see also fMRI studies
Boston Diagnostic Aphasia Examination 31–32
 boxological models 144. *see also* neurocognitive poetics model
Brain and Poetry (Schrott & Jacobs) 143
 brain hemispheres, lateralization 152–153. *see also* right-hemisphere networks
BrainMap database 107
 Broca's region 5–6, 11, 105–107, 174–176
 context appropriateness 166–169
 controversies surrounding 160–162
 predictive coding 169–170
 story-telling 187
 syntax/syntactic processing 160–165, **167**
 within-sentence contextual effects 170–172
 word frequency effects 170
 working memory 162–163, 172–174
 care, neurocognitive poetics model 149–150
 classical models
 fMRI studies 17, 18, 20, 25, 105–107, **106**
 limitations 101–103, 109
 cnets. *see* context networks
 co-active regional networks, fMRI studies 13
 cognitive empathy, neurocognitive poetics model 150–151
 “cold” cognition
 naturalistic comprehension paradigms 234
 reading 137–138
 communication in dialogue 183–184. *see also* multi-brain perspective
 competition, context networks 112, 114–115, 120–121
 comprehension of language 5
 abstract vs. concrete 83
 language-centric theories 78–79
 and language production 49
 situation models 64–65
see also naturalistic comprehension paradigms; non-linguistic context in comprehension
 computational overlap hypothesis, novel shared symbols 211–212
 concrete language comprehension 83
 connectedness, global/local 45–49
 connectivity hubs, networks 108
 content, narrative 231–232
 context/contextual information
 Broca's region 164–169, **167**, 170–172
 fMRI studies 8, 9, 14–16, 25, 237–239
 limitations of classical models 101–103
 NOLB model 103–105, **105**, 119–120
see also endogenous context; exogenous context; non-linguistic context
 context networks (cnets) 101, 112, 113–117, 119–120
 cooperation/competition 112, 114–115, 120–121
 multiple subnetworks 118–119
 oscillations/predictions 116–117, 121–122
 reinstatement 119–120
 self-organizing systems 117–118
 speed/metabolic savings 117, 122–123
 weighting 115
 continuous streams of information, fMRI studies 16–19, 26. *see also* event segmentation theory
 controlled language research (experimental control) 1–3
 convergence, multi-brain perspectives 183–184, 189–190
 conversation. *see* multi-brain perspective, dialogue
Cookie Theft scene, Boston Diagnostic Aphasia Examination 31–32
 cooperation, context networks 112, 114–115, 120–121
 co-speech gestures
 fMRI studies 10, 15, 19
 limitations of classical models 101–103
 data-driven discovery methods 22–24, 25
 defamiliarization, foregrounding effects 151
 default-mode network (DMN) 245
 definitions
 context 103
 natural language 4–5
 situation models 60

258 Index

- dialogue. *see* multi-brain perspective, dialogue
- D**ictionary of Affect (Whissell *et al.*) 139
- diffusion tensor imaging 37–38
- discourse analysis
- context 238–239
 - neurodegenerative diseases 45–49
- diseases. *see* neurodegenerative diseases
- dorsal anterior cingulate cortex 145–146
- dorsal posterior cingulate cortex 145–146
- dorsal premotor cortex 66–67
- dorsomedial prefrontal cortex
- behavioral variant frontotemporal dementia 46–47
 - neurocognitive poetics model 148, 150
 - situation models 63–64, 65–67, 68
- dual-stream models 108
- ecological laboratory tradition, language research 2
- ecological validity 2–3
- electroencephalography (EEG) 187–188, 193–194, 246
- ELN (extended language network) 65
- emotion potential of texts, neurocognitive poetics model 139–141, 141
- emotional competencies, reading as source of 144
- emotional responses
- naturalistic comprehension paradigms 230, 232–234
 - neurocognitive poetics model 149–150
 - reading 136–137
 - words 138
- see also* “hot” affective processes
- empathy 136, 145–146, 150–151, 231–232
- endogenous (neural) context
- fMRI studies 14–16, 25
 - NOLB model 103–104
- environmental context. *see* exogenous context
- event gestalts, neurocognitive poetics model 148
- event-indexing model, working models 61
- event-related brain potentials (ERPs)
- 77–78, 93–95
 - linguistic versus visual context effects 90–91
 - linking issues 91–93
 - non-linguistic context 87–90
 - time course of visual attention 81–86
- see also* non-linguistic context
- event segmentation theory (EST)
- fMRI studies 16–18, 25
 - global updating of working models 61–62
- see also* continuous streams of information
- evolutionary perspectives
- communication 202
 - reading 135, 136–137
- exogenous (environmental) context
- fMRI studies of natural language 14–16, 25
 - multi-brain perspective 193–194
 - NOLB model 103–104
- experimental control 1–3
- experimental semiotics. *see* novel shared symbols
- explicit conditions, situation models 63–64
- extended language network (ELN) 65
- external predictor models, fMRI studies 20
- extratextual reality 147
- eye tracking 77–78
- predictions of language input 121
 - time course/temporal correlations 81–86
- see also* non-linguistic context
- FA (fractional anisotropy) 37–38, 45
- facial expressions, multi-brain perspective 186
- facial movements 8. *see also* contextual information
- facts vs. fiction, simulation hypothesis 145–146
- familiarity 148, 151
- fear 149–150. *see also* emotional responses
- feeling of familiarity, neurocognitive poetics model 148
- fiction feeling hypothesis 150
- fictional genres 145–146
- figurative language processing 141–143, 152–153
- fluency, neurodegenerative diseases 34
- fMRI studies of natural language 5, 8–10, 14–26, 228–229
- autonomic effects 244–249
- classical models 17, 18, 20, 25, 105–107, 106
- early studies/methodology 10–14
- multi-brain perspectives, dialogue 185–187, 193–194
- neurodegenerative diseases 47–49
- newer directions 14–24
- novel shared symbols 210–211
- resting state approaches 118–119
- situation models 63–65
- see also* blood-oxygen-level dependent signal; Broca’s region; naturalistic comprehension paradigms
- fNIRS (functional near-infrared spectroscopy) 194
- foregrounding effects, neurocognitive poetics model 146–147, 151–153

Index

259

- formalist contract, reading 144
 foundation laying, updating of working models 62
 fractional anisotropy (FA) 37–38, 45
 Frege, Gottlob 140
Frog, Where Are You? children's picture book task 31
 frontal lobes, theory of mind 210
 frontoparietal control network 145–146
 frontopolar cortex 145–146
 frontotemporal dementia (FTD) 32–34, 32–33, 37–38, 207–209. *see also* behavioral variant frontotemporal dementia; semantic dementia
 Fry, Stephen, quotation 101
 functional connectivity analysis, fMRI studies 13–14
 functional magnetic resonance imaging. *see* fMRI studies
 functional near-infrared spectroscopy (fNIRS) 194
 functionalist–cognitivist paradigms 161, 162–164, 169–170
 fusiform gyrus 247
- general linear model (GLM), fMRI studies 12–13
 generativist transformation-based theories, syntactic processing 161, 162–164
 genres, literary 144–145
 gestures
 multi-brain perspective, dialogue 185–186, 187–188
 naturalistic comprehension paradigms 249
 see also co-speech gestures
 global connectedness, discourse analysis 45–49
 global updating, working models 61–62, 71
The Good, The Bad, and The Ugly film study 21–22
 grammar, neurodegenerative diseases 43–45
 Granger causality 185
 gray matter atrophy 45
 guided introspection 6
- Harry Potter books study 141
 heart-rate variability (HRV) studies 245
 hemispheres, lateralization 152–153. *see also* right-hemisphere networks
 Hoffmann, E. T. A. 140, 141, 149–150
 “hot” affective processes
- naturalistic comprehension paradigms 234
 reading 135, 137–138
see also emotional responses
 “how” principles, NOLB model 112, 113–117
 hyperscanning 184
- IAPS (International Affective Picture System) 138
 identification, neurocognitive poetics model 150–151
 imagery, mental, sensorimotor simulations 70–71
 immersion, neurocognitive poetics model 136, 149–151
 incremental updating, working models 61
 independent component analysis (ICA) 22–24, 25
 inference condition, situation models 63–64
 inferior frontal cortex 46–47, 64–65
 inferior frontal gyrus (IFG) 160–162
 attention 235
 context 239
 fMRI studies 11–12
 naturalistic comprehension paradigms 247
 neurocognitive poetics model 150
 prediction and statistical learning 242–243
 situation models 64–65, 66–67
 see also Broca’s region
 inferior parietal lobule (IPL) 145–146
 insight impairment, frontotemporal dementia 207–208
 intention recognition system, multi-brain perspective 185
 interactive nature of dialogue 191–193
 International Affective Picture System (IAPS) 138
 interpretation preferences, visual attention 85
 inter-subject correlations, fMRI studies 21–22, 25
 interventions for language disorders 124
 intraparietal sulcus 64–65
 intra-subject correlations, fMRI studies 20–21, 25
- keyhole error, naturalistic comprehension 229–231
- laboratory language research 1–2. *see also* experimental control
 language-centric theories, comprehension 78–79

260 Index

- language disorders, therapeutic interventions 124
- language production, and comprehension 49
- language research
- controlled/simplified stimuli tradition 1–2
 - ecological laboratory tradition 2
 - natural language 1, 2, 3–5
 - see also* comprehension of language; fMRI studies; speech
- lateral frontopolar region 145–146
- lateral orbital region 64–65
- lateral premotor cortex 66
- lateralization hypothesis, neurocognitive poetics model 152–153. *see also* right-hemisphere networks
- left inferior frontal gyrus 160–162. *see also* Broca's region
- lesion-based studies 11, 161–162
- Lewy body disease (LBD)
- connected speech production in 32–34, 33
 - discourse analysis 47–49
 - speech sample 54–55
- Lewy body spectrum disorder (LBSD)
- connected speech production in 32–34, 33
 - discourse analysis 47–49
 - grammar 44
 - production and comprehension of language 49
 - speech rate 37–38
- lexicon
- language comprehension 78
 - neurodegenerative diseases 40–43
- linguistic ambiguity 102, 103–105, 109
- linguistic references, and working memory 173–174
- linguistic vs. visual context effects 90–91. *see also* non-linguistic context
- linking issues, non-linguistic context 86–87, 91–95
- literal vs. figurative language processing 141–143
- literary reading. *see* neurocognitive poetics model
- literature search, contextual information 104–105
- local connectedness, discourse analysis 45–49
- logopenic variant primary progressive aphasia
- grammar 43–45
 - lexicon 42
 - speech output/discourse analysis 36
- speech rate 37–38
- speech sample 52–53
- long-term memory 61
- magnetic resonance imaging. *see* fMRI; structural MRI
- magnetoencephalography (MEG) 211–212, 246
- manual movements 8. *see also* contextual information; gestures
- many-to-many structures-to-functions mapping 11
- map tasks 193
- mapping, updating of working models 62
- mean length of utterance (MLU), neurodegenerative diseases 44
- meaning gestalts, neurocognitive poetics model 146–147
- meaning-making. *see* novel shared symbols
- meaning-mapping, computational features of communicative interactions 215–217
- medial frontal cortex 64
- medial prefrontal cortex (mPFC)
- multi-brain perspective, dialogue 187, 189
 - neurocognitive poetics model 152
 - simulation hypothesis 145–146
 - theory of mind 204, 210
- media-psychological model, reading 145
- MEG (magnetoencephalography) 211–212, 246
- memory
- long-term 61
 - naturalistic comprehension paradigms 236–237
 - NOLB model 116–117
 - see also* working memory
- mental imagery, sensorimotor simulations 70–71
- mentalizing 186, 189, 204. *see also* theory of mind
- metabolic savings, context networks 117, 122–123
- metaphor. *see* figurative language processing
- middle cingulate cortex 150
- middle cingulate gyrus 240–241
- middle temporal gyrus (MTG) 247
- sensorimotor simulations 70–71
 - situation models 65–67
- Mini Mental State Examination (MMSE) 47
- mirror neuron system 185–186, 189
- mirroring 203–204
- MLU. *see* mean length of utterance

Index

261

- moment-by-moment language
 comprehension 79–81. *see also*
 non-linguistic context; time course
 studies
- mood induction
 narrative experience 234
 poetry 149–150
- mood management theory, reading 145
- motivation, neurocognitive poetics model
 144–145
- movement
 noise, neural signals 194
 sensorimotor simulations 69
- movie perception 240–241
- MRI. *see* fMRI; structural MRI
- multi-brain perspective, dialogue 6,
 182–183, 195
 communication in dialogue 183–184
 future research challenges 191–194
 recording methodology 184–191
- multiple subnetworks, context networks
 118–119
- multiple-read-out (MROM) model 148
- musical structure 244. *see also* piano
 example; tone perception
- N400 effect 87–90, 91, 93–95, 240
- narrative experience
 autonomic effects 245–246
 emotional responses 232–234
 naturalistic comprehension paradigms
 231–232
- natural language, definition 4–5
- natural language research 1, 2, 3–5. *see also*
 fMRI studies of natural language;
 naturalistic comprehension paradigms
- natural selection. *see* evolutionary
 perspectives
- naturalistic comprehension paradigms 6,
 228–229, 231, 232–234, 249–250
 affiliated processes 229, 230
 attention 234–236
 autonomic effects 244–249
 basic processes 230–231
 BOLD response 231, 232–234
 context 237–239
 emotional responses 230, 232–234
 experience of narrative 231–232
 keyhole error 229–231
 memory encoding 236–237
 prediction and statistical learning
 242–244
 semantic baselines 229, 246–248
 shared systems, linguistic and
 non-linguistic 240–242
- naturalistic settings, situation models
 65–68. *see also* NOLB model
- networks, co-active regions
 connectivity hubs 108
 fMRI studies 13
 limitations of existing models 101–103
 NOLB model 110
see also context networks (cnets)
- neural context. *see* endogenous (neural)
 context
- neuroanatomy, NOLB model 112, 113–117
- neurobiological studies
 contextual information 119
 NOLB model 112, 113–117
- neurocognitive model, language
 comprehension 78
- neurocognitive poetics model of literary
 reading 5, 135–136, 142, 143–144,
 153
- backgrounding/background effects
 146–147, 148–151
- Berlin Affective Word List 138–139
- “cold” cognition and “hot” affective
 processes 137–138
- emotion potential of texts 139–141, 141
- evolution of reading 136–137
- foregrounding/foregrounding effects
 146–147, 151–153
- immersion/identification/affective
 empathy 150–151
- immersion/suspense 149–150
- literal versus figurative processing
 141–143
- meaning gestalts 146–147
- reading motivation 144–145
- simulation hypothesis of literary reading
 145–146
- neurodegenerative diseases, connected
 speech production 5, 29–30, 49–50
- demographic/clinical characteristics of
 subjects 33
- discourse analysis 45–49
- eliciting connected speech 31–38
- grammar 43–45
- lexicon 40–43
- production and comprehension of
 language 49
- speech errors/speech apraxia 38–40
- speech rate 35–38, 36
- speech samples 50–55
- see also* frontotemporal dementia; primary
 progressive aphasia
- neurophysiology
 NOLB model 112, 113–117
- situation models 63–65

262 Index

- neuropsychological approach (lesion-based studies) 11, 161–162
nodes, context networks 112, 113–117
noise, neural signals 194
noise variance 9
NOLB model (natural organization of language and the brain) 5, 101–103, 123–124
basic outline of 109–112
and classical models 105–107, **106**, 124
and contemporary models 107–109
contextual information 103–105, **105**
principles 112, 113–117
see also context networks (cnets)
non-continuous measures, language comprehension 79
non-fluent variant primary progressive aphasia 32–34, **33**
grammar 44
silences 42
speech errors/speech apraxia 38–40
speech output/discourse analysis **36**
speech rate 35, 37–38
speech sample 51
words per minute 35–37
non-linguistic context in language
comprehension 5, 77–78, 93–95
event-related brain potentials 87–90
language-centric theories 78–79
linguistic versus visual context effects 90–91
linking issues 86–87, 91–95
time course/temporal correlations 81–86
visually situated theories/methodology 79–81
non-verbal/verbal representations, NOLB model 110
nouns, semantic variant primary progressive aphasia 41
novel shared symbols 6, 201–207, 217–220
clinical studies 207–210
computational features of interaction 215–217
computational overlap hypothesis 211–212
fMRI studies 210–211
neural mechanisms 210–215
referential communication 201
Tacit Communication Game 205–207, 210–211
object-subject (OS) structures 162–164
object-subject-verb (OSV) structures 89, 93–95
observational studies, limitations 43
“One Boy’s Day” study 66–67
one-to-one structure-to-function models
11. *see also* univariate activity maps
oscillations, context networks 121–122
P600 effect (syntactic positive shift) 87–90, 91–95, 240
parahippocampal cortex 67
parahippocampal gyrus 70
paraphrase conditions, situation models 63–64
parietal lobe 64–65
Parkinson’s disease (PD) 32–34, **33**, **36**
Parkinson’s disease with dementia (PDD) 32–34, **33**, 47–49
pars opercularis/orbitalis/triangularis 11–12
parsing, computational features 215–217
peak-and-valley analysis, BOLD response 18–19, 25
perception, NOLB model 116–117
perspective taking 215–217. *see also* theory of mind
phonemic errors 39–40
phonetic errors 39–40
piano example, non-linguistic contexts 82
picture-sentence verification 79–81
poetry, mood induction 149–150. *see also* neurocognitive poetics model of literary reading
polar prefrontal region 47
positive anymore speech construction 30
posterior cingulate cortex 148, 240–241
posterior superior temporal sulcus (pSTS)
naturalistic construction of situation models 65–66
novel shared symbols 212–214, 217–220
PPA. *see* primary progressive aphasia
Praat signal-processing software 32
precuneus
movie perception 240–241
neurocognitive poetics model of literary reading 148
simulation hypothesis of literary reading 145–146
situation models 65–66, 67, 68
story-telling 187
prediction
Broca’s region 169–172, 175–176
context networks (cnets) 116–117, 121–122
naturalistic comprehension paradigms 242–244
prediction error account, syntax/syntactic processing 162–163

Index

263

- prefrontal cortex (PFC)
 - naturalistic construction of situation
 - models 67
 - sensorimotor simulations 70
 - simulation hypothesis of literary reading 145–146
- premotor cortex
 - gestures 249
 - sensorimotor simulations 70–71
- primary code, neurocognitive poetics model 147
- primary progressive aphasia (PPA) 32–34, 33
 - grammar 43–45
 - lexicon 40–43
 - speech errors/speech apraxia 38–39
 - see also* logopenic variant primary progressive aphasia; nonfluent/agrammatic variant primary progressive aphasia; semantic variant primary progressive aphasia
- priming
 - non-linguistic contexts 85
 - structural 170
- pronouns, semantic variant primary progressive aphasia 41
- prosocial motivation, neurocognitive poetics model 151
- protagonist perspective network 148
- PubMed literature search, contextual information 104–105
- qualitative differences in comprehension 85
- reading
 - “cold” cognition/“hot” affective processes 137–138
 - evolution of 136–137
 - motivation 144–145. *see also* neurocognitive poetics model
 - real-time language comprehension 79–81. *see also* time course studies
 - recording methodology multi-brain perspective 184–191
 - referential processes
 - non-linguistic contexts 81–86, 93–95
 - novel shared symbols 201.
 - see also* context/contextual information
 - regional specialization, fMRI studies 15
 - reinforcement-learning algorithms 203
 - reinstatement, context networks 119–120
 - relative diversity, prediction and statistical learning 243–244
- resting state approaches
 - fMRI studies of natural language 118–119
 - naturalistic comprehension paradigms 247–248
- right temporal pole 148
- right-hemisphere networks
 - clinical studies 207
 - neurocognitive poetics model 141–143, 148, 152–153
- Rowling, J. K. 141
- salience, event-indexing model 61
- The Sandman* (Hoffmann) 140, 141, 149–150
- search theme maintenance, discourse analysis 45–49
- secondary code, neurocognitive poetics model 147
- secondary somatosensory cortex 150
- seed-based functional connectivity analyses, fMRI studies 13–14
- segmentation of inputs
 - movie perception 240–241
 - situation models 60–63
 - tone perception 241
 - see also* continuous streams of information; event-segmentation theory
- self-organizing systems, context networks (cnets) 117–118
- self-reflective responses 136, 143
- semantic baseline problem, naturalistic comprehension paradigms 229, 246–248
- semantic dementia 208
- semantic processing
 - linguistic versus visual context effects 90
 - neurocognitive poetics model of literary reading 152–153
 - non-linguistic context in language comprehension 86–87
- semantic variant primary progressive aphasia 32–34, 33
 - grammar 43
 - lexicon 40–42
 - speech output/discourse analysis 36
 - speech rate 37–38
 - speech samples 51–52
- semiotics, experimental. *see* novel shared symbols
- sensorimotor cortex 70–71
- sensorimotor simulations, situation models 68–71, 72
- sequential structure, prediction and statistical learning 242–244

264 Index

- Shannon, Claude 202
 shifting 62, 67
 silences, neurodegenerative diseases 34–35, 41–42
 simplified language research 1–2. *see also* experimental control
 simulation hypothesis of literary reading 145–146
 simulations, sensorimotor 68–71, 72
 situation models 5, 59–60, 72
 naturalistic construction 65–68
 neurophysiology 63–65
 segmentation of narrative into events 60–63
 sensorimotor simulations 68–71, 72
 social cognition 247
 social information, reading as source of 144
 speech apraxia 38–40
 speech rate, neurodegenerative diseases 35–38, 36
 speech samples, neurodegenerative diseases 50–55
 speed, context networks (cnets) 117, 122–123
Sphärengeruch (spheric fragrance) of words 136–137
 state space semantic, NOLB model 110
 statistical learning 242–244
 sterile environment analogy 6–7. *see also* experimental control
 story-telling
 multi-brain perspective 186–187
 structural-affect theory 149
 see also narrative experience
 neurocognitive poetics model
 strength of contingencies 243–244
 structural-affect theory, stories 149
 structural magnetic resonance imaging (MRI) 37
 structural priming 170
 structure-building, updating working models 62
 structure tracking, prediction and statistical learning 242–244
 subject-object (SO) structures 162–164
 subject-object-verb (SOV) structures 89, 93–95
 subjective segmentation, fMRI 16–18, 25
 subjectivity, reading 136
 subnetworks, multiple 118–119
 superior frontal cortex
 behavioral variant frontotemporal dementia 46–47
 situation models 63–65
 superior frontal gyrus (SFG) 239
 superior parietal lobe 238
 superior temporal gyrus (STG)
 attention 234–236
 fMRI studies 11
 naturalistic construction of situation models 67
 novel shared symbols 214–215
 sensorimotor simulations 70–71
 superior temporal sulcus
 attention 234–236
 context 239
 multi-brain perspective, dialogue 185
 neurocognitive poetics model 150
 situation models 64–65
 theory-of-mind 204, 210
 supramarginal gyrus (SMG) 238
 supratemporal plane 234–236
 surface form 60
 suspense, neurocognitive poetics model 136, 149–150
 SWIFT model of eye-movement control 148
 symbols, novel. *see* novel shared symbols
 syntactic positive shift. *see* P600 effect
 syntax/syntactic processing
 Broca’s region 160–165, 167
 discourse context 164–169
 language comprehension 78–79, 86–87
 Tacit Communication Game 205–207, 210–211
 tangram task 193
 temporal dimensions. *see* time course studies
 temporal lobes
 atrophy, semantic dementia 208
 novel shared symbols 212, 217–220
 temporal poles, and theory of mind 204, 210
 temporal-parietal cortex 67
 temporal variant frontotemporal dementia (semantic dementia) 208
 temporo-parietal junction (TPJ)
 neurocognitive poetics model 150
 theory-of-mind 204, 210
 textbase, situation models 60
 thematic role assignment, non-linguistic contexts 92
 theory of mind (ToM) 145–146, 231–232
 computational features of interactions 215–217
 multi-brain perspective, dialogue 186, 189
 neurocognitive poetics model 148, 150
 novel shared symbols 204, 210, 219–220
 therapeutic interventions for language disorders 124

Index

265

- time course studies
 Broca's region 175–176
 multi-brain perspective, dialogue
 187–188, 190–191
 non-linguistic contexts 79–86
ToM. *see* theory of mind
tone perception 241
tool use 247
- unification model, syntactic processing
 162–163
univariate activity maps, fMRI studies
 12–13
- validity, ecological 2–3
ventral striatum 152
ventromedial prefrontal cortex (vmPFC)
 65–66, 208–210, 212, 217–220
verbal representations, NOLB model 110
verbs, semantic variant primary progressive
 aphasia 41
virtual reality devices, multi-brain
 perspectives 194
visual perception 4
visually situated language comprehension
 79–81. *see also* non-linguistic context
- weighting, context networks (cnets) 115
Wernicke's area 11, 102, 105–107, 187
“what” principles, NOLB model 112,
 113–117
white matter, neurodegenerative diseases
 37–38
“why” principles, NOLB model 112,
 113–117
within-sentence contextual effects
 170–172
Wittgenstein, Ludwig, quotation 101
word frequency effects, Broca's region 167,
 170
word–object relationships 85
words, neurocognitive poetics model
 136–137, 138
words per minute (WPM),
 neurodegenerative diseases 34,
 35–37. *see also* speech rate
working memory 61
 attention 236
 Broca's region 162–163, 172–174
working models
 global/incremental updating 61–62, 71
 situation models 61
structure-building framework 62