

Index

- ABCD estimator, 120, 203
 adaptive optics, 76, 77, 84, 85, 87, 97, 126,
 152, 156, 159, 160, 164, 172, 173, 177,
 178, 183, 216
 Airy disc, 3, 4, 40
 AMBER, 115, 117, 118, 186, 188, 207
 APD, 122
 aperture masking, 91, 125–127, 187, 243, 244,
 247
 aperture synthesis, 50
 array layout, 44, 103, 126, 127
 astrometry, 13, 92
 atmospheric turbulence, 56, 59, 207
 avalanche photodiodes, 121

 bandwidth smearing, 29
 baseline bootstrapping, 176, 177, 209
 baseline reconfiguration, 44
 baseline vector, 5, 17–19, 46, 106
 Bayesian inference, 198, 218, 219, 223, 225
 beam combination
 co-axial, 110, 111, 115, 117, 120–122
 Fizeau, 110, 127
 image-plane, 109, 110, 112, 114, 116, 126,
 127
 pupil-plane, 6, 73, 74, 109, 110, 116, 125
 temporally coded, 8, 111, 117
 beam relay, 44, 63, 97
 bispectrum, 66–69
 bispectrum phase error, 133
 BSMEM, 234, 237

 calibration, 72, 73, 101, 151, 190, 191, 194,
 198, 207, 211–216, 238, 239
 CHAMP, 120

 CHARA, 47, 92, 93, 98, 99, 108, 119, 120,
 185, 187
 chromatic dispersion, 65, 89, 90, 96, 98, 103,
 108, 115, 116, 210
 CLEAN, 239
 closure amplitude, 212
 closure phase, 63, 64, 66–68, 88, 125, 128,
 132, 133, 150, 189, 209, 212, 214, 228,
 230–234, 245
 COAST, 115, 168
 coherence length, 28
 coherent averaging, 217
 comb function, 254
 cone effect, 164
 convolution, 27, 41, 42, 48–50, 202, 204, 228,
 231, 252, 253
 correlator, 101

 deconvolution, 239
 degeneracy, 227
 delay lines, 6, 13, 32, 63, 87, 105, 108, 123,
 127, 172
 delta function, 38, 42, 202, 204, 251, 252, 254
 detection noise, 134, 137, 143, 151, 184, 210,
 211
 detectors, 121, 122, 135–138, 144, 146, 179
 diffraction limit, 51, 52, 110, 114
 discrete Fourier transform, 144, 200–205, 207,
 210, 211
 dispersed fringes, 186
 double-Fourier interferometry, 117
 dual-feed interferometers, 172
 dual-feed system, 172
 dynamic range, 155, 239, 241, 242

- Earth rotation synthesis, 45, 46, 128
 electron-multiplying CCD, 122, 138
- FFT, 201
 field of view, 18, 20, 29, 50–52, 97, 110, 127, 182, 188
 FINITO, 186
 FLUOR, 119
 Fourier transform, 26, 27, 36–38, 248–254
 Fraunhofer diffraction, 3
 frequency upconversion, 142
 Fresnel diffraction, 100
 Fried parameter r_0 , 56–59
 fringe envelope, 27–29, 33, 34, 89, 110, 153, 166–168, 170, 200–202, 204, 207
 fringe tracking
 coherencing, 88, 89, 171, 183
 cophasing, 88, 89, 127, 152, 164, 165, 171–173, 176, 183, 208, 209
 group delay, 165, 167, 170, 171, 178, 183, 216
- GRAVITY, 92
 group delay, 32, 34, 65
- Hermitian symmetry, 43, 46, 51, 241, 254
- image reconstruction, 66, 104, 182, 218, 227, 228, 234, 235, 237, 238, 243, 246, 247
 incoherent averaging, 67, 151
 integrated classical intensity, 137, 143, 197
 integrated optics, 119, 120
 interferogram, 143, 197–199, 208
 invisible distributions, 226
 isoplanatic angle, 162
- jinc function, 40
- Kolmogorov turbulence, 55, 56, 61, 76, 79
- laser guide star, 163–164
 LBT, 92, 110, 127
 limb darkening, 41
- Maréchal approximation, 70, 71, 75
 Mark III interferometer, 203
 maximum entropy, 235–238
 Michelson visibility, 23, 24
 model fitting, 221, 244
 MROI, 92, 98, 99, 105, 108, 177
- non-redundant, 44, 112, 113, 116, 126, 127, 177, 234
 NPOI, 91, 93, 98, 99, 105, 108
- object brightness distribution, 17, 19–21, 24, 25, 39, 42, 47, 62, 197, 223, 226, 231
 OIFITS, 216–218, 220, 224, 237
 OPD, 11
 optical fibre, 83, 84
 single-mode fibre, 84, 85, 115, 116, 156, 207, 212
 outer scale, 60, 61, 79, 80
- phase rotation, 209
 phase-referenced averaging, 208
 phase-stable interferometer, 37
 photometric calibration, 212
 photon degeneracy parameter, 141
 photon noise, 136, 138
 pinhole, 83, 84, 97, 114, 115
 PIONIER, 119, 120, 227
 piston wavefront mode, 78–80, 82, 87, 88, 96, 109, 113, 123, 126, 164, 172, 173, 176, 199, 208, 212
 point-spread function, 49
 polarisation, 99, 103, 115, 214
 power spectrum, 129
 bias, 146, 210
 of fringes, 67
 of seeing, 57, 59
 primary beam, 51
 PTI, 172, 203, 216
- quantum efficiency, 121, 137, 197
 quasi-monochromatic, 25, 99
- radio interferometry, 23, 29, 37, 49, 51, 63, 94, 101, 103, 138, 139, 141, 142, 175, 193, 212, 214, 238, 239, 246
 random-walk visibility model, 71–72, 130–132, 134
 Rayleigh criterion, 4, 49
 Rayleigh distance, 100
 readout noise, 88, 121, 122, 137, 138, 144, 146, 184, 207–211
 redundant-spacing calibration, 234
 refractive index, 33, 54, 55, 58, 89
 regularisation, 225–227
 resel, 29, 174, 237
- scintillation, 60
 seeing, 53–61, 215

Cambridge University Press

978-1-107-04217-9 - Practical Optical Interferometry: Imaging at Visible and Infrared Wavelengths

David F. Buscher

Index

[More information](#)

Index

267

- seeing coherence time t_0 , 59, 178
- self-calibration, 238
- semiclassical approximation, 136
- Shack–Hartmann sensor, 160
- siderostat, 5, 94
- signal-to-noise ratio, 110, 120, 121, 131, 132, 146, 147, 150, 152–156, 158, 160, 165–167, 170, 171, 173–177, 182–184, 188, 199, 205, 208–210, 213, 232
- simulation, 57, 80–82
- sinc function, 27
- singular value decomposition, 207
- spatial filtering, 82–84, 97, 101, 113–115, 119, 156
- spatial frequency, 36, 251
- spectral differential phase, 64–66, 73, 88, 189, 217
- spectro-interferometry, 29, 116, 117
- Strehl ratio, 161, 162
- structure function, 56, 57, 59, 61
- super-resolution, 237
- SUSI, 62, 91, 95, 96, 98
- synthesised beam, 49
- synthesised image, 47, 48, 241
- system visibility, 214–216, 220
- Taylor hypothesis, 59, 60
- telescopes, 92, 94, 97, 110, 172
- tip–tilt correction, 156
- top-hat function, 27, 40, 170, 204, 228, 254
- uniform disk, 223
- VEGA, 187
- VINCI, 119, 213
- VLBMEM, 238, 246
- VLTI, 48, 92, 95–98, 100, 104, 105, 119, 180, 186, 189, 213, 227
- white-light fringe, 28, 170, 171
- Zernike wavefront modes, 77–82, 85, 123, 158, 160
- zero-spacing flux, 20, 25, 214