

## Index

- $^{10}\text{B}$ -enriched boron trifluoride ( $\text{BF}_3$ ), 71  
 $^3\text{He}$ -filled proportional counters, 71
- absolute gain measurement, 188  
 absorption coefficient for mixtures, 45  
 absorption cross section, 45  
   xenon, 47  
   photons in tungsten, 46  
   saturated hydrocarbons, alcohols, DME, 50  
 absorption length, 44–5  
   mylar, 67  
 aclar transparency, 67  
 ageing  
   of micro-pattern detectors, 459  
   of micro-strip chambers, 457  
   of resistive plate chambers, 455  
 ALEPH TPC, 298  
 ALICE proximity focusing RICH, 423  
 ALICE time-of-flight, 357  
 ALICE TPC, 299  
 argon dimer, 132  
 astronomy and polarimetry, 398  
 attachment coefficient, 109  
 attachment cross sections, 22  
 attachment probability, 107  
 Auger effect, 58  
 avalanche  
   angular spread, 238  
   charge multiplication, 183  
   fluctuations, 149  
   multiplication on cathode edges, 373  
   statistics, 149
- bakelite, 346  
   laminates, 351  
   RPC, 347  
 bent crystals, 11  
 Bethe–Bloch expression, 29  
 binding energy, 56  
 breakdown mechanisms, 233
- bremsstrahlung, 25  
 bubble chamber, 2  
 burning organic deposits, 452
- calcium fluoride windows, 400  
 carbon tetrafluoride, 315, 453  
 carbon vapour deposition, 369  
 cathode charge distribution, 237  
 cathode induced signals, 234  
 cathode strip chambers, 256  
 cathode-induced charge, 42  
 centre-of-gravity, 236  
 $\text{CF}_4$  scintillation, 433  
 channelling, 11  
 charge induction on conductors, 160  
 charge induction through resistive electrodes, 329  
 charge multiplication factor, 146  
 charge multiplication process, 21  
 charge pre-amplifier, 383  
 Charpaktron, 15  
 Cherenkov angle, 403  
 Cherenkov effect, 54  
 Cherenkov photon emission, 25  
 Cherenkov ring imaging, 13–14  
 choice of the gas filling, 191  
 CLEO III LiF-TEA ring imaging, 410  
 cloud chamber, 2  
 cluster counting, 34  
 cluster size, 34  
 collision probability, 24  
 collisional charge transfer, 85  
 COMPASS RICH, 386, 423  
 COMPASS spectrometer, 18  
 composite materials, 28  
 compteur à trous, 377  
 Compton scattering, 62  
 converters for hard photons detection, 63  
 CsI photocathodes, 420  
 CsI-coated multi-GEM, 428  
 current division, 284

- cylindrical GEM electrode, 385
- cylindrical proportional counter, 182
- cylindrical triple-GEM, 390
  
- declustering, 312
- de-excitation, 129
- delay line, 245
- DELPHI barrel RICH, 417
- DELPHI TPC, 299
- delta electrons, 25, 29, 31
- delta electrons statistics, 40
- deposits on electrodes, 441
- detector efficiency, 27
- deterioration under irradiation, 252
- differential Cherenkov counters, 399
- differential energy loss, 29
- diffusion coefficient, 81
- diffusion reduction in magnetic field, 294
- dimethyl ether, 50
- discharge probability, 372
- discharges and breakdown, 231
- double Compton scattering, 62
- drift and diffusion, 76
- drift chamber, 8, 79
  - at high pressures, 266
  - construction, 290
- drift tubes, 77, 275, 329
- drift velocity, 82
  - of ions and electrons, 21
- dual-phase detectors, 440
  
- E605 RICH particle identification, 15, 411
- electrodeless drift chambers, 287
- electromagnetic interactions, 24
- electron attachment, 89
- electron backscattering cross sections, 421
- electron capture, 106
  - losses, 128
- electron counting method with optical detection, 201
- electron drift
  - in liquid argon and xenon, 113
  - in liquid noble gases, 112
  - in magnetic fields, 90
- electron drift velocity, 90
  - in carbon tetrafluoride, 98
  - in dimethyl ether, 98
- electro-negative addition, 239
- electro-negative gases, 193
- electronic excitation, 130
- electron–molecule collision cross sections, 117
- emission spectra for argon–methane, 138
- emission spectra of carbon tetra-fluoride, 140
- energy loss, 25
- energy loss distribution, 32
- energy resolution of proportional counters, 195
- energy transfer, 24
- epithermal and thermal neutrons, 70
  
- escape peak, 60
- European Hybrid Spectrometer, 292
- E×B distortion, 310
- excitation and ionization, 24
- excitation levels, 129
  
- Fano factor, 61
- fast amplifiers-discriminators, 358
- Fermi plateau, 25
- figure of merit, 403
- first Townsend coefficient, 144
- fluorescence, 43
  - emission, 139
  - yield, 58
- fluorine creation in avalanches, 455
- Frisch grid ionization chamber, 176
- Furry statistics, 195
- Furry's law, 150
- fused silica windows, 401
  
- gain reduction due to space charge, 204
- gas electron multiplier, 17
- gaseous photomultipliers, 398
- Gauss identity, 165
- Gaussian diffusion law, 81
- Gaussian statistics, 32
- Geiger, 1
- Geiger operation, 206, 230
- Geiger–Müller counters, 1
- Geiger–Müller process, 206
- GEM, 383
- GEM CsI RICH, 426
- GEM time resolution, 389
- glass RPCs, 353
- golden rule of induced signal formation, 160
- Green's reciprocity theorem, 165
- grid transparency, 175
- GridPix, 397
- guard rings, 184
  
- hadron therapy, 433
- hadron-blind detector (HBD), 428
- hadrontherapy, 12, 19
- HEED, 34
- hexagonal drift chambers, 274
- high-accuracy drift chambers, 271
- high-density drift chambers, 64
- hydrocarbon polymers, 441
- hydrofluoric acid, 459
  
- ICARUS experiment, 324
- imaging chamber, 15, 279
- induced charge for extended tracks, 163
- induced charge profile, 170
- InGrid, 397
- internal solid converters, 71
- ion mobility, 83
- ionization coefficients, 147

496

ionization cross section, 144  
 ionization minimum, 26  
 ions drift velocity, 82

JET chambers, 280

Landau expression, 31  
 Landau fluctuations, 61  
 largest CaF<sub>2</sub> windows, 409  
 limited streamer, 230  
 limited streamer tubes, 327  
 linear absorption coefficient, 44  
 linseed oil, 350  
 linseed oil polymerization, 456  
 liquid noble gas TPC, 324  
 localization accuracy, 239  
 longitudinal diffusion, 98  
   of charges, 80  
 longitudinal localization by current division, 287  
 Lorentz angles, 106  
 low resistivity glass, 355  
 luminescence yield, 133  
 LUX dark matter detector, 436

MAGBOLTZ program, 153  
 magic gas, 226  
 magnetic drift velocities, 106  
 magnetostrictive readout method, 3  
 Malter effect, 233, 444  
 mass absorption coefficient, 45  
 Maxwell–Boltzmann law, 80  
 mean collision time, 91  
 mean free path for absorption, 58  
 Medipix, 397  
 Melamine, 346  
 micro-discharges, 450  
 micro-gap chamber, 374  
 micro-groove chamber, 374  
 Micromegas discharge probability, 382  
 Micromegas ion feedback, 393  
 micro-pattern-based TPC readouts, 301  
 micro-pin array, 375  
 micro-pixel chamber, 375  
 micro-strip gas counter, 16  
 micro-wire chamber, 374  
 mobility of nitrogen ions, 85  
 molar extinction coefficient, 45  
 molecular dissociation, 130  
 monitored drift tubes, 330  
 Mont Blanc experiment, 328  
 MPGD applications, 398  
 MSGC two-track resolution, 367  
 multi-cell planar drift chambers, 265  
 multi-gap RPCs, 355  
 multiple Coulomb interactions, 28  
 multiplication factor, 186  
 multi-step chamber, 246  
 multi-tube arrays, 327

*Index*

multi-wire proportional chamber (MWPC), 5, 64, 211  
 muon detectors, 351  
 muon spectrometers, 330  
 MWPC  
   critical wire length, 219  
   detection efficiency, 225  
   electric field, 212  
   energy resolution, 228  
   gain variations, 216  
   proportional or semi-proportional operation, 222  
   wire capacitance, 214

NA49 TPC, 309  
 negative ions TPC, 325  
 Nernst–Townsend formula, 83  
 neutron cross sections, 70  
 neutron interactions, 68  
 neutron moderation, 69  
 non-polymerizing additives, 442  
 non-polymerizing quenchers, 445  
 nuclear scattering radiography, 11

optical imaging chamber, 15, 432

P10 mixture, 192  
 pad response function, 301  
 parallel plate avalanche counters, 177  
 particle identification, 32  
 Penning condition, 197  
 Penning effect, 145  
 Penning mixtures, 197, 199  
 Pestov glass, 345  
 phenolic polymer laminates, 346  
 photo-absorption ionization model, 33  
 photoelectric absorption, 56  
 photo-ionization threshold, 400  
 photolithographic processing, 367  
 photolithographic technologies, 365  
 photon absorption, 44  
 photon absorption and emission in gases, 43  
 photon absorption cross section, 44  
   for carbon tetrafluoride and nitrogen, 53  
   for water, 50  
   for oxygen, ozone, 50  
   in gaseous fluorinated carbon compounds, 53  
 photon conversion efficiency of GEM detectors, 65  
 photon emission, 133  
 photon emission by avalanches, 136  
 photosensitive vapour, 399  
 plastic streamer tubes, 328  
 plastic tubing, 451  
 Poisson statistics, 26  
 Polya distribution, 152  
 polyimide windows, 67  
 polymerization processes, 445  
 portal imaging, 398  
 position-sensitive neutron detectors, 73  
 positive ions backflow, 318

- positive ions density, 319  
 positive space, 249  
 positron emission tomography, 64  
 preamplification, 246  
 preamplification and transfer, 249  
 primary and total ion pairs, 26  
 primary and total ionisation, 20  
 proportional counter, 1  
 pulsed laser beams, 323
- radiation damage, 441  
 radiation-induced damages, 443  
 radiative de-excitation, 132  
 radio-chromatography, 12, 432  
 Raether limit, 16, 155, 231, 372, 389  
 Ramo theorem, 161, 364  
 Ramsauer minimum, 118  
 rate capability, 204  
 rate effects, 249  
 RD28 collaboration, 369  
 relativistic rise, 25  
 resistive plate chambers (RPC), 65  
 resistive plate counters, 346  
 resonance frequency, 262  
 right-left ambiguity, 273  
 ring imaging Cherenkov counters, 54  
 Rose and Korff expression, 186  
 RPC signals induced, 352  
 Rutherford, 1  
 Rutherford expression, 28
- saturated avalanche mode, 348  
 saturated avalanche regime, 347  
 scintillation counters, 199  
 scintillation from liquid noble gases, 142  
 scintillation proportional counters, 198  
 scintillation spectra of argon, krypton and xenon, 134  
 secondary photon emission, 133  
 self-quenching streamer 207  
   operation, 206  
 self-supporting MWPC, 254  
 signal development in proportional counters, 188  
 signals induced by the avalanche process, 172  
 signals induced in uniform fields, 161  
 silicone polymers, 446  
 single photon emission tomography (SPECT), 63  
 space-charge gain shifts, 201  
 space-time correlations, 290  
 spark chamber, 2  
 STAR experiment at RHIC, 424  
 STAR TPC, 299  
 stopping power, 25  
 straw tubes, 335  
 straws, 329
- straw length as a function of humidity, 343  
 streamer chambers, 3  
 streamer formation, 153  
 streamer propagation, 207  
 support lines, 257
- TEA-operated RICH, 405  
 temperature dependence of drift velocity, 95  
 tetrakis dimethyl amino ethylene (TMAE), 54, 400, 411  
 time projection chamber, 292  
 thick GEM, 385  
 thin-film  $^{10}\text{B}$ ,  $^6\text{Li}$  and  $^6\text{LiF}$  coatings, 71  
 time expansion chamber, 34, 97, 282  
 time projection chamber, 244  
 time projection TPC-RICH, 413  
 Timepix, 397  
 TMAE, 54, 400, 411  
 total number of ion pairs, 28  
 total specific ionization, 26  
 TPC
  - choice of the gas filling, 312
  - calibrations, 323
  - gating grid, 320
  - multi-track separation, 316
  - space resolution, 310
 TPC-based experiments, 297  
 transition radiation tracker, 337  
 transparency of window materials, 67  
 transport theory, 114  
 transverse diffusion, 99  
 transverse diffusion of charges, 80  
 triethyl amine (TEA), 54, 400, 407  
 triple-GEM, 387  
 triton, 70  
 TRUMF TPC, 297  
 two-dimensional multi-wire chambers, 235
- velocity distribution for molecules, 82  
 vertical drift chamber, 267  
 volume multi-wire drift chambers, 275
- water addition, 451  
 wavelength shifter (WLS), 430  
 weaving machines, 258  
 winding machines, 258  
 wire chamber construction, 252  
 wire displacement, 217  
 wire proportional counters, 183  
 wire zapping, 452
- XENON dual phase detectors, 436  
 X-ray absorption, 56  
 X-ray polarimeter, 395