

## Index

---

- abatement
  - costs of greenhouse gases, 432–434
  - estimation of costs, 51
  - optimal, 8–11
  - use of costs as proxy for damage cost, 32
- abbreviations, 651
- accidents, 202–209
  - and external costs, 208
  - monetary valuation of deaths, 378
- acid rain and forest decline, 161
- acidification, 161
- active transport, 605–618
- acute mortality, 96
  - due to O<sub>3</sub>, 99–100
  - due to PM, 70
- adaptive measures, 10
- adiabatic lapse rate, 226
- AERMOD, atmospheric model, 257
- age-specific mortality rate, 86
- agricultural losses
  - due to NO<sub>x</sub>, 162
  - due to O<sub>3</sub>, 165
  - due to SO<sub>2</sub>, 163
  - exposure–response functions, 162
  - monetary valuation, 168
- allocation of upstream impacts for nuclear, PV and wind, 525
- amenity costs, 371
- amenity loss
  - buildings, 132
  - due to congestion, 203
  - relation to repair cost, 134–138
- AOT40 (Accumulated Ozone concentration above Threshold of 40 ppb), 165
- APEEP, assessment model, 33
- APHEA, health effects study, 70
- applications of externality studies, 639–641
- assessment of process chains, comments, 513
- asthma
  - exposure–response function, O<sub>3</sub>, 105
  - exposure–response function, PM, 103
  - monetary valuation, 388
- atmospheric CO<sub>2</sub> concentration increase, data, 411
- atmospheric residence time, 260
- Beaver Committee, 632
- BenMAP, assessment model, 33
- benthic sediment, 345
- bioaccumulation factor, 346
- biodiversity, valuation of, 178
- biofuels, 591
- biomarker, 66
- biomass
  - for power, 554
  - how to account for CO<sub>2</sub>, 514
  - in municipal solid waste, 565
- biotransfer factor, 346
- Black Triangle, 633
- boundaries of the analysis, 32, 44
- buildings. *See* materials and pollution
- CALPUFF, atmospheric model, 257
- CalTOX, comparison with UWM for ingestion, 349
- cancers
  - history of therapy, 364
  - latency, 95
- capital recovery factor, 365
- carbon capture and sequestration, 539
- catastrophic damage, 48
- cessation lag, 94–96
- chemical transformation, 254
- Chernobyl, 548
- chronic bronchitis
  - exposure–response functions, 100
  - monetary valuation, 386–388

## 666 Index

- chronic mortality
  - exposure–response function, 92
  - life expectancy loss, 88–92
- chronic mortality studies, 86
- CML-IA, LCIA method, 43
- CO<sub>2</sub> from biomass, how to account for, 514
- Coase theorem, 14
- co-benefits and tradeoffs, 627
- cohort studies, 68
- command–control mechanisms, 15
- comparison with previous results of ExternE, 506
- concentration–response functions. *See* exposure–response functions
- congestion
  - charges, 620
  - costs, 202
- constant currency, 358
- consumer price index, 357
- consumption rate of food, 341
- contingent valuation
  - concept, 373
  - hypothetical bias, 374
  - lump sum, 375
  - mean versus median, 375
- Convention on Long Range Transboundary Air Pollutants (LRTAP), 635
- conversion of currencies, 400
- cosmic radiation, 546
- cost–benefit analysis
  - objections to, 3
  - problem with nonlinear valuation, 383
  - taxes and inflation, 368
- cost-effectiveness analysis, 4, 6–8
- costs, evolution with time, 364
- COSYMA, accident consequence assessment, 547
- countervailing risks, 44
- covariance matrix, 451
- Cox proportional-hazards, 87
- crops. *See* agricultural losses
- crustal particles, 83
- currency
  - constant, 358
  - conversion, 400
- current assessment of fuel chains, 536
  
- DALY, 391
- damage cost
  - adjustment for higher mortality and greenhouse gas costs, 506
  - applications, 639–641
  - As, 351
  - assessments in the USA, 509
  - dioxins, 322
  - electric power in the EU, 536
  - electric power in the USA, 539
  - evolution with time, 364
  - greenhouse gases, by impact category, 430
  - Hg, 324–336
  - leachates, 566–569
  - nitrogen fertilizer, 170
  - Pb, 352
  - per kg of pollutant, ExternE (2008), 504
  - per tonne of waste, 572
  - tail pipe emissions, 587
  - transport in the EU, 588
  - transport in the USA, 590
- damage function, 213
- deciview, 199
- declination angle, 227
- depletion of non-renewable resources, 204–207
- depletion velocity, 263
- deposition velocity
  - data, 254
  - uncertainty, 460
- dermal contact, 319
- dilution rate
  - elevated sources, 285
  - ground-level emissions, 290
- dioxins
  - damage cost, 322
  - exposure–response function, 117
- discount rate, 358–369
  - intergenerational, 359–364
  - Ramsey formula, 359
  - used by governments, 359
- dose–response functions. *See* exposure–response functions
- DPSIR Framework, 21
- dry deposition, 253
  
- ecoinvent, LCA database, 35
- EcoSense, assessment model, 33
- ecosystem
  - impacts, 177–187
  - pollution, 180
  - restoration, 179
  - services, 188
- effective stack height, 233
- elasticity
  - income elasticity of mortality valuation, 364
  - of marginal utility of consumption, 359
  - price elasticity of demand for electricity, 437

- electric power
  - accidents, 527
  - assessments in the EU, 536
  - assessments in the USA, 539
  - fossil, 550
  - from biomass, 554
  - hydro, 555
  - nuclear, 542–549
  - upstream and downstream
    - impacts, 524
    - wind, 554
- embodied pollution, 622
- EMEP, atmospheric models, 257, 499
- emission limits of Waste Incineration Directive, 564
- energy and materials recovery, 571
- ENSAD, accident database, 209, 528
- environmental compartments, 319
- environmental impact study, 24, 34
- epidemiology
  - difficulties, 67
  - methods for measuring impacts of pollutants, 66
  - types of studies for air pollution, 68
- equity, 5
- equity weighting, 422–424
- errors in analysis, 53
- Eulerian transport models, 218
- EURO standards, 581
- European Pollutant Release and Transfer Register, 563
- European Tracer EXperiment, 459
- eutrophication
  - damage cost in UK, 174
  - description, 173
  - due to  $\text{NO}_x$ ,  $\text{SO}_2$  and  $\text{NH}_3$ , 187
  - in the Baltic Sea, 181
- evolution of costs with time, 364
- exposure–response functions, 27–31
  - As, 109
  - asthma due to  $\text{O}_3$ , 105
  - asthma due to PM, 103
  - benzene, 119
  - butadiene, 119
  - Cd, 110
  - chronic bronchitis, 100
  - Cr, 111
  - dioxins and PCBs, 117
  - extrapolation to low exposures, 74
  - fertilizer effect, 76
  - formaldehyde, 121
  - Hg, 114
  - hockey stick, 76
  - hospital admissions due to  $\text{O}_3$ , 104
  - hospital admissions due to PM, 101
  - linearity, 76
  - lower respiratory symptoms due to  $\text{O}_3$ , 106
  - lower respiratory symptoms due to PM, 103
  - minor restricted activity days due to  $\text{O}_3$ , 105
  - minor restricted activity days due to PM, 102
  - morbidity due to  $\text{O}_3$ , 104–106
  - morbidity due to PM, 100–104
  - mortality due to  $\text{O}_3$ , 99–100
  - mortality, acute due to PM, 70
  - mortality, chronic due to PM, 92
  - Ni, 116
  - Pb, 111
  - polycyclic aromatic hydrocarbons, 120
  - population-level, 76
  - radionuclides, 121
  - restricted activity days due to PM, 102
  - uncertainty, 464
  - used by ExternE (2008), 502
  - used in USA by NRC (2010), 510
  - work loss days due to PM, 102
- external costs, 13–14, *See* damage costs, applications, 639–641
  - definition, 13
  - internalization, 14
  - pecuniary externalities, 205
- ExternE, comparison with previous results, 506
- Fechner’s law of perception, 377
- food, calculation of pollutant concentrations, 342
- forest decline, 161
- fossil fuel chains, 550
- fuel chain assessments
  - current, 536
  - during the 1990s, 533–536
  - in the EU, 536
  - in the USA, 509
- Fukushima, 548
- GAINS model of IIASA, 635
- Gaussian plume
  - dispersion model, 219–241
  - widths  $\sigma_y$  and  $\sigma_z$ , 229
- GDP per capita, growth rates, 363
- general equilibrium analysis, 369
- geometric mean, 453
- geometric standard deviation, 452
- global average temperature increase, data, 411
- global warming potential, 408

## 668 Index

- Gompertz formula for mortality, 88
- greenhouse gases
  - abatement costs, 432–434
  - cost-effectiveness analysis, 6
  - damage cost as function of temperature change, 428
  - damage costs, 425–432
  - damage costs, Stern Review, 427
  - effects, 407–414
  - emission reductions and implications of a CO<sub>2</sub> tax, 434–437
  - emissions of car, plane and train, 618
  - emissions scenarios, 415
  - radiative forcing, 408
  - stabilization scenarios, 417
  - time constants, 409
- GREET, software for transportation emissions, 590, 600
- growth rates of GDP per capita, 363
- Hartwick's rule for non-renewable resources, 207
- Harwell trajectory model, 219
- hedonic price method, 369
- Hill's criteria for causality, 72
- hormesis, 79
- Hoteling's rule for resources, 205
- hybrid electric versus conventional vehicles, 595
- hydro power, 555
- hypothetical bias, 374
- IMPACT 2002+, LCIA method, 40
  - impact pathway analysis
    - definition, 11
    - description, 25–34
    - relation to LCA, 39–42
  - impact pathway thinking, 628
  - incidence of disease, 109
  - incinerators
    - damage costs per tonne of waste, 572
    - emissions, 562
  - indoor air pollution
    - candles and incense, 94
    - formaldehyde, 121
    - smoking, 95
  - induced effects, 44
  - infant mortality
    - impacts, 97–99
    - monetary valuation, 383
  - inflation
    - in social cost–benefit analysis, 368
    - measurement, 357
  - ingestion dose
    - intake fractions, 347
    - use of steady-state models, 338
  - UWM, 337
- inhalation rate, 321
- intake fraction
  - via ingestion, 347
  - via inhalation, 289
- integrated framework,
  - recommendations, 56
- intergenerational discount rate, 359–364
- internalization
  - definition, 14
  - of accidents, 208
  - of damage costs of transport, 620
  - of resource depletion, 205
  - policy instruments, 14
  - polluter pays, 18
- International Commission on Radiological Protection (ICRP), 121
- intervention studies, 443
- IQ decrement
  - due to Hg, 327
  - due to Pb, 352
  - monetary valuation, 332
- irreversible impacts, 48
- ISC, dispersion model, 499
  - comparison with data, 225
- iso-elastic utility function, 423
- key assumptions of ExternE (2008), 497
- key concepts, 653
- Lagrangian transport models, 217
- land use, 177
- landfill
  - damage costs per tonne of waste, 572
  - methane, 565
- Latin hypercube sampling, 444
- LCA, 34–42
  - data, retrospective versus prospective, 513
  - databases, 36
  - relation to impact pathway analysis, 39–42
- LCIA, 38–39
- lead
  - damage cost, 352, 505
  - intake fraction, 347
- life cycle assessment, 34–42, *See* LCA
- life cycle impact assessment. *See* LCIA
- life cycle inventory, 34
- life expectancy loss
  - calculation, 88–92
  - cancers, 390
  - due to PM, 92

- due to smoking, 95
- examples, 92
- monetary valuation, 379
- life table, 88
- light extinction coefficient, 199
- LOAEL, 40
- loan payments, 365
- local exposure, 238–241
- lognormal distribution, 453
- London smog of 1952, 2
- loss of species, valuation, 185
- low emission zones, 587
- LRTAP, Convention on Long Range Transboundary Air Pollutants, 635
- market mechanisms, 15
- materials and pollution
  - bottom-up estimation of costs, 146–147
  - brickwork, mortar and rendering, 142
  - concrete, 142
  - cost of damage due to SO<sub>2</sub>, 147
  - critical thickness, 146
  - exposure–response functions, 144
  - historical monuments, 154
  - metals, 143
  - natural stone, 140
  - paint and polymeric materials, 143
  - repair costs, 146
  - repair frequency, 146
  - sensitivity of materials and stock at risk, 140
  - soiling costs, 147
  - top-down estimation of costs, 148
- maximum technically feasible reduction, 636
- mercury
  - compact fluorescent light bulbs, 336
  - damage cost, 324–336, 505
  - from coal, 552
  - in municipal solid waste, 570
  - ingestion dose of MeHg, 325
  - RfD of EPA, 329
- MET (metabolic equivalent), 611
- methane
  - appropriate GWP, 577
  - from landfill, 565
- midpoint evaluation, LCA, 40
- mixing boundary layer, 237
- monetary valuation
  - air pollution mortality, comparison VPF - VOLY, 510
  - asthma, 388
  - biodiversity, 178
  - cancers, 389
  - doctor visit for lower respiratory symptoms or asthma, 388
  - general principle, 31
  - hospitalization, 385
  - infant mortality, 383
  - IQ point, 332, 395
  - morbidity, 386–394
  - mortality, 379–384
  - mortality studies, meta-analysis, 506
  - respiratory medication use, 389
  - restricted activity days, 389
  - symptom day and minor restricted activity day, 389
  - uncertainty of, 465
  - value of a life year, 379–383
  - value of prevented fatality (VPF), 378
  - VPF from speed limits, 372
  - work loss days, 384
- monetary values
  - used by ExternE (2008), 502
  - used in USA by NRC (2010), 510
- Monte Carlo analysis of exposure, 462
- Monte Carlo method, 443
- Monte Carlo method, a simple example, 445
- moral limits to markets, 17
- morbidity
  - due to O<sub>3</sub>, 104–106
  - due to PM, 100–104
- mortality
  - acute, 68
  - age-specific, 86
  - chronic, 68
  - chronic due to PM, 92
  - due to O<sub>3</sub>, 99–100
  - due to PM, 88
  - Gompertz formula, 88
  - loss of life expectancy and number of deaths, 84
  - valuation studies, meta-analysis, 506
  - valuation, VOLY, 379–383
  - valuation, VPF, 378
- multicriteria analysis, 49
- multimedia model
  - description, 337–346
  - summary of equations, 657
- N<sub>2</sub>O from agriculture, 172
- National Emission Ceilings Directive, 10
- net present value, 365
- neurotoxic impacts, valuation, 392
- NHANES (National Health and Nutrition Examination Survey), 66
- nitrate formation, 261

## 670 Index

- nitrates in water
  - colon cancer, 173
  - eutrophication, 173
  - methemoglobinemia, 173
- nitrogen fertilizer
  - contribution to global warming, 170, 172
  - damage cost, 175
- NMMAPS, health effects study, 70
- NOAEL, 40
- noise, 201–203
  - cardiovascular health, 202
  - damage costs, 203
- noise barrier, 370
- non-exhaust PM<sub>10</sub> emissions, 584
- nonlinearities and thresholds, 47
- nonlinearity of impacts, 44
- nuclear power
  - accidents, 547
  - assessments, 542–549
  - normal operation, 542
  - waste, 48
- O<sub>3</sub> impacts, 45
  - nonlinearity, 44
- odds ratio, 80
- partial equilibrium analysis, 369
- Pasquill stability categories, 226
- PCBs. *See* dioxins
- pecuniary externalities, 14, 205
- permits, 16
- pesticides, 175–177
- photovoltaics, 554
- physical activity, health benefits, 607
- planetary boundary layer, 237
- plume rise, 233
- policy decisions, inconsistencies of, 3
- policy instruments, 14–18
- pollutant removal, 253–257
- polluter pays, 18
- pollution episodes, 215
- pollution exposure in underground
  - trains, 594
- pollution tax, 16
- potential impacts, LCIA, 39
- poverty kills, 5
- precautionary principle, 50
- present value, 358
- presentation
  - of impacts with very different
    - uncertainties, 485
  - of results, recommendations, 57–59
  - of sensitivity studies, 485
  - of uncertainty, 489
- preservation of species, valuation of, 178
- prevalence of disease, 109
- probabilistic safety assessments, 547
- problematic uncertainties, 481
- problems of tools, 52
- protest zeroes, 375
- pure rate of time preference, 359
- QALY, 391
- radiation background, 546
- RAINS model of IIASA, 635
- Ramsey formula for discount rate, 359
- Rawls, veil of ignorance ethical
  - principle, 362
- REACH (Registration, Evaluation,
  - Authorisation and Restriction of
    - Chemicals), 562, 630
- real rate of change, 358
- recycling, 561
- regional dispersion
  - simple model for primary pollutants, 258
  - simple model for secondary
    - pollutants, 259
- relative risk RR, 80
- renewable electricity, 553
- resources
  - depletion of, 204–207
    - Hartwick's rule, 207
    - Hoteling's rule, 205
- revealed preference methods, 369–373
- risk
  - acceptability, 6
  - aversion, 49
  - comparisons, 49
- RiskPoll, assessment software, 655
- ROADPOL, dispersion model, 499
- root depth, 342
- rule of 70 for doubling times, 367
- sea level rise, data, 413
- sensitivity studies, 485
- sewage sludge, 345
- slope factor, 107
- smoking, 95
- social discount rate, 359
- software, 33
- soil depth, 343
- soil loss constant, 343
- soil pollution, 19
- solar altitude angle, 227
- source–receptor matrices, 499
- standard deviation of sum, 449
- standard visual range, 198
- stated preference methods, 373–377
- stated preference, lack of proportionality, 375

## Index

671

- sulfate formation, 261
- superior good, 364
- surface roughness, 229
- survival function, 88
- synergistic effects of pollutants, 74
  
- taxes in social cost–benefit analysis, 368
- Three Mile Island, 548
- threshold
  - in calculation of ecosystem impacts, 47
  - in calculation of health impacts, 79
- time and space distribution of impacts, 523
- time series, 67
- toxicology, 67
- tracer gas, 442
- tradable permits, 16
- traffic congestion. *See* congestion
- transfer factor air to soil, 345
- transfer factor for Hg, 324
- transfer factor, air to food, 341
- transfer factors, 320
- transfer of values, 396–401
- travel cost method, 178, 373
- triangular distribution, 455
  
- uncertainty
  - and multicriteria analysis, 489
  - and precautionary principle, 488
  - consequences for decisions, 490–492
  - integration into the decision process, 488
  - of atmospheric models, 459
  - of damage costs
    - As, Cd, Cr and Ni, 471
    - classical air pollutants, 468
    - dioxins, 472
    - greenhouse gases, 473
    - Hg, 470
    - Pb, 472
  - of exposure–response functions, 463
  - of sum of lognormal variables, 476–482
  - of sums and products, 449–453
  - placement of confidence intervals, 474
  - problematic uncertainties, 481
- uniform world model (UWM)
  - average concentration for elevated sources, 280
  - concentrations for elevated sources, 279
  - concentrations for ground-level sources in cities, 284
  - damage costs of ground-level sources in cities, 289
  - damage distributions for elevated sources, 282
  - derivation of the simple UWM, 270
  - for ingestion, 337–346
  - intake fractions, inhalation, 289
  - stack height, local population and non-linear chemistry, 274
- uniform world model validation
  - comparison of concentrations in Beijing with Integrated Environmental Strategies program, 297
  - comparison of concentrations with EMEP source-receptor matrices, 305
  - comparison of intake fractions with published results, 301
  - comparison with EcoSense for China, 295
  - comparisons with ammonia impacts of EC4MACS, 294
  - comparisons with ExternE (2008), 291
  - comparisons with GAINS-China, 297
- unit risk factor, 108
- units and conversion factors, 649
- UNSCEAR, 122
- utility, 423
  
- validation of models, 442
- value of (mortality) risk reduction, 3
- value of a life year, 379–383
- value of prevented fatality (VPF), 3
- value of prevented fatality, from speed limits, 372
- value of prevented fatality, from wage–risk studies, 371
- value of statistical life, 3
- value transfer, 396
- vehicle emissions, 581–585
- visibility, 198–201
- VOLY (value of a life year), 379–383
  
- wage–risk studies, 371
- washout coefficient, 264
- waste
  - impacts of storage, 48
  - nuclear, 48
- Waste Electrical and Electronic Equipment Directive, 561
- waste treatment
  - damage costs per tonne of waste, 572
  - energy and materials recovery, 571
  - incinerators, 572
  - landfill, 572
  - wet deposition, 253
- wind power, 554
- wind profile exponent, 236
- Windrose trajectory model, 219
  
- years lived with disease, 109